

Table of contents

Preface	1
SECTIONS	
16. Mites and ticks as vectors of disease	
16.1. Non-viraemic tick-borne virus transmission: Mechanism and significance	
P.A. Nuttall, L.D. Jones	3
16.2. Transovarial transmission rate of tick-borne encephalitis virus in <i>Ixodes ricinus</i> ticks	
V. Danielová, J. Holubová	7
16.3. Attenuated temperature-sensitive mutants of tick-borne encephalitis (TBE) virus isolated from natural focus	
J. Kopecký, K. Křivanec, E. Tomková	11
16.4. Identification of tick-borne encephalitis (TBE) virus using monoclonal antibodies and enzyme-linked immunosorbent assay (ELISA)	
J. Kopecký, E. Tomková, K. Křivanec	21
16.5. On virus-vector-host relationships in the Central European tick-borne encephalitis foci (West Slovakia)	
M. Labuda, J. Lysý, O. Kožuch	29
16.6. Experimental study on transmission of haemorrhagic fever with renal syndrome virus by mites, <i>Ornithonyssus bacoti</i> (Hirst)	
Meng Yang-chun, Zhuge Hong-xing, Lan Ming-yang, Zhou Hong-fu.	35
16.7. Symbiotic microorganisms (endocytobionts) in <i>Dermacentor reticulatus</i> ticks	
G. Šuláková, J. Řeháček	41
16.8. <i>Rickettsiella phytoseiuli</i> and its relation to mites and ticks	
G. Šuláková	45
16.9. Tick-borne viruses and bacteria isolated in Czechoslovakia	
Z. Hubálek, Z. Juřicová, J. Halouzka	49

16.10. Prevalence of <i>Francisella tularensis</i> in ticks of Slovakia V. Výrosteková, J. Řeháček, D. Guryčová, E. Kocianová	55
16.11. Prevalence of <i>Borrelia burgdorferi</i> in ticks in Slovakia J. Řeháček, E. Kmety, E. Kocianová, V. Výrosteková, Z. Sekeyová, M. Vavreková	61
16.12. The hedgehog tick, <i>Ixodes hexagonus</i> Leach, 1815, as a vector of <i>Borrelia burgdorferi</i> in Europe A. Liebisch, S. Olbrich	67
16.13. Surface carbohydrates of <i>Borrelia burgdorferi</i> D. Hulínská, P. Volf, L. Grubhoffer	73
16.14. On the possibility of haemocoelic penetration by <i>Coxiella burnetii</i> in the tick <i>Dermacentor reticulatus</i> M. Vavreková, J. Řeháček	79
16.15. Experimental transmission of Japanese <i>Theileria sergenti</i> and Australian <i>T. buffeli</i> by haemaphysaline tick species K. Fujisaki, S. Kawazu, T. Kamio, N.P. Stewart	83
16.16. Studies on mosquitoes and ticks as carriers of Alpha-, Flavi- and Bunyaviruses B. Kamarincev, T. Kovacheva, T. Christova, G. Georgieva, V. Zlatanova	89
16.17. The ecology of the vectors of Crimean-Congo haemorrhagic fever in southern Africa Y. Rechav	93
17. Morphology and phylogeny	
17.1. Phylogeny and zoogeography of the Holothyrida P.T. Lehtinen	101
17.2. Features of the embryonic development of gamasid mites (Parasitiformes, Gamasida) A.V. Yastrebtsov	115
17.3. The integration of morphologic, biogeographic and palaeogeographic studies to reveal the phylogeny of predatory mites W. Karg	121
17.4. Phylogenetic systematics and zoogeography of the genus <i>Holaspulus</i> Berlese (Acarina, Gamasida, Parholaspididae) K. Ishikawa	129
17.5. Evolution of life cycles in ticks (Ixodidae) due to climate seasonality V.N. Belozarov	135
17.6. Dorsal setal distribution and homologues in several species of mites of the family Spinturnicidae (Mesostigmata) A. Estrada-Peña, N. Sánchez	141

17.7. Phenotypic variation of larval <i>Argas (Carios) vespertilionis</i> (Argasidae) in Spain and northern Africa A. Estrada-Peña, A. Albó, J. Gutiérrez	147
17.8. Phenotypic variation of <i>Dermacentor marginatus</i> (Ixodidae) in the Pa-laearctic region A. Estrada-Peña, R. Estrada-Peña	155
17.9. Phylogenetic studies of the terrestrial Parasitengona W.C. Welbourn	163
17.10. The phylogenetic relationships within the Parasitengonae H. Witte	171
17.11. The feather mites of the family Avenzoaridae, their classification and peculiarities of their host-distributions S.V. Mironov	183
17.12. A preliminary investigation of the phylogeny of <i>Tarsopolipus</i> , a comparison with other early derivative podapolipid genera R.W. Husband	193
17.13. Intergeneric relationships within Erythraeidae (Acari, Actinedida) G. Gabrys	207
17.14. Biochemical and morphological systematics in the genus <i>Amerus</i> (Acarida, Oribatida) F. Bernini, A.M. Avanzati, M. Baratti	213
17.15. Preliminary hypothesis on the biogeography of the Phthiracaroida (Acari: Oribatida) W. Niedbala	219
17.16. A modified classification of the Oripodoidea (Acarida: Cryptostigmata) based on a preliminary phylogenetic model D.C. Lee	233
17.17. Computer in acarine taxonomy: A method for systematical analysis of the genus <i>Pergamasus</i> (Acari: Mesostigmata) M. Dielmann	239
17.18. Some observations on the podocephalic canals and tarsal claws of Bdellidae (Acari: Actinedida) S.F. Swift	249
17.19. Application of colonial morphology of filial generation to the taxonomy of chigger mites Wang Dun-qing, Liao Hau-rong, Sun Yu-mei	253
17.20. Morphological study of adults of trombiculid mites from Cuban hot caves M. Daniel, V. Černý, J. Štěrba, J. de la Cruz	261
17.21. Morphology of the Eupodidae (Actinotrichida, Actinedida, Eupodoidea) K. Jesionowska	265

17.22. Calyptostasic nymphs of <i>Neonanorches</i> (Nanorchestidae): A third example of alternating calyptostasy J. Kethley	279
17.23. Comparison of the sclerotized structures of Acaridae and Glycyphagidae used for copulation M.G. Walzl	283
17.24. Deutonymphal dimorphism in the genus <i>Hericia</i> (Astigmata: Allopodidae) N.J. Fashing	287
17.25. The Tydeidae: a striking exception to the Oudemans-Grandjean rule H.M. André	293
17.26. Ontogeny in the Tydeidae (Ereynetidae, Tydeidae and Iolinidae) H.M. André, A. Fain	297
17.27. Fine structure and functions of the mouthparts involved in the feeding mechanisms in <i>Tetranychus urticae</i> Koch (Tetranychidae: Tetranychidae) G. Nuzzaci, E. de Lillo	301
17.28. Oriental citrus mite, <i>Eutetranychus orientalis</i> (Klein) as seen by scanning electron microscopy J.I. Al-Gboory, M. Giannetti	307
17.29. What are verticillations? G. Wauthy, V. Bauchau, Th. Backeljau	311
17.30. Some aspects of the microanatomy of soil sarcoptiform mites (Acari: Oribatida and Acaridida) J. Smrž	319
17.31. Epicuticular calcification in <i>Phyllozetes</i> (Acari: Oribatida) R.A. Norton, V.M. Behan-Pelletier	323
17.32. Fine structure of the chorion of the broad mite <i>Polyphagotarsonemus latus</i> (Prostigmata: Tarsonemidae) G.T. Baker, A. Chandrapatya	325
17.33. Diapausing females of the two-spotted spider mite, <i>Tetranychus urticae</i> F. Weyda	329
17.34. Scanning electron microscopy of Haller's organ for subgeneric systematic studies in the genus <i>Ixodes</i> P.J. Homsher, R.G. Robbins, J.E. Keirans	335
17.35. Fine structure of photoreceptor organs in Acari G. Alberti, Th. Kaiser, N.A. Fernandez	343
17.36. The idiosomal adenotaxy and poroidotaxy of Zerconidae (Mesostigmata: Zerconina) D.E. Johnston, M.L. Moraza	349

18. Physiology and biochemistry

- 18.1. Effects of the habitat salinity on the osmotic and ionic regulation of the freshwater mites *Eylais tantilla* Koen. and *E. planipons novata* Viets (Acari: Hydrachnidia)
R. Olomski 357
- 18.2. On the osmotic regulation of *Allothrombium fuliginosum* (Hermann, 1804) (Prostigmata: Parasitengonae: Trombidia)
F.-E. Wendt 365
- 18.3. Water management of the non-parasitic phases of *Ixodes ricinus* in the course of its postembryonic development
O. Kahl 371
- 18.4. Antibacterial protective mechanisms of ixodoid ticks
V.M. Podboronov 375
- 18.5. Lectins as the molecular factors of recognition and defence reaction of ticks
L. Grubhoffer, J. Vereš, F. Dusbábek 381
- 18.6. The presence and functions of the autonomic nervous system in ticks
K. Sláma 389
- 18.7. Structural and cytochemical changes in the salivary glands of *Rhipicephalus sanguineus* during feeding
S.S. Mulmule 397
- 18.8. Human allergic reactions to the Australian paralysis tick *Ixodes holocyclus* Neumann, 1899, and the causal allergens
B.F. Stone, M. Gauci, Y.H. Thong 403
- 18.9. Blood phagocytic cell response of rabbits infested with *Psoroptes cuniculi*
J. Uhlíř 409
- 18.10. Carboxylesterase polymorphism of resistant inbreeding lines of the two-spotted spider mite *Tetranychus urticae*
A.C.W. Mueller, J. Šula 415
- 18.11. Cuticle wax chemistry of astigmatid mites
W.S. Leal, Y. Kuwahara 419
- 18.12. Differential potentials of three predatory mites (Acari: Phytoseiidae) to develop resistance to azinphos-ethyl
J. Šula, M. Zacharda 425

19. Genetics and reproduction

- 19.1. Genetic differentiation between deuteronymphs of *Poecilochirus carabi* (Mesostigmata, Parasitidae) living on sympatric *Necrophorus* species (Coleoptera, Silphidae)
H.H. Schwarz, J.K. Müller, A. Baker 431

19.2. Genetic differentiation between <i>Macrocheles penicilliger</i> and <i>Macrocheles minervae</i> (Acarina: Mesostigmata)	
B. Cicolani, A. Di Sabatino	437
19.3. Deuterotoky in <i>Mononychellus caribbeanae</i> (Acari: Tetranychidae) on cassava in Guadeloupe. Karyotype and preliminary biological data	
J. Gutierrez, H.R. Bolland, J. Etienne, D. Cotton	443
19.4. Structure and formation of the sperm package of <i>Piona carnea</i> (Koch, 1836) (Prostigmata, Hydrachnidia), a copulating water mite	
J. Leimann	449
20. Ecology, biology and behavior	
20.1. Parasite-host relationships of the tick <i>Ixodes trianguliceps</i> Bir. and coincidence of its ecological niches with those of <i>Ixodes ricinus</i> (L.)	
B. Peřko, V. Černý, V. Jurášek	455
20.2. Tick ecology: On-host population dynamics of ticks in the Coast Province of Kenya	
A.O.J. Amoo, O.O. Dipeolu, L.N. Gichuru	461
20.3. Influence of various kinds of food on some biological parameters of <i>Amblyseius cucumeris</i> (Oud.) (Acarina: Phytoseiidae)	
M. Castagnoli, S. Simoni	469
20.4. The life cycle of <i>Spinturnix psi</i> (Mesostigmata: Spinturnicidae) on <i>Miniopterus schreibersi</i> (Mammalia: Chiroptera)	
A. Estrada-Peña, M.A. Peribáñez, J. Serra	475
20.5. Functional responses of <i>Amblyseius womersleyi</i> preying on the kanzawa spider mites	
C.I.T. Shih, J.S. Huang	481
20.6. Do females eat males? Laboratory studies on the population development of <i>Hypoaspis aculeifer</i> (Acari: Parasitiformes)	
A. Ruf	487
20.7. Observations on the developmental sequence of <i>Varroa jacobsoni</i> Oud.	
R. Nannelli, M. Accorti	493
20.8. Biology of <i>Rhizoglyphus robini</i> (Astigmata: Acaridae) reared on Bot and Meyer artificial medium	
N.J. Fashing, W.J. Hefele	499
20.9. Bionomics and chemical control of <i>Tetranychus hydrangeae</i> Pritchard et Baker	
A. Chandrapatya	505
20.10. Biology of mites of Allothrombiinae (Acari: Trombididae) and their potential role in pest control	
Z.Q. Zhang	513

20.11. Distribution pattern and phenology of Phthiracaridae and Euphthiracaridae (Acari: Oribatei) in a beech forest J. Berg	521
20.12. Life-histories and notes on the behaviour of tree-living oribatid mites I. Wunderle	529
20.13. Biology and predatory capacity of <i>Agistemus exsertus</i> Gonzalez-Rodriguez feeding on eggs of mites infesting fruit trees in Upper Egypt A.G.A. Salman, S.H. Manna	537
20.14. Nutrition and respiratory rate of water mites (Actinedida: Hydrachnidia) from a phylogenetic point of view A. Wohltmann	543
20.15. Sexual behavior of males attracted to quiescent deutonymphs in the Eriophyoidea (Acari) K. Michalska, J. Boczek	549
20.16. Observations on the behavior of the hypopus of <i>Lardoglyphus konoi</i> M. Okamoto, K. Matsumoto	555
20.17. Mechanisms of phoretic specificity in <i>Macrocheles</i> (Acari: Macrochelidae) G.W. Krantz, L.A. Royce, R.R. Lowry, R. Kelsey	561
20.18. Study on diapause of adult ticks of the genus <i>Dermacentor</i> Jiang Zai-jie, Li Feng, Wang Wen-lin	571
20.19. Variation in diapause incidence among Japanese populations of <i>Tetranychus urticae</i> Koch A. Takafuji, K. Goka, P.-M. So	581
20.20. Variation in diapause induction and termination between three European strains of the spider mite <i>Tetranychus urticae</i> A. Veerman, D.S. Koveos	587
20.21. Diapause induction in the predatory mite <i>Amblyseius potentillae</i> : Are photoperiodism and thermoperiodism based on one mechanism? Y.M. van Houten, J. Bruin, A. Veerman	593
20.22. Mite herbivory induces airborne information transfer between plants J. Bruin, M.W. Sabelis, M. Dicke	599
20.23. Biology of oriental citrus mite, <i>Eutetranychus orientalis</i> (Klein) on different citrus species J.I. Al-Gboory	607
20.24. Arrival and establishment of Acari on oceanic islands H. Schatz	613
21. Biological control	
21.1. A new rearing method for nematophagous mites L.A. Royce, G.W. Krantz	619

21.2. Nematode parasitism in vector oribatid mites	
M.A. Haq	623
21.3. Pathogenicity of parasitic nematodes to ticks	
M. Samish, I. Glazer	629
21.4. Activity of <i>Rhizopus thailandensis</i> , <i>Rhizopus arrhizus</i> and <i>Curvularia lunata</i> on reproductive efficacy of <i>Rhipicephalus sanguineus</i> (Ixodidae)	
A. Casasolas-Oliver, A. Estrada-Peña, J. Gonzalez-Cabo	633
21.5. Role of mesostigmatid mites in integrated fly control	
R.C. Axtell	639
21.6. Life history of <i>Amblyseius cucumeris</i> and <i>A. barkeri</i> (Acarina: Phytoseiidae) on a diet of pollen	
P.C.J. van Rijn, Y.M. van Houten	647
21.7. Use of the predatory mite <i>Typhlodromus pyri</i> Scheuten (Acari: Phytoseiidae) for biological protection of grape vines from phytophagous mites	
M. Hluchý, Z. Pospíšil	655
21.8. Relative humidity - a decisive factor for the use of oligophagous predatory mites in pest control	
B. Baier	661
21.9. Refinement of a stochastic model of spider mite predator-prey interactions	
D.J. Horn, D.K. Pearl, R. Bartoszynski, D.B. Kallander	667
21.10. Notes on <i>Aculus schlechtendali</i> (Nal.) as food for predatory mites	
J. Kozłowski, M. Kozłowska	675
21.11. Allelochemicals in phytoseiid-prey interactions: Resulting effect on prey-preference of <i>Phytoseiulus persimilis</i>	
A.H. Rasmy, H.A. Abddel-Rahman, H.E. Hussein	679
21.12. The mite <i>Fuscuropoda marginata</i> (C.L. Koch) for the control of pest slugs <i>Laevicaulis alte</i> (Férussac)	
S.K. Raut, A. Panigrahi	683
21.13. <i>Agistemus exsertus</i> Gonzalez (Acarina: Stigmaeidae) as a predator of the grapevine mite <i>Colomerus vitis</i> (Pgst.) (Acarina: Actinedida)	
A.A. Osman, S.M. Abo-Taka, A.M. Zaki	689
21.14. Biotechnical method for protecting vegetable crops grown in green-houses from spider mites	
N.D. Atanasov	691
21.15. Development of the predatory mite <i>Typhlodromus pyri</i> Scheuten (Acari: Phytoseiidae) on a diet of the black currant gall mite <i>Cecidophyopsis ribis</i> (Westw.) (Acari: Eriophyidae) and the two-spotted spider mite <i>Tetranychus urticae</i> Koch (Acari: Tetranychidae)	
R. Zemek	697

22. Chemical control

- 22.1. Control of ticks (*Dermacentor marginatus* Sulzer, 1776) in sheep by pour-on application of the pyrethroids cypermethrin, cyhalothrin and flumethrin
A. Liebisch, G. Liebisch, Ch. Henniger 703
- 22.2. Control of northern fowl mites on poultry
R.C. Axtell 709
- 22.3. Efficacy of some pesticides in field control of soil mites and nematodes infesting potato plants
M.E. Sweelam, A.M. Zaki, S.M. Abo-Taka 713
- 22.4. Potency of solarization and fumigation of some pesticides on predaceous soil mites associated with cantaloupe in Egypt
A.M. Zaki 719
- 22.5. Spider mites and chemical control of weeds: Interactions
S. Kreiter, F. Brian, C. Magnien, G. Sentenac, G. Valentin 725
- 22.6. *Tetranychus urticae* Koch: Its control and impact on azuki bean culture in eastern Washington
L.K. Tanigoshi 737
- 22.7. Selection and mechanisms of Ambush resistance in *Metaseiulus occidentalis* N. (Acarina: Phytoseiidae)
A.Z. Petrushov 741
- 22.8. The impact of aldicarb on the succession of Gamasina; a one year study
H.H. Koehler 749
- 22.9. Synergism and antagonism in mixtures of acaricides for controlling the poultry red mite, *Dermanyssus gallinae* (De Geer, 1778)
P. Zeman 759

Index of Authors 765

Index of Genera and Species 769