

References

1. Abrams, I.F., Bresnan, M.J. and Zuckerman, J.E. (1976) Cervical cord injuries secondary to hyperextension of the head in breech presentation. *Obstetrics and Gynaecology* 41: 369
2. Abu-Heija, A.T., Ziadeh, S. and Obeidat, A. (1997) Breech delivery at term: do the perinatal results justify a trial of labour? *Journal of Obstetrics and Gynaecology* 17(3): 258–60
3. Acien, P. (1993) Reproductive performance of women with uterine malformations. *Human Reproduction* 8: 122–6
4. Acien, P. (1995) Breech presentation in Spain in 1992: a collaborative study. *European Journal of Obstetrics and Gynaecology and Reproductive Biology* 62: 19–24
5. Acien, P. (1996) A comparative study on breech deliveries attended in 1992: hospital centres from Latin America, United States, Spain and Portugal. *European Journal of Obstetrics and Gynaecology and Reproductive Biology* 67: 9–15
6. Albrechtson, S., Rasmussen, S., Dalaker, K. and Irgens, L.M. (1998) Perinatal mortality in breech presentation sibships. *Obstetrics and Gynaecology* 92(5): 775–80
7. Albrechtson, S., Rasmussen, S., Reigstad, H., Markestad, T., Irgens, L.M. and Dalaker, K. (1997) Evaluation of a protocol for selecting fetuses in breech presentation for vaginal delivery or caesarean section. *American Journal of Obstetrics and Gynecology* 177: 586–92
8. Ambadekar, N.N., Khandait, D.W., Sodpey, S.P., Kasturwar, N.B. and Vasude, N.D. (1999) Teenage pregnancy outcome: a record based study. *Indian Journal of Medical Science* 53(1): 14–17
9. Ameghino, J. (1999) Once more out of the breech. *Guardian*, 22 June, p14
10. American College of Obstetricians and Gynaecologists (1997) External cephalic version. *International Journal of Obstetrics and Gynaecology* 59: 73–80
11. Amon, E., Sibai, B.M. and Anderson, G.D. (1988) How perinatologists manage the problem of the presenting breech. *American Journal of Perinatology* 5(3): 247–50
12. Annual Statistical Return Report (1993) Royal College of Obstetricians and Gynaecologists, London
13. Arulkumaran, S., Skurr, B., Tong, H., Kek, L.P. and Ratnam, S.S. (1991) No evidence of hearing loss due to acoustic stimulation test. *Obstetrics and Gynaecology* 78: 283–5
14. Balaskas, J. (1989) *New Active Birth*. Thorsons, London
15. Ballas, S., Toaff, R. and Jaffa, A.J. (1978) Deflexion of the fetal head in breech presentation: incidence, management and outcome. *Obstetrics and Gynaecology* 52: 653
16. Banks, M. (1998) *Breech Birth Woman-Wise*. Birthspirit Books, Hamilton, New Zealand
17. Banks, M. (1996) Breech Birth Woman-Wise. *New Zealand College of Midwives Journal* 15: 17–19
18. Barlov, K. and Larsson, G. (1986) Results of a five year prospective study using a feto-pelvic scoring system for term singleton breech delivery after uncomplicated pregnancy. *Acta Obstetricia Gynecologica Scandinavica* 65: 315–19
19. Bartlett, D. and Okun, N. (1994) Breech presentation: a random event or an explainable phenomenon? *Developmental Medicine and Child Neurology* 36: 833–8
20. Bartlett, D.J., Okun, N.B., Byrne, P.J., Watt, J.M. and Piper, M.C. (2000) Early motor development of breech and cephalic presentation infants. *Obstetrics and Gynaecology* 95(3): 425–32
21. Bartlett, D., Piper, M., Okun, N., Byrne, P. and Watt, J. (1997) Primitive reflexes and the determination of fetal presentation at birth. *Early Human Development* 48(3): 261–73

22. Benifla, J.L., Goffinet, F., Darai, E., et al. (1994) Antepartum transabdominal amnioinfusion to facilitate external cephalic version after initial failure. *Obstetrics and Gynaecology* 84(6): 1041–2
23. Bennebroek Gravenhorst, J., Schreuder, A.M., Veen, S., Brand, R., Verlooove-Vanhorick, S.P., Verweij, R.A., Van Zeben van der Aa, D.M. and Ens Dokkum, M.H. (1993) Breech delivery in very preterm and very low birthweight infants in the Netherlands. *British Journal of Obstetrics and Gynaecology* 100: 411–15
24. Ben-Rafael, Z., Seidmena, D.S., Recabi, K., Bider, D. and Mashiach, S. (1991) Uterine anomalies: a retrospective matched-control study. *Journal of Reproductive Medicine* 36: 723–7
25. Berendes, H.W., Weiss, W., Deutschberger, J. and Jackson, E. (1965) Factors associated with breech delivery. *American Journal of Public Health* 55: 708–19
26. Bergstrom, S. (1992) External cephalic version and daily post versional maternal assessment of fetal presentation: a prospective study. *Gynaecological and Obstetric Investigations* 33: 15–18
27. Bewley, S. (1992) Outcome of breech delivery at term. *British Medical Journal* 305: 1499
28. Bewley, S., Robson, S.C., Smith, M., Glover, A. and Spencer, J.A. (1993) The introduction of external cephalic version at term into routine clinical practice. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 52: 89–93
29. Bilodeau, R. and Marier, R. (1978) Breech presentation at term. *American Journal of Obstetrics and Gynecology* 130: 555–7
30. Bingham, P. and Lilford, R.J. (1987) Management of the selected term breech presentation: assessment of the risks of selected vaginal breech delivery versus caesarean section for all cases. *Obstetrics and Gynaecology* 69: 965–78
- 30a. Biswas, A. Letter to the Editor. *Lancet* 357 (9251): 225
31. Biswas, A. and Johnstone, M.J. (1993) Term breech delivery: does X-ray pelvimetry help? *Australian and New Zealand Journal of Obstetrics and Gynaecology* 33(2): 150–3
32. Bock, J.E. (1969) The influence of prophylactic external cephalic version on the incidence of breech delivery. A retrospective study. *Acta Obstetricia Gynecologica Scandinavica* 48: 215–21
33. Bradley-Watson, P.J. (1975) The decreasing value of external cephalic version in modern obstetric practice. *American Journal of Obstetrics and Gynecology* 123: 237–40
34. Brenner, W.E., Bruce, R.D. and Hendricks, C.H. (1974) The characteristics and perils of breech presentation. *American Journal of Obstetrics and Gynecology* 118: 700–12
35. Brocks, V., Philipsen, T. and Secher, N.J. (1984) A randomized trial of external cephalic versions with tocolysis in late pregnancy. *British Journal of Obstetrics and Gynaecology* 91: 653–6
36. Brown, L., Garrison, T. and Cibils, L.A. (1994) Mode of delivery and perinatal results in breech presentation. *British Journal of Obstetrics and Gynaecology* 171(1): 28–34
37. Bulfin, M.J. and Gallagher, J.T. (1960) The primipara with breech presentation. *Obstetrics and Gynaecology* 16: 283–7
38. Calhoun, B.C., Edgeworth, D. and Brehm, W. (1995) External cephalic version at a military teaching hospital: predictors of success. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 35: 277–9
39. Campbell, R. and MacFarlane, A. (1987) *Where to be Born?* Oxford National Perinatal Epidemiology Unit, Oxford.
40. Cardini, F., Basevi, V., Valentini, A. and Martellato, A. (1991) Moxibustion and breech presentation. *American Journal of Chinese Medicine* XIX(2): 105–14
41. Cardozo, I.D. and Kelleher, C.J. (1992) Outcome of breech delivery at term. *British Medical Journal* 305: 1090–1
42. Carlan, S.J., Dent, J.M., Huckaby, T., Whittington, E.C. and Shaefer, D. (1994) The effect of epidural anaesthesia on safety and success of external cephalic version at term. *Anaesthesia and Analgesia* 79: 525–8
43. Cartledge, L.J. and Hancock, F.Y. (1942) Inherited breech presentation. *Journal of Heredity* 33: 409–10
44. Caseaux, P. and Tarnier, S. (1885) *Obstetrics: The Theory and Practice* (ed. Hess, R.J.). 7th edition. London
45. Caterini, H., Langer, A. and Sama, J.C. (1975) Fetal risk in hyperextension of the fetal head in breech presentation. *American Journal of Obstetrics and Gynecology* 123: 632

46. Catt, A. (1997) Sadie's Birth. *New Generation*, 12–13 March
47. Chadha, Y.C., Mahmood, T.A., Dick, M.J., Smith, N.C., Campbell, D.M. and Templeton, A. (1992) Breech delivery and epidural analgesia. *British Journal of Obstetrics and Gynaecology* 99: 96–100
48. Cheek, D. and Rossi, E. (1989) *Mind–Body Hypnosis*. W.W. Norton and Co., New York
49. Cheng, M. and Hannah, M. (1993) Breech delivery at term: a critical review of the literature. *Obstetrics and Gynaecology* 82(4): 605–18
50. Chenia, F. and Crowther, C.A. (1987) Does advice to assume the knee-chest position reduce the incidence of breech presentation at delivery? A randomised clinical trial. *Birth* 14(2): 75–8
51. Chestnut, D.H., Laszewski, L.J., Pollack, K.L., et al. (1990) Continuous epidural infusion of 0.0625% bupivacaine – 0.0002% fentanyl during the second stage of labour. *Anesthesiology* 72(4): 613–18
52. Chestnut, D.H., Vandewalker, G.E., Owen, C.L., et al. (1987) The influence of continuous epidural bupivacaine analgesia on the second stage of labour and method of delivery in nulliparous women. *Anesthesiology* 66(6): 774–80
53. Christian, S.S., Brady, K., Read, J.A. and Kopelman, J.N. (1990) Vaginal breech delivery: a five year prospective evaluation of a protocol using computed tomographic pelvimetry. *American Journal of Obstetrics and Gynecology* 163(3): 848–54
54. Chung, T., Neale, E., Lau, T.K. and Rogers, M. (1996) A randomized double blind trial of tocolysis to assist external cephalic version in late pregnancy. *Acta Obstetricia et Gynecologica Scandinavica* 75: 720–4
55. Cibils, L.A., Garrison, T. and Brown, L. (1994) Factors influencing neonatal outcomes in the very low birth weight fetus (<1500 grams) with a breech presentation. *American Journal of Obstetrics and Gynecology* 171(1): 35–42
56. Clark, G.B. (1995) Uterine rotation following attempted external cephalic version. *The Female Patient* 20: 21–4
57. Clay, L.S., Criss, K. and Jackson, U.C. (1993) External cephalic version. *Journal of Nurse Midwifery* 38(2) (Supplement): 72S–79S
58. Clusker, Paul (2000) Personal communication
59. Cockburn, J., Foong, C., Cockburn, P. (1994) Undiagnosed breeches presenting in labour – should they be allowed a trial of labour? *Journal of Obstetrics and Gynaecology* 14: 151–6
60. Collea, J.V., Chein, C. and Quiligan, E.J. (1980) The randomized management of term frank breech presentation: a study of 208 cases. *American Journal of Obstetrics and Gynecology* 137: 208
61. Collis, R.E., Baxandall, M.L., Srikantharajah, I.D., et al. (1994) Combined spinal epidural (CSE) analgesia: technique, management and outcome of 300 mothers. *International Journal of Obstetric Anaesthesia* 3(2): 75–81
62. Collis, R.E., Davies, D.W.L. and Aveling, W. (1995) Randomized comparison of combined spinal epidural and standard epidural analgesia in labour. *Lancet* 345 (8962): 1413–16
63. Coltart, T., Edmonds, D. K. and Al-Mufti, R. (1997) External Cephalic Version at term: a survey of consultant obstetric practice in the United Kingdom and Republic of Ireland. *British Journal of Obstetrics and Gynaecology* 104: 544–7
64. Confidential Enquiry into Stillbirths and Deaths in Infancy. Executive Summary of the 7th Annual Report. Maternal and Child Health Research Consortium. June 2000.
65. Confino, E., Gleicher, N., Elrad, H., Isajovich, B. and David, M.P. (1985) The breech dilemma: a review. *Obstetric and Gynaecological Survey* 4(6): 330–7
66. Cook, H.A. (1993) Experience with external cephalic version and selective vaginal breech delivery in private practice. *American Journal of Obstetrics and Gynecology* 168(6): 1886–9
67. Cooperative Research Group of Moxibustion Version of Jangxi Province (1980) *Studies of Version by Moxibustion on Zhiyin Points. Research on Acupuncture, Moxibustion and Acupuncture Anaesthesia*. Science Press, Beijing, pp810, B19.
68. Cooperative Research Group of Moxibustion Version of Jangxi Province (1984) Further studies on the clinical effects and the mechanism of version by moxibustion. The Second National Symposium on Acupuncture, Moxibustion and Acupuncture Anaesthesia – Abstracts pp150–1. All China Society of Acupuncture and Moxibustion, Beijing.

69. Coyle, Alice (2001) Personal communication
70. Cronk, Mary (2001) Personal communication
71. Cronk, M. (1998) Keep your hands off the breech. *AIMS Journal* 10(3): 6–9
72. Croughan-Minihane, M.S., Petitti, D.B., Gordis, L. and Golditch, I. (1990) Morbidity among breech infants according to method of delivery. *Obstetrics and Gynaecology* 75: 821
- 72a. Cunha-Filho, J.S. and Passos, E.P. (2001) Letter to the Editor. *Lancet* 357 (9251): 225
73. Da Cruz, V. (1969) *Baillieres Midwives' Dictionary*. Bailliere, Tindall and Cassell, London
74. Danforth, D.N. and Ellis, A. (1963) Midforceps delivery – a vanishing art. *American Journal of Obstetrics and Gynecology* 86: 29
75. Daniel, Y., Fait, G., Lessing, J.B., Jaffa, A., David, M.P. and Kupferminc, M.J. (1998) Outcome of 496 term single to breech deliveries in a tertiary center. *American Journal of Perinatology* 15(2): 97–101
76. Danielian, P.J., Wang, J. and Hall, M.H. (1996) Long term outcome by method of delivery of fetuses in breech presentation at term: population based follow-up. *British Medical Journal* 312: 1451–3
77. Deans, A.C., Allman, A.C.J. and Steer, P.J. (1992) Outcome of breech delivery at term. *British Medical Journal* 305: 1091
78. De Leeuw, J.P. (1987) Management of breech presentation in two university hospitals: preliminary results of a prospective comparative study. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 24: 93–103
79. De Leeuw, J.P., de Haan, J., Derom, R., Thiery, M., van Maele, G. and Martens, G. (1998) Indications for caesarean section in breech presentation. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 79: 131–7
80. De Meeus, J.B., Ellia, F. and Magnin, G. (1998) External cephalic version after previous caesarean section: as series of 38 cases. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 81(1): 65–8
81. Deschacht, S. (1999) High risk deliveries underwater. In De Smedt, Y. (ed.) *Waterbirth in the 21st Century*. Fotos, Fabien Raes and VZW Aquarius, Oostende, Belgium
82. De Smedt, Y. (ed.) (1999) *Waterbirth in the 21st Century*. Fotos, Fabien Raes and VZW Aquarius, Oostende, Belgium
- 82a. Department of Health (1993) *Changing Childbirth Part One*. Report of the Expert Maternity Group. HMSO, London
83. Donald, W.L. and Barton, J.J. (1990) Ultrasonography and external cephalic version at term. *American Journal of Obstetrics and Gynecology* 162: 1542–7
84. Dugoff, L., Stamm, C.A., Jones, O.W. III, Mohling, S.I. and Hawkins, J.L. (1999) The effect of spinal anaesthesia on the success rate of external cephalic version: a randomized trial. *Obstetrics and Gynaecology* 93(3): 345–9
85. Dunn, P.M. (1976) Maternal and Fetal Aetiological Factors. 5th European Congress of Perinatal Medicine, pp76–81. Uppsala, Sweden, 9–12 June.
86. Dyson, D.C., Ferguson, J.E. II and Hensleigh, P. (1986) Antepartum external cephalic version under tocolysis. *Obstetrics and Gynaecology* 67: 63–8
87. Effer, S.B., Saigal, S., Rand, C., Hunter, D.J.S., Stoskopf, B., Harper, A.C., Nimrod, C. and Milner, R. (1983) Effect of delivery method on outcomes in the very low birth weight breech infant: is the improved survival related to caesarean section or other perinatal care manoeuvres? *American Journal of Obstetrics and Gynecology* 145: 123
88. Eisenberg, D. and Wright, T.L. (1986) *Encounters with Qi. Exploring Chinese Medicine*. Jonathan Cape, London
89. Eldering, G. and Selke, K. (1999) Water birth – a possible mode of delivery? In De Smedt, Y. (ed.) *Waterbirth in the 21st Century*. Fotos, Fabien Raes and VZW Aquarius, Oostende, Belgium
- 89a. Elkins, V.H. (1980) "Procedure for turning breech" Personal communication in Enkin, M. and Chalmers, I. (1982) *Effectiveness and Satisfaction in Antenatal Care*. William Heinemann Medical Books Ltd, London
90. Eller, D.P. and VanDorsten, J.P. (1995) Route of delivery for the breech presentation: a conundrum. *American Journal of Obstetrics and Gynecology* 173(2): 393–8

91. Emembolu, J. (1992) The preterm breech delivery in Zaria, Northern Nigeria. *International Journal of Gynaecology and Obstetrics* 38: 287–91
92. Enkin, M., Keirse, M.J.N., Renfrew, M. and James, N. (1995) *A Guide to Effective Care in Pregnancy and Childbirth*, 2nd edition. Oxford University Press, Oxford
93. Erkaya, S., Tuncer, R.A., Kutlar, I., et al. (1997) Outcome of 1040 consecutive breech deliveries: clinical experience of a maternity hospital in Turkey. *International Journal of Gynaecology and Obstetrics* 59(2): 115–18
- 93a. Erskine, J. (2001) Letter to the Editor. *Lancet* 357 (9251): 225
94. Evans, Jane (2001) Personal communication
- 94a. Eyraud, J.L., Rietmuller, D., Claincourt, N., Schaal, J.P. and Maillet, R. (1997) Is the Mauriceau Manoeuvre deleterious? Study of 103 cases. *Journal of Gynaecology, Obstetrics and Reproductive Biology (Paris)* 26(4): 413–17
95. Faber-Nijholt, R. (1981) Breech presentation and neurologic morbidity. A comparative study. PhD thesis, University of Groningen, The Netherlands.
96. Fait, G., Daniel, Y., Lessing, J.B., et al. (1998) Breech delivery: the value of X-ray pelvimetry. *European Journal of Gynaecology, Obstetrics and Reproductive Biology* 78(1): 1–4
97. Faundes, A. (2001) The risk of urinary incontinence of parous women who delivered only by caesarean section. *International Journal of Gynaecology and Obstetrics* 72: 41–6
98. Ferguson, J.E., Armstrong, M.A. and Dyson, D.C. (1987) Maternal and fetal factors affecting success of antepartum external cephalic version. *Obstetrics and Gynaecology* 70: 722–5
99. Ferguson, J.E. II and Dyson, D. (1985) Intrapartum external cephalic version. *American Journal of Obstetrics and Gynecology* 152: 297–8
100. Fianu, S. and Vaclavinkova, V. (1978) The site of placental attachment as a factor in the aetiology of breech presentation. *Acta Obstetricia et Gynaecologica Scandinavica* 57: 371–2
101. Flamm, B.L., Fried, M.W., Lonky, N.M. and Saurenman, G.W. (1991) External cephalic version after previous caesarean section. *American Journal of Obstetrics and Gynecology* 165(2): 370–2
102. Flanagan, T., Mulchahey, K., Korenbrot, C., et al. (1987) Management of term breech presentation. *American Journal of Obstetrics and Gynecology* 156: 1492
103. Flint, Caroline (2000) Personal communication
104. Flint, C. (1986) *Sensitive Midwifery*. Heinemann, Oxford
105. Flint, C. (1989) Babies presenting by the breech. *Obstetric and Gynaecological Product News* (Summer): 21–3
106. Floberg, J., Belfrage, P., Carlsson, M. and Ohlsen, M. (1986) The pelvic outlet. A comparison between clinical evaluation and radiological pelvimetry. *Acta Obstetricia et Gynecologica Scandinavica* 65: 321–6
107. Fortney, J.A., Higgins, J.E., Kennedy, K.I., Laufe, L.E. and Wilkins, L. (1986) Delivery type and neonatal mortality among 10749 breeches. *American Journal of Public Health* 76: 980–5
108. Fortunato, S.J., Mercer, L.J. and Guzick, D.S. (1988) External cephalic version with tocolysis: factors associated with success. *Obstetrics and Gynaecology* 72: 59–62
- 108a. Francis, Annie (2001) Personal communication
109. Francome, C., Savage, W., Churchill, H. and Lewison, H. (1993) *Caesarean Birth in Britain*. Middlesex University Press, London
110. Friedlander, D. (1996) External cephalic version in the management of breech presentation. A report on 706 patients treated by this method. *American Journal of Obstetrics and Gynecology* 95: 906
111. Garrey, M.M., Govan, A.D.T., Hodge, C. and Callander, R. (1974) *Obstetrics Illustrated*. Churchill Livingstone, Edinburgh and London
112. Gaskin, I.M. (1994) Statistics for 1888 births attended by the Farm midwives November 1970 – April 1994. *Birth Gazette* (Summer)
113. Gaskin, I.M. (1990) *Spiritual Midwifery*. Book Publishing Company, Summertown, Tennessee
114. Geutjens, G., Gilbert, A. and Helson, K. (1996) Obstetric Brachial Plexus Palsy associated with breech delivery. *Journal of Bone and Joint Surgery* 78-B(2) (March): 303–6
115. Gibb, Donald (2000) Personal communication

116. Gilady, Y., Battino, S., Reich, D., Gilad, G. and Shalev, E. (1996) Delivery of the very low birthweight breech: what is the best way for the baby? *Israel Journal of Medical Science* 32(2): 116–20
117. Gimovsky, M.L. and Petrie, R.H. (1982) Management of the breech presentation. *Perinatology and Neonatology* 6: 73–8
118. Gimovsky, M.L. and Schifrin, M. (1992) Breech management. *Journal of Perinatology* 12: 143–51
119. Gimovsky, M.L., Wallace, R.L., Schifrin, B.S. and Paul, R.H. (1983) Randomized management of the nonfrank breech presentation at term: a preliminary report. *American Journal of Obstetrics and Gynecology* 146: 34
120. Gjode, P., Rasmussen, T.B. and Jorgensen, J. (1980) Feto-maternal bleeding during attempts at external cephalic version. *British Journal of Obstetrics and Gynaecology* 87: 571–3
- 120a. Goethals, T.R. (1956) Caesarean section as the method of choice in management of breech delivery. *American Journal of Obstetrics and Gynecology* 71: 536
121. Goh, J.T., Johnson, C.M. and Gregora, M.G. (1993) External cephalic version at term. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 33: 364–6
122. Gorbe, E., Hajdu, J., Harmath, A., Sztyanyik, L. and Papp, Z. (1997) The effect of the delivery method on the mortality of very low birth weight infants in case of breech presentation. *Orv Hetil* 138(24): 1561–4
123. Gordon, Yehudi (2000) Personal communication
124. Green, J.E., McLean, F., Smith, L.P. and Usher, R. (1982) Has an increased caesarean section rate for term breech delivery reduced the incidence of birth asphyxia, trauma and death? *American Journal of Obstetrics and Gynecology* 142: 643–8
125. Hall, M. and Bewley, S. (1999) Maternal mortality and mode of delivery. *Lancet* 354: 776
126. Hannah, M. and Hannah, W. (1996) Caesarean section or vaginal birth for breech presentation at term. *British Medical Journal* 312: 1433
127. Hannah, M.E., Hannah, W.J., Hewson, S.A., Hodnett, E.D., Saigal, S. and Willan, A.R. (2000) Planned caesarean section versus planned vaginal birth for breech presentation at term: a randomised multicentre trial. *Lancet* 356: 1375–83
128. Hawkey, M. (1997) Acupuncture: an alternative option in pregnancy. *British Journal of Midwifery* 5(7): 559
129. Healey, M., Porter, R. and Galimberti, A. (1997) Introducing external cephalic version at 36 weeks or more in a district general hospital: a review and an audit. *British Journal of Obstetrics and Gynaecology* 104: 1073–9
130. Helfferich, M. and Favier, J. (1971) Breech delivery. *American Journal of Obstetrics and Gynecology* 110(1): 58–61
131. Hellstrom, A.C., Nilsson, B., Stange, L. and Nyland, L. (1990) When does external cephalic version succeed? *Acta Obstetricia et Gynecologica Scandinavica* 69: 281–5
132. Hickock, D., Gordon, D., Milberg, J., et al. (1992) The frequency of breech presentation by gestational age at term: a large population based study. *American Journal of Obstetrics and Gynecology* 166: 851
133. Hill, L. (1990) Prevalence of breech presentation by gestational age. *American Journal of Perinatology* 7: 92
134. Hofmeyr, G.J. (1983) Effect of external cephalic version in late pregnancy on breech presentation and caesarean section rate: a controlled trial. *British Journal of Obstetrics and Gynaecology* 90: 392–9
135. Hofmeyr, G.J. (1998) External cephalic version at term. (Cochrane review). In *The Cochrane Library*, Issue 2, Oxford. Update software; 1998. Updated quarterly
136. Hofmeyr, G.J. and Hannah, M.E. (2001) Planned caesarean section for term breech delivery (review). *Cochrane Database Systematic Review* 1 CD000166
137. Hofmeyr, G.J., Sadan, O., Myer, I.G., Galal, K.C. and Simko, G. (1986) External cephalic version and spontaneous version rates: ethnic and other determinants. *British Journal of Obstetrics and Gynaecology* 93(1): 13–16
138. Howell, C.J. (1995) Epidural vs non-epidural anaesthesia in labour [revised 06 May 1994]. In Keirse, M.J.N.C., Renfrew, M.J., Neilson, J.P. and Crowther, C. (eds) *Pregnancy and Childbirth*

- Module.* In: *The Cochrane Pregnancy and Childbirth Database, The Cochrane Collaboration: Issue 2*, Oxford: Update software 1995. BMJ publishing group, London
139. Hughes, G.W. (1998) The value of external cephalic version. *Contemporary Reviews in Obstetrics and Gynaecology* (June): 91–8
140. Huntingford, P. (1985) *Birth Right – The Parent's Choice*. British Broadcasting Corporation, London.
141. Impey, L. and Lissoni, D. (1999) Outcome of external cephalic version after 36 weeks gestation without tocolysis. *Journal of Maternal and Fetal Medicine* 8(5): 203–7
- 141a. Iovine, V. (1997) *The Best Friend's Guide to Pregnancy*. Bloomsbury, London
142. Irion, O., Hirsbrunner Almagbaly, P. and Morabia, A. (1998) Planned vaginal delivery versus elective caesarean section: a study of 705 singleton term breech presentations. *British Journal of Obstetrics and Gynaecology* 105: 710–7
143. Ismail, M.A., Nagib, N., Ismail, T. and Cibils, L.A. (1999) Comparison of vaginal and cesarean section delivery for fetuses in breech presentation. *Journal of Perinatal Medicine* 5: 339–51
144. Jaffa, A.J., Peyser, M.R., Ballas, S. and Toaff, R. (1981) Management of term breech presentation in primigravidae. *British Journal of Obstetrics and Gynaecology* 88: 721
145. Johanson, R. (1998) External cephalic version. *The Diplomate* 5(3): 178–82
146. Johnson, R.L. and Elliott, J.P. (1995) Fetal acoustic stimulation, an adjunct to external cephalic version: a blinded randomized crossover study. *American Journal of Obstetrics and Gynecology* 173(5): 1369–72
147. Johnson, R.L., Strong, T.H. Jr, Radin, T. and Elliott, J.P. (1995) Fetal acoustic stimulation as an adjunct to external version. *Journal of Reproductive Medicine* 40(10): 1369–72
148. Jolly, J., Walker, J. and Bhabra, K. (1999) Subsequent obstetric performance related to primary mode of delivery. *British Journal of Obstetrics and Gynaecology* 106: 227–32
149. Karp, L.E. (1983) Breech presentation and parity: the proof of the pelvis. *Journal of the American Medical Association* 249(5): 647
150. Kasule, J., Chimbira, T.H. and Brown, I.M. (1985) Controlled trial of external cephalic version. *British Journal of Obstetrics and Gynaecology* 92: 14–18
151. Kauppila, O. (1975) The perinatal mortality in breech deliveries and observations on affecting factors: a retrospective study on 2227 cases. *Acta Obstetricia et Gynecologica Scandinavica* (Supplement) 39: 1–79
152. Kean, L.H., Suwanrath, C., Gargari, S.S., Sahota, D.S. and James, D.K. (1999) A comparison of fetal behaviour in breech and cephalic presentations at term. *British Journal of Obstetrics and Gynaecology* 106(11): 1209–13
153. Kiely, J.L. (1991) Mode of delivery and neonatal death in 17587 infants presenting by the breech. *British Journal of Obstetrics and Gynaecology* 98: 898–904
154. Kian L.S. (1963) The role of placental site in the aetiology of breech presentation. A clinical survey of 362 cases. *Journal of Obstetrics and Gynaecology of the British Commonwealth* 70: 795–7
155. Kingdom, J. and Murphy, K. (1992) Outcome of breech delivery at term. *British Medical Journal* 305: 1090
- 155a. Kitzinger, S. (1987) *Freedom and Choice in Childbirth*. Penguin, London
156. Kitzinger, S. (1990) *Episiotomy and the Second Stage of Labour*. Penny Press, London
157. Koo, M.R., Dekker, G.A. and van Geijn, H.P. (1998) Perinatal outcome of singleton term breech deliveries. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 78(1): 19–24
158. Korte, D. and Scaer, R. (1992) *A Good Birth – A Safe Birth*. Harvard Common Press, Boston
159. Kott, Barbara (2001) Personal communication
160. Krebs, L., Langhoff-Roos, J. and Weber, T. (1995) Breech at term – mode of delivery? *Acta Obstetricia et Gynecologica Scandinavica* 74: 702–6
161. Krebs, L., Topp, M. and Langhoff-Roos, J. (1999) The relation of breech presentation at term to cerebral palsy. *British Journal of Obstetrics and Gynaecology* 106(9): 943–7
163. Kunzel, W. (1995) Recommendations of the FIGO Committee on Perinatal Health on guidelines for the management of breech delivery. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 58: 89–92

- 163a. Lagercrantz, H. and Slotkin, T.A. (1986) The "stress" of being born. *Scientific American* 254(4): 92–107
164. Langer, B., Boudier, E. and Schlaeder, G. (1998) Breech presentation after 34 weeks – a meta-analysis of corrected perinatal mortality/morbidity according to the method of delivery. *Journal of Obstetrics and Gynaecology* 18: 127–32
165. Lau, T.K., Stock, A. and Rogers, M. (1995) Fetomaternal haemorrhage after external cephalic version at term. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 35: 173–4
166. Lau, K.T., Lo, K.W.K., Wan, D. and Rogers, M. (1997) Predictors of successful external cephalic version at term: a prospective study. *British Journal of Obstetrics and Gynaecology* 104: 798–802
167. Lavin, J., et al. (1982) Vaginal delivery in patients with a prior caesarean section. *Obstetrics and Gynaecology* 59: 135
168. Law, R.G. (1967) *Standards of Obstetric Care. The report of the north-west metropolitan regional obstetric survey 1962–4.* Livingstone, Edinburgh, pp10–89
169. Lee, K.S., Khoshnood, B., Sriram, S., Hsieh, H.L., Singh, J. and Mittendorf, R. (1998) Relationship of caesarean delivery to lower birth weight specific neonatal mortality in singleton breech infants in the United States. *Obstetrics and Gynaecology* 92(5): 769–74
170. Lennox, C.E., Kwast, B.E. and Farley, T.M.M. (1998) Breech labor on the WHO partograph. *International Journal of Obstetrics and Gynaecology* 62: 117–27
171. Leung, W.C., Pun, T.C. and Wong, W.M. (1999) Undiagnosed breech revisited. *British Journal of Obstetrics and Gynaecology* 106(7): 638–41
172. Levine, E.M., Ghai, V., Barton, J.J. and Strom, C.M. (2001) Mode of delivery and risk of respiratory diseases in newborns. *Obstetrics and Gynaecology* 97: 439–42
173. Lilford, R.J., Van Coeverden de Groot, H.A., Moore, P.J. and Bingham, P. (1990) The relative risks of caesarean section (intrapartum and elective) and vaginal delivery: a detailed analysis to exclude the effects of medical disorders and other acute pre-existing physiological disturbances. *British Journal of Obstetrics and Gynaecology* 97: 883–92
174. Lindqvist, A., Norden-Lindeberg, S. and Hanson, U. (1997) Perinatal mortality and route of delivery in term breech presentations. *British Journal of Obstetrics and Gynaecology* 104: 1288–91
175. Lowden G. (1998) Natural active breech birth. *Aims Journal* 10:(3) 5
176. Lowden, G. (1998) Why are some babies breech? *Aims Journal* 10(3): 8–9
177. Lumley, J. (2000) Any room left for disagreement about assisting breech births at term? *Lancet* 356 (21 October): 368–9
178. Luterkort, M., Persson, P. and Weldner, B. (1984) Maternal and fetal factors in breech presentation. *Obstetrics and Gynaecology* 64(1) (June): 55–9
179. Machover, I. (1995) Turn, baby, turn. *Midwives* (November)
180. Mackenzie, I.Z. and Jefferies, M. (1992) Outcome of breech delivery at term. *British Medical Journal* 305: 1499
181. Mahomed, K., Seeras, R. and Coulson, R. (1991) External cephalic version at term. A randomized controlled trial using tocolysis. *British Journal of Obstetrics and Gynaecology* 98: 8–13
182. Makris, N., Xygakis, A., Chionism, A., Sakellaropoulos, G. and Michalas, S. (1999) The management of breech presentation in the last three decades. *Clinical Experimental Obstetrics and Gynaecology* 26(3–4): 178–80
183. Malhotra, D., Gopalan, S. and Narang, A. (1994) Preterm breech delivery in a developing country. *International Journal of Obstetrics and Gynaecology* 45: 27–34
184. Marchick, R. (1988) Antepartum external cephalic version with tocolysis: a study of term singleton breech presentations. *American Journal of Obstetrics and Gynecology* 158: 1339–46
185. Marquette, G.P., Boucher, M., Theriault, D. and Rinfret, D. (1996) Does the use of a tocolytic agent affect the success rate of external cephalic version? *American Journal of Obstetrics and Gynecology* 175: 859–61
186. Marsden, W. (2000) Choosing caesarean section. *Lancet* 356: 1677–80

187. Mauldin, J.G., Mauldin, P.D., Feng, T.I., Adams, E.K. and Durkalski, V.L. (1996) Determining the clinical efficacy and cost savings of successful external cephalic version. *American Journal of Obstetrics and Gynecology* 175(6): 1639–44
188. Mayank, S. and Kripilani, A. (1997) Fetal demise following external cephalic version. *International Journal of Gynaecology and Obstetrics* 56(2): 177–8
189. McParland, P. and Farine, D. (1996) External cephalic version: does it have a role in modern obstetric practice? *Canadian Family Physician* 42: 693–8
190. Mehl, L.E. (1994) Hypnosis and conversion of the breech to the vertex presentation. *Archives of Family Medicine* (3 October): 881–7
191. Meniru, G. and Reginald, P.W. (1994) Deeply engaged head: is it a breech presentation? *Journal of Obstetrics and Gynaecology* 14: 256–7
192. Michalas, S.P. (1991) Outcome of pregnancy in women with uterine malformation: evaluation of 62 cases. *International Journal of Gynaecology and Obstetrics* 35: 215–19
193. Midirs and the NHS Centre for Reviews and Dissemination (1997) *Breech Baby – Options for Care*. Midirs, Bristol
194. Midirs and the NHS Centre for Reviews and Dissemination (1997) *Epidural Pain Relief During Labour*. Midirs, Bristol
195. Midirs and the NHS Centre for Reviews and Dissemination (1997) *Fetal Heart Rate Monitoring in Labour*. Midirs, Bristol
196. Milner, R.D.G. (1975) Neonatal mortality of breech deliveries with and without forceps to the aftercoming head. *British Journal of Obstetrics and Gynaecology* 82: 783–5
197. Minogue, M. (1974) Vaginal breech delivery in multiparae – National Maternity Hospital. *Journal of the Irish Medical Association* 67: 117–19
198. Mitford, J. (1992) *The American Way of Birth*. Victor Gollancz, London
199. Moore, Tracey (1998) Personal communication
200. Morgan, H.S. and Kane, S.H. (1964) An analysis of 16327 breech births. *Journal of the American Medical Association* 187: 108–10
201. Morrison, J.C., Myatt, R.E., Martin, J.N. Jr, Meeks, G.R., Martin, R.W., Bucovaz, E.T., et al. (1986) External cephalic version of the breech presentation under tocolysis. *American Journal of Obstetrics and Gynecology* 154: 900–3
202. Morton, S.C., Williams, M.S., Keeler, E.B., et al. (1994) Effect of epidural analgesia for labour on the caesarean delivery rate. *Obstetrics and Gynaecology* 83(6): 1045–52
203. Myerscough, P. (1998) The practice of external cephalic version. *British Journal of Obstetrics and Gynaecology* 105: 1043–5
204. Nahid, F. (2000) Outcome of singleton term breech cases in the pretext of mode of delivery. *Journal of the Pakistani Medical Association* 50(3): 81–5
205. Narakas, A.O. (1987) Obstetrical brachial plexus injuries. In Lamb, D.W. (ed.) *The Paralyzed Hand and Upper Limb*, Vol. 2. Churchill Livingstone, Edinburgh, pp116–35
206. Neil, W.R. (1991) *The Complete Handbook of Pregnancy*. Little Brown and Company, London
207. Neimand, K. and Rosenthal, A. (1965) Oxytocin in breech presentation. *American Journal of Obstetrics and Gynecology* 93: 230–6
208. Neri Ruiz, E.S., Valerio Castro, E., Cardenas Arias, R. and Navarro Milla, O. (1997) Pelvic presentation, always a caesarean? *Ginecología y Obstetricia de Mexico* 65: 474–7
209. Newman, R.B., Peacock, B.S., Van Dorsten, J.P. and Hunt, H.H. (1993) Predicting the success of external cephalic version. *American Journal of Obstetrics and Gynecology* 169(2)(1): 245–9
210. Nielson, T.F. and Hoegard, K.H. (1983) Postoperative caesarean section morbidity: a prospective study. *American Journal of Obstetrics and Gynecology* 146: 911–16
211. Nwosu, E.C., Walkinshaw, S., Chia, P., Manasse, P.R. and Atlay R.D. (1993) Undiagnosed breech. *British Journal of Obstetrics and Gynaecology* 100: 531–5
212. Odent, Michel (2000) Personal communication
213. Odent, M. (1984) *Birth Reborn*. Random House, London
214. Odent, M. (2000) The second stage as a disruption of the fetus ejection reflex. *Midwifery Today* 55: 12
215. Oian, P., Skramm, I., Hannisdal, E. and Bjoro, K. (1988) Breech delivery: an obstetrical analysis. *Acta Obstetricia et Gynecologica Scandinavica* 67: 75–9

216. O'Leary, J.A. (1979) Vaginal delivery of the term breech. A preliminary report. *Obstetrics and Gynaecology* 53: 341-3
217. Omu, A.E. and Akingba, J.B. (1986) Trends in management of breech presentation in Benin city. *Nigerian Medical Journal* 16: 19-26
218. Ophir, E., Oettinger, M., Yagoda, A., Markovits, Y., Rojansky, N. and Shapiro, H. (1989) Breech presentation after caesarean section: Always a section? *American Journal of Obstetrics and Gynecology* 161(1): 25-8
219. Pajntar, M., Verdenik, I. and Pestevsek, M. (1994) Caesarean section in breech by birth weight. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 54: 181-4
220. Parsons, M.T. and Spellacy, W.N. (1985) Prospective randomized study of X-ray pelvimetry in the primigravida. *Obstetrics and Gynaecology* 66: 76-9
221. Patek, E. and Larsson, B. (1978) Caesarean section. *Acta Obstetricia et Gynecologica Scandinavica* 57: 245-8
222. Paterson-Brown, S. and Fisk, N.M. (1992) Outcome of breech delivery at term. *British Medical Journal* 305: 1091
223. Peisne, D.B. and Rosen, M.G. (1992) Normal and operative deliveries. In Reece, E.A., Robbins, J.C., Mahoney, M.J. and Petrie, R.H. (eds) *Medicine of the Fetus and Mother*. J.B. Lippincott Co., Philadelphia, pp1389-90
224. Penkin, P., Cheng, M. and Hannah, M. (1996) Survey of Canadian obstetricians regarding the management of term breech presentation. *Journal of the Society of Obstetricians and Gynaecologists of Canada* (March): 233-42
225. Penn, Z.J. and Steer, P.J. (1991) How obstetricians manage the problem of preterm delivery with special reference to the preterm breech. *British Journal of Obstetrics and Gynaecology* 98 (June): 531-4
226. Penn, Z.J. and Steer, P.J. (1996) A multi-centre randomised controlled trial to compare elective versus selective caesarean section for the delivery of the preterm breech infant. *British Journal of Obstetrics and Gynaecology* 103: 684-9
227. Phelan, J.P., Stine, L.E., Edwards, N.B., Clark, S.L. and Horenstein, J. (1985) The role of external version in the intrapartum management of the transverse lie presentation. *American Journal of Obstetrics and Gynecology* 151: 724-6
228. Philipsen, T. and Jensen, N.H. (1989) Epidural block parenteral pethidine as analgesic in labour: a randomized study concerning progress in labour and instrumental deliveries. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 30(1): 27-33
229. Plaut, M., Schwartz, M. and Lubarsky, S. (1999) Uterine rupture associated with the use of misoprostol in the gravida patient with a previous caesarean section. *American Journal of Obstetrics and Gynecology* 180: 1535-42
230. Plentl, A.A. and Stone, R.E. (1953) The Bracht Manoeuvre. *Obstetrical and Gynaecological Survey* 8: 313-25
231. Potter, M.G., Heaton, C.E. and Douglas, G.W. (1960) Intrinsic fetal risk in breech delivery. *Obstetrics and Gynaecology* 15: 158-62
- 231a. Premru-Srksen, T. (2001) Letter to the Editor. *Lancet* 357 (9251): 225-6
232. Ramin, S.M., Gambling, D.R., Lucas, M.J., et al. (1995) Randomized trial of epidural versus intravenous analgesia during labour. *Obstetrics and Gynaecology* 86(5): 783-9
233. Ranney, B. (1973) The gentle art of external cephalic version. *American Journal of Obstetrics and Gynecology* 116: 239-51
234. Ray, J. (1993) My version. *Birth Gazette* 9(2): 30-1
235. Rayl, J., Gibson, P.J. and Hickok, D.E. (1996) A population based case-control study of risk factors for breech presentation. *American Journal of Obstetrics and Gynecology* 174(1) (January): 28-33
236. RCOG (1993) *The Effective Procedures in Obstetrics Suitable for Audit*. RCOG Audit Unit, Manchester, July.
237. Report of the Expert Maternity Group (1993) *Changing Childbirth*. HMSO, London.
238. Richards, L. Baptisti (1987) *The Vaginal Birth After Caesarean Experience*. Bergin & Garvey, South Hadley, MA

239. Roberts, C.L., Algert, C.S., Peat, B. and Henderson-Smart, D. (1999) Small fetal size: a risk factor for breech birth at term. *International Journal of Obstetrics and Gynaecology* 67(1): 1-8
240. Robertson, A.W., Kopelman, J.N., Read, J.A., Duff, P., Magelsson, D.J. and Dashow, E.E. (1987) External cephalic version at term: is a tocolytic necessary? *Obstetrics and Gynaecology* 70: 896-9
241. Robertson, P.A., Foran, C.M., Croughan-Minihane, M.S. and Kilpatrick, S.J. (1996) Head entrapment and neonatal outcome by mode of delivery in breech deliveries from 28 to 36 weeks of gestation. *American Journal of Obstetrics and Gynecology* 174(6): 1742-9
242. Robinson, Jean (2001) Personal communication
243. Roman, J., Bakos, O. and Cnattingius, S. (1998) Pregnancy outcomes by mode of delivery among term breech births: Swedish experience 1987-93. *Obstetrics and Gynaecology* 92(6): 945-50
244. Rosen, M.G., Debanne, S., Thompson, K. and Bilenker, R.M. (1985) Long term neurological morbidity in breech and vertex births. *American Journal of Obstetrics and Gynecology* 151: 718-23
245. Rovinsky, J.J., Miller, J.A. and Kaplan, S. (1973) Management of breech presentation at term. *American Journal of Obstetrics and Gynecology* 115: 746-7
246. Sachs, B.P., McCarthy, B.J., Rubin, G., Burton, A., Terry, J. and Tyler, C.W. (1983) Caesarean section: risks and benefits for mother and fetus. *Journal of the American Medical Association* 250(16): 2157-9
247. Saling, E. and Muller-Holve, W. (1975) External cephalic version under tocolysis. *Journal of Perinatal Medicine* 3: 115-22
248. Saunders, N.J. (1996a) Breech delivery in the United Kingdom at the end of this century. *Contemporary Review in Obstetrics and Gynaecology* 8: 82-5
249. Saunders, N.J. (1996b) The management of breech presentation. *British Journal of Hospital Medicine* 56(9): 456-8
250. Saunders, Nigel (2001) Personal communication
251. Savage, W. (1989) The effect of the attitudes of the obstetrician on the birthing woman. In van Hall, E.V. and Everard, W. (eds) *The Free Woman: Women's Health in the 1990s*. Parthenon, Lancashire, UK
252. Savage, Wendy (2000) Personal communication
253. Scaling, S.T. (1988) External cephalic version without tocolysis. *American Journal of Obstetrics and Gynecology* 158: 1424-30
254. Schacter, M., Kogan, S. and Blickstein, I. (1994) External cephalic version after previous caesarean section - a clinical dilemma. *International Journal of Gynaecology and Obstetrics* 45: 17-20
255. Scheer, K. and Nubar, J. (1976) Variation of fetal presentation with gestational age. *American Journal of Obstetrics and Gynecology* 125: 269
256. Schiff, E., Friedman, S.A., Mashiach, S., Hart, O., Barkai, G. and Sibai, B.M. (1996) Maternal and neonatal outcome of 846 term singleton breech deliveries: seven year experience at a single centre. *American Journal of Obstetrics and Gynecology* 175(1): 18-23
257. Schorr, S.J., Speights, S.E., Ross, E.L., Bofill, J.A., Rust, O.A., Norman, P.F. and Morrison, J.C. (1997) A randomized trial of epidural anaesthesia to improve external cephalic version success. *American Journal of Obstetrics and Gynecology* 177(5): 1133-7
258. Schuitemaker, N., van Roosmalen, J., Dekker, G., van Dongen, P., van Geijn, H. and Bennebroek Gravenhorst, J. (1997) Maternal mortality after caesarean section in The Netherlands. *Acta Obstetricia et Gynecologica Scandinavica* 75: 332-4
259. Scorza, W.E. (1996) Intrapartum management of breech presentation. *Clinics in Perinatology* 23(1): 31-49
260. Shalev, E., Battino, S., Giladi, Y. and Edelstien, S. (1993) External cephalic version at term - using tocolysis. *Acta Obstetricia et Gynaecologica Scandinavica* 72: 455-7
261. Sharma, J.B., Newman, M.R., Bouthier, J.E. and Williams, A. (1997) National Audit on the practice and training in breech deliveries in the UK. *International Journal of Gynaecology and Obstetrics* 59: 103-8

262. Shembrey, M.A. and Letchworth, A.T. (1993) The management of breech presentation in a district general hospital. *Journal of Obstetrics and Gynaecology* 13: 437-9
263. Shennan, A. and Bewley, S. (2001) How to manage term breech deliveries. *British Medical Journal* 323: 244-5
264. Siddiqui, D., Stiller, R.J., Collins, J. and Laifer, S.A. (1999) Pregnancy outcome after successful external cephalic version. *American Journal of Obstetrics and Gynecology* 181 5(1): 1092-5
265. Silvert, M. (2000) Doctors need more training in delivering breech babies. *British Medical Journal* 320: 1689
266. Smith, J., Hernandez, C. and Wax, J. (1997) Fetal laceration injury at caesarean delivery. *Obstetrics and Gynaecology* 90: 344-6
267. Smith, J.I. (1978) Caesarean section in management of primigravidae with breech presentations. *Quality Review Bulletin* 4: 16-19
- 267a. Somerset, D. (2002) Term breech trial does not provide unequivocal evidence. *British Medical Journal* 324 (7328): 49
268. Songane, F., Thobani, S., Malik, H., Bingham, P. and Lilford, R.J. (1987) Balancing the risks of planned caesarean section and trial of vaginal delivery for the mature, selected, singleton breech presentation. *Journal of Perinatal Medicine* 15: 531-4
269. Sorensen, H.T., Steffensen, F.H., Olsen, J., Sabroe, S., Gillman, M.W., Fischer, P. and Rothman, K.J. (1999) Long-term follow-up of cognitive outcome after breech presentation at birth. *Epidemiology* 10(5): 554-6
270. Spellacy-Gifford, D., Keeler, E. and Kahn, K.L. (1995) Reductions in cost and caesarean rate by routine use of external cephalic version: a decision analysis. *Obstetrics and Gynaecology* 85(6): 930-6
271. Spellacy-Gifford, D., Morton, S.C., Fiske, M. and Kahn, K. (1995) A meta-analysis of infant outcomes after breech delivery. *Obstetrics and Gynaecology* 85(6): 1047-54
272. Stabler, F. (1947) The cause of polar lie. *Journal of Obstetrics and Gynaecology of the British Empire* 54: 345-450
273. Stein, A. (1986) A cooperative nurse-midwifery medical management approach. *Journal of Nurse Midwifery* 31(2): 93-7
274. Stevenson, C.S. (1950) The principal cause of breech presentation in single term pregnancies. *American Journal of Obstetrics and Gynecology* 60: 41-53
275. Stevenson, C.S. (1951) Certain concepts in the handling of breech and transverse presentations in late pregnancy. *American Journal of Obstetricians and Gynaecologists* 63(3): 488-505
276. Stevenson, J. (1993) More thoughts on breech. *Midwifery Today* 26 (Summer): 24-5
277. Stine, L.E., Phelan, J.P., Wallace, R., Eglinton, G.S., Van Dorsten, J.P. and Schifrin, B.S. (1985) Update on external cephalic version performed at term. *Obstetrics and Gynaecology* 65: 642-6
278. Stock, A., Chung, T., Roger, M. and Ming, W.W. (1993) Randomized double blind controlled comparison of ritodrine and hexoprenaline for tocolysis prior to external cephalic version at term. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 33: 265-8
- 278a. Stuart, I.P. (2001) Letter to the Editor. *Lancet* 357 (9251): 225
279. Sutton, J. and Scott, P. (1996) *Understanding and Teaching Optimal Foetal Positioning*. Birth Concepts, New Zealand
280. Svenningsen, N.W., Westgren, M. and Ingemarsson, I. (1985) Modern strategy for the term breech delivery: a study with a 4 year follow-up of the infants. *Journal of Perinatal Medicine* 13: 117
281. Swietlicki, F.C. (1995) Breech delivery - the Scottish way of birth. *AIMS Journal* 7(3): 12-14
282. Tan, G.W., Jen, S.W., Tan, S.L. and Salmon, Y.M. (1989) A prospective randomised controlled trial of external cephalic version comparing two methods of uterine tocolysis with a non-tocolysis group. *Singapore Medical Journal* 30: 155-8
283. Taussig, F.J. (1931) Breech presentation. *American Journal of Obstetrics and Gynecology* 22: 304-11
284. Taylor P.J., Hannah, W.J., Allardice, J., et al. (1994) The Canadian consensus on breech management at term. *Journal of the Society of Obstetricians and Gynaecologists of Canada* 16 (June): 1839-48

285. Teoh, T.G. (1997) Effect of learning curve on the outcome of external cephalic version. *Singapore Medical Journal* 38(8): 323–5
286. Tew, M. (1998) *Safer Childbirth? A Critical History of Maternity Care*. Free Association Books, London
287. Thomas, P. (1996) *Every Woman's Birth Rights*. Thorsons, London
288. Thomas, P. (1998) *Choosing a Home Birth*. AIMS, Surbiton
289. Thomas, P. (2000) What's so bad about ultrasound? *Natural Parent* (May/June): 26–8
290. Thornton, J.G. and Lilford, R.J. (1996) Preterm breech babies and randomised trials of rare conditions. *British Journal of Obstetrics and Gynaecology* 103: 611–13
291. Thorp, J.A., Hu, D.H., Albin, R.M., et al. (1993) The effect of intrapartum epidural analgesia on nulliparous labour: a randomised, controlled prospective trial. *American Journal of Obstetrics and Gynecology* 169(4): 851–8
292. Thorp, J.A., Meyer, B.A., Cohen, G.R., et al. (1994) Epidural anaesthesia in labour and caesarean delivery for dystocia. *Obstetric and Gynaecological Survey* 49(5): 362–9
293. Thorpe-Beeston, Guy (2001) Personal communication
294. Thorpe-Beeston, J.G., Banfield, P.J. and Saunders, N.J.St.G. (1992) Outcome of breech delivery at term. *British Medical Journal* 305: 746–7
295. Thunedborg, P., Fischer-Rasmussen, W. and Tollund, L. (1991) The benefit of external cephalic version with tocolysis as a routine procedure in late pregnancy. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 42: 23–7
296. Todd, W.D. and Steer, C.M. (1963) Tem breech: review of 1006 term breech deliveries. *Obstetrics and Gynaecology* 22: 583–95
297. Tompkins, P. (1946) An inquiry into the causes of breech presentation. *American Journal of Obstetrics and Gynecology* 51: 595–607
- 297a. Uchide, K. and Murakami, K. (2001) Letter to the Editor. *Lancet* 357 (9251): 225
298. Van de Pavert, R., Gravenhorst, J.B. and Keirse, M.J.N.C. (1990) Value of external version in breech presentation at term. *Med Tijdscher Geneested* 134: 2245–8
299. Van Dorsten, J.P., Schofrin, B.S. and Wallace, R.L. (1981) Randomized controlled trial of external cephalic version with tocolysis in late pregnancy. *American Journal of Obstetrics and Gynecology* 141: 417–24
300. Van Loon, A.J., Mantingh, A., Serlier, E.K., Kroon, G., Mooyaart, E.L. and Huisjes, H.J. (1997) Randomised controlled trial of magnetic resonance pelvimetry in breech presentation at term. *Lancet* 350: 1799–804
- 300a. Van Roosmalen, J. and Rosendaal, F. (2002) There is still room for disagreement about vaginal delivery of breech infants at term. *British Journal of Obstetrics and Gynaecology* 109: 967–9
301. Van Veelen, A.J., Van Cappellen, A.W., Flu, P.K., Straub, M.J.P.F. and Wallenberg, H.C.S. (1989) Effect of external cephalic version in late pregnancy on presentation at delivery; a randomized controlled trial. *British Journal of Obstetrics and Gynaecology* 96: 916–21
- 301a. Varma, R. and Horwell, D. (2002) External cephalic version should be routine clinical practice in UK. *British Medical Journal* 324 (7328): 49
302. Varner, W.D. (1962) Management of labour in the primigravida with breech presentation. *American Journal of Obstetrics and Gynecology* 84: 876–83
303. Vartan, C.K. (1940) Cause of breech presentation. *Lancet* 1: 595
304. Vause, S., Hornbuckle, J. and Thornton, J.G. (1997) Palpation or ultrasound for detecting breech babies. *British Journal of Midwifery* 6: 318–19
305. Viegas, O.A.C., Arulkumaran, S., Gibb, D.M.S. and Rathn, S.S. (1984) Nipple stimulation in late pregnancy causing fetal bradycardia. *British Journal of Obstetrics and Gynaecology* 91: 364–6
306. Wagner, M. (1994) *Pursuing the Birth Machine: The Search for Appropriate Birth Technology*. Ace Graphics, Sydney
307. Wagner, M. (2000) Choosing a caesarean section. *Lancet* 356: 1677–80
308. Walkinshaw, S.A. (1997) Pelvimetry and breech delivery at term. *Lancet* 350: 1791
309. Warke, H.S., Saragoi, R.M. and Sanjanwalla, S.M. (1999) Should a preterm breech go for vaginal delivery or caesarean section? *Journal of Postgraduate Medicine* 45(1): 1–4

310. Watson, W.J. and Benson, W.L. (1984) Vaginal delivery for the selected frank breech infant at term. *Obstetrics and Gynaecology* 64: 638
311. Weiner, C.P. (1992) Vaginal breech delivery in the 1990s. *Clinical Obstetrics and Gynaecology* 35(3): 559–69
312. Weissman, A. and Hagay, Z.J. (1995) Management of breech presentation: the 1993 Israeli census. *European Journal of Obstetrics, Gynaecology and Reproductive Biology* 60(1): 21–8
313. Wesson, Nicola (2000) Personal communication
314. Westgren, M., Edvall, H., Nordstrom, L., Svalenius, E. and Ranstam, J. (1985) Spontaneous cephalic version of breech presentation in the last trimester. *British Journal of Obstetrics and Gynaecology* 92: 19–22
315. Westgren, L.M. and Ingemarsson, I. (1988) Breech delivery and mental handicap. *Ballieres Clinical Obstetrics and Gynaecology* 2(1): 187–94
316. Wilcox, H. and Mo, B. (1949) The attitude of the fetus in breech presentation. *American Journal of Obstetrics and Gynecology* 58: 478–87
317. Wolf, H., Schaap, A.H., Bruinse, H.W., Smolders de Haas, H., Ertbruggen, I. and Treffers, P.E. (1999) Vaginal delivery compared with caesarean section in early preterm breech delivery: a comparison of long term outcome. *British Journal of Obstetrics and Gynaecology* 106(5): 486–91
318. Wolf, N. (2001) *Misconceptions*. Chatto and Windus, London
319. Wright, A.R., English, P.T., Cameron, H.M., et al. (1992) MR pelvimetry: a practical alternative. *Acta Radiologica* 33: 582
320. Wright, R. (1959) Reduction of perinatal mortality and morbidity in breech delivery through routine use of caesarean section. *Obstetrics and Gynaecology* 14(6): 758–63
321. <www.gentlebirth.org/archives/breech> Prenatal breech issues (30 May 1999).
- 321a. <www.caesarean.org.uk>
322. Zhang, J., Bowes, W.A. Jr and Fortney, J.A. (1993) Efficacy of external cephalic version: a review. *Obstetrics and Gynaecology* 82: 306–12
323. Ziadeh, S., Abu-Heija, A.T., El-Sunna, E., El-Jallad, M.F., Shatnawi, A. and Obeidat, A. (1997) Preterm singleton breech in North Jordan: vaginal versus abdominal delivery. *Gynaecological and Obstetric Investigations* 44(3): 169–72
324. Zlatnik, F. (1993) The Iowa premature breech trial. *American Journal of Perinatology* 10: 60