

References

- Adler, D. and D. Murcoch (2009). *rgl: 3D visualization device system (OpenGL)*. R package version 0.82. <http://rgl.neoscientists.org>.
- Bellman, R. and R. S. Roth (1971). The use of splines with unknown end points in the identification of systems. *Journal of Mathematical Analysis and Applications* 34, 26–33.
- Bookstein, F. L. (1991). *Morphometric Tools for Landmark Data: Geometry and Biology*. Cambridge: Cambridge University Press.
- Borrelli, R. L. and C. S. Coleman (2004). *Differential Equations: A Modelling Perspective*. New York: Wiley.
- Brumback, B. A. and J. A. Rice (1998). Smoothing spline models for the analysis of nested and crossed samples of curves. *Journal of the American Statistical Association* 93, 961–994.
- Brunel, N. (2008). Parameter estimation of ODEs via nonparametric estimators. *Electronic Journal of Statistics* 2, 1242–1267.
- Cardot, H., F. Ferraty, A. Mas, and P. Sarda (2003b). Testing hypotheses in the functional linear model. *Scandinavian Journal of Statistics* 30, 241–255.
- Cardot, H., F. Ferraty, and P. Sarda (1999). Functional linear model. *Statistics and Probability Letters* 45, 11–22.
- Cardot, H., F. Ferraty, and P. Sarda (2003a). Spline estimators for the functional linear model. *Statistica Sinica* 13, 571–591.
- Cardot, H., A. Goia, and P. Sarda (2004). Testing for no effect in functional linear models, some computational approaches. *Communications in Statistics—Simulation and Computation* 33, 179–199.
- Chambers, J. M. (2008). *Software for Data Analysis*. New York: Springer.
- Chambers, J. M. and T. J. Hastie (1991). *Statistical Models in S*. New York: Chapman and Hall.
- Chaudhuri, P. and J. S. Marron (1999). SiZer for exploration of structures in curves. *Journal of the American Statistical Association* 94, 807–823.
- Chen, J. and H. Wu (2008). Estimation of time-varying parameters in deterministic dynamic models. *Statistica Sinica* 18, 987–1006.

- Chiou, J. M. and H. G. Müller (2009). Modeling hazard rates as functional data for the analysis of cohort lifetables and mortality forecasting. *Journal of the American Statistical Association*, in press.
- Craven, P. and G. Wahba (1979). Smoothing noisy data with spline functions: Estimating the correct degree of smoothing by the method of generalized cross-validation. *Numerische Mathematik* 31, 377–403.
- Cuevas, A., M. Febrero, and R. Fraiman (2002). Linear functional regression: The case of fixed design and functional response. *Canadian Journal of Statistics* 30, 285–300.
- de Boor, C. (2001). *A Practical Guide to Splines, Revised Edition*. New York: Springer.
- Delsol, L., F. Ferraty, and P. Vieu (2008). Structural test in regression on functional variables. to appear.
- Escabias, M., A. Aguilera, and M. J. Valderrama (2004). Principal component estimation of functional logistic regression: Discussion of two different approaches. *Nonparametric Statistics* 16, 365–384.
- Eubank, R. L. (1999). *Spline Smoothing and Nonparametric Regression, Second Edition*. New York: Marcel Dekker.
- Fan, J. and I. Gijbels (1996). *Local Polynomial Modelling and Its Applications*. London: Chapman and Hall.
- Ferraty, F. and P. Vieu (2001). The functional nonparametric model and its applications to spectrometric data. *Computational Statistics* 17, 545–564.
- Fisher, N. I., T. L. Lewis, and B. J. J. Embleton (1987). *Statistical Analysis of Spherical Data*. Cambridge: Cambridge University Press.
- Gasser, T. and A. Kneip (1995). Searching for structure in curve samples. *Journal of the American Statistical Association* 90, 1179–1188.
- Gervini, D. and T. Gasser (2004). Self-modeling warping functions. *Journal of the Royal Statistical Society, Series B* 66, 959–971.
- Hastie, T. and R. Tibshirani (1993). Varying-coefficient models. *Journal of the Royal Statistical Society, Series B* 55, 757–796.
- Hiebeler (2009). Matlab / R reference. <http://www.math.umaine.edu/faculty/hiebeler/comp/matlabR.pdf>, accessed 2009.02.06.
- James, G., J. Wang, and J. Zhu (2009). Functional linear regression that's interpretable. *Annals of Statistics*, in press.
- James, G. M. (2002). Generalized linear models with functional predictors. *Journal of the Royal Statistical Society, Series B* 64, 411–432.
- James, G. M. and T. Hastie (2001). Functional linear discriminant analysis for irregularly sampled curves. *Journal of the Royal Statistical Society, Series B* 63, 533–550.
- James, G. M., T. J. Hastie, and C. A. Sugar (2000). Principal component models for sparse functional data. *Biometrika* 87, 587–602.
- James, G. M. and C. A. Sugar (2003). Clustering sparsely sampled functional data. *Journal of the American Statistical Association* 98, 397–408.
- Jolliffe, I. T. (2002). *Principal Components Analysis, Second Edition*. New York: Springer.

- Kneip, A. and T. Gasser (1992). Statistical tools to analyze data representing a sample of curves. *Annals of Statistics* 20, 1266–1305.
- Kneip, A. and J. O. Ramsay (2008). Combining registration and fitting for functional models. *Journal of the American Statistical Association* 20, 1266–1305.
- Kuznetsov, Y. A. (2004). *Elements of Applied Bifurcation Theory*. New York: Springer.
- Liu, X. and H. G. Müller (2004). Functional convex averaging and synchronization for time-warped random curves. *Journal of the American Statistical Association* 99, 687–699.
- Malfait, N. and J. O. Ramsay (2003). The historical functional linear model. *Canadian Journal of Statistics* 31, 115–128.
- Müller, H.-G. and U. Stadtmüller (2005). Generalized functional linear models. *Annals of Statistics* 33, 774–805.
- Olshen, R. A., E. N. Bide, M. P. Wyatt, and D. H. Sutherland (1989). Gait analysis and the bootstrap. *Annals of Statistics* 17, 1419–1440.
- Pascual, M. and S. P. Ellner (2000). Linking ecological patterns to environmental forcing via nonlinear time series models. *Ecology* 81(10), 2767–2780.
- Ramsay, J. O., R. D. Bock, and T. Gasser (1995a). Comparison of height acceleration curves in the Fels, Zurich, and Berkeley growth data. *Annals of Human Biology* 22, 413–426.
- Ramsay, J. O., G. Hooker, D. Campbell, and J. Cao (2007). Parameter estimation in differential equations: A generalized smoothing approach. *Journal of the Royal Statistical Society, Series B* 16, 741–796.
- Ramsay, J. O. and B. W. Silverman (2005). *Functional Data Analysis, Second Edition*. New York: Springer.
- Ramsay, J. O., X. Wang, and R. Flanagan (1995b). A functional data analysis of the pinch force of human fingers. *Applied Statistics* 44, 17–30.
- Rossi, N., X. Wang, and J. O. Ramsay (2002). Nonparametric item response function estimates with the em algorithm. *Journal of the Behavioral and Educational Sciences* 27, 291–317.
- Rupert, D., M. P. Wand, and R. J. Carroll (2003). *Semiparametric Regression*. Cambridge: Cambridge University Press.
- Sakoe, H. and S. Chiba (1978). Dynamic programming algorithm optimization for spoken word recognition. *IEEE Transactions, ASSP-26* 1, 43–49.
- Sarkar, D. (2008). *lattice: Lattice Graphics*. R package version 0.17-13.
- Schumaker, L. (1981). *Spline Functions: Basic Theory*. New York: Wiley.
- Silverman, B. W. (1986). *Density Estimation for Statistics and Data Analysis*. London: Chapman and Hall.
- Simonoff, J. S. (1996). *Smoothing Methods in Statistics*. New York: Springer.
- Tuddenham, R. D. and M. M. Snyder (1954). Physical growth of California boys and girls from birth to eighteen years. *University of California Publications in Child Development* 1, 183–364.
- Varah, J. M. (1982). A spline least squares method for numerical parameter estimation in differential equations. *SIAM Journal on Scientific Computing* 3, 28–46.

