

References

- [1] P. K. Agarwal. *Intersection and Decomposition Algorithms for Planar Arrangements*. Cambridge University Press, New York, NY, 1991.
- [2] P. K. Agarwal, M. de Berg, J. Matoušek, and O. Schwarzkopf. Constructing levels in arrangements and higher order Voronoi diagrams. In *Proc. 10th Ann. ACM Symp. Comp. Geom.*, 67–75, 1994.
- [3] P. K. Agarwal, D. Eppstein, and J. Matoušek. Dynamic half-space reporting, geometric optimization, and minimum spanning trees. In *Proc. 33rd Ann. IEEE Symp. Found. Comp. Sci.*, 80–89, 1992.
- [4] P. K. Agarwal and J. Matoušek. Ray shooting and parametric search. In *Proc. 24th Ann. ACM Symp. Theory Comp.*, 517–526, 1992.
- [5] A. Aggarwal, L. J. Guibas, J. Saxe, and P. W. Shor. A linear-time algorithm for computing the Voronoi diagram of a convex polygon. *Discrete Comp. Geom.*, 4(6):591–604, 1989.
- [6] A. V. Aho, J. E. Hopcroft, and J. D. Ullman. *The Design and Analysis of Computer Algorithms*. Addison-Wesley, Reading, MA, 1974.
- [7] P. Alevizos, J.-D. Boissonnat, and F. P. Preparata. An optimal algorithm for the boundary of a cell in a union of rays. *Algorithmica*, 5:573–590, 1990.
- [8] P. D. Alevizos, J.-D. Boissonnat, and M. Yvinec. Non-convex contour reconstruction. *J. Symbolic Comp.*, 10:225–252, 1990.
- [9] B. Aronov and M. Sharir. Triangles in space or building (and analyzing) castles in the air. *Combinatorica*, 10(2):137–173, 1990.
- [10] B. Aronov and M. Sharir. Castles in the air revisited. In *Proc. 8th Ann. ACM Symp. Comp. Geom.*, 146–156, 1992.
- [11] B. Aronov, M. Pellegrini, and M. Sharir. On the zone of a surface in a hyperplane arrangement. *Discrete Comp. Geom.*, 9(2):177–186, 1993.

- [12] P. Ash, E. Bolker, H. Crapo, and W. Whiteley. Convex polyhedra, Dirichlet tessellations, and spider webs. In Marjorie Senechal and George Fleck, editors, *Shaping Space: A Polyhedral Approach*, chapter 17, 231–250. Birkhäuser, Boston, MA, 1988.
- [13] M. J. Atallah. Dynamic computational geometry. In *Proc. 24th Ann. IEEE Symp. Found. Comp. Sci.*, 92–99, 1983.
- [14] F. Aurenhammer. Power diagrams: properties, algorithms and applications. *SIAM J. Comp.*, 16:78–96, 1987.
- [15] F. Aurenhammer. A new duality result concerning Voronoi diagrams. *Discrete Comp. Geom.*, 5:243–254, 1990.
- [16] F. Aurenhammer. Voronoi diagrams: A survey of a fundamental geometric data structure. *ACM Comp. Surv.*, 23:345–405, 1991.
- [17] F. Aurenhammer and H. Imai. Geometric relations among Voronoi diagrams. *Geom. Dedicata*, 27:65–75, 1988.
- [18] F. Aurenhammer and O. Schwarzkopf. A simple on-line randomized incremental algorithm for computing higher order Voronoi diagrams. *Internat. J. Comp. Geom. Appl.*, 2:363–381, 1992.
- [19] D. Avis and H. El-Gindy. Triangulating point sets in space. *Discrete Comp. Geom.*, 2:99–111, 1987.
- [20] C. Bajaj and T. K. Dey. Polygon nesting and robustness. *Inf. Proc. Lett.*, 35:23–32, 1990.
- [21] L. J. Bass and S. R. Schubert. On finding the disc of minimum radius containing a given set of points. *Math. Comp.*, 12:712–714, 1967.
- [22] A. F. Beardon. *The Geometry of Discrete Groups*. Graduate Texts in Mathematics. Springer-Verlag, 1983.
- [23] J. L. Bentley and T. A. Ottmann. Algorithms for reporting and counting geometric intersections. *IEEE Trans. Comp.*, C-28:643–647, 1979.
- [24] M. Berger. *Géométrie 3. Convexes et Polytopes, Polyèdres Réguliers, Aires et Volumes*. Fernand Nathan, Paris, 1974.
- [25] J.-D. Boissonnat. Shape reconstruction from planar cross-sections. *Comp. Vision Graph. Image Proc.*, 44(1):1–29, October 1988.
- [26] J.-D. Boissonnat, A. Cérézo, O. Devillers, and M. Teillaud. Output-sensitive construction of the Delaunay triangulation of points lying in two planes. *Internat. J. Comp. Geom. Appl.*, 6(1):1–14, 1996.

- [27] J.-D. Boissonnat, O. Devillers, and F. Preparata. Computing the union of 3-colored triangles. *Internat. J. Comp. Geom. Appl.*, 1(2):187–196, 1991.
- [28] J.-D. Boissonnat, O. Devillers, R. Schott, M. Teillaud, and M. Yvinec. Applications of random sampling to on-line algorithms in computational geometry. *Discrete Comp. Geom.*, 8:51–71, 1992.
- [29] J.-D. Boissonnat, O. Devillers, and M. Teillaud. A semidynamic construction of higher-order Voronoi diagrams and its randomized analysis. *Algorithmica*, 9:329–356, 1993.
- [30] J.-D. Boissonnat and K. Dobrindt. On-line construction of the upper envelope of triangles and surface patches in three dimensions. *Comp. Geom. Theory Appl.*, 5:303–320, 1996.
- [31] J.-D. Boissonnat and M. Teillaud. A hierarchical representation of objects: The Delaunay tree. In *Proc. 2nd Ann. ACM Symp. Comp. Geom.*, 260–268, 1986.
- [32] J.-D. Boissonnat and M. Teillaud. On the randomized construction of the Delaunay tree. *Theor. Comp. Sci.*, 112:339–354, 1993.
- [33] J.-D. Boissonnat and M. Yvinec. Probing a scene of non-convex polyhedra. *Algorithmica*, 8:321–342, 1992.
- [34] J.-D. Boissonnat, M. Sharir, B. Tagansky, and M. Yvinec. Voronoi diagrams in higher dimensions under certain polyhedral distance functions. In *Proc. 11th Ann. ACM Symp. Comp. Geom.*, 79–88, 1995.
- [35] H. Brönnimann. *Derandomization of Geometric Algorithms*. Ph.D. thesis, Dept. Comp. Sci., Princeton University, Princeton, NJ, May 1995.
- [36] H. Brönnimann, B. Chazelle, and J. Matoušek. Product range spaces, sensitive sampling, and derandomization. In *Proc. 34th Ann. IEEE Symp. Found. Comp. Sci.*, 400–409, 1993.
- [37] A. Brønsted. *An Introduction to Convex Polytopes*. Springer-Verlag, New York, NY, 1983.
- [38] K. Q. Brown. Voronoi diagrams from convex hulls. *Inf. Proc. Lett.*, 9:223–228, 1979.
- [39] H. Bruggesser and P. Mani. Shellable decompositions of cells and spheres. *Math. Scand.*, 29:197–205, 1971.

- [40] C. Burnikel, K. Mehlhorn, and S. Schirra. On degeneracy in geometric computations. In *Proc. 5th ACM-SIAM Symp. Discrete Algorithms*, 16–23, 1994.
- [41] B. Chazelle. A theorem on polygon cutting with applications. In *Proc. 23rd Ann. IEEE Symp. Found. Comp. Sci.*, 339–349, 1982.
- [42] B. Chazelle. Convex partitions of polyhedra: a lower bound and worst-case optimal algorithm. *SIAM J. Comp.*, 13:488–507, 1984.
- [43] B. Chazelle. On the convex layers of a planar set. *IEEE Trans. Inform. Theory*, IT-31:509–517, 1985.
- [44] B. Chazelle. Triangulating a simple polygon in linear time. *Discrete Comp. Geom.*, 6:485–524, 1991.
- [45] B. Chazelle. An optimal algorithm for intersecting three-dimensional convex polyhedra. *SIAM J. Comp.*, 21(4):671–696, 1992.
- [46] B. Chazelle. An optimal convex hull algorithm in any fixed dimension. *Discrete Comp. Geom.*, 10:377–409, 1993.
- [47] B. Chazelle, R. L. Drysdale, III, and D. T. Lee. Computing the largest empty rectangle. *SIAM J. Comp.*, 15:300–315, 1986.
- [48] B. Chazelle and H. Edelsbrunner. An optimal algorithm for intersecting line segments in the plane. In *Proc. 29th Ann. IEEE Symp. Found. Comp. Sci.*, 590–600, 1988.
- [49] B. Chazelle and H. Edelsbrunner. An optimal algorithm for intersecting line segments in the plane. *JACM*, 39:1–54, 1992.
- [50] B. Chazelle, H. Edelsbrunner, M. Grigni, L. Guibas, J. Hershberger, M. Sharir, and J. Snoeyink. Ray shooting in polygons using geodesic triangulations. *Algorithmica*, 12:54–68, 1994.
- [51] B. Chazelle, H. Edelsbrunner, L. Guibas, and M. Sharir. A singly-exponential stratification scheme for real semi-algebraic varieties and its applications. *Theor. Comp. Sci.*, 84:77–105, 1991.
- [52] B. Chazelle, H. Edelsbrunner, L. Guibas, M. Sharir, and J. Snoeyink. Computing a face in an arrangement of line segments and related problems. *SIAM J. Comp.*, 22:1286–1302, 1993.
- [53] B. Chazelle and J. Friedman. A deterministic view of random sampling and its use in geometry. *Combinatorica*, 10(3):229–249, 1990.

- [54] B. Chazelle and L. J. Guibas. Visibility and intersection problems in plane geometry. *Discrete Comp. Geom.*, 4:551–581, 1989.
- [55] B. Chazelle, L. J. Guibas, and D. T. Lee. The power of geometric duality. *BIT*, 25:76–90, 1985.
- [56] B. Chazelle and J. Icerpi. Triangulation and shape-complexity. *ACM Trans. Graph.*, 3(2):135–152, 1984.
- [57] B. Chazelle and J. Matoušek. On linear-time deterministic algorithms for optimization problems in fixed dimension. In *Proc. 4th ACM-SIAM Symp. Discrete Algorithms*, 281–290, 1993.
- [58] B. Chazelle and L. Palios. Triangulating a non-convex polytope. *Discrete Comp. Geom.*, 5:505–526, 1990.
- [59] L. P. Chew. Building Voronoi diagrams for convex polygons in linear expected time. Technical Report PCS-TR90-147, Dept. Math. Comp. Sci., Dartmouth College, Hanover, NH, 1986.
- [60] L. P. Chew. Constrained Delaunay triangulations. *Algorithmica*, 4:97–108, 1989.
- [61] L. P. Chew and R. L. Drysdale, III. Voronoi diagrams based on convex distance functions. In *Proc. 1st Ann. ACM Symp. Comp. Geom.*, 235–244, 1985.
- [62] L. P. Chew and K. Kedem. Placing the largest similar copy of a convex polygon among polygonal obstacles. In *Proc. 5th Ann. ACM Symp. Comp. Geom.*, 167–174, 1989.
- [63] L. P. Chew, K. Kedem, M. Sharir, B. Tagansky, and E. Welzl. Voronoi diagrams of lines in 3-space under polyhedral convex distance functions. In *Proc. 6th ACM-SIAM Symp. Discrete Algorithms*, 197–204, 1995.
- [64] K. Clarkson, H. Edelsbrunner, L. Guibas, M. Sharir, and E. Welzl. Combinatorial complexity bounds for arrangements of curves and spheres. *Discrete Comp. Geom.*, 5:99–160, 1990.
- [65] K. Clarkson, R. E. Tarjan, and C. J. Van Wyk. A fast Las Vegas algorithm for triangulating a simple polygon. *Discrete Comp. Geom.*, 4:423–432, 1989.
- [66] K. L. Clarkson. Linear programming in $O(n3^d)$ time. *Inf. Proc. Lett.*, 22:21–24, 1986.
- [67] K. L. Clarkson. New applications of random sampling in computational geometry. *Discrete Comp. Geom.*, 2:195–222, 1987.

- [68] K. L. Clarkson. A Las Vegas algorithm for linear programming when the dimension is small. In *Proc. 29th Ann. IEEE Symp. Found. Comp. Sci.*, 452–456, 1988.
- [69] K. L. Clarkson, R. Cole, and R. E. Tarjan. Randomized parallel algorithms for trapezoidal diagrams. *Internat. J. Comp. Geom. Appl.*, 2(2):117–133, 1992.
- [70] K. L. Clarkson, K. Mehlhorn, and R. Seidel. Four results on randomized incremental constructions. *Comp. Geom. Theory Appl.*, 3(4):185–212, 1993.
- [71] K. L. Clarkson and P. W. Shor. Applications of random sampling in computational geometry, II. *Discrete Comp. Geom.*, 4:387–421, 1989.
- [72] T. H. Cormen, C. E. Leiserson, and R. L. Rivest. *Introduction to Algorithms*. The MIT Press, Cambridge, Mass., 1990.
- [73] H. S. M. Coxeter. A classification of zonohedra by means of projective diagrams. *J. Math. Pure Appl.*, 41:137–156, 1962.
- [74] H. Davenport and A. Schinzel. A combinatorial problem connected with differential equations. *Amer. J. Math.*, 87:684–689, 1965.
- [75] M. de Berg. *Ray Shooting, Depth Orders and Hidden Surface Removal*, volume 703 of *Lecture Notes in Computer Science*. Springer-Verlag, Berlin, Germany, 1993.
- [76] M. de Berg, K. Dobrindt, and O. Schwarzkopf. On lazy randomized incremental construction. In *Proc. 26th Ann. ACM Symp. Theory Comp.*, 105–114, 1994.
- [77] M. de Berg, L. J. Guibas, and D. Halperin. Vertical decompositions for triangles in 3-space. *Discrete Comp. Geom.*, 15:35–61, 1996.
- [78] B. Delaunay. Sur la sphère vide. A la memoire de Georges Voronoi. *Izv. Akad. Nauk SSSR, Otdelenie Matematicheskikh i Estestvennykh Nauk*, 7:793–800, 1934.
- [79] P. Desnoguès. *Triangulations et Quadriques*. Thèse de doctorat en sciences, Université de Nice-Sophia Antipolis, France, 1996.
- [80] O. Devillers. Randomization yields simple $O(n \log^* n)$ algorithms for difficult $\Omega(n)$ problems. *Internat. J. Comp. Geom. Appl.*, 2(1):97–111, 1992.
- [81] O. Devillers, S. Meiser, and M. Teillaud. Fully dynamic Delaunay triangulation in logarithmic expected time per operation. *Comp. Geom. Theory Appl.*, 2(2):55–80, 1992.

- [82] O. Devillers, S. Meiser, and M. Teillaud. The space of spheres, a geometric tool to unify duality results on Voronoi diagrams. Report 1620, INRIA Sophia-Antipolis, Valbonne, France, 1992.
- [83] M. T. Dickerson, S. A. McElfresh, and M. Montague. New algorithms and empirical findings on minimum weight triangulation heuristics. In *Proc. 11th Ann. ACM Symp. Comp. Geom.*, 238–247, 1995.
- [84] M. Dietzfelbinger, A. Karlin, K. Mehlhorn, F. Meyer auf der Heide, H. Rohnert, and R. E. Tarjan. Dynamic perfect hashing – upper and lower bounds. In *Proc. 29th Ann. IEEE Symp. Found. Comp. Sci.*, 524–531, 1988.
- [85] D. P. Dobkin and D. G. Kirkpatrick. A linear algorithm for determining the separation of convex polyhedra. *J. Algorithms*, 6:381–392, 1985.
- [86] K. Dobrindt and M. Yvinec. Remembering conflicts in history yields dynamic algorithms. In *Proc. 4th Ann. Internat. Symp. Algorithms Comp. (ISAAC 93)*, volume 762 of *Lecture Notes in Computer Science*, 21–30. Springer-Verlag, 1993.
- [87] M. E. Dyer. Linear time algorithms for two- and three-variable linear programs. *SIAM J. Comp.*, 13:31–45, 1984.
- [88] M. E. Dyer. On a multidimensional search technique and its application to the Euclidean one-centre problem. *SIAM J. Comp.*, 15:725–738, 1986.
- [89] H. Edelsbrunner. *Algorithms in Combinatorial Geometry*, volume 10 of *EATCS Monographs on Theoretical Computer Science*. Springer-Verlag, Heidelberg, West Germany, 1987.
- [90] H. Edelsbrunner, L. Guibas, J. Pach, R. Pollack, R. Seidel, and M. Sharir. Arrangements of curves in the plane: Topology, combinatorics, and algorithms. *Theor. Comp. Sci.*, 92:319–336, 1992.
- [91] H. Edelsbrunner, L. Guibas, and M. Sharir. The complexity of many cells in arrangements of planes and related problems. *Discrete Comp. Geom.*, 5:197–216, 1990.
- [92] H. Edelsbrunner and L. J. Guibas. Topologically sweeping an arrangement. *J. Comp. Syst. Sci.*, 38:165–194, 1989. Corrigendum in 42 (1991), 249–251.
- [93] H. Edelsbrunner, L. J. Guibas, and M. Sharir. The complexity and construction of many faces in arrangements of lines and of segments. *Discrete Comp. Geom.*, 5:161–196, 1990.

- [94] H. Edelsbrunner and H. A. Maurer. Finding extreme points in three dimensions and solving the post-office problem in the plane. *Inf. Proc. Lett.*, 21:39–47, 1985.
- [95] H. Edelsbrunner, F. P. Preparata, and D. B. West. Tetrahedrizing point sets in three dimensions. *J. Symb. Comp.*, 10(3–4):335–347, 1990.
- [96] H. Edelsbrunner and R. Seidel. Voronoi diagrams and arrangements. *Discrete Comp. Geom.*, 1:25–44, 1986.
- [97] H. Edelsbrunner, R. Seidel, and M. Sharir. On the zone theorem for hyperplane arrangements. *SIAM J. Comp.*, 22(2):418–429, 1993.
- [98] H. Edelsbrunner and N. R. Shah. Incremental topological flipping works for regular triangulations. *Algorithmica*, 15:223–241, 1996.
- [99] H. Edelsbrunner and W. Shi. An $O(n \log^2 h)$ time algorithm for the three-dimensional convex hull problem. *SIAM J. Comp.*, 20:259–277, 1991.
- [100] H. Edelsbrunner and T. S. Tan. An upper bound for conforming Delaunay triangulations. In *Proc. 8th Ann. ACM Symp. Comp. Geom.*, 53–62, 1992.
- [101] H. Edelsbrunner and T. S. Tan. A quadratic time algorithm for the minmax length triangulation. *SIAM J. Comp.*, 22:527–551, 1993.
- [102] H. Edelsbrunner, T. S. Tan, and R. Waupotitsch. An $O(n^2 \log n)$ time algorithm for the minmax angle triangulation. *SIAM J. Sci. Statist. Comp.*, 13(4):994–1008, 1992.
- [103] P. Erdős, L. Lovász, A. Simmons, and E. Straus. Dissection graphs of planar point sets. In J. N. Srivastava, editor, *A Survey of Combinatorial Theory*, 139–154. North-Holland, Amsterdam, Netherlands, 1973.
- [104] H. Everett, J.-M. Robert, and M. van Kreveld. An optimal algorithm for the $(\leq k)$ -levels, with applications to separation and transversal problems. *Internat. J. Comp. Geom. Appl.*, 6:247–261, 1996.
- [105] S. Fortune. Voronoi diagrams and Delaunay triangulations. In D.-Z. Du and F. K. Hwang, editors, *Computing in Euclidean Geometry*, volume 1 of *Lecture Notes Series on Computing*, 193–233. World Scientific, Singapore, 1992.
- [106] S. J. Fortune. A sweepline algorithm for Voronoi diagrams. *Algorithmica*, 2:153–174, 1987.
- [107] A. Fournier and D. Y. Montuno. Triangulating simple polygons and equivalent problems. *ACM Trans. Graph.*, 3(2):153–174, 1984.

- [108] C. Froidevaux, M. C. Gaudel, and M. Soria. *Type de Données et Algorithmes*. McGraw-Hill, Paris, 1990.
- [109] M. R. Garey, D. S. Johnson, F. P. Preparata, and R. E. Tarjan. Triangulating a simple polygon. *Inf. Proc. Lett.*, 7:175–179, 1978.
- [110] P. J. Giblin. *Graphs, Surfaces and Homology*. Chapman and Hall, London, 1977.
- [111] R. L. Graham. An efficient algorithm for determining the convex hull of a finite planar set. *Inf. Proc. Lett.*, 1:132–133, 1972.
- [112] R. L. Graham and F. F. Yao. Finding the convex hull of a simple polygon. *J. Algorithms*, 4:324–331, 1983.
- [113] P. J. Green and R. R. Sibson. Computing Dirichlet tessellations in the plane. *Comp. J.*, 21:168–173, 1978.
- [114] B. Grünbaum. *Convex Polytopes*. Wiley, New York, NY, 1967.
- [115] L. J. Guibas, D. Halperin, J. Matoušek, and M. Sharir. On vertical decomposition of arrangements of hyperplanes in four dimensions. In *Proc. 5th Canad. Conf. Comp. Geom.*, 127–132, Waterloo, Canada, 1993.
- [116] L. J. Guibas, J. Hershberger, D. Leven, M. Sharir, and R. E. Tarjan. Linear-time algorithms for visibility and shortest path problems inside triangulated simple polygons. *Algorithmica*, 2:209–233, 1987.
- [117] L. J. Guibas, D. E. Knuth, and M. Sharir. Randomized incremental construction of Delaunay and Voronoi diagrams. *Algorithmica*, 7:381–413, 1992.
- [118] L. J. Guibas, M. Sharir, and S. Sifrony. On the general motion planning problem with two degrees of freedom. *Discrete Comp. Geom.*, 4:491–521, 1989.
- [119] D. Halperin and M. Sharir. Near-quadratic bounds for the motion planning problem for a polygon in a polygonal environment. In *Proc. 34th Ann. IEEE Symp. Found. Comp. Sci. (FOCS 93)*, 382–391, 1993.
- [120] D. Halperin and M. Sharir. New bounds for lower envelopes in three dimensions, with applications to visibility in terrains. *Discrete Comp. Geom.*, 12:313–326, 1994.
- [121] D. Halperin and M. Sharir. Almost tight upper bounds for the single cell and zone problems in three dimensions. In *Proc. 10th Ann. ACM Symp. Comp. Geom.*, 11–20, 1994.

- [122] S. Hart and M. Sharir. Nonlinearity of Davenport–Schinzel sequences and of generalized path compression schemes. *Combinatorica*, 6:151–177, 1986.
- [123] D. Haussler and E. Welzl. Epsilon-nets and simplex range queries. *Discrete Comp. Geom.*, 2:127–151, 1987.
- [124] J. Hershberger. Finding the upper envelope of n line segments in $O(n \log n)$ time. *Inf. Proc. Lett.*, 33:169–174, 1989.
- [125] J. Hershberger and S. Suri. Applications of a semi-dynamic convex hull algorithm. In *Proc. 2nd Scand. Workshop Algorithm Theory*, volume 447 of *Lecture Notes in Computer Science*, 380–392. Springer-Verlag, 1990.
- [126] J. Hershberger and S. Suri. Offline maintenance of planar configurations. In *Proc. 2nd ACM-SIAM Symp. Discrete Algorithms*, 32–41, 1991.
- [127] J. Hershberger and S. Suri. Efficient computation of Euclidean shortest paths in the plane. In *Proc. 34th Ann. IEEE Symp. Found. Comp. Sci. (FOCS 93)*, 508–517, 1993.
- [128] S. Hertel and K. Mehlhorn. Fast triangulation of simple polygons. In *Proc. 4th Internat. Conf. Found. Comp. Theory*, volume 158 of *Lecture Notes in Computer Science*, 207–218. Springer-Verlag, 1983.
- [129] H. Imai, M. Iri, and K. Murota. Voronoi diagrams in the Laguerre geometry and its applications. *SIAM J. Comp.*, 14:93–105, 1985.
- [130] R. A. Jarvis. On the identification of the convex hull of a finite set of points in the plane. *Inf. Proc. Lett.*, 2:18–21, 1973.
- [131] B. Joe. Construction of three-dimensional Delaunay triangulations using local transformations. *Comp. Aided Geom. Design*, 8(2):123–142, May 1991.
- [132] B. Joe. Delaunay versus max-min solid angle triangulations for three-dimensional mesh generation. *Internat. J. Num. Methods Eng.*, 31(5):987–997, April 1991.
- [133] G. Kalai. A subexponential randomized simplex algorithm. In *Proc. 24th Ann. ACM Symp. Theory Comp.*, 475–482, 1992.
- [134] N. Karmarkar. A new polynomial-time algorithm for linear programming. *Combinatorica*, 4:373–395, 1984.
- [135] L. G. Khachiyan. Polynomial algorithm in linear programming. *USSR Comp. Math. and Math. Phys.*, 20:53–72, 1980.

- [136] D. G. Kirkpatrick. Optimal search in planar subdivisions. *SIAM J. Comp.*, 12:28–35, 1983.
- [137] D. G. Kirkpatrick and R. Seidel. The ultimate planar convex hull algorithm? *SIAM J. Comp.*, 15:287–299, 1986.
- [138] V. Klee and G. J. Minty. How good is the simplex algorithm? In O. Shisha, editor, *Inequalities III*, 159–175. Academic Press, 1972.
- [139] R. Klein. *Concrete and Abstract Voronoi Diagrams*, volume 400 of *Lecture Notes in Computer Science*. Springer-Verlag, 1989.
- [140] R. Klein and A. Lingas. A linear-time randomized algorithm for the bounded Voronoi diagram of a simple polygon. *Int. J. Comp. Geom. Appl.*, 6:263–278, 1996.
- [141] R. Klein, K. Mehlhorn, and S. Meiser. Randomized incremental construction of abstract Voronoi diagrams. *Comp. Geom. Theory Appl.*, 3(3):157–184, 1993.
- [142] D. E. Knuth. *Fundamental Algorithms*, volume 1 of *The Art of Computer Programming*. Addison-Wesley, Reading, MA, 1968.
- [143] B. Lacolle, N. Szafran, and P. Valentin. Geometric modelling and algorithms for binary mixtures. *Internat. J. Comp. Geom. Appl.*, 4:243–260, 1994.
- [144] C. L. Lawson. Software for C^1 surface interpolation. In J. R. Rice, editor, *Mathematical Software III*, 161–194, New York, NY, 1977. Academic Press.
- [145] D. T. Lee. On k -nearest neighbor Voronoi diagrams in the plane. *IEEE Trans. Comp.*, C-31:478–487, 1982.
- [146] D. T. Lee. On finding the convex hull of a simple polygon. *Int. J. Comp. Inform. Sci.*, 12:87–98, 1983.
- [147] D. T. Lee and R. L. Drysdale, III. Generalization of Voronoi diagrams in the plane. *SIAM J. Comp.*, 10:73–87, 1981.
- [148] D. T. Lee and F. P. Preparata. Euclidean shortest paths in the presence of rectilinear barriers. *Networks*, 14:393–410, 1984.
- [149] D. T. Lee and C. K. Wong. Voronoi diagrams in L_1 (L_∞) metrics with 2-dimensional storage applications. *SIAM J. Comp.*, 9:200–211, 1980.
- [150] J. Matoušek. Approximations and optimal geometric divide-and-conquer. In *Proc. 23rd Ann. ACM Symp. Theory Comp.*, 505–511, 1991. Also to appear in *J. Comp. Syst. Sci.*

- [151] J. Matoušek. Cutting hyperplane arrangements. *Discrete Comp. Geom.*, 6:385–406, 1991.
- [152] J. Matoušek. Efficient partition trees. *Discrete Comp. Geom.*, 8:315–334, 1992.
- [153] J. Matoušek. Linear optimization queries. *J. Algorithms*, 14:432–448, 1993.
- [154] J. Matoušek. Randomized optimal algorithm for slope selection. *Inf. Proc. Lett.*, 39:183–187, 1991.
- [155] J. Matoušek. Reporting points in halfspaces. *Comp. Geom. Theory Appl.*, 2(3):169–186, 1992.
- [156] J. Matoušek and O. Schwarzkopf. Linear optimization queries. In *Proc. 8th Ann. ACM Symp. Comp. Geom.*, 16–25, 1992.
- [157] J. Matoušek, M. Sharir, and E. Welzl. A subexponential bound for linear programming. In *Proc. 8th Ann. ACM Symp. Comp. Geom.*, 1–8, 1992.
- [158] P. McMullen. On zonotopes. *Trans. Amer. Math. Soc.*, 159:91–109, 1971.
- [159] P. McMullen and G. C. Shephard. *Convex Polytopes and the Upper Bound Conjecture*. Cambridge University Press, Cambridge, England, 1971.
- [160] N. Megiddo. Linear-time algorithms for linear programming in R^3 and related problems. *SIAM J. Comp.*, 12:759–776, 1983.
- [161] N. Megiddo. Linear programming in linear time when the dimension is fixed. *JACM*, 31:114–127, 1984.
- [162] K. Mehlhorn. *Multi-dimensional Searching and Computational Geometry*, volume 3 of *Data Structures and Algorithms*. Springer-Verlag, Heidelberg, West Germany, 1984.
- [163] K. Mehlhorn. *Sorting and Searching*, volume 1 of *Data Structures and Algorithms*. Springer-Verlag, Heidelberg, West Germany, 1984.
- [164] K. Mehlhorn, S. Meiser, and C. Ó'Dúnlaing. On the construction of abstract Voronoi diagrams. *Discrete Comp. Geom.*, 6:211–224, 1991.
- [165] K. Mehlhorn and S. Näher. Bounded ordered dictionaries in $O(\log \log n)$ time and $O(n)$ space. *Inf. Proc. Lett.*, 35:183–189, 1990.
- [166] K. Mehlhorn and S. Näher. Dynamic fractional cascading. *Algorithmica*, 5:215–241, 1990.

- [167] K. Mehlhorn, M. Sharir, and E. Welzl. Tail estimates for the space complexity of randomized incremental algorithms. In *Proc. 3rd ACM-SIAM Symp. Discrete Algorithms*, 89–93, 1992.
- [168] K. Mehlhorn, M. Sharir, and E. Welzl. Tail estimates for the efficiency of randomized incremental algorithms for line segment intersection. *Comp. Geom. Theory Appl.*, 3:235–246, 1993.
- [169] A. Melkman. On-line construction of the convex hull of a simple polyline. *Inf. Proc. Lett.*, 25:11–12, 1987.
- [170] D. M. Mount and A. Saalfeld. Globally-equiaangular triangulations of co-circular points in $O(n \log n)$ time. In *Proc. 4th Ann. ACM Symp. Comp. Geom.*, 143–152, 1988.
- [171] K. Mulmuley. A fast planar partition algorithm, I. In *Proc. 29th Ann. IEEE Symp. Found. Comp. Sci.*, 580–589, 1988.
- [172] K. Mulmuley. An efficient algorithm for hidden surface removal. *Comp. Graph.*, 23(3):379–388, 1989.
- [173] K. Mulmuley. A fast planar partition algorithm, II. *JACM*, 38:74–103, 1991.
- [174] K. Mulmuley. On levels in arrangements and Voronoi diagrams. *Discrete Comp. Geom.*, 6:307–338, 1991.
- [175] K. Mulmuley. Randomized multidimensional search trees: Dynamic sampling. In *Proc. 7th Ann. ACM Symp. Comp. Geom.*, 121–131, 1991.
- [176] K. Mulmuley. Randomized multidimensional search trees: Lazy balancing and dynamic shuffling. In *Proc. 32nd Ann. IEEE Symp. Found. Comp. Sci.*, 180–196, 1991.
- [177] K. Mulmuley. *Computational Geometry: An Introduction Through Randomized Algorithms*. Prentice Hall, Englewood Cliffs, NJ, 1994.
- [178] K. Mulmuley and S. Sen. Dynamic point location in arrangements of hyperplanes. In *Proc. 7th Ann. ACM Symp. Comp. Geom.*, 132–141, 1991.
- [179] G. M. Nielson and R. Franke. Surface construction based upon triangulations. In R. Barnhill and W. Boehm, editors, *Surfaces in Computer-Aided Geometric Design*, 163–177. North Holland, 1983.
- [180] C. Ó'Dúnlaing, M. Sharir, and C. K. Yap. Generalized Voronoi diagrams for a ladder: I. Topological analysis. *Commun. Pure Appl. Math.*, 39:423–483, 1986.

- [181] C. Ó'Dúnlaing, M. Sharir, and C. K. Yap. Generalized Voronoi diagrams for a ladder: II. Efficient construction of the diagram. *Algorithmica*, 2:27–59, 1987.
- [182] A. Okabe, B. Boots, and K. Sugihara. *Spatial Tessellations: Concepts and Applications of Voronoi Diagrams*. John Wiley & Sons, Chichester, England, 1992.
- [183] J. O'Rourke. *Art Gallery Theorems and Algorithms*. Oxford University Press, New York, NY, 1987.
- [184] M. H. Overmars and J. van Leeuwen. Maintenance of configurations in the plane. *J. Comp. Syst. Sci.*, 23:166–204, 1981.
- [185] J. Pach and M. Sharir. The upper envelope of piecewise linear functions and the boundary of a region enclosed by convex plates: combinatorial analysis. *Discrete Comp. Geom.*, 4:291–309, 1989.
- [186] J. Pach, W. Steiger, and E. Szemerédi. An upper bound on the number of planar k -sets. *Discrete Comp. Geom.*, 7:109–123, 1992.
- [187] C. H. Papadimitriou and K. Steiglitz. *Combinatorial Optimization: Algorithms and Complexity*. Prentice Hall, Englewood Cliffs, NJ, 1982.
- [188] M. Pocchiola and G. Vegter. Computing the visibility graph via pseudo-triangulations. In *Proc. 11th Ann. ACM Symp. Comp. Geom.*, 248–257, 1995.
- [189] R. Pollack, M. Sharir, and S. Sifrony. Separating two simple polygons by a sequence of translations. *Discrete Comp. Geom.*, 3:123–136, 1987.
- [190] F. P. Preparata. An optimal real-time algorithm for planar convex hulls. *Commun. ACM*, 22:402–405, 1979.
- [191] F. P. Preparata and S. J. Hong. Convex hulls of finite sets of points in two and three dimensions. *Commun. ACM*, 20:87–93, 1977.
- [192] F. P. Preparata and M. I. Shamos. *Computational Geometry: An Introduction*. Springer-Verlag, New York, NY, 1985.
- [193] V. T. Rajan. Optimality of the Delaunay triangulation in R^d . In *Proc. 7th Ann. ACM Symp. Comp. Geom.*, 357–363, 1991.
- [194] S. Rippa and B. Schiff. Minimum energy triangulations for elliptic problems. *Computer Methods in Applied Mechanics and Engineering*, 84:257–274, 1990.

- [195] S. Rippa. Minimal roughness property of the Delaunay triangulation. *Comp. Aided Geom. Design*, 7:489–497, 1990.
- [196] N. Sarnak and R. E. Tarjan. Planar point location using persistent search trees. *Commun. ACM*, 29:669–679, 1986.
- [197] J. T. Schwartz and M. Sharir. Algorithmic motion planning in robotics. In J. van Leeuwen, editor, *Algorithms and Complexity*, volume A of *Handbook of Theoretical Computer Science*, 391–430. Elsevier, Amsterdam, 1990.
- [198] O. Schwarzkopf. Dynamic maintenance of geometric structures made easy. In *Proc. 32nd Ann. IEEE Symp. Found. Comp. Sci.*, 197–206, 1991.
- [199] O. Schwarzkopf. *Dynamic Maintenance of Convex Polytopes and Related Structures*. Ph.D. thesis, Fachbereich Mathematik, Freie Universität Berlin, Berlin, Germany, June 1992.
- [200] R. Sedgewick. *Algorithms*. Addison-Wesley, Reading, MA, 1983.
- [201] R. Seidel. A convex hull algorithm optimal for point sets in even dimensions. M.Sc. thesis, Dept. Comp. Sci., Univ. British Columbia, Vancouver, BC, 1981. Report 81/14.
- [202] R. Seidel. Constructing higher-dimensional convex hulls at logarithmic cost per face. In *Proc. 18th Ann. ACM Symp. Theory Comp.*, 404–413, 1986.
- [203] R. Seidel. Backwards analysis of randomized geometric algorithms. Manuscript, ALCOM Summerschool on efficient algorithms design, Århus, Denmark, 1991.
- [204] R. Seidel. A simple and fast incremental randomized algorithm for computing trapezoidal decompositions and for triangulating polygons. *Comp. Geom. Theory Appl.*, 1:51–64, 1991.
- [205] R. Seidel. Small-dimensional linear programming and convex hulls made easy. *Discrete Comp. Geom.*, 6:423–434, 1991.
- [206] M. Sharir. Improved lower bounds on the length of Davenport–Schinzel sequences. *Combinatorica*, 8:117–124, 1988.
- [207] M. Sharir and P. K. Agarwal. *Davenport–Schinzel Sequences and their Geometric Applications*. Cambridge University Press, New York, 1995.
- [208] M. Sharir and E. Welzl. A combinatorial bound for linear programming and related problems. In *Proc. 9th Symp. Theoret. Aspects Comp. Sci.*, volume 577 of *Lecture Notes in Computer Science*, 569–579. Springer-Verlag, 1992.

- [209] G. M. Shute, L. L. Deneen, and C. D. Thomborson. An $O(n \log n)$ plane-sweep algorithm for L_1 and L_∞ Delaunay triangulations. *Algorithmica*, 6:207–221, 1991.
- [210] J. Stolfi. Oriented Projective Geometry. In *Proc. 3rd Ann. ACM Symp. Comp. Geom.*, 76–85, 1987.
- [211] J. Stolfi. *Oriented Projective Geometry: A Framework for Geometric Computations*. Academic Press, New York, NY, 1991.
- [212] B. Tagansky. A new technique for analyzing substructures in arrangements. Unpublished manuscript, Tel-Aviv University, 1994.
- [213] R. E. Tarjan and C. J. Van Wyk. An $O(n \log \log n)$ -time algorithm for triangulating a simple polygon. *SIAM J. Comp.*, 17:143–178, 1988. Erratum in 17 (1988), 106.
- [214] C. Thomassen. The Jordan–Schönflies theorem and the classification of surfaces. *Amer. Math. Monthly*, 99:116–130, 1992.
- [215] G. T. Toussaint. A historical note on convex hull finding algorithms. *Pattern Recog. Lett.*, 3:21–28, 1985.
- [216] P. van Emde Boas, R. Kaas, and E. Zijlstra. Design and implementation of an efficient priority queue. *Math. Syst. Theory*, 10:99–127, 1977.
- [217] C. A. Wang and L. Schubert. An optimal algorithm for constructing the Delaunay triangulation of a set of line segments. In *Proc. 3rd Ann. ACM Symp. Comp. Geom.*, 223–232, 1987.
- [218] E. Welzl. Smallest enclosing disks (balls and ellipsoids). In H. Maurer, editor, *New Results and New Trends in Computer Science*, volume 555 of *Lecture Notes in Computer Science*, 359–370. Springer-Verlag, 1991.
- [219] A. Wiernik and M. Sharir. Planar realizations of nonlinear Davenport–Schinzel sequences by segments. *Discrete Comp. Geom.*, 3:15–47, 1988.
- [220] A. C. Yao. A lower bound to finding convex hulls. *JACM*, 28:780–787, 1981.