

## 7 Literature/References

- Abrahamsson I, Berglundh T, Glantz PO, Lindhe J. The mucosal attachment at different abutments. An experimental study in dogs. *J Clin Periodontol.* 1998 Sep;25(9):721–7.
- Andersson B, Taylor A, Lang BR, Scheller H, Scharer P, Sorensen JA, Tarnow D. Alumina ceramic implant abutments used for single-tooth replacement: a prospective 1- to 3-year multicenter study. *Int J Prosthodont.* 2001 Sep-Oct;14:432–38.
- Alpert A. A rationale for attached gingiva at the soft-tissue/implant interface: esthetic and functional dictates. *Compendium.* 1994 Mar;15(3):356, 358, 360–2 passim; quiz 368.
- Bain CA, Moy PK. The association between the failure of dental implants and cigarette smoking. *Int J Oral Maxillofac Impl.* 1993;8;609–15.
- Belser U, Bernard JP, Buser D. Implant-supported restorations in the anterior region: Prosthetic considerations. *Pract Periodontics Aesthet Dent.* 1996 Nov-Dec; 8(9):857–83; quiz 884.
- Belser U, Buser D, Hess D, Schmid B, Bernard JP, Lang K. Aesthetic implant restorations in partially edentulous patients: A critical appraisal. *Periodontol.* 2000. 1998 Jun;17:132–50.
- Belser UC, Bernard JP, Buser D. Implant placement in the esthetic zone. In: Lindhe J, Karring T, Lang NP, editors. *Clinical Periodontology and Implant Dentistry,* 4th ed. Blackwell Munksgaard; 2003:915–44.
- Belser U, Buser D, Higginbottom F. Consensus statements and recommended clinical procedures regarding esthetics in implant dentistry. *Int J Oral Maxillofac Implants.* 2004;19 Suppl:73–4.
- Belser U, Schmid B, Higginbottom F, Buser D. Outcome analysis of implant restorations located in the anterior maxilla: a review of the recent literature. *Int J Oral Maxillofac Implants.* 2004;19 Suppl: 30–42.
- Bernard JP, Schatz JP, Christou P, Belser U, Kiliaridis S.: Long-term vertical changes of anterior maxillary teeth adjacent to single implants in young and mature adults. A retrospective study. *J Clin Periodontol.* 2004 Nov;31(11):1024–8.
- Botticelli D, Berglundh T, Lindhe J: Hard-tissue alterations following immediate implant placement in extraction sockets. *J Clin Periodontol.* 2004;31(10),820–8.
- Buser D, Dahlin C, Schenk RK, editors. *Guided bone regeneration in implant dentistry.* Chicago: Quintessence; 1994.
- Buser D, von Arx T. Surgical procedures in partially edentulous patients with ITI implants. *Clin Oral Implants Res.* 2000;11 Suppl. 1:83–100.
- Buser D, Martin W, Belser U. Optimizing esthetics for implant restorations in the anterior maxilla: anatomical and surgical considerations. *Int J Oral Maxillofac Implants.* 2004;19 Suppl:43–61.
- Cardaropoli D, Re S, Corrente G, Abundo R. Reconstruction of the maxillary midline papilla following a combined orthodontic-periodontic treatment in adult periodontal patients. *J Clin Periodontol.* 2004 Feb;31(2):79–84.
- Choquet V, Hermans M, Adriaenssens P, Daelemans P, Tarnow DP, Malevez C. Clinical and radiographic evaluation of the papilla level adjacent to single-tooth dental implants. A retrospective study in the maxillary anterior region. *J Periodontol.* 2001 Oct;72(10):1364–71.
- De Bruyn H, Collaert B. The effect of smoking on early implant failure. *Clin Oral Implants Res.* 1994 Dec;5(4):260–4.
- Ekfeldt A, Eriksson A, Johansson LA. Peri-implant mucosal level in patients treated with implant-supported fixed prostheses: a 1-year follow-up study. *Int J Prosthodont.* 2003 Sep-Oct;16(5):529–32.
- Ellegaard B, Baelum V, Karring T. Implant therapy in periodontally compromised patients. *Clin Oral Implants Res.* 1997 Jun;8(3):180–8.
- Esposito M, Ekkestube A, Gröndahl K. Radiological evaluation of marginal bone loss at tooth surfaces facing single Bränemark implants. *Clin Oral Implants Res.* 1993 Sep;4(3):151–7.
- Feloutzis A, Lang NP, Tonetti MS, Burgin W, Bragger U, Buser D, et al. IL-1 gene polymorphism and smoking as risk factors for peri-implant bone loss in a well-maintained population. *Clin Oral Implants Res.* 2003 Feb;14(1):10–7.
- Francetti L, Trombelli L, Lombardo G, Guida L, Cafiero C, Rocuzzo M, et al. Evaluation of efficacy of enamel matrix derivative in the treatment of intrabony defects: a 24-month multicenter study. *Int J Periodontics Restorative Dent.* 2005 Oct;25(5):461–73.

- Garber DA, Belser UC. Restoration-driven implant placement with restoration-driven site development. *Compend Contin Educ Dent.* 1995 Aug;16(8):796–804.
- Giannopoulou C, Bernard JP, Buser D, Carrel A, Belser UC. Effect of intracrevicular restoration margins on peri-implant health: clinical, biochemical, and microbiologic findings around esthetic implants up to 9 years. *Int J of Oral Maxillofac Implants.* 2003 Mar-Apr;18(2):173–81.
- Gruica B, Wang HY, Lang NP, Buser D. Impact of IL-1 genotype and smoking status on the prognosis of osseointegrated implants. *Clin Oral Implants Res.* 2004 Aug;15(4):393–400.
- Grunder U. Stability of the mucosal topography around single-tooth implants and adjacent teeth: 1-year results. *Int J Periodontics Restorative Dent.* 2000 Feb; 20 (1):11–7.
- Hämmerle CH, Jung RE. Bone augmentation by means of barrier membranes. *Periodontol.* 2000. 2003;33:36–53.
- Hämmerle C, Glauser R, Jung R, Pjetursson B, Ramel C. Orale Implantologie: Aktuelle Schwerpunkte für die Klinik. ("Oral Implantology: Current Clinical Focus.") Zurich: Clinic for Dental Crown and Bridge Prosthetics, Partial Prosthetics, and Dental Material Science, Center for Dental and Oral Medicine and Cranio-Maxillofacial Surgery, University of Zurich. 2005;129–49.
- Hämmerle CHF, Chen ST, Wilson TG Jr: Consensus statements and recommended clinical procedures regarding the placement of implants in extraction sockets. *Int J Oral Maxillofac Implants.* 2004;19 Suppl:26–8.
- Hermann JS, Buser D. Guided bone regeneration for dental implants. *Curr Opin Periodontol.* 1996;3:168–77.
- Hermann JS, Cochran DL, Nummikoski PV, Buser D. Crestal bone changes around titanium implants. A radiographic evaluation of unloaded nonsubmerged and submerged implants in the canine mandible. *J Periodontol.* 1997 Nov;68(11): 1117–30.
- Hermann JS, Buser D, Schenk RK, Cochran DL. Crestal bone changes around titanium implants. A histometric evaluation of unloaded nonsubmerged and submerged implants in the canine mandible. *J Periodontol.* 2000 Sep;71(9):1412–24.
- Higginbottom FL, Wilson TG Jr. Three-dimensional templates for placement of root-form dental implants: a technical note. *Int J Oral Maxillofac Implants.* 1996 Nov-Dec; 11(6):787–93.
- Higginbottom F, Belser U, Jones J, Keith S. Prosthetic management of implants in the esthetic zone. *Int J Oral Maxillofac Implants.* 2004;19 Suppl.:62–72.
- Hinds KF: Custom impression coping for an exact registration of the healed tissue in the esthetic implant restoration. *Int J Periodontics Restorative Dent.* 1997 Dec;17(6),584–91.
- Jemt T. Regeneration of gingival papillae after single implant treatment. *Int J Periodontics Restorative Dent.* 1997 Aug; 17(4):326–33.
- Jemt T. Restoring the gingival contour by means of provisional resin crowns after single-implant treatment. *Int J Periodontics Restorative Dent.* 1999 Feb;19(1):20–9.
- Jung RE, Siegenthaler DW, Hämmerle CH. Postextraction tissue management: a soft tissue punch technique. *Int J Periodontics Restorative Dent.* 2004 Dec;24(6):545–53.
- Kan JY, Rungcharassaeng K, Umez K, Kois JC. Dimensions of peri-implant mucosa: An evaluation of maxillary anterior single implants in humans. *J Periodontol.* 2003 Apr;74(4):557–62.
- Karroussis IK, Salvi GE, Heitz-Mayfield LJ, Bragger U, Hämmerle CH, Lang NP. Long-term implant prognosis in patients with and without a history of chronic periodontitis: a 10-year prospective cohort study of the ITI Dental Implant System. *Clin Oral Implants Res.* 2003 Jun;14(3):329–39.
- Kohal RJ, Weng D, Bachle M, Strub JR. Loaded custom-made zirconia and titanium implants show similar osseointegration: an animal experiment. *J Periodontol.* 2004 Sep;75(9):1262–8.
- Kois JC, Kan JY. Predictable peri-implant gingival aesthetics: Surgical and prosthodontic rationales. *Pract Proced Aesthet Dent.* 2001 Nov-Dec;13(9):691–8; quiz 700, 721–2.
- Kornman KS, Crane A, Wang HY, di Giovine FS, Newman MG, Pirk FW, et al. The interleukin-1 genotype as a severity factor in adult periodontal disease. *J Clin Periodontol.* 1997 Jan;24(1):72–7.

- Lambert PM, Morris HF, Ochi S. The influence of smoking on 3-year clinical success of osseointegrated dental implants. *Ann Periodontol.* 2000 Dec;5(1):79–89.
- Landsberg CJ. Socket seal surgery combined with immediate implant placement: a novel approach for single-tooth replacement. *Int J Periodontics Restorative Dent.* 1997 Apr;17(2):140–9.
- Lekholm U. Clinical procedures for treatment with osseointegrated dental implants. *J Prosthet Dent.* 1983 Jul;50(1):116–20.
- Lindeboom JA, Tjook Y, Kroon FH. Immediate placement of implants in periapical infected sites: a prospective randomized study in 50 patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2006 Jun;101(6):705–10. Epub 2006 Mar 22.
- Lüthy H, Pietrobon N, Sisera M, Wohlwend A, Loeffel O. White Esthetics. *Schweiz Monatsschr Zahnmed.* 1996;106 (10):896–908.
- Markus SJ. Interim esthetic restorations in conjunction with anterior implants. *J Prosthet Dent.* 1999 Aug;82(2):233–36.
- Morton D, Martin WC, Ruskin JD. Single-stage Straumann dental implants in the aesthetic zone: considerations and treatment procedures. *J Oral Maxillofac Surg.* 2004 Sep;62(9 Suppl 2):57–66.
- Moskowitz EM, Sheridan JJ, Celenza F Jr, Tovilo K, Munoz AM. Essix appliances. Provisional anterior prosthesis for pre- and post-implant patients. *N Y State Dent J.* 1997 Apr;63(4):32–5.
- Nieri M, Muzzi L, Cattabriga M, Rotundo R, Cairo F, Pini Prato GP. The prognostic value of several periodontal factors measured as radiographic bone level variation: a 10-year retrospective multilevel analysis of treated and maintained periodontal patients. *J Periodontol.* 2002 Dec;73(12):1485–93.
- Oates TW, West J, Jones J, Kaiser D, Cochran DL. Long-term changes in soft tissue height on the facial surface of dental implants. *Implant Dent.* 2002;11(3):272–9.
- Paul SJ, Jovanovic SA. Anterior implant-supported reconstructions: a prosthetic challenge. *Pract Periodontics Aesthet Dent.* 1999 Jun-Jul;11(5):585–90; quiz 592.
- Potashnick SR. Soft tissue modeling for the esthetic single-tooth implant restoration. *J Esthet Dent.* 1998;10(3):121–31.
- Priest G. Predictability of soft tissue form around single-tooth implant restorations. *Int J Periodontics Restorative Dent.* 2003 Feb;23(1):19–27.
- Proceedings of the ITI Consensus Conference. *Clin Oral Implants Res.* 2000;11 Suppl 1:1–158.
- Proceedings of the Third ITI Consensus Conference. *Int J Oral Maxillofac Implants.* 2004;19 Suppl:1–156.
- Proffit WR, Fields HW. *Contemporary Orthodontics.* 2nd ed. St. Louis: Mosby Year Book; 1992.
- Saadoun AP, Sullivan DY, Krischek M, Le Gall M. Single tooth implant – management for success. *Pract Periodontics Aesthet Dent.* 1994 Apr;6(3):73–80; quiz 82.
- Salama H, Salama M, Garber DA. Techniques for developing optimal peri-implant papillae within the esthetic zone. I. Guided soft tissue augmentation: The three-stage approach. *J Esthet Dent.* 1995;7(3):3–9.
- Salama H, Salama M, Kelly J. The orthodontic-periodontal connection in implant site development. *Pract Periodontics Aesthet Dent.* 1996 Nov-Dec;8(9):923–32; quiz 934.
- Seghi RR, Denry IL, Rosenstiel SF. Relative fracture toughness and hardness of new dental ceramics. *J Prosthet Dent.* 1995 Aug;74(2):145–50.
- Shimpuku H, Nosaka Y, Kawamura T, Tachi Y, Shinohara M, Ohura K. Genetic polymorphisms of the interleukin-1 gene and early marginal bone loss around endosseous dental implants. *Clin Oral Implants Res.* 2003 Aug;14(4):423–9.
- Small PN, Tarnow DP. Gingival recession around implants: a 1-year longitudinal prospective study. *Int J Oral Maxillofac Implants.* 2000 Jul-Aug;15(4):527–32.
- Tai H, Endo M, Shimada Y, Gou E, Orima K, Kobayashi T, et al. Association of interleukin receptor antagonist gene polymorphisms with early onset periodontitis in Japanese. *J Clin Periodontol.* 2002 Oct;29(10):882–8.

- Takei HH. The interdental space. *Dent Clin North Am.* 1980 Apr;24(2):169–76.
- Tarnow DP, Magner AW, Fletcher P. The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. *J Periodontol.* 1992 Dec;63(12):995–6.
- Tarnow DP, Cho SC, Wallace SS. The effect of inter-implant distance on the height of inter-implant bone crest. *J Periodontol.* 2000 Apr;71(4):546–9.
- Tarnow D, Elian N, Fletcher P, Froum S, Magner A, Cho SC, et al. Vertical distance from the crest of bone to the height of the interproximal papilla between adjacent implants. *J Periodontol.* 2003;Dec;74(12):1785-8.
- Touati B. Improving aesthetics of implant-supported restorations. *Pract Periodontics Aesthet Dent.* 1995 Nov-Dec;7(9):81–92; quiz 93.
- Vogel RC. Enhancing implant esthetics with ideal provisionalization. *J Indiana Dent Assoc.* 2002 Fall;81(3):11–4.
- Wallace RH. The relationship between cigarette smoking and dental implant failure. *Eur J Prosthodont Restor Dent.* 2000 Sep;8(3):103–6.
- Weisgold AS. Contours of the full crown restoration. *Alpha Omega.* 1977 Dec;70(3):77–89.
- Zitzmann NU, Naef R, Schärer P. Resorbable versus non-resorbable membranes in combination with Bio-Oss for guided bone regeneration. *Int J Oral Maxillofac Implants.* 1997 Jul-Aug;12(6):844–52.