

POUŽITÁ LITERATURA

- [1] Redwood, B.; Schoöffer, F.; Garet, B. The 3D printing handbook: technologies, design and applications. Amsterdam: 3D Hubs. 2017. ISBN 9789082748505.
- [2] Tumbleston, J.R.; Shirvanyants, D.; Ermoshkin, N.; Januszewicz, R.; Johnson, A.R.; Kelly, D.; DeSimone, J.M. Continuous liquid interface production of 3D objects. *Science*. 2015, 347 (6228), 1349-1352.
- [3] Januszewicz, R. ; Tumbleston, J.R.; Quintanilla, AL. ; Mecham, SJ.; DeSimone, J.M. Layerless fabrication with continuous liquid interface production. *Proceedings of the National Academy of Sciences of the United States of America*. 2016, 113, 42, 11703-11708.
- [4] Huang, B.H.; R., Xue; Z., Zhao; J.; Li, Q.; Xia, T.; Zhang, W., Lu, C. Continuous liquid interface production of alginate/polyacrylamide hydrogels with supramolecular shape memory properties. *Carbohydrate Polymers*. 2020, 231.
- [5] Chockalingman, K.; Jawahar, N.; Chandrasekhar, U. Influence of layer thickness on mechanical properties in stereolithography. *Rapid Prototyping Journal*. 2006, 12, 2, 106-113.
- [6] Hardware - Carbon. Carbon - The World's Leading Digital Manufacturing Platform [online]. Copyright © 2020 Carbon, Inc. All Rights Reserved [cit. 05.06.2020]. Dostupné z: <https://www.carbon3d.com/hardware/>
- [7] Dickson, A. N., Barry, J. N., McDonnell, K. A. Dowling, D. P. Fabrication of continuous carbon, glass and Kevlar fibre reinforced polymer composites using additive manufacturing. *Additive Manufacturing*. 2017. 16, 146-152. doi:10.1016/j.addma.2017.06.004
- [8] Gibson, I., Rosen, D., STucker, B. Additive manufacturing technologies: rapid prototyping to direct digital manufacturing. New York: Springer, c2010, xxii, 459 p. ISBN 1441911200. 28
- [9] Nasopharyngeal Swabs. Cited (6-12-2020): <https://www.carbon3d.com/covid19/>
- [10] Hajnýš, J. Výzkum vlivu dokončovacích operací na modifikaci užitečných vlastností součástí vyrobených aditivní technologií, Katedra obrábění, montáže a strojírenské metrologie, Fakulta strojní, VŠB-TU Ostrava, 122 stran. Školitel: doc. Ing. et Ing. Mgr. Jana Petřů, Ph.D.

- [11] Tolochko, N. K., Khlopkov, Y. V., Mozzaharov, S. E., Ignatiev, M. B., Laoui, T. a Titov, V. I. Absorptance of powder materials suitable for laser sintering". In: Rapid Prototyping Journal 6.3 (2000), pp. 155. doi: 10.1108/13552540010337029.
- [12] SIMONELLI, M., TUCK, C., ABOULKHAIR, N. T., MASKERY, I., ASHCROFT, I., WILDMAN, R. D., HAGUE, A R. A Study on the Laser Spatter and the Oxidation Reactions During Selective Laser Melting of 316L Stainless Steel, Al-Si10-Mg, and Ti-6Al-4V. In: Metallurgical and Materials Transactions A (2015). doi: 10.1007/s11661-015-2882-8.
- [13] IBRAHIM K. A., WU B., BRANDON N. P. Electrical Conductivity and Porosity in Stainless Steel 316L Scaffolds for Electrochemical Devices Fabricated Using Selective Laser Sintering. Materials & Design, 2016, vol. 106, pp. 51-59
- [14] WU, A. S., BROWN, D. W., KUMAR, M., GALLEGOS, G. F. a KING, W. E. An Experimental Investigation into Additive Manufacturing-Induced Residual Stresses in 316L Stainless Steel". In: Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science 45.13 (2014), pp. 6260-6270. doi: 10.1007/s11661-014-2549-x.
- [15] CARTER J.K. Additive Manufacturing of Bioinspired Bulk Gradient Structures to Enhance Mechanical Performance. Undergraduate Research Scholars Program. Texas: Texas A&M University, Department of Engineering Technology & Industrial Distribution, 2018
- [16] YADROITSEV, I., THIVILLON, L., BERTRAND, P. a SMUROV I. „Strategy of manufacturing components with designed internal structure by selective laser melting of metallic powder". In: Applied Surface Science 254.4 (Dec. 2007), pp. 980-983. doi: 10.1016/j.apsusc.2007.08.046.
- [17] WANG D., WU S., YANG Y., DOU W., DENG., WANG Z., LI S. The Effect of a Scanning Strategy on the Residual Stress of 316L Steel Parts Fabricated by Selective Laser Melting (SLM). Materials, 2018
- [18] THUIS, L., KEMPEN, K., KRUTH, J.-P., HUMBEECK, J. V. Fine-structured aluminium products with controllable texture by selective laser melting of pre-alloyed AlSi10Mg powder. Acta Materialia 61, 5 (2012), pp. 1809-1819
- [19] Mazzucato, F., Aversa, A., Doglione, R., Biaino, S., Valente, A., Lombardi, M. Influence of Process Parameters and Deposition Strategy on Laser Metal Deposition of 316L Powder. Metals. 2019, 9, 11. DOI: 10.3390/met9111160

- [20] 3D-nanoprinting speed record set by Vienna University. BBC. 2012. Available on-line: <https://www.bbc.com/news/technology-17357374>.
- [21] Yasinski, E. On the Road to 3D Printed Organs. The Scientist. Exploring life, Inspiring Innovation. 2020. Available on-line: <https://www.the-scientist.com/news-opinion/on-the-road-to-3-d-printed-organs-67187>.
- [22] Chia, H.N.; Wu, B.M.; Recent advances in 3D printing of biomaterials. Journal of biological engineering. 2015. 9, 4.
- [23] u, Y.; Heikal, L.; Ferns, G.; Ghezzi, P.; Nokhodchi, A.; Maniruzzaman, M.; 3D Bioprinting of Novel Biocompatible Scaffolds for Endothelial Cell Repair. Polymers. 2019. 11, 12.
- [24] Kunimoto, K.; Turn to the Future for Living Body Medical Design. Conference: Science in the Age of Experience. 2017. Chicago.
- [25] Biomodex. 2017. Available on-line: <https://www.biomodex.com/>.
- [26] 8sole.com. Cited (6-12-2020): <https://www.8sole.com/>
- [27] Talee. <https://www.taleetop.com/>
- [28] Rideell Partners with Carbon to Produce First-Ever 3D Printed Football Helmet Liner. Cited (6-2-2020): <https://www.carbon3d.com/news/riddell-partners-with-carbon-to-produce-next-gen-football-helmet/>
- [29] Pagáč, M. Derek Luther: Zahájil jsem evoluci aditivní výroby v Adidasu. Konstrukter.cz. Cited (6-2-2020): <https://www.konstrukter.cz/derek-luther-zahajil-jsem-evoluci-aditivni-vyroby-v-adidasu/>
- [30] Covers | art4leg.com. art4leg.com | 3D printed prosthesis cover [online]. Dostupné z: <https://art4leg.com/covers/>
- [31] Ge, Q.; Qi, H. J.; Dunn, M. L. Active materials by four-dimension printing. Applied Physics Letters. 2013. 103, 13.
- [32] Khoo, Z.X.; Teoh, J.E.M.; Liu, Y.; Chua, C.K.; Yang, S.F.; An, J.; Leong, K.F.; Yeong, W.Y. 3D printing of smart materials: A review on recent progresses in 4D printing. Virtual and Physical Prototyping. 2015. 10, 3, 103-122.
- [33] Maniruzzaman, M. 3D and 4D Printing Technology in Biomedical Applications: Process Engineering and Additive Manufacturing; Wiley and Sons: Chichester, West Sussex, UK. 2019. ISBN 978-3-527-34443-7.

- [34] Khoo, Z.X.; Teoh, J.E.M.; Liu, Y.; Chua, C.K.; Yang, S.F.; An, J.; Leong, K.F.; Yeong, W.Y. 3D printing of smart materials: A review on recent progresses in 4D printing. *Virtual and Physical Prototyping*. 2015. 10, 3, 103-122.
- [35] Ji, Z.Y.; Yan, C.Y.; Yu, B.; Wang, X.L.; Zhou, F.; Multimaterials 3D Printing for Free Assembly Manufacturing of Magnetic Driving Soft Actuator. *Advanced Materials Interfaces*. 2017. 4, 22.
- [36] PENG, T., CHAO CH. Influence of energy density on energy demand and porosity of 316L stainless steel fabricated by selective laser melting. *International Journal of Precision Engineering and Manufacturing-Green Technology* [online]. 2018, 5(1), 55-62 [cit. 2019-02-25]. DOI: 10.1007/s40684-018-0006-9. ISSN 2288-6206. Dostupné z: <http://link.springer.com/10.1007/s40684-018-0006-9>.
- [37] SIMCHI, A., "Direct Laser Sintering of Metal Powders: Mechanism, Kinetics and Microstructural Features," *Materials Science and Engineering: A*, Vol. 428, No. 1, pp. 148-158, 2006.
- [38] SPIERINGS, A. B., HERRES, N., AND LEVY, G., "Influence of the Particle Size Distribution on Surface Quality and Mechanical Properties in AM Steel Parts," *Rapid Prototyping Journal*, Vol. 17, No. 3, pp. 195-202, 2011.
- [39] SONG, B., DONG, S., ZHANG, B., LIAO, H., CODDET, C., "Effects of Processing Parameters on Microstructure and Mechanical Property of Selective Laser Melted Ti6Al4V," *Materials & Design*, Vol. 35, pp. 120-125, 2012.
- [40] GONG, H., RAFI, K., GU, H., STARR, T., STUCKER, B., "Analysis of Defect Generation in Ti-6Al-4V Parts Made Using Powder Bed Fusion Additive Manufacturing Processes," *Additive Manufacturing*, Vol. 1, pp. 87-98, 2014.
- [41] LAVERY, N.P., J. CHERRY, S. MEHMOOD, H. DAVIES, B. GIRLING, E. SACKETT, S.G.R. BROWN a J. SIENZ. Effects of hot isostatic pressing on the elastic modulus and tensile properties of 316L parts made by powder bed laser fusion. *Materials Science and Engineering: A* [online]. 2017, 693, 186-213 [cit. 2019-03-25]. DOI: 10.1016/j.msea.2017.03.100. ISSN 09215093. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S092150931730415X>
- [42] V Česku vyroste první dům z 3D tiskárny. Prvok Michala Trpáka se bude vznášet na hladině Vltavy - CzechCrunch. *CzechCrunch - novinky ze světa byznysu, startupů, technologií a vzdělávání* [online]. Copyright © 2020 CzechCrunch.cz. Server provozuje společnost CzechCrunch s.r.o. se sídlem Plaská 622 [cit. 28.06.2020]. Dostupné z: <https://www.czechcrunch.cz/2020/04/v-cesku->

vyroste-prvni-dum-z-3d-tiskarny-prvok-michala-trpaka-se-bude-vznaset-na-hladine-vltavy/

- [43] LIVERANI, E., S. TOCHI, L. CESCHINI A A. FORTUNATO. Effect of selective laser melting (SLM) process parameters on microstructure and mechanical properties of 316L austenitic stainless steel. *Journal of Materials Processing Tech.* 2017, 2017(249), 255-263.
- [44] SURYAWANSHI, JYOTI, K.G. PRASHANTH A U. RAMAMURTY. Mechanical behavior of selective laser melted 316L stainless steel. *Materials Science and Engineering: A* [online]. 2017, 696, 113-121 [cit. 2019-02-28]. DOI: 10.1016/j.msea.2017.04.058. ISSN 09215093. Dostupné z: <https://linkinghub.elsevier.com/retrieve/pii/S0921509317305105>
- [45] SAEIDI, K., GAO, X., LOFAJ, F., KVETKOV, L., SHEN, Z.J. Transformation of austenite to duplex austenite-ferrite assembly in annealed stainless steel 316L consolidated by laser melting, *J. Alloy. Compd.* 633 (2015) 463–469, <https://doi.org/10.1016/j.jallcom.2015.01.249>
- [46] H.K.D.H. BHADSHIA, S.R. Honeycombe, *Steels: microstructures and properties*, Steels, Third ed., (2006), pp. 129–154, <https://doi.org/10.1016/B978-075068084-4/50008-X>.
- [47] RAI, R., ELMER, J. W., PALMER, T. A DEBROY, T. Heat transfer and fluid flow during keyhole mode laser welding of tantalum, Ti{6Al{4V, 304L stainless steel and vanadium. In: *Journal of Physics D: Applied Physics* 40.18 (2007), pp. 5753-5766. doi: 10.1088/0022-3727/40/18/037.
- [48] HU, L., PENG, C., EVANS, S., PENG, T., LIU, Y., ET AL., “Minimising the Machining Energy Consumption of a Machine Tool by Sequencing the Features of a Part,” *Energy*, Vol. 121, pp. 292-305, 2017.