

6 References

1. ABDULLAH, B. M., CULLEN, J. D., KOROSTYNSKA, O., MASON, A., & AL-SHAMMA`A, A. I. (2014). Assessing water-holding capacity (WHC) of meat using microwave spectroscopy. *Sensing Technology: Current Status and Future Trends I*, 117-140.
2. AMSA - American Meat Science Association. 2015. Comoposition od meat - water, carbohydrates, minerals and vitamins. Online: <https://meatscience.org/students/meat-judging-program/meat-judging-news/article/2015/07/31/>
3. AYALA, A., MUÑOZ, M. F., & ARGÜELLES, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative medicine and cellular longevity*, 2014.
4. BARRIOS-GARCIA, M. N., & BALLARI, S. A. (2012). Impact of wild boar (*Sus scrofa*) in its introduced and native range: a review. *Biological Invasions*, 14(11), 2283-2300.
5. BATORSKA, M., WIECEK, J., KUNOWSKA-SLÓSZARZ, M., PUPPEL, K., BALCERAK, M., SLÓSZARZ, J., ... & POPCZYK, B. (2016). Effect of sex on the meat quality of European wild boar (*Sus scrofa scrofa*). *Annals of Warsaw University of Life Sciences-SGGW. Animal Science*, 55.
6. BERNARDY JAN, 2010: Kastrace prasat jako evropské dilema. *Veterinářství*. 6, s. 372-374.
7. BOBKO, M., HAŠČÍK, P., KROČKO, M., TREMBECKÁ, L., MENDELOVA, A., TKÁČOVÁ, J., ... & TÓTH, T. 2017. Effect of grape seed extract on quality of raw-cooked meat products. *Potravinárstvo: Slovak Journal of Food Sciences*, 11(1), 517-521.
8. BOWEN, R. (2001). Secretion of bile and the role of bile acids in digestion. Online.(last accessed: 2007 October 4). www.arbl.cvmbs.colostate.edu/hbooks/pathphys/digestion/liver/bile.html.
9. BRUDNICKI, A. - BRUDNICKI, W. - WACH, J. - KUŁAKOWSKA, A., - PIETRUSZYŃSKA, D. (2012). Amino acid composition in the wild boar (*Sus Scrofa Ferus*) meat originating from different part of carcass. *Journal of Central European Agriculture*, 13(4), 0-0.

10. CORLISS, J. 2017. How it's made: Cholesterol production in your body. In Harvard health publishing. Online: <https://www.health.harvard.edu/heart-health>
11. CUBON, J., HASCIK, P., PAVELKOVA, A., TKACOVA, J., HLEBA, L., BUCKO, O., ... & CISAROVA, M. (2021). Protein degradation and fat oxidation changes in salted meat processing. *Journal of Microbiology, Biotechnology and Food Sciences*, 2021, 376-379.
12. CUSTÓDIO, F. B., VASCONCELOS-NETO, M. C., THEODORO, K. H., CHISTÉ, R. C., & GLORIA, M. B. A. (2018). Assessment of the quality of refrigerated and frozen pork by multivariate exploratory techniques. *Meat science*, 139, 7-14.
13. ČUBOŇ, J., HAŠČÍK, P., HLEBOVÁ, M., HLEBA, L., BUČKO, O. (2020) Meat and fat quality of t - class slaughter pigs. Scientific monograph. 2 THETA, Český Těšín, 92 p. ISBN 978-80-88279-04-4.
14. ČUBOŇ, J., HAŠČÍK, P., KAČÁNIOVÁ, M. 2012. Hodnotenie surovín a potravín živočíšneho pôvodu. Nitra, SPU, 2012, 381 s., ISBN 978-80-552-0870-1.
15. DAI, Y., LU, Y., WU, W., LU, X. M., HAN, Z. P., LIU, Y., ... & DAI, R. T. (2014). Changes in oxidation, color and texture deteriorations during refrigerated storage of ohmically and water bath-cooked pork meat. *Innovative Food Science & Emerging Technologies*, 26, 341-346.
16. DANG-NGUYEN, T. Q., TICH, N. K., NGUYEN, B. X., OZAWA, M., KIKUCHI, K., MANABE, N., ... & NAGAI, T. (2010). Introduction of various Vietnamese indigenous pig breeds and their conservation by using assisted reproductive techniques. *Journal of Reproduction and Development*, 56(1), 31-35.
17. DEL RIO, D., STEWART, A. J., & PELLEGRINI, N. (2005). A review of recent studies on malondialdehyde as toxic molecule and biological marker of oxidative stress. *Nutrition, metabolism and cardiovascular diseases*, 15(4), 316-328.
18. DERNO, M., JENTSCH, W., KLEIN, M., KÜCHENMEISTER, U., NÜRNBERG, K., HARTUNG, M., & WÜNSCHE, J. (1997). Effect of body composition, feed intake, and ambient temperature on heat production of Vietnamese Sway-back Pigs. *Zeitschrift für Ernährungswissenschaft*, 36(4), 285-289.
19. DEVINE, C. E. – HOPKINS, D. L. C HWANG, I. H. – FERGUSON, D. M. – RICHARDS, I. 2004. Electrical stimulation. In JENSEN, W. J. – DEVINE, C. E. – DIKEMAN, M. (Eds.). *Encyclopedia of meat sciences*. Oxford: Academic Press, 2004, p. 413–423, ISBN 0-12-464970-X.

20. DIERCKX, N., HORVATH, G., VAN GILS, C., VERTOMMEN, J., VAN DE VLIET, J., DE LEEUW, I., & MANUEL-Y-KEENOY, B. (2003). Oxidative stress status in patients with diabetes mellitus: relationship to diet. *European journal of clinical nutrition*, 57(8), 999-1008.
21. DOSTÁLOVÁ ANNE, KOUCKÝ MILAN, 2008: Výkrm kanečků v podmínkách ekologického zemědělství. Praha Uhřetěves: Výzkumný ústav živočišné výroby, v.i., 36 s.
22. DRIESSEN, B., FRESON, L., & BUYSE, J. (2020). Fasting Finisher Pigs before Slaughter Influences Pork Safety, Pork Quality and Animal Welfare. *Animals*, 10(12), 2206.
23. DUGAN, M. E., VAHMANI, P., TURNER, T. D., MAPIYE, C., JUÁREZ, M., PRIETO, N., ... & AALHUS, J. L. (2015). Pork as a source of omega-3 (n-3) fatty acids. *Journal of Clinical Medicine*, 4(12), 1999-2011.
24. EFSA PANEL ON DIETETIC PRODUCTS, NUTRITION, AND ALLERGIES (NDA). 2010. Scientific Opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids, and cholesterol. In *EFSA Journal*. Vol. 8, no. 3, pp. 1461.
25. ESTERBAUER, H., ECKL, P., & ORTNER, A. (1990). Possible mutagens derived from lipids and lipid precursors. *Mutation Research/Reviews in Genetic Toxicology*, 238(3), 223-233.
26. ESTERBAUER, H., SCHAUR, R. J., & ZOLLNER, H. (1991). Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes. *Free radical Biology and medicine*, 11(1), 81-128.
27. FARMER, E. E., & DAVOINE, C. (2007). Reactive electrophile species. *Current opinion in plant biology*, 10(4), 380-386.
28. FRANCO, D. – BISPO, E. – GONZÁLES, L. – VÁZQUEZ, J. A. – MORENO, T. 2009. Effect of finishing and ageing time on quality attributes of loin from the meat of Holstein–Fresian cull cows. In *Meat Science*, vol. 83, 2009, p. 484-491.
29. GABRIŠ, J. et al. 1987. *Atlas plemien hospodárskych zvierat*. 2. vyd. dopl. a prep. Bratislava. Príroda. 376 s. ISBN 064-072-87.
30. GÁL, R.: Vyhodnocení vybraných vlastností vepřového masa a zvěřiny. Disertační práce, MZLU Brno, 2004, 108 s.

31. GAWEL, S., WARDAS, M., NIEDWOROK, E., & WARDAS, P. (2004). Malondialdehyde (MDA) as a lipid peroxidation marker. *Wiadomości lekarskie (Warsaw, Poland: 1960)*, 57(9-10), 453-455.
32. GIUFFRA, E. J. M. H., KIJAS, J. M. H., AMARGER, V., CARLBORG, Ö., JEON, J. T., & ANDERSSON, L. (2000). The origin of the domestic pig: independent domestication and subsequent introgression. *Genetics*, 154(4), 1785-1791.
33. GLINOUBOL, J., JATURASITHA, S., MAHINCHAIB, P., WICKE, M., & KREUZER, M. (2015). Effects of crossbreeding Thai native or Duroc pigs with Pietrain pigs on carcass and meat quality. *Agriculture and agricultural science procedia*, 5, 133-138.
34. HANUKOGLU, I. (1992). Steroidogenic enzymes: structure, function, and role in regulation of steroid hormone biosynthesis. *The Journal of steroid biochemistry and molecular biology*, 43(8), 779-804.
35. HAŠČÍK, P., PAVELKOVÁ, A., TKÁČOVÁ, J., ČUBOŇ, J., KAČÁNIOVÁ, M., HABÁNOVÁ, M., & MLYNEKOVÁ, E. (2020). The amino acid profile of broiler chicken meat after dietary administration of bee products and probiotics. *Biologia*, 75(11), 1899-1908.
36. HELL, P. – GAŠPARÍK, J. – SLAMEČKA, J. 2005. *Diviáčia zver: biológia, chov a lov*. Bratislava: PaRPRESS s.r.o., 2005. 177p.
37. HONIKEL, K. O., RONCALES, P., & HAMM, R. (1983). The influence of temperature on shortening and rigor onset in beef muscle. *Meat Science*, 8(3), 221-241.
38. HORVÁTH, JÁN et al. 2012. *Chov hospodárskych zvierat*. Bratislava : Vydavateľstvo Príroda, spol. s.r.o. 416 s. ISBN 978-80-02094-8.
39. HUANG, Y. et al. 2020. A large-scale comparison of meat quality and intramuscular fatty acid composition among three Chinese indigenous pig breeds. In *Meat Science* [online.]. vol. 168.
40. HUANG, Y., ZHOU, L., ZHANG, J., LIU, X., ZHANG, Y., CAI, L., ... & HUANG, L. (2020). A large-scale comparison of meat quality and intramuscular fatty acid composition among three Chinese indigenous pig breeds. *Meat Science*, 168, 108182.
41. HUFF-LONERGAN, E., & LONERGAN, S. M. (2005). Mechanisms of water-holding capacity of meat: The rôle of postmortem biochemical and structural changes. *Meat science*, 71(1), 194-204.
42. CHAN, W., BROWN, J. M., & BUSS, D. (EDS.). (1995). *Meat poultry and game: fifth supplement to the fifth edition of McCance and Widdowson's The composition of foods*. Royal Society of Chemistry.

43. CHEN, C., ZHU, J., REN, H., DENG, Y., ZHANG, X., LIU, Y., ... & PENG, Y. (2021). Growth performance, carcass characteristics, meat quality and chemical composition of the Shaziling pig and its crossbreeds. *Livestock Science*, 244, 104342.
44. CHOE, J. H., YANG, H. S., LEE, S. H., & GO, G. W. (2015). Characteristics of pork belly consumption in South Korea and their health implication. *Journal of animal science and technology*, 57(1), 1-7.
45. CHOI, Y. S., LEE, J. K., JUNG, J. T., JUNG, Y. C., JUNG, J. H., JUNG, M. O., ... & CHOI, J. S. (2016). Comparison of meat quality and fatty acid composition of longissimus muscles from purebred pigs and three-way crossbred LYD pigs. *Korean journal for food science of animal resources*, 36(5), 689.
46. IMMONEN, K., KAUFFMAN, R. G., SCHAEFER, D. M., & PUOLANNE, E. (2000). Glycogen concentrations in bovine longissimus dorsi muscle. *Meat Science*, 54(2), 163-167.
47. INGR, I. 2003. *Produkce a zpracování masa*. 1.vyd. Brno: Mendelova zemědělská a lesnická univerzita. 2003, 202 s. ISBN 80-7157-719-7.
48. ISHIHARA, S., DANG- NGUYEN, T. Q., KIKUCHI, K., ARAKAWA, A., MIKAWA, S., OSAKI, M., ... & TANIGUCHI, M. (2020). Characteristic features of porcine endogenous retroviruses in Vietnamese native pigs. *Animal Science Journal*, 91(1), e13336.
49. JATURASITHA, S., WUDTHITHUMKANAPORN, Y., RURKSASEN, P., & KREUZER, M. (2002). Enrichment of pork with omega-3 fatty acids by tuna oil supplements: Effects on performance as well as sensory, nutritional and processing properties of pork. *Asian-australasian journal of animal sciences*, 15(11), 1622-1633.
50. JEDLIČKA J. 1988. Kvalita mása z hľadiska prvovýrobcu, spracovateľa a konzumenta. Bratislava : Príroda. 1988 , 295 s.
51. JIANG, Y. Z., ZHU, L., LI, X. W., & SI, T. (2011). Evaluation of the Chinese indigenous pig breed Dahe and crossbred Dawu for growth and carcass characteristics, organ weight, meat quality and intramuscular fatty acid and amino acid composition. *Animal*, 5(9), 1485-1492.
52. JOVÉ, M., MOTA-MARTORELL, N., PRADAS, I., MARTÍN-GARI, M., AYALA, V., & PAMPLONA, R. (2020). The advanced lipoxidation end-product malondialdehyde-lysine in aging and longevity. *Antioxidants*, 9(11), 1132.
53. KADLEC, P. – MELZUCH, K. – VOLDŘICH, M. 2012. *Přehled tradičních potravinářských výrob: technologie potravin*. Ostrava: Key Publishing, 2012. 569 s.

54. KADLEČÍK, ONDREJ – KASARDA, RADOVAN. 2012. *Všeobecná zootechnika*. Nitra : Slovenská poľnohospodárska univerzita. 237 s. ISBN 978-80-552-0818-3.
55. KERESTEŠ, J. et al. 2011. *Zdravie a výživa ľudí*. CAD PRESS. 1040 s. ISBN 9788088969570.
56. KIM, D. H., SEONG, P. N., CHO, S. H., KIM, J. H., LEE, J. M., JO, C., & LIM, D. G. (2009). Fatty acid composition and meat quality traits of organically reared Korean native black pigs. *Livestock Science*, 120(1-2), 96-102.
57. KIM, G. W., & KIM, H. Y. (2018). Comparison of physicochemical properties between standard and sow pork. *Korean journal for food science of animal resources*, 38(5), 1120.
58. KIM, J. H., SEONG, P. N., CHO, S. H., PARK, B. Y., HAH, K. H., YU, L. H., ... & AHN, C. N. (2008). Characterization of nutritional value for twenty-one pork muscles. *Asian-Australasian Journal of Animal Sciences*, 21(1), 138-143.
59. KIM, Y. H. B., KEMP, R., & SAMUELSSON, L. M. (2016). Effects of dry-aging on meat quality attributes and metabolite profiles of beef loins. *Meat science*, 111, 168-176.
60. KOLANJIAPPAN, K., MANOHARAN, S., & KAYALVIZHI, M. (2002). Measurement of erythrocyte lipids, lipid peroxidation, antioxidants and osmotic fragility in cervical cancer patients. *Clinica Chimica Acta*, 326(1-2), 143–149. doi:10.1016/s0009-8981(02)00300-5.
61. KOŁCZAK, T., POSPIECH, E., PALKA, K., & ŁĄCKI, J. (2003). Changes in structure of psoas major and minor and semitendinosus muscles of calves, heifers and cows during post-mortem ageing. *Meat Science*, 64(1), 77-83.
62. KOŁCZAK, T., POSPIECH, E., PALKA, K., & ŁĄCKI, J. (2003). Changes in structure of psoas major and minor and semitendinosus muscles of calves, heifers and cows during post-mortem ageing. *Meat Science*, 64(1), 77-83.
63. KOPČEKOVÁ, J. - GAŽÁROVÁ, M. 2016. *Náuka o potravinách*. 1. vyd. Nitra: SPU, 2016. 182 s. ISBN 978-80-552-1513-6.
64. LAWRIE, R. A. (1992). Conversion of muscle into meat: biochemistry. *SPECIAL PUBLICATION-ROYAL SOCIETY OF CHEMISTRY*, 106, 43-43.
65. MAJERČIAK, P. 1997. *Kvalita mäsa ošipáných očami výrobcu, spracovateľa a spotrebiteľa*. In: Slovenský chov. 1997, roč.2, č.1, s.31 ISSN: 1335- 1990.
66. MARCHELLO, M. J., SLANGER, W. D., & MILNE, D. B. (1985). Macro and micro minerals from selected muscles of pork. *Journal of food science*, 50(5), 1375-1378.

67. MARCHIORI, A. F., & FELÍCIO, P. E. D. (2003). Quality of wild boar meat and commercial pork. *Scientia Agricola*, 60, 1-5.
68. MARTINAUD, A., MERCIER, Y., MARINOVA, P., TASSY, C., GATELLIER, P., & RENERRE, M. (1997). Comparison of oxidative processes on myofibrillar proteins from beef during maturation and by different model oxidation systems. *Journal of Agricultural and Food Chemistry*, 45(7), 2481-2487.
69. MARTÍN-GALLÁN, P., CARRASCOSA, A., GUSSINYÉ, M., & DOMÍNGUEZ, C. (2003). Biomarkers of diabetes-associated oxidative stress and antioxidant status in young diabetic patients with or without subclinical complications. *Free Radical Biology and Medicine*, 34(12), 1563-1574.
70. MASSEI, G., KINDBERG, J., LICOPPE, A., GAČIĆ, D., ŠPREM, N., KAMLER, J., CELLINA, S. 2015. Wild boar populations up, numbers of hunters down? A review of trends and implications for Europe. *Pest management science*, 71(4), 492-500.
71. MATARNEH, S. K., ENGLAND, E. M., SCHEFFLER, T. L., & GERRARD, D. E. (2017). The conversion of muscle to meat. In *Lawrie' s Meat Science* (pp. 159-185). Woodhead Publishing.
72. MOORE, K., & ROBERTS, L. J. (1998). Measurement of lipid peroxidation. *Free radical research*, 28(6), 659-671.
73. MRÁZOVÁ, J. - CHLEBO, P., et al. 2011. Vplyv obohateného bravčového mäsa organickým selénom na koncentráciu selénu a celkovú antioxidačnú kapacitu u vybranej skupiny ľudí. In *Výživa a zdravie 2011 : zborník vedeckých prác*. Nitra : Slovenská poľnohospodárska univerzita. s. 304-309. ISBN 978-80-552-0699-8.
74. NAGY, J. A kol. 2009. *Hygiena mäsa, hydiny a zveriny*. 1. vyd. Košice: Edičné stredisko Univerzity Veterinárneho lekárstva, 2009. 371 s. ISBN 978- 80 – 8077 – 179 - 9.
75. NELSON, S. M. (Ed.). (1998). *Ancestors for the pigs: pigs in prehistory* (Vol. 15). UPenn Museum of Archaeology.
76. NIETO, G., & ROS, G. (2012). Modification of fatty acid composition in meat through diet: effect on lipid peroxidation and relationship to nutritional quality—a review. *Lipid Peroxidation*, 12, 239-258.
77. OKOLIE, N. P., AKIOYAMEN, M. O., OKPOBA, N., & OKONKWO, C. (2009). Malondialdehyde levels of frozen fish, chicken and turkey on sale in Benin City markets. *African Journal of Biotechnology*, 8(23).

78. OLLIS, T. E., MEYER, B. J., & HOWE, P. R. (1999). Australian food sources and intakes of omega-6 and omega-3 polyunsaturated fatty acids. *Annals of Nutrition and Metabolism*, 43(6), 346-355.
79. OTTONI, C., GIRDLAND FLINK, L., EVIN, A., GEÖRG, C., DE CUPERE, B., VAN NEER, W., ... & LARSON, G. (2013). Pig domestication and human-mediated dispersal in western Eurasia revealed through ancient DNA and geometric morphometrics. *Molecular biology and evolution*, 30(4), 824-832.
80. PAMPLONA, R. (2008). Membrane phospholipids, lipoxidative damage and molecular integrity: a causal role in aging and longevity. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, 1777(10), 1249-1262.
81. PAPASTERGIADIS, A., MUBIRU, E., VAN LANGENHOVE, H., & DE MEULENAER, B. (2012). Malondialdehyde measurement in oxidized foods: evaluation of the spectrophotometric thiobarbituric acid reactive substances (TBARS) test in various foods. *Journal of agricultural and food chemistry*, 60(38), 9589-9594.
82. PAYNE, A. H., & HALES, D. B. (2004). Overview of steroidogenic enzymes in the pathway from cholesterol to active steroid hormones. *Endocrine reviews*, 25(6), 947-970.
83. PEDRAZZOLI, M., DAL BOSCO, A., CASTELLINI, C., RANUCCI, D., MATTIOLI, S., PAUSELLI, M., & ROSCINI, V. (2017). Effect of age and feeding area on meat quality of wild boars. *Italian Journal of Animal Science*, 16(3), 353-362.
84. PERRY, N. (2012). Dry aging beef. *International Journal of Gastronomy and Food Science*, 1(1), 78-80.
85. PETRACCI, M., BIANCHI, M., & CAVANI, C. (2009). The European perspective on pale, soft, exudative conditions in poultry. *Poultry Science*, 88(7), 1518-1523.
86. PLASTOW, G. S., CARRIÓN, D., GIL, M., GARCIA-REGUEIRO, J. A., I FURNOLS, M. F., GISPERT, M., ... & BLOTT, S. C. (2005). Quality pork genes and meat production. *Meat science*, 70(3), 409-421.
87. PODGÓRSKI, T., LUSSEAU, D., SCANDURA, M., SÖNNICHSEN, L., JĘDRZEJEWSKA, B. 2014. Long-lasting, kin-directed female interactions in a spatially structured wild boar social network. *PloS one*, 9(6), e99875.
88. PROKŮPKOVÁ, L. 2003. *Technologické vlastnosti mäsa různých živočišných druhů: dizertační práce*. Praha: VŠCHT. 102p.
89. PRYOR, W. A., & STANLEY, J. P. (1975). Suggested mechanism for the production of malonaldehyde during the autoxidation of polyunsaturated fatty acids. Nonenzymic

- production of prostaglandin endoperoxides during autoxidation. *The Journal of organic chemistry*, 40(24), 3615-3617.
90. PURSLOW, P. P., OISETH, S., HUGHES, J., & WARNER, R. D. (2016). The structural basis of cooking loss in beef: Variations with temperature and ageing. *Food Research International*, 89, 739-748.
 91. QI, J., LI, Y., ZHANG, C., WANG, C., WANG, J., GUO, W., & WANG, S. (2021). Geographic origin discrimination of pork from different Chinese regions using mineral elements analysis assisted by machine learning techniques. *Food Chemistry*, 337, 127779.
 92. RAZMAITE, V., J. ŠVIRMICKAS, G., ŠIUKŠČIUS, A. (2012). Effect of weight, sex and hunting period on fatty acid composition of intramuscular and subcutaneous fat from wild boar. *Italian Journal of Animal Science*, 11(2), p. 32.
 93. RUSSO, C., BALLONI, S., ALTOMONTE, I., MARTINI, M., NUVOLONI, R., CECCHI, F., PROFUMO, A. (2017). Fatty acid and microbiological profile of the meat (*longissimus dorsi muscle*) of wild boar (*Sus scropha scropha*) hunted in Tuscany. *Italian Journal of Animal Science*, 16(1), 1-8.
 94. SADAVA, D. E. – HILLIS, D. M. – CRAIG HELLER, H. – BERENBAUM, M. 2011. *Life: The Science of Biology*. Macmillan, 1266 s. ISBN 978-1429219624.
 95. SALES, J., & KOTRBA, R. (2013). Meat from wild boar (*Sus scrofa L.*): A review. *Meat science*, 94(2), 187-201.
 96. SIMOPOULOS, A. P. (2002). The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomedicine & pharmacotherapy*, 56(8), 365-379.
 97. SINNHUBER, R. O., YU, T. C., & YU, T. C. (1958). Characterization of the red pigment formed in the 2-thiobarbituric acid determination of oxidative rancidity a, b. *Journal of Food Science*, 23(6), 626-634.
 98. SITZ, B. M., CALKINS, C. R., FEUZ, D. M., UMBERGER, W. J., & ESKRIDGE, K. M. (2006). Consumer sensory acceptance and value of wet-aged and dry-aged beef steaks. *Journal of animal science*, 84(5), 1221-1226.
 99. SKEWES, O., MORALES, R., MENDOZA, N., SMULDERS, F. J. M., & PAULSEN, P. (2009). Carcass and meat quality traits of wild boar (*Sus scrofa s. L.*) with 2n= 36 karyotype compared to those of phenotypically similar crossbreeds (2n= 37 and 2n= 38) raised under the same farming conditions 2: Fatty acid profile and cholesterol. *Meat science*, 83(2), 195-200.

100. SØRENSEN, K. M., WESTLEY, C., GOODACRE, R., & ENGELSEN, S. B. (2015). Simultaneous quantification of the boar-taint compounds skatole and androstenone by surface-enhanced Raman scattering (SERS) and multivariate data analysis. *Analytical and bioanalytical chemistry*, 407(25), 7787-7795.
101. STEINHAUSER, L. et al. 1995. Hygiena a technologie masa. Brno : LAST, 1995, 644 s. ISBN 80-900260-4-4.
102. STEINHAUSER, L. et al. 2000. *Produkce masa*. Vydavatel'stvo Last. Tišnov 464 s. ISBN: 80-900260-7-9.
103. STRAPÁK, P. MARGETÍN, M., Bučko, O., Arpášová, H. 2017. *Živočišná výroba*. 1. vyd. Slovenská poľnohospodárska univerzita v Nitre. 311 s. ISBN 978-80-552-1776-5.
104. STRAZDINA, V., JEMELJANOVŠ, A., STERNA, V., & IKAUNIECE, D. (2014). Nutritional characteristics of wild boar meat hunted in Latvia. *Proc Foodbalt*, 1, 32-36.
105. SUMAN, S. P., RENTFROW, G., NAIR, M. N., & JOSEPH, P. 2. (2014). 2013 EARLY CAREER ACHIEVEMENT AWARD—Proteomics of muscle-and species-specificity in meat color stability. *Journal of Animal Science*, 92(3), 875-882.
106. SUZUKI, A., KOJIMA, N., IKEUCHI, Y., IKARASHI, S., MORIYAMA, N., ISHIZUKA, T., & TOKUSHIGE, H. (1991). Carcass composition and meat quality of Chinese purebred and European× Chinese crossbred pigs. *Meat science*, 29(1), 31-41.
107. ŠKRKAL, J., RULÍK, P., FANTÍNOVÁ, K., MIHALÍK, J., TIMKOVÁ, J. 2015. Radiocaesium levels in game in the Czech Republic. *Journal of environmental radioactivity*, 139, 18-23.

108. ŠURAN, J., PRIŠĆ, M., RAŠIĆ, D., SREBOČAN, E., & CRNIĆ, A. P. (2013). Malondialdehyde and heavy metal concentrations in tissues of wild boar (*Sus scrofa L.*) from central Croatia. *Journal of Environmental Science and Health, Part B*, 48(2), 147-152.
109. THUYA, L. T. B., VAN HIEUA, N., & CHIENA, N. D. (2006). Synthesis and gas-sensing properties of carbon nanotubes/tin oxide nanocomposite. *Proceedings of the International Conference on Engineering Physics, Hanoi*.
110. TOMOVIC, V., JOKANOVIC, M., SOJIC, B., SKALJAC, S., TASIC, T., & IKONIC, P. (2015). Minerals in pork meat and edible offal. *Procedia food science*, 5, 293-295.
111. **URL 1:** <https://ndb.nal.usda.gov/ndb/foods/show/10036?n1>
112. **URL 2 :** <https://ndb.nal.usda.gov/ndb/foods/show/10006?n1=%7BQv%3D1%7D>
113. **URL 3 :** <https://ndb.nal.usda.gov/ndb/foods/show/10864?n1>
114. **URL 4 :** <https://ndb.nal.usda.gov/ndb/foods/show/>
115. VAN LAACK, R. L. J. M., STEVENS, S. G., & STALDER, K. J. (2001). The influence of ultimate pH and intramuscular fat content on pork tenderness and tenderization. *Journal of animal science*, 79(2), 392-397.
116. Vestník Ministerstva zdravotníctva Slovenskej republiky, Čiastka 4-5, 19. júna 2015, Ročník 63.
117. VIGNE, J. D., ZAZZO, A., SALIÈGE, J. F., POPLIN, F., GUILAINE, J., & SIMMONS, A. (2009). Pre-Neolithic wild boar management and introduction to Cyprus more than 11,400 years ago. *Proceedings of the National Academy of Sciences*, 106(38), 16135-16138.
118. VOJTAŠŠÁKOVÁ, A. – KOVÁČIKOVÁ, E. – PASTOROVÁ, J. *et al.* (2002). *Potravinové tabuľky – Mäso jatočných zvierat*. Bratislava : NOI, 2002. s. 15-16. ISBN 80-89088-10-4.
119. VOLLMANNOVÁ, A. *et al.* 2018. *Chémia potravín*. Nitra : Slovenská poľnohospodárska univerzita. 543s. ISBN 978-80-552-1814-4.
120. WANG, Y., THAKALI, K., MORSE, P., SHELBY, S., CHEN, J., APPLE, J., & HUANG, Y. (2021). Comparison of Growth Performance and Meat Quality Traits of Commercial Cross-Bred Pigs versus the Large Black Pig Breed. *Animals*, 11(1), 200.
121. WARNER, R. D., KERR, M., KIM, Y. H. B., & GEESINK, G. (2014). Pre-rigor carcass stretching counteracts the negative effects of high rigor temperature on tenderness and water-holding capacity—using lamb muscles as a model. *Animal Production Science*, 54(4), 494-503.

122. WARRISS, P., 2001: *Meat Science : An Introductory Text*. 1st ed. Wallingford: CABI Publishing, 9310.
123. WINKELMAYER, R. – LEBERSORGER, P. – ZEDKA, H. – FOREJTEK, P – VODŇANSKÝ, M.– VEČEREK, V. – MALENA, M. – NAGY, J. – LAZAR, P.: *Hygiena zvěřiny, Příručka promysliveckou praxi*. Středoevropský institut ekologie zvěře Wien – Brno – Nitra, 2005,168 s.
124. WITTMANN, K. et all., 2010. *Mäso a divina*. Mníchov: TEUBNER, 2010. 320 s. ISBN 978-3-8338-1882-0.
125. WOOD, J. D., RICHARDSON, R. I., NUTE, G. R., FISHER, A. V., CAMPO, M. M., KASAPIDOU, E., ... & ENSER, M. (2004). Effects of fatty acids on meat quality: a review. *Meat science*, 66(1), 21-32.
126. ZACHAR, D.: 2011. *Živiny človeka*. 2. vydanie Zvolen: Technická univerzita vo Zvolene. 252 s. ISBN 978-80-228-2266-4.
127. ZHANG, Y., ZHANG, J., GONG, H., CUI, L., ZHANG, W., MA, J., ... & YANG, B. (2019). Genetic correlation of fatty acid composition with growth, carcass, fat deposition and meat quality traits based on GWAS data in six pig populations. *Meat science*, 150, 47-55.