

19 LITERATURA

- Abhijith, K. V, Kumar, P., 2019. Field investigations for evaluating green infrastructure effects on air quality in open-road conditions. *Atmos. Environ.* 201, 132–147.
- Abhijith, K. V, Kumar, P., Gallagher, J., Mcnabola, A., Baldauf, R., Pilla, F., Broderick, B., Di, S., Pulvirenti, B., 2017. Air pollution abatement performances of green infrastructure in open road and built-up street canyon environments e A review. *Atmos. Environ.* 162, 71–86.
- Al-Dabbous, A. N., Kumar, P., 2014. The influence of roadside vegetation barriers on airborne nanoparticles and pedestrians exposure under varying wind conditions. *Atmospheric Environment*, 90, 113-124.
- Alonso, R., Vivanco, M. G., González-Fernández, I., Bermejo, V., Palomino, I., Garrido, J. L., Elvira, S., Salvador, P., Artínano, B., 2011. Modelling the influence of peri-urban trees in the air quality of Madrid region (Spain). *Environmental Pollution*, 159 (8-9), 2138- 2147.
- Avnery, S., Mauzerall, D.L., Liu, J., Horowitz, L.W., 2011. Global crop yield reductions due to surface ozone exposure: 1. Year 2000 crop production losses and economic damage. *Atmos. Environ.* 45(13), 2284-2296.
- Baldocchi, D. D., Hicks, B. B., Camara, P., 1987. A canopy stomatal-resistance model for gaseous deposition to vegetated surfaces. *Atmospheric Environment*, 21, 91–101.
- Bártová, H., Koudelka, J., Bártá, V. 2004. Chování spotřebitele a výzkum trhu. 2. přeprac. vyd. Praha. Oeconomica.
- Barwise, Y., Kumar, P., 2020. Designing vegetation barriers for urban air pollution abatement: a practical review for appropriate plant species selection. *npj Clim Atmos Sci*, 3 (12), 1-19.
- Bauerová, P., Keder, J. 2019. Hodnocení testovacího měření různých typů malých senzorů kvality ovzduší na observatoři Tušimice. ČHMÚ Tušimice.
- Beale, W. J., McDonald, A. G., Nemitz, E., Donovan, R., Dragosits, U., Duffy, T. R., Fowler, D., 2007. Estimating the reduction of urban PM₁₀ concentrations by trees within an environmental information system for planners. *Journal of Environmental Management* 85, 44–58.
- Brauer, M., Amann, M., Burnett, R. T., Cohen, A., Dentener, F., Ezzati, M., Henderson, S. B., Krzyzanowski, M., Randall, V. M., van Dingenen, R., van Donkelaar, Thurston, G. D., 2012. Exposure assessment for estimation of the global burden of disease attributable to outdoor air pollution. *Environmental science & Technology*, 46 (2), 652-660.
- Brook, J. R., Zhang, L., Di-Giovanni, F., Padro, J., 1999. Description and evaluation of a model of deposition velocities for routine estimates of air pollutant dry deposition over North America. Part I: model development. *Atmospheric Environment* 33, 5037-5051.

Buck, A. L., 1981. New equations for computing vapour pressure. *Journal of Applied Meteorology* 20, 1527-1532.

Calvo, P., Nelson, L., Kloepper, J. W. 2014. Agricultural uses of plant biostimulants. *Plant Soil* 383, 3–41.

Cieslik, S., 2004. Ozone uptake by various surface types: a comparison between dose and exposure. *Atmospheric Environment* 38, 2409-2420.

Currie, B. A., Bass, B., 2008. Estimates of air pollution mitigation with green plants and green roofs using the UFORE model. *Urban Ecosystems* 11, 409–422.

ČHMÚ, 2019. Souhrnný roční tabelární přehled. Znečištění ovzduší a atmosférická depozice v datech, Česká republika. Online: https://www.chmi.cz/files/portal/docs/uoco/isko/tabc Roc/2019_enh/index_CZ.html.

ČSÚ, 2018. Demografická ročenka České republiky – 2019. Počet obyvatel podle jednotek věku, pohlaví a typu urbanizace. Online: <https://www.czso.cz/csu/czso/demograficka-rocenka-ceske-republiky-2019>.

Davies, P. J., 2010. Plant hormones: Biosynthesis, signal transduction, action. 3rd edition: The plant hormones: Their nature, occurrence, and functions. Kluwer Acad. Publ. Dordrecht, Netherlands.

Doležal, K., Strnad, M., 2017. Cytokininy – regulátory růstu rostlin, které dokážou mnohem více než jen regulovat dělení buněk. *Živa* 4: 149-153.

Doležal, K., Popa, I., Holub, J., Lenobel, R., Werbrouck, S., Strnad, M., Zatloukal, M., 2007. Heterocyclic compound based on N6-substituted adenine, methods, of their preparation, their use for preparation of drugs, cosmetic preparations and growth regulators, pharmaceutical preparations, cosmetic preparations and growth regulators containing these compounds. US 07279482

Dorsey, J. R., Nemitz, E., Gallagher, M.W., Fowler, D., Williams, P.I., Bower, K.N., Beswick, K.M., 2002. Direct measurements and parameterisation of aerosol flux, concentration and emission velocity above a city. *Atmos. Environ.* 36, 791–800.

Du Jardin, P. (2015) Plant biostimulants: Definition, concept, main categories and Regulation. *Sci Hortic* 196 (30), 3–14.

Duursma, R. A., J. D. Marshall, Robinson, A. P., 2003. Leaf area index inferred from solar beam transmission in mixed conifer forests on complex terrain. *Agric. For. Meteorol.* 118, 221–236.

Dzhambrov, A., Hartig, T., Markevych, I., Tilov, B., Dimitrova, D, 2018. Urban residential greenspace and mental health in youth: Different approaches to testing multiple path ways yield different conclusions. *Environmental Research*, 160, 47-59.

EEA, 2012. EEA annual report 2012. European Environment Agency.

Elmqvist, T., Setälä, H., Handel, S. N., van der Ploeg, S., Aronson, J., Blignaut, J. N., Gómez-Baggethun, E., Nowak, D. J., Kronenberg, J., de Groot, R., 2015. Benefits of restoring ecosystem services in urban areas. *Curr. Opin. Environ. Sustain.* 14, 101–108.

Emberson, L. D., Simpson, D., Tuovinen, J. P., Ashmore, M. R., Cambridge, H. M., 2000a. Towards a Model of Ozone Deposition and Stomatal Uptake over Europe. *EMEP MSC-W Note 6/2000*, pp.1–57.

Emberson, L. D., Ashmore M. R., Cambridge H., Simpson D., Tuovinen J. P., 2000b. Modelling stomatal ozone flux across Europe. *Environmental Pollution* 109, 403-414.

Emberson L. D., Wieser, G., Ashmore M.R., 2000c. Modelling of stomatal conductance and ozone flux of Norway spruce: comparison with field data. *Environmental Pollution* 109, 393-402.

ENVEA, 2020. Miniature solution for real-time continuous O₃/NO₂ monitorig. Online: <https://www.envea.global/s/ambient-en/micro-sensors-a/cairsens-o3-no2/#>.

EP, 2002. Směrnice Evropského Parlamentu a Rady 2002/3/ES ze dne 12. února 2002 o ozonu ve vnějším ovzduší.

Erisman, J. W., 1992. Atmospheric deposition of acidifying compounds in the Netherlands. Ph.D. Thesis, Utrecht University, The Netherlands, 1992.

Erisman, J. W., Draaijers, G. P. J., 1995. Atmospheric Deposition in Relation to Acidification and Eutrophication. Elsevier Science B. V., Amsterdam, 1995.

Escobedo, F. J., Nowak, D. J., 2009. Spatial heterogeneity and air pollution removal by an urban forest. *Landscape and Urban Planning* 90, 102–110.

European Commission, 2013. Building a Green Infrastructure for Europe. Luxembourg: Publications Office of the European Union, 24.

Fang, G. C., Wu, Y. S., 1999. Modeling dry deposition of total particle mass in trafficked and rural sites of central Taiwan. *Environement Internation*, 25, 5, 625-633.

Floková, K., Tarkowská, D., Miersch, O., Strnad, M., Wasternack, C., Novak, O., 2014. UHPLC-MS/MS based target profiling of stress-induced phytohormones. *Phytochemistry* 105.

Florentina, I., Io, B., 2012. The Effects of Air Pollutants on Vegetation and the Role of Vegetation in Reducing Atmospheric Pollution, in: The Impact of Air Pollution on Health, Economy, Environment and Agricultural Sources. InTech. 241-280.

Fournier, R., Hall, R., 2017. Hemispherical Photography in Forest Science: Theory, Methods, Applications. Managing Forest Ecosystem. Springer: 313.

Fowler, D., Cape, J. N., Unsworth, M. H., 1989. Deposition of atmospheric pollutants on forests. Philosophical Transactions of the Royal Society of London Series B- Biological Sciences 324, 247e265.

Freer-Smith, P. H., Beckett, K. P., Taylor, G., 2005. Deposition velocities to *Sorbus aria*, *Acer campestre*, *Populus deltoides* × *trichocarpa „Beaupré“*, *Pinus nigra* and × *Cupressocyparis leylandii* for coarse, fine and ultra-fine particles in the urban environment. Environmental Pollution 133, 157–167.

Fuller, R. A., Gaston, K. J., 2009. The scaling of green space coverage in European cities. Biology Letters, 5 (3), 352-355.

Gacka-Grzesikiewicz, E., 1980. Assimilation surface of urban green areas. Ekol. Pol. 28, 493–523.

Gascon, M., Triguero-Mas, M., Martínez, D., Dadvand, P., Rojas-Rueda, D., Plasència, A., Nieuwenhuijsen, M. J., 2016. Residential green spaces and mortality: A systematic review. Environment International, 86, 60-67.

Gerboles, M, Spinelle L, Borowiak A., 2017. Measuring air pollution with low-cost sensors. European Commission. JRC107461.

Gerosa, G., Finco, A., Mereu, S., Marzuoli, R., Ballarin-Denti, A., 2009. Interactions among vegetation and ozone, water and nitrogen fluxes in a coastal Mediterranean maquis ecosystem. Biogeosciences Discuss. 6, 1453–1495.

Gholz, H. L., Cropper, W. P., 1991. Carbohydrate dynamics in mature *Pinus elliottii* var. *elliottii* trees. Can. J. For. Res. 21, 1742–1747.

Gower, S. T., Norman, J. M., 1991. Rapid estimation of leaf-area index in conifer and broad-leaf plantations. Ecology 72. 1896–1900.

Grennfelt, P. (eds.), 1984. Ozone. Proceedings of an international workshop on the evaluation and assessment of the effects of photochemical oxidants on human health, agricultural crops, forestry, materials and visibility. Gothenburg. Swedish Environmental Research Institute.

Grote, R., Samson, R., Alonso, R., Amorim, J. H., Cariñanos, P., Churkina, G., Fares, S., Thiec, D. L., Niinemets, Ü., Mikkelsen, T. N., Paoletti, E., Tiwary, A., Calfapietra, C., 2016. Functional traits of urban trees: air pollution mitigation potential.

Hassika, P., Berbigier, P., Bonnefond, J. M., 1997. Measurement and modelling of the photosynthetically active radiation transmitted in a canopy of maritime pine. Annales des Sciences Forestieres.

Hicks, B. B., Baldocchi, D. D., Meyers, T. P., Hosker, Jr .R. P. Matt, D. R., 1987. A preliminary multiple resistance routine for deriving dry deposition velocities from measured quantities, Water, Air, and Soil Pollut. 36, 311-330.

Hicks, B. B., Matt, D. R., McMillen, R. T., 1989. A micrometeorological investigation of surface exchange of O_3 , SO_2 and NO_2 : a case study. *Boundary-Layer Met.* 47, 321-336, 1989.

Hov, O., Allegrini, I., Beilke, S., Cox, R. A., Eliassen, A., Elshout, A. J., Gravenhorst, G., Penkett, S. A., Stern, R., 1987. Evaluation of atmospheric processes leading to acid deposition in Europe. Report 10, EUR 11441, CEC, Brussels.

Hůnová, I., 2003. Atmosférická depozice. In: Aktuální otázky znečištění ovzduší. Ed. Braniš, M. Univerzita Karlova. Praha, 2003.

Hůnová, I., Bäumelt, V., 2018. Observation-based trends in ambient ozone in the Czech Republic over the past two decades. *Atmos. Environ.* 172, 157–167.

Chen, J. M., Black, T. A., 1992. Foliage area and architecture of plant canopies from sunfleck size distributions. *Agric. For. Meteorol.* 60, 249-266.

Chen, L., Liu, C., Zhang, L., Zou, R., Zhang, Z., 2017. Variation in Tree Species Ability to Capture and Retain Airborne Fine Particulate Matter ($PM_{2,5}$). *Sci. Rep.* 7, 1–11.

Janhäll, S., 2015. Review on urban vegetation and particle air pollution - Deposition and dispersion. *Atmospheric Environment*. 105, 130-137.

Järvi, L., Rannik, Ü., Mammarella, I., Sogachev, A., Aalto, P.P., Keronen, P., Siivola, E., Kulmala, M., Vesala, T., 2009. Annual particle flux observations over a heterogeneous urban area. *Atmos. Chem. Phys.* 9, 7847–7856.

Jarvis, P.G., Leverenz, J.W., 1983. Productivity of temperate, deciduous and evergreen forests, in: Lange, O.L., Nobel, P.S., Osmond, C.B., Ziegler, H. (Eds.), *Physiological Plant Ecology IV, Encyclopedia of Plant Physiology*. Vol. 12D. Springer-Verlag, Berlin, 233–280.

Jennings, S., 1999. Assessing forest canopies and understorey illumination: canopy closure, canopy cover and other measures. *Forestry*.

Jonckheere, I., S. Fleck, K. Nackaerts, B. Muys, P. Coppin, M. Weiss, Baret, F., 2004. Review of methods for in situ leaf area index determination. Part I: Theories, sensors and hemispherical photography. *Agric. For. Meteorol.* 121:19–35.

Kaur, S., Nieuwenhuijsen, M. J., Colvile, R. N., 2005. Pedestrian exposure to air pollution along a major road in Central London, UK. *Atmospheric Environment* 39, 7307–7320 (2005).

Kozel, R., 2016. Moderní marketingový výzkum: nové trendy, kvantitativní a kvalitativní metody a techniky, průběh a organizace, aplikace v praxi, přínosy a možnosti. Praha Grada Publishing.

Kumar, P., Morawska, L., Martani, C., Biskos, G., Neophytou, M., Di Sabatino, S., Bell, M., Norfor, L., Britter, R., 2015. The rise of low-cost sensing for managing air pollution in cities. *Environ Int* 2015, 75, 199–205.

Landrigan, P. J., Carlson, J. E., Bearer, C. F., Cranmer, J. S., Bullard, R. D., Etzel, R. A., Suk, W. A., 1998. Children's health and the environment: a new agenda for prevention research. *Environmental Health Perspectives*, 106 (3), 787.

Lewis, A. C., Von Schneidemesser, E., Peltier RE., 2018. Low-cost sensors for the measurement of atmospheric composition: overview of topic and future applications. WMO-No.121. World Meteorological Organisation; 2018.

Li, H., Tatarko, J., Kucharski, M., Dong, Z., 2015. $PM_{2.5}$ and PM_{10} emissions from agricultural soils by wind erosion. *Aeolian Res.* 19, 171–182.

Litschke, T., Kuttler, W., 2008. On the reduction of urban particle concentration by vegetation – A review. *Meteorologische Zeitschrift*, 17, 229–240.

Longley, I. D., Gallagher, M. W., Dorsey, J. R., Flynn, M., 2004. A case study of fine particle concentrations and fluxes measured in a busy street canyon in Manchester, UK. *Atmospheric Environment* 38, 3595–3603 (2004).

Lovett, G. M., 1994. Atmospheric deposition of nutrients and pollutants in North America: An ecological perspective. *Ecological Applications*, 4, 629–650.

Malthotra, N. K., Birks, D. F., Wills, P., 2012. Marketing Research an Applied Approach. 6. vyd. Pearson Education Limited, 1037 p.

Martin, C. L., Longley, I. D. Dorsey, J. R., Thomas, R. M., Gallagher, M. W., Nemitz, E., 2009. Ultrafine particle fluxes above four major European cities. *Atmos. Environ.* 43, 4714–4721.

McKercher, G.R., Salmond, J.A., Vanos, J.K., 2017. Characteristics and applications of small, portable gaseous air pollution monitors. *Environ Pollut* 2017, 223, 102–10.

Mencuccini, M., Grace, J., 1995. Climate influences the leaf area/sapwood area ratio in Scots pine. *Tree Physiol.* 15:1–10.

Meyers, T. P., Baldocchi, D. D., 1988. A comparison of models for deriving dry deposition fluxes of O_3 and SO_2 to a forest canopy. *Tellus* 40B, 270-284.

Milthorpe, F.L. and Moorby, J., 1974. An introduction to Crop Physiology. Cambridge University Press.

Mintz, Y., Walker, G.K., 1993. Global field of soil moisture and land surface evapotranspiration derived from observed precipitation and surface air temperature. *Journal of Applied Meteorology* 32, 1305-1334.

Moser, G., Hertel, D., Leuschner, C., 2007. Altitudinal change in LAI and stand leaf biomass in tropical montane forests: A transect study in ecuador and a pan-tropical meta-analysis. *Ecosystems* 10, 924–935.

Neft, I., Scungio, M., Culver, N., Singh, S., 2016. Simulations of aerosol filtration by vegetation: Validation of existing models with available lab data and application to near-roadway scenario. *Aerosol Sci. Technol.* 50, 937–946.

Novák, O., Hauserová, E., Amakorová, P., Doležal, K., Strnad, M., 2008. Cytokinin profiling in plant tissues using ultra-performance liquid chromatography-electrospray tandem mass spectrometry. *Phytochemistry* 69, 2214-2224.

Novotný, R., Buriánek, V., Šrámek, V., 2009. Metodika hodnocení viditelného poškození vegetace vyvolaného účinky přízemního ozonu : Recenzovaná metodika.

Nowak, D. J., 1994. Air pollution removal by Chicago's urban forest. In E. G. McPher- son, D. J. Nowak, & R. A. Rowntree (Eds.), *Chicago's urban forest ecosystem: Results of the Chicago urban forest climate project* (pp. 63–82). Radnor, PA: US Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.

Nowak, D . J., 1996. Estimating Leaf Area and Leaf Biomass of Open-Grown Deciduous Urban Trees 42.

Nowak, D. J., Crane, D. E., 1998. The Urban Forest Effects (UFORE) Model: Quantifying Urban Forest Structure and Functions. *Integrated Tools Proceedings* 714–720.

Nowak, D. J., Crane, D. E., Stevens, J. C., 2006. Air pollution removal by urban trees and shrubs in the United States. *Urban Forestry and Urban Greening* 4, 115–123.

Nowak, D. J., Crane, D. E., Stevens, J. C. Robert E. Hoehn, R. E., Walton, J. T., Bond J., 2008. A Ground-Based Method of Assessing Urban Forest Structure and Ecosystem Services. *Arboriculture & Urban Forestry*, 34 (6), 347-358.

Nowak, D. J., Heisler, G. M., 2010. Air Quality Effects of Urban Trees and Parks. National Recreation and Park Association.

Nowak, D. J., Greenfield, E. J., 2012. Urban Forestry & Urban Greening Tree and impervious cover change in U. S. cities. *Urban Forestry & Urban Greening*, 11, 21-30.

Pääkköne, E., Vahala, J., Holopainen, T., Karenlampi, L., 1998. Physiological and ultrastructural responses of birch clones exposed to ozone and drought stress. *Chemosphere*, 36, 679-684.

Pěnčík, A., Simonovik, B., Petersson, S.V., Henyková, E., Simon, S., Greenham, K., Zhang, Y., Kowalczyk, M., Estelle, M., Zažimalová, E., Novák, O., Sandberg, G., Ljung, K. (2013) Regulation of Auxin Homeostasis and Gradients in *Arabidopsis* Roots through the Formation of the Indole-3-Acetic Acid Catabolite 2-Oxindole-3-Acetic Acid. *Plant Cell* 25 (10), 3858-3870.

Perini, K., Ottelé, M., Giulini, S., Magliocco, A., Roccotiello, E., 2017. Quantification of fine dust deposition on different plant species in a vertical greening system. *Ecol. Eng.* 100, 268–276.

Pierce, L. L., Running, S. W., 1988. Rapid estimation of coniferous forest leaf area index using a portable integrating radiometer. *Ecology* 69, 1762–1767.

Pitts, B.J., Pitts, J.M., 1986. Atmospheric chemistry. John Wiley and Sons, New York.

PLANTOWER, 2016. Digital universal particle concentration sensor. Online: https://www.aqmd.gov/docs/default-source/aq-spec/resources-page/plantower-pms5003-manual_v2-3.pdf.

Powe, N. A., Willis, K. G., 2004. Mortality and morbidity benefits of air pollution (SO_2 and PM_{10}) absorption attributable to woodland in Britain. *J. Environ. Manage.* 70, 119–128.

Pugh, T. A. M., MacKenzie, A. R., Whyatt, J. D., Hewitt, C. N., 2012. Effectiveness of green infrastructure for improvement of air quality in urban street canyons. *Environmental Science and Technology* 46, 7692–7699.

Pul, W. A. J. Van, Potma, C. J. M., Leeuwen, E. P. van, Draaijers, G. P. J., Erisman, J. W., 1995. EDACS: European deposition maps of acidifying components on a small scale. Model description and preliminary results, RIVM. Report No. 722401005. National Institute of Public Health and Environmental Protection, Bilthoven, The Netherlands, 1995.

Pul, W.A.J. van, Jacobs, A. F. G., 1994. The conductance of a maize crop and the underlying soil to ozone under various environmental conditions. *Boundary-layer Met.* 69, 83–99.

Roupsard, O., Ferhi, A., Granier, A., Pallo, F., Depommier, D., Mallet, B., Joly, H. I., Dreyer, E., 1999. Reverse phenology and dry-season water uptake by *Faidherbia albida* (Del.) A. Chev. in an agroforestry parkland of Sudanese west Africa. *Funct. Ecol.* 13, 460–472.

Ruijgrok, W., Davidson, C.I., Nicholson K.W., 1995. Dry deposition of particles. Implications and recommendations for mapping of deposition over Europe. *Tellus* 47B, 587–601.

Sæbø, A., Popek, R., Nawrot, B., Hanslin, H. M., Gawronska, H., Gawronski, S. W., 2012. Plant species differences in particulate matter accumulation on leaf surfaces. *Science of the Total Environment*, 427–428, 347–54.

Sakar, C., 2017. Residential greenness and adiposity: Findings from the UK Biobank. *Environment International* 106, 1–10.

Saunders, M., Lewis, P., Thornhil, A., 2019. Research Methods for Business Students. Harlow Pearson.

Seinfeld, J. H. Pandis, S. N., 1997. Atmospheric Chemistry and Physics, John Wiley & Sons, Inc.

Seyednasrollah, B., Swenson, J. J., Domec, J.C., Clark, J.S., 2018. Leaf phenology paradox: Why warming matters most where it is already warm. *Remote Sens. Environ.* 209, 446–455.

Shah, P., Balkhair, T., 2011. Air pollution and birth outcomes: A systematic review. *Environment International*, 37, 498-516.

Schaub, M., Skelly, J. M., Zhang, J. W., Ferdinand, J. A., Savage, J. E., Stevenson, R. E., Davis, D. D., Steiner, K. C., 2005. Physiological and foliar symptom response in the crowns of *Prunus serotina*, *Fraxinus americana* and *Acer rubrum* canopy trees to ambient ozone under forest conditions. *Environmental Pollution*, 133, 553-567.

Skarby, L. L., Ro-Poulsen, H., Wellburn, F. A. M., Sheppard, L. J., 1998. Impact of ozone on forests: a European Perspective. *New Phytologist*, 139, 109-122.

Slanina, J., Keuken, M. P., Arends, B., Veltkamp, A.C., Wyers, G.P., 1990. Report on the contribution of ECN to the second phase of the Dutch Priority Programme on Acidification. ECN, Petten, the Netherlands.

Smith, M. P., Guarnizo, L. E., 2009. Global mobility, shifting borders and urban citizenship. *Tijdschrift voor economische en sociale geografie*, 100 (5), 610-622.

Spíchal, L., Gemrotová, M., Zatloukal, M., Frebortová, J., Galuszka, P., Wermer, T., Schmulling, T., Doležal, K., Strnad, M., Galuszka, P., 2009: Substituted 6-anilinopurine derivatives are cytokinin oxidase inhibitors useful e.g. to delay senescence of plant and mammalian skin cells, in tissue cultures for stimulation of proliferation and morphogenesis, and in protection of crops. US8222260.

Stolárik, T., Nožková, V., Nosek, L., Pavlovič, A., 2018. Dark chlorophyll synthesis may provide a potential for shade tolerance as shown by a comparative study with seedlings of European larch (*Larix decidua*) and Norway spruce (*Picea abies*). *Trees-structure and function* 32 (4), 951-965.

Sunyer, J., Basagaña, X., Belmonte, J., Antó, J. M., 2002. Effect of nitrogen dioxide and ozone on the risk of dying in patients with severe asthma. *Thorax* 57, 687–693.

Svačinová, J., Novák, O., Plačková, L., Lenobel, R., Holík, J., Strnad, M., Doležal, K., 2012. A new approach for cytokinin isolation from *Arabidopsis* tissues using miniaturized purification: pipette tip solid-phase extraction. *Plant Methods*, 8, 1–14.

SZÚ, 2019. Odhad zdravotních rizik pro ČR z venkovního ovzduší pro rok 2019. Online: http://www.szu.cz/uploads/documents/chzp/ovzdusi/dokumenty_zdravi/rizika_CRI_2019.pdf.

Tallis, M., Taylor, G., Sinnott, D., Freer-Smith, P., 2011. Estimating the removal of atmospheric particulate pollution by the urban tree canopy of London, under current and future environments. *Landsc. Urban Plan.* 103, 129–138.

Tempfli, K., Kerle, N., Huuneman, G. C., Jansen, L. L. F., 2001. Principles of Remote Remote Sensing - An introductory text book 591.

Ten Brink, P., Mutafoglu, K., Schweitzer, J. P., Kettunen, M., Twigger-Ross, C., Baker, J., Kuipers, Y., Emonts,

M., Tyrväinen, L., Hujala, T., Ojala, A., 2016. The Health and Social Benefits of Nature and Biodiversity Protection – Executive summary. A report for the European Commission (ENV.B.3/ETU/2014/0039), Institute for European Environmental Policy, London / Brussels.

Tiwary, A., Sinnett, D., Peachey, C., Chalabi, Z., Vardoulakis, S., Fletcher, T., Leonardi, G., Grundy, C., Azapagic, A., Hutchings, T. R., 2009. An integrated tool to assess the role of new planting in PM₁₀ capture and the human health benefits: A case study in London. *Environmental Pollution*, 157, 2645-2653.

Tong, Z., Baldauf, R. W., Isakov, V., Deshmukh, P., Zhang, K.M., 2016. Science of the Total Environment Roadside vegetation barrier designs to mitigate near-road air pollution impacts. *Sci. Total Environ.* 541, 920–927.

US EPA, 2008. EPA's 2008 Report on the Environment. National Center for Environmental Assessment, Washington, DC; EPA/600/R-07/045F.

Van den Berg, M., Wendel-Vos, W., van Poppel, M., Kemper, H., van Mechelen, W., Maas, J., 2015. Health benefits of green spaces in the living environment: A systematic review of epidemiological studies. *Urban Forestry & Urban Greening*, 14 (4), 806-816.

Viecco, M., Vera, S., Jorquera, H., Bustamante, W., Gironás, J., Dobbs, C., Leiva, E., 2018. Potential of particle matter dry deposition on green roofs and living walls vegetation for mitigating urban atmospheric pollution in semiarid climates. *Sustainability* 10.

Voldner, E. C., Barrie, L.A., Sirois, A., 1986. A literature review of dry deposition of oxides of sulphur and nitrogen with emphasis on long-range transport modelling in North America. *Atmospheric Environment* 20, 2101-2112.

Vong, R. J., Vong, I. J., Vickers, D., Covert, D. S., 2010. Size-dependent aerosol deposition velocities during BEARPEX'07. *Atmospheric Chemistry and Physics* 10, 5749–5758.

Vyas, D., Mehta, N., Dinakaran, J., Krishnayya, N. S. R., 2010. Allometric equations for estimating leaf area index (LAI) of two important tropical species (*Tectona grandis* and *Dendrocalamus strictus*). *Journal of Forestry Research* 21, 197–200.

Warfvinge, P., Sverdrup, H., 1995. Critical Loads of Acidity to Swedish Forest Soils. *Report in ecology and environmental engineering* 5:1995, Lund University, 1995.

Watson, D. J., 1947. Comparative Physiological Studies on the Growth of Field Crops: I. Variation in Net Assimilation Rate and Leaf Area between Species and Varieties, and within and between Years. *Annals of Botany* 11, 41–76.

Weerakkody, U., Dover, J.W., Mitchell, P., Reiling, K., 2018. Evaluating the impact of individual leaf traits on atmospheric particulate matter accumulation using natural and synthetic leaves. *Urban For. Urban Green.* 30, 98–107.

Wesely, M.L., 1989. Parametrization of surface resistances to gaseous dry deposition in regional-scale numerical models. *Atmospheric environment* 23, 1293-1304.

WHO, 2006. Health risk of particulate matter from long-range transboundary air pollution. Joint WHO / Convention Task Force on the Health Aspects of Air Pollution. (2006).

WHO, 2015. World health statistics 2015. World Health Organization, 2015.

Wieser, G., Emberson, L.D., 2003. Stomatal conductance: Key factors in controlling ozone flux into the leaves of forest trees: A case study in *Picea Abies*, in: Karlsson, P.E., Selldén, G., Pleijel, H. (Eds.), Establishing Ozone Critical Levels II, 2003, UNECE Workshop Report, IVL report B 1523, IVL Swedish Environmental Research Institute, Gothenburg, Swedenpp, pp. 280-292.

Willis, K.J., Petrokofsky, G., 2017. The natural capital of city trees. *Science* 365, 374–376.

Yang, J., Yu, Q., Gong, P., 2008. Quantifying air pollution removal by green roofs in Chicago. *Atmospheric Environment* 42, 7266–7273.

Zapletal, M., 1997. Atmosférická depozice acidifikačních činitelů na území České republiky. Slezská univerzita v Opavě, Opava 1997, 161 s.

Zapletal M., 2001. Atmospheric deposition of nitrogen and sulphur compounds in the Czech Republic. *The Scientific World*, 1 (2), 294-303.

Zapletal, M., 2006. Atmospheric deposition of nitrogen and sulphur in relation to critical loads of nitrogen and acidity in the Czech Republic. *J. Forest Sci.* 52, 92-100.

Zapletal, M., Cudlín, P., Chroust, P., Urban, O., Pokorný, R., Edwards-Jonášová, M., Czerný, R., Janouš, D., Taufarová, T., Večeřa, Z., Mikuška, P., Paoletti, E., 2011. Ozone flux over a Norway spruce forest and correlation with Net Ecosystem Production. *Environmental Pollution*, 159, 1024-1034.

Zapletal, M. Kotlík, B., 2012. Modelování depozičních toků částic a kvantifikace záchytu částic různými povrhy v urbanizované oblasti. *Meteorologické Zprávy* 2012, roč. 65, č.1, s. 23-29.

Zapletal, M. 2014. Historický vývoj atmosférické depozice síry a dusíku v České republice. Slezská univerzita v Opavě, Opava 2014, 136 s.

Zapletal, M., Polášek, M., 2015. Hodnocení přízemního ozonu ve vztahu k muzejním sbírkovým předmětům, lidské populaci a vegetaci. Slezské zemské muzeum, Opava 2015, 123 s.

Zapletal, M., 2017. Hodnocení městské zeleně při snižování koncentrace polutantů v ovzduší a vlivu tepelného ostrova ve městě. In: *Sborník k odborné konferenci Zelená města-města budoucnosti, Veřejné prostranství a městský mobiliář*, září 2017, Městské kulturní středisko Havířov, Havířov, s. 11-14, 2017.

Zapletal, M., Hovorka, J., Hladík, J., Juráň, S., 2019a: Vertikální profil koncentrace a toku aerosolových částic nad ornou půdou. In: Růžičková, P. (eds.): Program a sborník konference Ovzduší 2019, Brno, 16. – 17. 4. Masarykova univerzita v Brně, Brno, 2019, s. 182-190.

Zapletal, M., Hovorka, J., Hladík, J., Juráň, S., 2019b. Měření vertikálního profilu koncentrace a toku aerosolových částic nad povrchovým dolem. In: Mačala, J., Carach, V. (eds.): Ochrana ovzdušia, Air Protection 2019, Zborník medzinárodnej konferencie, Vysoké Tatry, Slovak Republic, 11-13, November 2019, s. 46-53, 2019.

Zhang, L., Gong, S., Padro, J., Barrie, L., 2001. A size-segregated particle dry deposition scheme for an atmospheric aerosol module. *Atmospheric Environment* 35, 549–560.

Zhang, W., Wang, B., Niu, X., 2017. Relationship between Leaf Surface Characteristics and Particle Capturing Capacities of Different Tree Species in Beijing 5, 1–12.