

Použitá literatura

- ANDREWS, J. H., KENERLEY, C. M. and NORDHEIM, E. V. 1980. Positional variation in phylloplane microbial populations within an apple tree canopy. *Microb. Ecol.* 6: 71-84.
- ANONYMUS, 1994. Guidelines for the conduct of tests for distinctness, uniformity and stability – JAPANESE PEAR, UPOV, International union for the protection of new varieties of plants. TG/149/2 Japanese Pear/Poirier Japonais/Japanische Birne, 94-11-04.
- ARGENTA, L. C., FAN X., MATTHEIS, J. P., 2003. Influence of 1-methylcyclopropene on ripening, storage life, and volatile production by d'Anjou cv. pear fruit. *Journal of Agricultural and Food Chemistry*, 51: 3858–3864.
- BAO, L., CHEN, K., ZHANG, D., CAO, Y., YAMAMOTO, T., TENG, Y., 2007. Genetic diversity and similarity of pear cultivars native to East Asia revealed by SSR (simple sequence repeat) markers. *Genet. Resour. Crop Evol.* 54: 959–971.
- BAO, L., CHEN, K., ZHANG, D., LI, X., TENG, Y., 2008. An assessment of genetic variability and relationships within Asian pears based on AFLP (amplified fragment length polymorphism) markers. *Scientia Horticulturae*, 116 (4): 374-380.
- BASSI, D., TAGLIAVINI, M. and MARANGONI, B., 1994. Selection of clonal rootstocks of *Pyrus communis* (L.). *Acta Hortic.* 367:364-371.
- BIENIASZ, M., NEČAS, T., DZIEDZIC, E., ONDRÁŠEK, I., PAWŁOWSKA, B., 2017. Evaluation of Pollen Quality and Self-Fertility in Selected Cultivars of Asian and European Pears. *Notulae botanicae Horti agrobotanici Cluj-Napoca: Not. bot. Hort. agrobot. Cluj.*, 45 (2): 375-382.
- BLAKEMAN, J. P., FOKKEMA, N. J. 1982. Epiphytic microorganisms in relation to plant diseases Potential for Biological Control of Plant Diseases on the Phylloplane Annual Review of Phytopathology, 20: 167-190.
- BOWER, J. H., BIASI, W. V., MITCHAM, E. J., 2003. Effect of ethylene in the storage environment on quality of 'Bartlett pears'. *Postharvest Biology and Technology*, 28: 371–379.
- BUCHTOVÁ, I., 2017. Situační a výhledová zpráva ovoce. Ministerstvo zemědělství, Těšnov, 90 s., ISBN 9788074344053.
- CAO, Y. F., LI, S. L. and HUANG, L.S. et al., 2000. Review of researches on the germplasm resources of pear trees in China. *China Fruits* 4: 42-44.
- CAO, J. K., JIANG, W. B., 2006. Induction of resistance in 'Ya Li' pear (*Pyrus bretschneideri* Rehd.) fruit against postharvest diseases by acibenzolar-S-methyl sprays on trees during fruit growth. *Sci. Hortic.* 110: 181–186.
- CAO, Y., 2013. Pear Germplasm Resources and Breeding. Reserch Institute of Pomology, CAAS.
- CERVERA, M. T., CABEZAS, J. A., SANCHA, J. C., MARTÍNEZ DE TODA, F., MARTÍNEZ-ZAPATER, J. M., 1998. Application of AFLPs to the characterization of grapevine *Vitis vinifera* L. genetic resources. A case study with accessions from Rioja (Spain). *TAG Theoretical and Applied Genetics*, 97 (1-2): 51-59.
- CHALLICE, J. S., WESTWOOD, M. N., 1973. Numerical taxonomic studies of the genus *Pyrus* using both chemical and botanical characters. *Botanical Journal of the Linnean Society*, 67 (2): 121-148.
- CHEN, J. L., YAN, S., FENG, Z., XIAO, L., HU, X. S., 2006. Changes in the volatile comounds and chemical and physical properties of 'Ya Li' pear (*Pyrus bretschneideri* Rehd.) during storage. *Journal of Agricultural and Food Chemistry*, 97: 248–255.
- CHEN, K. S., YU, L., ZHOU, S. T., 1991. Preliminary study on possible mechanism of CO₂ injury of 'Ya Li' pear during CA storage. *Sci. Agric. Sinica* 24: 83–88.
- CHIRIBOGA, M. A., SCHOTSMANS, W. C., LARRIGAUDIERE, C., DUPILLE, E., RECASENS, I., 2011. How to prevent ripening blockage in 1-MCP-treated 'Conference' pears. *Journal of Science and Food Agriculture*, 91: 1781–1788.
- COSTERTON, J. W., LEWANDOWSKI Z, CALDWELL DE, KORBER DR, and LAPPIN-SCOTT, H. M., 1995. Microbial Biofilms. *Annual Review of Microbiology*, 49: 711-745.
- DONDINI, L. and SANSAVINI, S., 2012. European pear. In: M. L. Badenes and D. H. Byrne (eds.), *Fruit Breeding*, Springer, ISBN 978-1-4419-0762-2.
- DONLAN, R. M., 2001. Biofilm formation: a clinically relevant microbiological process. *Clin. Infect. Dis.*, 33 (8): 1387-1392.
- EL-SHARKAWY, I., JONES, B., LI, Z. G., LELIÈVRE, J. M., PECH, J. C., LATCHE, A., 2003. Isolation and characterization of four ethylene perception elements and their expression during ripening in pears (*Pyrus communis* L.) with/without cold requirement. *Journal of Experimental Botany*, 54: 1615–1625.
- GEMMA, H., 2008. Recent situation of pear industry in asia. *Acta Hortic.*, 800: 71-78.
- GRIGGS, H. W., and AWAKIRI, T. B., 1977. Asian Pear Varieties in California. Division of Agriculture Science, University of California, Sale Publication 4068, s. 60.
- GÓMEZ, A. H., WANG, J., GARCIA-PEREIRA, A., 2005. Impulse response of pear fruits and its relation to Magness Taylor during storage. *Postharvest Biology and Technology*, 35: 209–2015.
- HANCOCK, J. F. LOBOS, G. A., 2008. Pears. In: HANCOCK JAMES F., EDITOR. *Temperate fruit crop breeding: germplasm to genomics*. Dordrecht: Springer. ISBN 9781402069062.
- HEDRICK, U. P. 1921. The pears of New York. Albanie: J. B. Lyon Company.

- HIWASA, K., KINUGASA, Y., AMANO, S., HASHIMOTO, A., NAKANO, R., INABA, A., KUBO, Y., 2003. Ethylene is required for both the initiation and progression of softening pear (*Pyrus communis* L.) fruit. *Journal of Experimental Botany*, 54: 771–779.
- IGLESIAS, I. and BATLLE, I., 2011a. Agronomical performance and fruit quality of 'Conference' on some *Cydonia* and *Pyrus* rootstocks. *Acta Hortic.*, 909: 195–200.
- IGLESIAS, I. and ASÍN, L., 2011b. Agronomical performance and fruit quality of 'Conference' pear grafted on clonal quince and pear rootstocks. *Acta Hortic.*, 903: 439–442.
- JACOB, H. B., 1998. Pyrodwarf, a new clonal rootstock for high density pear orchards. *ISHS, Acta Hortic.* 475:169–178.
- JACOB, H. B., 2002. New pear rootstocks from geisenheim, germany. *Acta Hortic.* 596: 337–344.
- JEFFERSON, K. K., 2004. What drives bacteria to produce biofilm? *FEMS Mikrobiology Letters* 236: 163–173.
- JENNING, W. G., 1961. Volatile esters of Bartlett pears. *Journal of Food Science*, 26: 564–568
- JONES, J. B., CHASE, A. R., HARBAUGH, B. K. and RAJU, B. C., 1985. Effect of leaf wetness, fertilizer rate, leaf age, and light intensity before inoculation on bacterial spot of chrysanthemum. *Plant Dis.*, 69: 782–784.
- JUN, W., HONGSHENG, G., 2002. The production of asian pears in china. *Acta Hortic.*, 587: 71–80.
- KAIM, E., 2006. Hybrids of European and Nashi Pears: a New Fruit for Europe? *Acta Hortic.*, 712: 443–448.
- KALÁŠEK, J., JERMATOVÁ, E., RICHTER, M., SCHUBERT, V., 1980. Metodiky státních odrůdových zkoušek – ovocné plodiny, ÚKZÚZ, Praha, tisk Tomos.
- KAPPEL, F., FISHER-FLEMING, R. J., HOGUE, E., 1995. Ideal pear sensory attributes and fruit characteristics. *HortScience*, 30: 988–993.
- KATAYAMA, H. and UEMATSU, C., 2006. Pear (*Pyrus species*) genetic resources in Iwate, Japan. *Genetic Resources and Crop Evolution*, 53: 483–498.
- KHOSHGHALB, H., ARZANI, K., TAVAKOLI, A., MALAKOUTI, M. J. and BARZEGAR, M., 2008. Quality of some asian pear (*Pyrus serotina* Rehd.) fruit in relation to pre-harvest CaCl₂, ZN and B sprays, harvest time, ripening and storage conditions. *Acta Hortic.*, 800: 1027–1034.
- KIKUCHI, A., 1946. Assessment of Chinese pear species and cultivars. *Collected Records Hort. Res.* from Faculty of Agriculture, Kyoto University, (3): 1–11.
- KLEMENT, Z., RUDOLPH, K., SANDS, D. C., 1990. Methods in Phytobacteriology Akademiai, Kiado, Budapest, s. 568, ISBN 9630549557.
- KOBĚLUS, V., ŘEZNÍČEK, V. and SALAŠ, P., 2007. *Cydonia* mill. as a pear rootstock and its effect on the young plant quality of pears in the nursery. *Acta Hortic.*, 732: 233–237.
- KORBA, J. a ŠILLEROVÁ, J., 2008. Soubor ochranných opatření ke snížení škodlivosti původce spály růžovitých rostlin bakterie *Erwinia amylovora*. Metodika pro praxi. Vydavatel: Výzkumný ústav rostlinné výroby, v. v. i., ISBN 8074270025,
- KOSINA, J., 2003. Evaluation of pear rootstocks in an orchard, *Hort. Sci.* (Prague) 30(2): 56–58, ISSN 0862.
- KOU, X., LIU, X., LI, J., XIAO, H., WANG, J., 2012. Effects of ripening, 1-methylcyclopropene and ultra- high-pressure pasteurisation on the change of volatiles in Chinese pear cultivars. *Journal Science Food Agriculture*, 92: 177–183.
- KŮDELA, V.; (1990): publikace, Spála růžovitých rostlin, MZe., Praha.
- KŮDELA, V., NOVACKY, A. a FUČIKOVSKY L., 2002. Rostlinolékařská bakteriologie, Academia nakladatelství CSAV, Praha, ISBN 80-200-0899-3.
- LĀCE, B and LĀCIS, G., 2015. Evaluation of pear (*Pyrus communis* L.) cultivars in Latvia. *Hort. Sci.* 42 (3): 107–113.
- LAMMERTYN, J., FRANCK, C., VERLINDEN, B. E., NICOLAÏ, B. M., 2001. Comparative study of the O₂, CO₂ and temperature effect on respiration between 'Conference' pear cell protoplasts in suspension and intact pears. *J. Exp. Bot.* 362: 1769–1777.
- LEWKO, J., ŚCIBISZ, K. and SADOWSKI, A., 2007. Performance of two pear cultivars on six different rootstocks in the nursery. *Acta Hortic.*, 732: 227–231.
- LI, T., LI, X., TAN, D., JIANG, Z., WEI, Y., LI, J., DU, G., WANG, A., 2014b. Distinct expression profiles of ripening related genes in the 'Nanguo' pear (*Pyrus ussuriensis*) fruits. *Scientia Horticulturae*, 171: 78–82.
- LI, Z. X., XU, J. Z., GAO, Y., SHAO, J. Z., ZHANG, Y., 2007. Difference of organic acid exudation from roots of SH40 and balenghaitang under iron-deficiency stress. *Acta Hortic. Sin.*, 34 (2): 279–282
- LIN, B., SHEN, D., 1983. Studies on the germplasmic characteristics of *Pyrus* by, use of isozymic patterns. *Acta Agric. Univ., Zhejiang*, 9: 235–243.
- LINDOW, S. E. 1996. Role of immigration and other process in determination epiphytic bacterial populations. *Aerial Plant Surface Microbiology*, Edited by Morris et. al. Plenum Press, New York, kap. 10, str. 155–168.
- LIU, X., ZHAI, R., FENG, W., ZHANG, S., WANG, Z., QIU, Z., ZHANG, J., MA, F., XU, L., 2014. Proteomic analysis of 'Zaosu' pear (*Pyrus bretschneideri* Rehd.) and its early-maturing bud sport. *Plant Science*, 224: 120–135.
- LUO, Z., R., ZHANG, Q., L., 2002. The genetic resources and their utilization of *Pyrus pyrifolia* in China. *Acta Hortic.* 587: 201–205.
- MA, S. S., CHEN, P. M., 2003. Storage disorder and ripening behavior of 'Doyenne du Comice' pears in relation to storage conditions. *Postharvest Biology and Technology*, 28: 281–294.
- MAKKUMRAI, W., ANTHON, G. E., SIVERTSEN, H., EBELER, S. E., NEGRE-ZAKHAROV, F., BARRETT, D. M., MITCHAM, E. J., 2014. Effect of ethylene and temperature conditioning on sensory attributes and chemical composition of 'Bartlett' pears. *Postharvest Biology and Technology*, 97: 44–61.
- MANNIG, N., 2009. Physical, sensory and consumer analysis of pear genotypes among South African consumers and

- preference of appearance among European consumers. Stellenbosch University, Master of Science in Food Science, Stellenbosch University <http://scholar.sun.ac.za>
- MARANGONI, B., RIVALTA, L. 1995. Portinesti fruttiferi. Suplemento a L'Informatore Agrario, 32: 33–35.
- MAAS, F., 2006. Evaluation of *Pyrus* and Quince rootstocks for high density pear orchards. Acta Hortic., 800: 599-609.
- MASSAI, R., LORETI, F., and FEI, C., 2008. Growth and yield of 'Conference' pears grafted on quince and pear rootstocks. Acta Hortic., 800: 617-624.
- MEUDT, H. M., CLARKE, A. C., 2007. Almost forgotten or latest practice? AFLP applications, analyses and advances. Trends. Plant. Sci, 12 (3): 106-117.
- MOLINA, M. A., RAMOS, J-L., ESPINOSA-URGEL, M., 2003. Plant – associated biofilms. Reviews in Environmental science and biotechnology 2: 99-108.
- MONTE-CORVO, L., CABRITA, L., OLIVEIRA, C., LEITÃO, J., 2000. Assessment of genetic relationships among *Pyrus* species and cultivars using AFLP and RAPD markers. Genet. Resour. Crop Evol., 47: 257–265.
- MONTE-CORVO, L., GOULÃO, L., OLIVEIRA, C., 2002. Discrimination of Pear Cultivars with RAPD, AFLP™ and ISSR. Acta Hortic. 596: 187-191.
- MURAYAMA, H., KATSUMATA, T., HORIUCHI, O., FUKUSHIMA, T., 2002. Relationship between fruit softening and cell wall polysaccharides in pears after different storage periods. Postharvest Biology and Tech., 26: 15–21.
- MUSACCHI, S., 2006. Recenti innovazioni dell'impiantistica e della tecnica colturale del pero. Italus Hortus 13 (6): 24-31.
- NEČAS, T., 2010. Pěstujeme hrušně a kdouloně. Praha: Grada, Česká zahrada. ISBN 978-80-247-2500-0.
- NEČAS, T., KOVÁČ, P., NEČASOVÁ, J., 2015. Evaluation of growth and phenological traits in ten rootstocks in combination with pear varieties Hosui, Yali and Conference. Acta Hortic. 1094: 123-130.
- NEČAS, T., KRŠKA, B., 2011. Použití bylinných řízků při množení některých podnoží ovocných dřevin. Záhradnictví. 7: 14-17. ISSN 1213-7596.
- NEČAS, T., LÁČÍK, J., WOLF, J., NEČASOVÁ, J., 2016. Asijské odrůdy hrušní pro podmínky ČR. Záhradnictví, 1: 4-7, ISSN 1213-7596.
- NEČAS, T., LÉBL, K., 2012. Evaluation of selected nursery traits in combination rootstocks and variety in asian pear trees. Acta of Mendel University of agriculture and forestry, 60 (8): 171-180.
- NEE, C., C., TSA, C., H., ANSTINE, D. D., 2002. Asian pear germplasm – future trends and current research in the industry. Acta Hortic., 587: 61-69.
- PASQUARIELLO, M. S., REGA, P., MIGLIOZZI, T., CAPUANO, L. R., SCORTICHINI, M., PETRICCIONE, M., 2013. Effect of cold storage and shelf life on physiological and quality traits of early ripening pear cultivars. Scientia Horticulturae, 162: 341–350.
- PEDRESCHI, R., FRANCK, C., LAMMERTYN, J., ERBAN, A., KOPKA, J., HERTOG, M., VERLINDEN, B., NICOLAI, B., 2009. Metabolic profiling of 'Conference' pears under low oxygen stress. Postharvest Biology and Technology 51: 123–130
- POTŮČEK, R., 2012. ústní sdělení.
- POWELL, W., MORGANTE, M., ANDRE, C., HANAFEY, M., VOGEL, J., TINGEY, S., RAFALSKI, A., 1996. The comparison of RFLP, RAPD, AFLP and SSR (microsatellite) markers for germplasm analysis. Molecular Breeding, 2 (3): 225-238.
- PREDIERI, S., GATTI, E., 2009. Effects of cold storage and shelf life on sensory quality and consumer acceptance of 'Abate Fetel' pear. Postharvest Biology and Technology, 51: 342–348.
- PUIG, L., VARGA, D. M., CHEN, P. M., MIELKE, E. A., 1996. Synchronizing ripening in individual 'Bartlett' pears with ethylene. HortTechnology, 6: 24–27.
- QUARTIERI, M., MARANGONI, B., SCHIAVON, L., TAGLIAVINI, M., BASSI, D., PREVIATI, A., GIANNINI, M., 2011. Evaluation of pear rootstock selections. Acta Hortic. 909: 153-159.
- QIN, G., TAO, S., CAO, Y., WU, J., ZHANG, H., HUANG, W., ZHANG, S., 2012. Evaluation of the volatile profile of 33 *Pyrus ussuriensis* cultivars by HS-SPME with GC-MS. Food Chemistry, 134: 2367–2382.
- RIZZOLO, A., CAMBIAGHI, P., GRASSI, M., ZERBINI, P. E., 2005. Influence of 1-methylcyclopropene and storage atmosphere on changes in volatile compounds and fruit quality of conference pears. Journal of Agricultural and Food Chemistry, 53: 9781–9789.
- SAQUET, A. A., STREIF, J., BANGERTH, F. 2003: Energy metabolism and membrane lipid alterations in relation to brown heart development in 'Conference' pears during delayed controlled atmosphere storage Postharvest Biology and Technology 30:123-132.
- SCHLÖTTERER, CH., 2004. The evolution of molecular markers – just a matter of fashion? Nature Reviews Genetics, 5 (1): 63-69.
- SHA, S., LI, J., WU, J., ZHANG, S., 2011. Characteristics of organic acids in the fruit of different pear species. African Journal of Agricultural Research. Vol. 6(10), 2403-2410,
- SIMARD, M. H. and MICHELESI, J. C., 2002. 'PYRIAM' a new pear rootstock. Acta Hortic. 596: 351-355.
- SIMONOVÍK, B., IVANCIC, A., JAKSE, J., BOHANEK, B., 2007. Production and genetic evaluation of interspecific hybrids within the genus *Sambucus*. Plant Breed., 126: 628–633.
- STEINGASS, C. B., GRAUWET, T., CARLE, R., 2014. Influence of harvest maturity and fruit logistics on pineapple (*Ananas comosus* [L.] Merr.) volatiles assessed by headspace solid phase microextraction and gas chromatography–mass spectrometry (HS-SPME-GC/MS). Food Chemistry, 150: 382–391.
- STEWART, P. S., COSTERSON, J. W., 2001. Antibiotic resistance of bacteria in biofilms, The Lancet, 358: 135-138.

- STOCKWELL, V. O., MCLAUGLIN, R. J., HENKELS, M. D., LOPER, J. E., SUGAR, D., ROBERTS, R. G. 1999. Epiphytic colonization of per stigmas and hypanthia by bacterial and fungi during primary bloom. *Phytopathology* 89: 1162-1168.
- SUWANAGUL, A., RICHARDSON, G. D., 1998. Identification of headspace volatile compounds from different pear (*Pyrus communis* L.) varieties. *Acta Hortic.* 475: 605-624.
- ŠILLEROVÁ, J., KORBA, J., NEČAS, T., 2017. Asijské odrůdy hrušní a nové hrušňové podnože – jejich hladina náchylnosti vůči bakteriální spále růžovitých rostlin. *Zahradnictví*, 2: 12-15, ISSN 1213-7596.
- TAKEOKA, G., BUTTERY, R., FLATH, R., 1992. Volatile constituents of Asian pear (*Pyrus serotina*). *Journal of Agricultural and Food Chemistry*, 40: 1925-1929.
- TENG, Y., TANABE, K., TAMURA, F., and UTAI, A., 2001. Genetic relationships of pear cultivars in Xinjiang, China as measured by RAPD markers. *J. Hortic. Sci. Biotechnol.*, 76: 771-779
- TVERGYAK, P. J., 1985. Pear Maturity Indexes Used to Time Harvest Date. *Post Harvest Pomology Newsletter*, 3 (3).
- VACHŮN, Z., 2001. Ovocnictví – podnože ovocných dřevin. Brno: Mendlova zemědělská a lesnická universita v Brně, ISBN 80-7157-217-9.
- VALPUESTA, V., 2002. Fruit and vegetable biotechnology. Boca Raton, Fla.: CRC Press, 11, ISBN 08-493-1436-4.
- VANNESTE, J. L., 2000. Fire Blight: The Disease and its Causative Agent, *Erwinia amylovora*. Wallingford, UK, CABI Publishing. ISBN 0851992943.
- VANGDAL, E. 1980. Threshold values of soluble solids in fruit determined for the fresh fruit market. *Acta Agr. Scandinavica* 30:445-448.
- VOS, P., HOGERS, R., BLEEKER, M., REIJANS, M., VAN DE LEE, T., HORNES, M., FRITERS, A., POT, J., PALEMAN, J., KUIPER, M., ZABEAU, M., 1995. AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Research*, 23 (21): 4407-4414.
- WERTHEIM, S. J., 2002. Rootstocks for European pear: a review. *Acta Hortic.* 596: 299-309.
- WERTHEIM, S. J. and WEBSTER, A. D., 2005. Rootstocks and interstems. In: J. Tromp et al. (eds.), *Fundamentals of Temperate Zone Tree Fruit Production*, Backhuys Publishers, Leiden, ISBN 90-5782-152-4.
- WILLIAMS, J. G., KUBELIK, A. R., LIVAK, K. J., RAFALSKI, J. A., TINGEY, S. V., 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research*, 18 (22): 6531-6535.
- WOLF, J., BARÁNKOVÁ, K., NEČAS, T., 2017. AFLP Molecular Identification and Genetic Relationship of Chinese and Japanese Pear Cultivars Grown in Middle European Conditions. *Notulae botanicae Horti agrobotanici Cluj-Napoca: Not. bot. Hort. agrobot. Cluj.*, 45 (2): 369-374.
- WU, G. X., ZHOU, H. W., WANG, J. M., 1992. Biochemical mechanism and substances determination of enzymic browning of 'Ya Li' pear (*Pyrus bretschneideri* Rehd.). *Acta Hortic. Sinica* 19: 198-202.
- WU, J., WANG, Z., SHI, Z., et al., 2013. The genome of the pear (*Pyrus bretschneideri* Rehd.). *Genome Research.*, 23 (2): 396-408.
- YAMANE, M., ABE, D., YASUI, S., YOKOTANI, N., KIMATA, W., USHIJIMA, K., NAKANO, R., KUBO, Y., INABA, A., 2007. Differential expression of ethylene biosynthetic genes in climacteric and non-climacteric Chinese pear fruit. *Postharvest Biology and Technology*, 44: 220-227.
- YU, T., 1979. Taxonomy of the fruit tree in China. China Agr. Press, Beijing.
- ZELLER, W. und JÖST, M. 1987. Anleitung zum monitoring des feuerbranderregers (*Erwinia amylovora* (Burrill) Winslow et al.). *Nachrichtenbl. Deut. Pflanzenschutzd.* 39: 177-178.
- ZHOU, X., DONG, L., LI, R., ZHOU, Q., WANG, J., JI, S., 2015. Low temperature conditioning prevents loss of aroma-related esters from 'Nanguo' pears during ripening at room temperature. *Postharvest Biology and Technology*, 100: 23-32.
- ZOBELL, C. E., ALLEN, E. C., 1935. The significance of marine bacteria in the fouling of submerged surfaces. *J. Bacteriol.*, 29: 239-251.
- ZOU, L., ZHANG, X., ZHANG, Z., SUN, B., GUO, S., 1986. Studies on the systematic relationship of some of the species in the genus *Pyrus* based on pollen grain morphology. *Acta Hortic. Sin.*, 13: 219-224.

Webové zdroje:

FAO, 2017. Dostupné z: <http://faostat.fao.org/site/567/default.aspx#ancor>
 ÚKZÚZ, 2017. Dostupné z: <http://nou.ukzuz.cz/ido/>