

Bibliography

- Adeyemi, K. D., Olorunsanya, A. O., & Abe, O. T. (2011). Varietal effect of citrus seed extracts on lipid oxidation of raw and cooked broiler meat, 11(3), 227–232.
- Ahmad Mir, S., Ahmad Masoodi, F., & Raja, J. (2017). Influence of natural antioxidants on microbial load, lipid oxidation and sensorial quality of rista—A traditional meat product of India. *Food Bioscience*, 20, 79–87. doi:10.1016/j.fbio.2017.08.004
- Ahn, H. S., Jeon, T. I., Lee, J. Y., Hwang, S. G., Lim, Y., & Park, D. K. (2002). Antioxidative activity of persimmon and grape seed extract: in vitro and in vivo. *Nutrition Research*, 22(11), 1265–1273. doi:10.1016/s0271-5317(02)00429-3
- Ahn, J., Grun, I. U., & Fernando, L. N. (2002). Antioxidant Properties of Natural Plant Extracts Containing Polyphenolic Compounds in Cooked Ground Beef. *Journal of Food Science*, 67(4), 1364–1369. doi:10.1111/j.1365-2621.2002.tb10290.x
- Ali, K., Maltese, F., Choi, Y. H., & Verpoorte, R. (2009). Metabolic constituents of grapevine and grape-derived products. *Phytochemistry Reviews*, 9(3), 357–378. doi:10.1007/s11101-009-9158-0
- Alirezalu, K., Hesari, J., Nemati, Z., Munekata, P. E. S., Barba, F. J., & Lorenzo, J. M. (2019). Combined effect of natural antioxidants and antimicrobial compounds during refrigerated storage of nitrite-free frankfurter-type sausage. *Food Research International*, 120, 839–850. doi:10.1016/j.foodres.2018.11.048
- Amaral, A. B., Silva, M. V. da, & Lannes, S. C. da S. (2018). Lipid oxidation in meat: mechanisms and protective factors – a review. *Food Science and Technology*, 38(suppl 1), 1–15. doi:10.1590/fst.32518
- Aminzare, M., Tajik, H., Aliakbarlu, J., Hashemi, M., & Raeisi, M. (2018). Effect of cinnamon essential oil and grape seed extract as functional-natural additives in the production of cooked sausage-impact on microbiological, physicochemical, lipid oxidation and sensory aspects, and fate of inoculated *Clostridium perfringens*. *Journal of Food Safety*, 38(4), e12459. doi:10.1111/jfs.12459
- Aminzare, M., Tajik, H., Aliakbarlu, J., Hashemi, M., & Raeisi, M. (2018). Effect of cinnamon essential oil and grape seed extract as functional-natural additives in the production of cooked sausage-impact on microbiological, physicochemical, lipid oxidation and sensory

aspects, and fate of inoculated *Clostridium perfringens*. *Journal of Food Safety*, 38(4), e12459. doi:10.1111/jfs.12459

Attri, S., Sharma, K., Raigond, P., & Goel, G. (2018). Colonic fermentation of polyphenolics from Sea buckthorn (*Hippophae rhamnoides*) berries: Assessment of effects on microbial diversity by Principal Component Analysis. *Food Research International*, 105, 324–332. doi:10.1016/j.foodres.2017.11.032

Babička, L. (2012). *Přídavné látky v potravinách*. (1st ed.). Ministerstvo zemědělství ČR

Bañón, S., Díaz, P., Rodríguez, M., Garrido, M. D., & Price, A. (2007). Ascorbate, green tea and grape seed extracts increase the shelf life of low sulphite beef patties. *Meat Science*, 77(4), 626–633. doi:10.1016/j.meatsci.2007.05.015

Barden, L., & Decker, E. A. (2013). Lipid Oxidation in Low-moisture Food: A Review. *Critical Reviews in Food Science and Nutrition*, 56(15), 2467–2482. doi:10.1080/10408398.2013.848833

Barriuso, B., Astiasarán, I., & Ansorena, D. (2012). A review of analytical methods measuring lipid oxidation status in foods: a challenging task. *European Food Research and Technology*, 236(1), 1–15. doi:10.1007/s00217-012-1866-9

Bartish, I.V., Jeppsson, N., Nybom, H., & Swenson, U. (2002). Phylogeny of *Hippophae* (Elaeagnaceae) Inferred from Parsimony Analysis of Chloroplast DNA and Morphology. *Systematic Botany*, 27(1), 41–54. doi: 10.1043/0363-6445-27.1.41

Bekhit, A. E. D., Geesink, G. H., Ilian, M. A., Morton, J. D., Sedcole, J. R., & Bickerstaffe, R. (2004). Pro-oxidant activities of carnosine, rutin and quercetin in a beef model system and their effects on the metmyoglobin-reducing activity. *European Food Research and Technology*, 218(6), 507–514. doi:10.1007/s00217-004-0904-7

Bekhit, A. E.-D. A., Hopkins, D. L., Fahri, F. T., & Ponnampalam, E. N. (2013). Oxidative Processes in Muscle Systems and Fresh Meat: Sources, Markers, and Remedies. *Comprehensive Reviews in Food Science and Food Safety*, 12(5), 565–597. doi:10.1111/1541-4337.12027

Benjakul, S., & Bauer, F. (2001). Biochemical and physicochemical changes in catfish (*Silurus glanis* Linne) muscle as influenced by different freeze–thaw cycles. *Food Chemistry*, 72(2), 207–217. doi:10.1016/s0308-8146(00)00222-3

Benková, J. & Baumgartner, J. (2017). Význam hydinového mäsa ako funkčné poľnohospodárskeho výskumu.

Biesalski, H. K., & Nohr, D. (2009). The nutritional quality of meat. In Improving the sensory and nutritional quality of fresh meat. (1st ed.). Woodhead Publishing Ltd. ISBN 978-1-84569-343-5.

Biesalski, H.-K. (2005). Meat as a component of a healthy diet – are there any risks or benefits if meat is avoided in the diet? *Meat Science*, 70(3), 509–524. doi:10.1016/j.meatsci.2004.07.017

Bittová, M., Krejzová, E., Roblová, V., Kubáň, P., & Kubáň, V. (2014). Monitoring of HPLC profiles of selected polyphenolic compounds in sea buckthorn (*Hippophaë rhamnoides* L.) plant parts during annual growth cycle and estimation of their antioxidant potential. *Open Chemistry*, 12(11), 1152–1161. doi:10.2478/s11532-014-0562-y

Bobko, M., Kročko, M., Haščík, P., Tkáčová, J., Bučko, O., Bobková, A., ... & Pavelkova, A. (2021). THE EFFECT OF SEA BUCKTHORN (*HIPPOPHAE RHAMNOIDES* L.) BERRIES ON PARAMETERS OF QUALITY RAW COOKED MEAT PRODUCT. *Journal of Microbiology, Biotechnology and Food Sciences*, 2021, 366-369.

Brannan, R. G. (2009). Effect of grape seed extract on descriptive sensory analysis of ground chicken during refrigerated storage. *Meat Science*, 81(4), 589–595. doi:10.1016/j.meatsci.2008.10.014

Brannan, R. G., & Mah, E. (2007). Grape seed extract inhibits lipid oxidation in muscle from different species during refrigerated and frozen storage and oxidation catalyzed by peroxynitrite and iron/ascorbate in a pyrogallol red model system. *Meat Science*, 77(4), 540–546. doi:10.1016/j.meatsci.2007.05.001

Bravi, M., Spinoglio, F., Verdone, N., Adami, M., Aliboni, A., D'Andrea, A., ... Ferri, D. (2007). Improving the extraction of α -tocopherol-enriched oil from grape seeds by supercritical CO₂. Optimisation of the extraction conditions. *Journal of Food Engineering*, 78(2), 488–493. doi:10.1016/j.jfoodeng.2005.10.017

Brewer, M. S. (2011). Natural Antioxidants: Sources, Compounds, Mechanisms of Action, and Potential Applications. *Comprehensive Reviews in Food Science and Food Safety*, 10(4), 221–247. doi:10.1111/j.1541-4337.2011.00156.x

- Burri, S., Ekholm, A., Håkansson, Å., Tornberg, E., & Rumpunen, K. (2017). Antioxidant capacity and major phenol compounds of horticultural plant materials not usually used. *Journal of functional foods*, 38(Pt A), 119–127. <https://doi.org/10.1016/j.jff.2017.09.003>
- Bystrický, P. (2005). *Hygiena alimentorum XXVI – Bezpečnosť a kvalita mäsa a mäsových výrobkov v legislatívnych podmienkach spoločného trhu európskej únie*. ŠVPS SR. ISBN 80-7148-052-5.
- Carpenter, R., O’Grady, M. N., O’Callaghan, Y. C., O’Brien, N. M., & Kerry, J. P. (2007). Evaluation of the antioxidant potential of grape seed and bearberry extracts in raw and cooked pork. *Meat Science*, 76(4), 604–610. doi:10.1016/j.meatsci.2007.01.021
- Carpenter, R., O’Grady, M. N., O’Callaghan, Y. C., O’Brien, N. M., & Kerry, J. P. (2007). Evaluation of the antioxidant potential of grape seed and bearberry extracts in raw and cooked pork. *Meat Science*, 76(4), 604–610. doi:10.1016/j.meatsci.2007.01.021
- Cayuela, J., Gil, M., Bañón, S., & Garrido, M. (2004). Effect of vacuum and modified atmosphere packaging on the quality of pork loin. *European Food Research and Technology*, 219(4). doi:10.1007/s00217-004-0970-x
- Chaijan, M., & Panpipat W (2017). Mechanism of oxidation in foods of animal origin. In: Banerjee R., Verma A.K., Siddiqui M.W., editors. *Natural Antioxidants. Applications in Foods of Animal Origin*. Apple Academic.
- Cheng, J.H. (2016). Lipid Oxidation in Meat. *Journal of Nutrition & Food Sciences*, 06(03). doi:10.4172/2155-9600.1000494
- Choe, E., & Min, D. B. (2006). Mechanisms and Factors for Edible Oil Oxidation. *Comprehensive Reviews in Food Science and Food Safety*, 5(4), 169–186. doi:10.1111/j.1541-4337.2006.00009.x
- Christie, W. W. (1978). The composition, structure and function of lipids in the tissues of ruminant animals. *Progress in Lipid Research*, 17(2), 111–205. doi:10.1016/0079-6832(78)90007-1
- Coma, V. (2008). Bioactive packaging technologies for extended shelf life of meat-based products. *Meat Science*, 78(1-2), 90–103. doi:10.1016/j.meatsci.2007.07.035

- Cömert, E. D., & Gökmen, V. (2018). Evolution of food antioxidants as a core topic of food science for a century. *Food Research International*, 105, 76–93. doi:10.1016/j.foodres.2017.10.056
- Conte, G., Serra, A., Casarosa, L., Ciucci, F., Cappucci, A., Bulleri, E., ... Mele, M. (2019). Effect of Linseed Supplementation on Total Longissimus Muscle Lipid Composition and Shelf-Life of Beef From Young Maremmana Bulls. *Frontiers in Veterinary Science*, 5. doi:10.3389/fvets.2018.00326
- Cosgrove, M., Flynn, A., & Kiely, M. (2005). Consumption of red meat, white meat and processed meat in Irish adults in relation to dietary quality. *British Journal of Nutrition*, 93(6), 933–942. doi:10.1079/bjn20051427
- Cosmulescu, S., Trandafir, I., & Nour, V. (2017). Phenolic acids and flavonoids profiles of extracts from edible wild fruits and their antioxidant properties. *International Journal of Food Properties*, 20(12), 3124–3134. doi:10.1080/10942912.2016.1274906
- Dalle Zotte, A., Brugiapaglia, A., & Cullere, M. (2017). What is meat in Italy? *Animal Frontiers*, 7(4), 63–70. doi:10.2527/af.2017.0448
- Daško, L., Drímal, M., Klimeková, M., Urgeová, E. (2012). Response of organically and conventionally produced potatoes to controlled attack of a pathogen *Journal of Food and Nutrition Research*, 51, 89-95.
- De Oliveira, V. S., Ferreira, F. S., Cople, M. C. R., Labre, T. da S., Augusta, I. M., Gamallo, O. D., & Saldanha, T. (2018). Use of Natural Antioxidants in the Inhibition of Cholesterol Oxidation: A Review. *Comprehensive Reviews in Food Science and Food Safety*, 17(6), 1465–1483. doi:10.1111/1541-4337.12386
- Decker, E. A., & Park, Y. (2010). Healthier meat products as functional foods. *Meat Science*, 86(1), 49–55. doi:10.1016/j.meatsci.2010.04.021
- Dlouhý, P., & Hrnčířová, D. (2013). Aktualizovaný výukový program pre pedagogy na 2. stupni základních škol. Ministerstvo zemědělství a 3. Lékařská fakulta Univerzity Karlovy Vary.
- Domínguez, R., Pateiro, M., Gagaoua, M., Barba, F. J., Zhang, W., & Lorenzo, J. M. (2019). A Comprehensive Review on Lipid Oxidation in Meat and Meat Products. *Antioxidants*, 8(10), 429. doi:10.3390/antiox8100429

- Dubová, G., & Sládečková, G. (2002). *Technológia pre druhý ročník SPŠ potravinárskych*. Proxima Press. ISBN 80-8545-452-1.
- Erickson, M.C. (2002) Lipid oxidation of muscle foods. In: Akoh C.C., Min D.B., editors. *Food Lipids: Chemistry, Nutrition, and Biotechnology*. Marcel Dekker, Inc.
- Falowo, A. B., Fayemi, P. O., & Muchenje, V. (2014). Natural antioxidants against lipid–protein oxidative deterioration in meat and meat products: A review. *Food Research International*, 64, 171–181. doi:10.1016/j.foodres.2014.06.022
- Fasseas, M. K., Mountzouris, K. C., Tarantilis, P. A., Polissiou, M., & Zervas, G. (2008). Antioxidant activity in meat treated with oregano and sage essential oils. *Food Chemistry*, 106(3), 1188–1194. doi:10.1016/j.foodchem.2007.07.060
- Fatima, T., Kesari, V., Watt, I., Wishart, D., Todd, J. F., Schroeder, W. R., ... Krishna, P. (2015). Metabolite profiling and expression analysis of flavonoid, vitamin C and tocopherol biosynthesis genes in the antioxidant-rich sea buckthorn (*Hippophae rhamnoides* L.). *Phytochemistry*, 118, 181–191. doi:10.1016/j.phytochem.2015.08.008
- Fernandes, R., Trindade, M. A., Lorenzo, J. M., & de Melo, M. P. (2018). Assessment of the stability of sheep sausages with the addition of different concentrations of *Origanum vulgare* extract during storage. *Meat science*, 137, 244–257. <https://doi.org/10.1016/j.meatsci.2017.11.018>
- Fu, L., Su, H., Li, R., & Cui, Y. (2014). Harvesting technologies for sea buckthorn fruit. *Engineering in Agriculture, Environment and Food*, 7(2), 64–69. doi:10.1016/j.eaef.2013.10.002
- Garrido, J., & Borges, F. (2013). Wine and grape polyphenols — A chemical perspective. *Food Research International*, 54(2), 1844–1858. doi:10.1016/j.foodres.2013.08.002
- Georgantelis, D., Ambrosiadis, I., Katikou, P., Blekas, G., & Georgakis, S. A. (2007). Effect of rosemary extract, chitosan and α -tocopherol on microbiological parameters and lipid oxidation of fresh pork sausages stored at 4°C. *Meat science*, 76(1), 172–181. <https://doi.org/10.1016/j.meatsci.2006.10.026>
- Georgiev, V., Ananga, A., & Tsoлова, V. (2014). Recent Advances and Uses of Grape Flavonoids as Nutraceuticals. *Nutrients*, 6(1), 391–415. doi:10.3390/nu6010391

- Ghnimi, S., Budilarto, E., & Kamal-Eldin, A. (2017). The New Paradigm for Lipid Oxidation and Insights to Microencapsulation of Omega-3 Fatty Acids. *Comprehensive Reviews in Food Science and Food Safety*, 16(6), 1206–1218. doi:10.1111/1541-4337.12300
- Gómez-Plaza, E., Miñano, A., & López-Roca, J. M. (2006). Comparison of chromatic properties, stability and antioxidant capacity of anthocyanin-based aqueous extracts from grape pomace obtained from different vinification methods. *Food Chemistry*, 97(1), 87–94. doi:10.1016/j.foodchem.2005.03.025
- Gordon, M. (2001). Antioxidants and food stability. *Antioxidants in Food Practical Applications*. (1st ed.). Woodhead Publishing. ISBN 978-1-85573-463-0
- Gravador, R. S., Luciano, G., Jongberg, S., Bognanno, M., Scerra, M., Andersen, M. L., Priolo, A. (2015). Fatty acids and oxidative stability of meat from lambs fed carob-containing diets. *Food Chemistry*, 182, 27–34. doi:10.1016/j.foodchem.2015.02.094
- Gunenc, A., Khoury, C., Legault, C., Mirrashed, H., Rijke, J., & Hosseinian, F. (2016). Seabuckthorn as a novel prebiotic source improves probiotic viability in yogurt. *LWT - Food Science and Technology*, 66, 490–495. doi:10.1016/j.lwt.2015.10.061
- Guyon, C., Meynier, A., & de Lamballerie, M. (2016). Protein and lipid oxidation in meat: A review with emphasis on high-pressure treatments. *Trends in Food Science & Technology*, 50, 131–143. doi:10.1016/j.tifs.2016.01.026
- Heinäaho, M., Hagerman, A. E., & Julkunen-Tiitto, R. (2009). Effect of Different Organic Farming Methods on the Phenolic Composition of Sea Buckthorn Berries. *Journal of Agricultural and Food Chemistry*, 57(5), 1940–1947. doi:10.1021/jf802797v
- Hernández, H., Fraňková, A., Sýkora, T., Klouček, P., Kouřimská, L., Kučerová, I., & Banout, J. (2016). The effect of oregano essential oil on microbial load and sensory attributes of dried meat. *Journal of the Science of Food and Agriculture*, 97(1), 82–87. doi:10.1002/jsfa.7685
- Honikel, K.O. (2006). *Fleisch und Fett - von A wie Annahme bis Z wie Zusammensetzung*. 7. Symposium Fleisch in der Ernährung - Fleisch und Fett. Proviande.
- Hornstein, I., & Crowe, P. F. (1960). Meat Flavour Chemistry, Flavour Studies on Beef and Pork. *Journal of Agricultural and Food Chemistry*, 8(6), 494–498. doi:10.1021/jf60112a022

- Hornstein, I., & Crowe, P. F. (1963). Food Flavours and Odours, Meat Flavour: Lamb. *Journal of Agricultural and Food Chemistry*, 11(2), 147–149. doi:10.1021/jf60126a014
- Hu, M. & Jacobsen, CH. (2016). *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats*. AOCS Press. ISBN 978-1-63067-056-6.
- Jacques, P. F., Cassidy, A., Rogers, G., Peterson, J. J., Meigs, J. B., & Dwyer, J. T. (2013). Higher Dietary Flavonol Intake Is Associated with Lower Incidence of Type 2 Diabetes. *The Journal of Nutrition*, 143(9), 1474–1480. doi:10.3945/jn.113.177212
- JH, C. (2016). Lipid Oxidation in Meat. *Journal of Nutrition & Food Sciences*, 06(03). doi:10.4172/2155-9600.1000494
- Jiang, J., & Xiong, Y. L. (2016). Natural antioxidants as food and feed additives to promote health benefits and quality of meat products: A review. *Meat science*, 120, 107–117. <https://doi.org/10.1016/j.meatsci.2016.04.005>
- Jin, Z., Liu, Q., Kong, B. H., Li, J., & Chen, Q. (2013). Antioxidant Activity of Seabuckthorn (*Hippophae rhamnoides*) Leaves Extracts on Pork Patties during Refrigerated Storage. *Advanced Materials Research*, 781-784, 1500–1507. doi:10.4028/www.scientific.net/amr.781-784.1500
- Jongberg, S., Carlsen, C. U., & Skibsted, L. H. (2009). Peptides as antioxidants and carbonyl quenchers in biological model systems. *Free Radical Research*, 43(10), 932–942. doi:10.1080/10715760903137101
- Jung, S., Nam, K. C., & Jo, C. (2016). Detection of malondialdehyde in processed meat products without interference from the ingredients. *Food Chemistry*, 209, 90–94. doi:10.1016/j.foodchem.2016.04.035
- Jung, S., Nam, K. C., Ahn, D. U., Kim, H. J., & Jo, C. (2013). Effect of phosphatidylserine on lipid and protein oxidation in ground beef treated with high hydrostatic pressure. *Meat Science*, 95(1), 8–13. doi:10.1016/j.meatsci.2013.04.005
- Kanellis, A. K., & Roubelakis - Angelakis, K. A. (1993). Grape. *Biochemistry of Fruit Ripening*, 189–234. doi:10.1007/978-94-011-1584-1_6
- Karre, L., Lopez, K., & Getty, K. J. K. (2013). Natural antioxidants in meat and poultry products. *Meat Science*, 94(2), 220–227. doi:10.1016/j.meatsci.2013.01.007

- Khoubnasabjafari, M., Ansarin, K. & Jouyban, A. (2015). Reliability of malondialdehyde as a biomarker of oxidative stress in psychological disorders. *BioImpacts*, 5(3), 123–127. doi:10.15171/bi.2015.20
- Kim, S.-K., Kwon, D., Kwon, D.-A., Paik, I. K., & Auh, J.-H. (2014). Optimizing Carnosine Containing Extract Preparation from Chicken Breast for Anti-glycating agents. *Korean Journal for Food Science of Animal Resources*, 34(1), 127–132. doi:10.5851/kosfa.2014.34.1.127
- Korchazhkina, O., Exley, C., & Andrew Spencer, S. (2003). Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine. *Journal of Chromatography B*, 794(2), 353–362. doi:10.1016/s1570-0232(03)00495-1
- Kozhakhliyeva, M., Dragoev, S., Uzakov, Y., & Nurgazezova, A. (2018). Improving of the oxidative stability and quality of new functional horse meat delicacy enriched with sea Buckthorn (*Hippophae Rhamnoides*) fruit powder extracts or seed Kernel Pumpkin (*Cucurbita Pero L.*) flour. *Comptes Rendus de L'Academie Bulgare des Sciences*, 71(1), 132–140.
- Králová, M. (The effect of lipid oxidation on the quality of meat and meat products. *Maso International Journal of Food Science and Technology*. 5(2), 125–132.
- Kulkarni, S., DeSantos, F. A., Kattamuri, S., Rossi, S. J., & Brewer, M. S. (2011). Effect of grape seed extract on oxidative, colour and sensory stability of a pre-cooked, frozen, re-heated beef sausage model system. *Meat Science*, 88(1), 139–144. doi:10.1016/j.meatsci.2010.12.014
- Lagin, L. (2008). *Technológia mäsa II (spracovanie mäsa)*. (2nd ed.). SPU. ISBN 978-80-552-0034-7.
- Larmo, P.S., Järvinen, R.L., Yang, B., & Kallio H.P. (2014). Sea buckthorn, dry eye, and vision, in: V. Preedy Handbook of Nutrition, Diet and the Eye. Academic Press.
- Lau, D. W., & King, A. J. (2003). Pre- and Post-Mortem Use of Grape Seed Extract in Dark Poultry Meat To Inhibit Development of Thiobarbituric Acid Reactive Substances. *Journal of Agricultural and Food Chemistry*, 51(6), 1602–1607. doi:10.1021/jf020740m

- Lau, D. W., & King, A. J. (2003). Pre- and Post-Mortem Use of Grape Seed Extract in Dark Poultry Meat To Inhibit Development of Thiobarbituric Acid Reactive Substances. *Journal of Agricultural and Food Chemistry*, 51(6), 1602–1607. doi:10.1021/jf020740m
- Lee, C. W., Choi, H. M., Kim, S. Y., Lee, J. R., Kim, H. J., Jo, C., & Jung, S. (2015). Influence of *Perilla frutescens* var. *acuta* Water Extract on the Shelf Life and Physicochemical Qualities of Cooked Beef Patties. *Korean journal for food science of animal resources*, 35(3), 389–397.
- Leygonie, C., Britz, T. J., & Hoffman, L. C. (2012). Impact of freezing and thawing on the quality of meat: Review. *Meat Science*, 91(2), 93–98. doi:10.1016/j.meatsci.2012.01.013
- Li, T.S.C., & Beveridge, T.H.J. (2003). Sea buckthorn (*Hippophae rhamnoides* L.): production and utilization. (1st ed.). NRC Research Press.
- Llobera, A., & Cañellas, J. (2007). Dietary fibre content and antioxidant activity of Manto Negro red grape (*Vitis vinifera*): pomace and stem. *Food Chemistry*, 101(2), 659–666. doi:10.1016/j.foodchem.2006.02.025
- Lorenzo, J. M., & Domínguez, R. (2014). Effect of genotype on fatty acid composition of intramuscular and subcutaneous fat of Celta pig breed. *Grasas y Aceites*, 65(3), e037. doi:10.3989/gya.0234141
- Lorenzo, J.M., Domínguez, R., & Carballo, J. (2017). Control of lipid oxidation in muscle food by active packaging technology. In: Banerjee R., Verma A.K., Siddiqui M.W., editors. *Natural Antioxidants: Applications in Foods of Animal Origin*. Apple Academic Press.
- Mäkinen, S., Hellström, J., Mäki, M., Korpinen, R., & Mattila, P. H. (2020). Bilberry and Sea Buckthorn Leaves and Their Subcritical Water Extracts Prevent Lipid Oxidation in Meat Products. *Foods*, 9(3), 265. doi:10.3390/foods9030265
- Malinowska, P., & Olas, B. (2016). *Sea buckthorn – valuable plant for health*. Kosmos.
- Marounek, M. (2006). *Povaha a mechanismus účinku antioxidantu, význam ke výživě zvířat a lidí*. Výskumný ústav živočišné výroby.
- Matthäus, B. (2008). Virgin grape seed oil: Is it really a nutritional highlight? *European Journal of Lipid Science and Technology*, 110(7), 645–650. doi:10.1002/ejlt.200700276

- McCallum, J. L., Yang, R., Young, J. C., Strommer, J. N., & Tsao, R. (2007). Improved high performance liquid chromatographic separation of anthocyanin compounds from grapes using a novel mixed-mode ion-exchange reversed-phase column. *Journal of chromatography. A*, 1148(1), 38–45. <https://doi.org/10.1016/j.chroma.2007.02.088>
- Mendes, R., Cardoso, C., & Pestana, C. (2009). Measurement of malondialdehyde in fish: A comparison study between HPLC methods and the traditional spectrophotometric test. *Food Chemistry*, 112(4), 1038–1045. doi:10.1016/j.foodchem.2008.06.052
- Michel, T., Destandau, E., Le Floch, G., Lucchesi, M. E., & Elfakir, C. (2012). Antimicrobial, antioxidant and phytochemical investigations of sea buckthorn (*Hippophaë rhamnoides* L.) leaf, stem, root and seed. *Food Chemistry*, 131(3), 754–760. doi:10.1016/j.foodchem.2011.09.029
- Mielnik, M. B., Olsen, E., Vogt, G., Adeline, D., & Skrede, G. (2006). Grape seed extract as antioxidant in cooked, cold stored turkey meat. *LWT - Food Science and Technology*, 39(3), 191–198. doi:10.1016/j.lwt.2005.02.003
- Mielnik, M. B., Olsen, E., Vogt, G., Adeline, D., & Skrede, G. (2006). Grape seed extract as antioxidant in cooked, cold stored turkey meat. *LWT - Food Science and Technology*, 39(3), 191–198. doi:10.1016/j.lwt.2005.02.003
- Min B., Ahn D.U. (2002). Mechanism of lipid peroxidation in meat and meat products—A review. *Food Sci. Biotechnol*, 14, 152–163.
- Min, B., Nam, K. C., Cordray, J., & Ahn, D. U. (2008). Endogenous Factors Affecting Oxidative Stability of Beef Loin, Pork Loin, and Chicken Breast and Thigh Meats. *Journal of Food Science*, 73(6), C439–C446. doi:10.1111/j.1750-3841.2008.00805.x
- Moloney, A.P., & Teagasc, D. (2002). The fat content of meat and meat products. In: Kerry, J., Kerry, J., Ledward D., editors. *Meat Processing*. Woodhead Publishing.
- Monteschio, J. de O., de Vargas Junior, F. M., Alves da Silva, A. L., das Chagas, R. A., Fernandes, T., Leonardo, A. P., ... Muir, J. P. (2021). Effect of copaiba essential oil (*Copaifera officinalis* L.) as a natural preservative on the oxidation and shelf life of sheep burgers. *PLOS ONE*, 16(3), e0248499. doi:10.1371/journal.pone.0248499
- Mozuraityte, R., Kristinova, V., & Rustad, T. (2016). Oxidation of Food Components. *Encyclopedia of Food and Health*, 186–190. doi:10.1016/b978-0-12-384947-2.00508-0

- Munekata, P., Domínguez, R., Campagnol, P., Franco, D., Trindade, M. A., & Lorenzo, J. M. (2017). Effect of natural antioxidants on physicochemical properties and lipid stability of pork liver pâté manufactured with healthy oils during refrigerated storage. *Journal of food science and technology*, 54(13), 4324–4334. <https://doi.org/10.1007/s13197-017-2903-2>
- Olaoye, O.A. (2011) Meat: An Overview of Its Composition, Biochemical Changes and Associated Microbial Agents. *International Food Research Journal*, 18, 877-885.
- Olas, B. (2018). The beneficial health aspects of sea buckthorn (*Elaeagnus rhamnoides* (L.) A.Nelson) oil. *Journal of Ethnopharmacology*, 213, 183–190. doi:10.1016/j.jep.2017.11.022
- Özvural, E. B., & Vural, H. (2013). Which is the best grape seed additive for frankfurters: extract, oil or flour? *Journal of the Science of Food and Agriculture*, 94(4), 792–797. doi:10.1002/jsfa.6442
- Paniangvait, P., King, A. J., Jones, A. D., & German, B. G. (1995). Cholesterol Oxides in Foods of Animal Origin. *Journal of Food Science*, 60(6), 1159–1174. doi:10.1111/j.1365-2621.1995.tb04548.x
- Passos, C. P., Cardoso, S. M., Domingues, M. R. M., Domingues, P., Silva, C. M., & Coimbra, M. A. (2007). Evidence for galloylated type-A procyanidins in grape seeds. *Food Chemistry*, 105(4), 1457–1467. doi:10.1016/j.foodchem.2007.05.026
- Pazos, M., Gallardo, J. M., Torres, J. L., & Medina, I. (2005). Activity of grape polyphenols as inhibitors of the oxidation of fish lipids and frozen fish muscle. *Food Chemistry*, 92(3), 547–557. doi:10.1016/j.foodchem.2004.07.036
- Pereira, A.L.F., & Abreu V.K.G. (2018). Lipid peroxidation in meat and meat products. In: Mansour M.A., editor. *Lipid Peroxidation*. IntechOpen.
- Pikul, J., Leszcynski, D. E., & Kummerow F. A. (1984). Relative Role of Phospholipids, Triacylglycerols, and Cholesterol Esters on Malonaldehyde Formation in Fat Extracted from Chicken Meat. *Journal of Food Science*, 49(3), 704–708. doi:10.1111/j.1365-2621.1984.tb13192.x
- Pokorný, J., & Příbela, A. (2007). Víno a zdravie človeka: Triesloviny významné zložky hrozna a vína. *Vinič a víno*. 7(4), 88 – 89
- Püssa, T., Pällin, R., Raudsepp, P., Soidla, R., & Rei, M. (2008). Inhibition of lipid oxidation and dynamics of polyphenol content in mechanically deboned meat supplemented with sea

buckthorn (*Hippophae rhamnoides*) berry residues. *Food Chemistry*, 107(2), 714–721. doi:10.1016/j.foodchem.2007.08.090

Qin, Y.-Y., Zhang, Z.-H., Li, L., Xiong, W., Shi, J.-Y., Zhao, T.-R., & Fan, J. (2013). Antioxidant effect of pomegranate rind powder extract, pomegranate juice, and pomegranate seed powder extract as antioxidants in raw ground pork meat. *Food Science and Biotechnology*, 22(4), 1063–1069. doi:10.1007/s10068-013-0184-8

Qin, Y.-Y., Zhang, Z.-H., Li, L., Xiong, W., Shi, J.-Y., Zhao, T.-R., & Fan, J. (2013). Antioxidant effect of pomegranate rind powder extract, pomegranate juice, and pomegranate seed powder extract as antioxidants in raw ground pork meat. *Food Science and Biotechnology*, 22(4), 1063–1069. doi:10.1007/s10068-013-0184-8

Reddy, G. V. B., Sen, A. R., Nair, P. N., Reddy, K. S., Reddy, K. K., & Kondaiah, N. (2013). Effects of grape seed extract on the oxidative and microbial stability of restructured mutton slices. *Meat Science*, 95(2), 288–294. doi:10.1016/j.meatsci.2013.04.016

Richards, M.P. (2006). Lipid chemistry and biochemistry. In: Hui Y., editor. *Handbook of Food Science, Technology, and Engineering*. CRC Press; Taylor & Francis.

Rodríguez Montealegre, R., Romero Peces, R., Chacón Vozmediano, J. L., Martínez Gascueña, J., & García Romero, E. (2006). Phenolic compounds in skins and seeds of ten grape *Vitis vinifera* varieties grown in a warm climate. *Journal of Food Composition and Analysis*, 19(6-7), 687–693. doi:10.1016/j.jfca.2005.05.003

Rojas, M. C., & Brewer, M. . (2007). Effect of Natural Antioxidants on Oxidative Stability of Cooked, Refrigerated Beef and Pork. *Journal of Food Science*, 72(4), S282–S288. doi:10.1111/j.1750-3841.2007.00335.x

Saito, K., Jin, D. H., Ogawa, T., Muramoto, K., Hatakeyama, E., Yasuhara, T., & Nokihara, K. (2003). Antioxidative properties of tripeptide libraries prepared by the combinatorial chemistry. *Journal of agricultural and food chemistry*, 51(12), 3668–3674. <https://doi.org/10.1021/jf021191n>

Salejda, A. M., Janiewicz, U., & Krasnowska, G. (2014). The Effect of Sea Buckthorn (*Hippophae rhamnoides* L.) Berries on Some Quality Characteristics of Cooked Pork Sausages. *International Journal of Biological, Veterinary, Agricultural and Food Engineering*, 8, 561-564.

- Salejda, A. M., Nawirska-Olszańska, A., Janiewicz, U., & Krasnowska, G. (2017). Effects on Quality Properties of Pork Sausages Enriched with Sea Buckthorn (*Hippophae rhamnoides* L.). *Journal of Food Quality*, 2017, 1–7. doi:10.1155/2017/7123960
- Sánchez-Escalante, A., Djenane, D., Torrecano, G., Beltrán, J. A., & Roncalés, P. (2001). The effects of ascorbic acid, taurine, carnosine and rosemary powder on colour and lipid stability of beef patties packaged in modified atmosphere. *Meat science*, 58(4), 421–429. [https://doi.org/10.1016/s0309-1740\(01\)00045-6](https://doi.org/10.1016/s0309-1740(01)00045-6)
- Schmid, A. (2010). The Role of Meat Fat in the Human Diet. *Critical Reviews in Food Science and Nutrition*, 51(1), 50–66. doi:10.1080/10408390903044636
- Schmidt, Š. (2011). *Antioxidanty a oxidačné zmeny tukov v potravinách*. Nakladateľstvo STU. ISBN 978-80-227-3491-2
- Sebranek, J. G., Sewalt, V. J. H., Robbins, K. L., & Houser, T. A. (2005). Comparison of a natural rosemary extract and BHA/BHT for relative antioxidant effectiveness in pork sausage. *Meat Science*, 69(2), 289–296. doi:10.1016/j.meatsci.2004.07.010
- Selvamuthukumar, M., & Khanum, F. (2013). Optimization of seabuckthorn fruit yogurt formulation using response surface methodology. *Journal of Food Science and Technology*, 52(2), 831–839. doi:10.1007/s13197-013-1070-3
- Shahbazi, Y., Karami, N., & Shavisi, N. (2017). Effect of *Mentha spicata* essential oil on chemical, microbial, and sensory properties of minced camel meat during refrigerated storage. *Journal of Food Safety*, 38(1). doi:10.1111/jfs.12375
- Shahidi, F., (2002) Lipid-derived flavours in meat products. In: Kerry, J., Kerry, J., Ledward D., editors. *Meat Processing*. Woodhead Publishing.
- Shan, L. C., De Brún, A., Henchion, M., Li, C., Murrin, C., Wall, P. G., & Monahan, F. J. (2017). Consumer evaluations of processed meat products reformulated to be healthier – A conjoint analysis study. *Meat Science*, 131, 82–89. doi:10.1016/j.meatsci.2017.04.239
- Shi, J., Yu, J., Pohorly, J. E., & Kakuda, Y. (2003). Polyphenolics in Grape Seeds—Biochemistry and Functionality. *Journal of Medicinal Food*, 6(4), 291–299. doi:10.1089/109662003772519831

Singh, P. K., Ahlawat, S. S., Sharma, D. P., Jairath, G., & Pathera, A. (2018). Effect of grape seed extract on storage stability of buffalo veal slices at refrigeration temperature ($4 \pm 1^\circ\text{C}$). *Journal of Food Safety*, e12500. doi:10.1111/jfs.12500

Šojić, B., Pavlić, B., Zeković, Z., Tomović, V., Ikonić, P., Kocić-Tanackov, S., & Džinić, N. (2018). The effect of essential oil and extract from sage (*Salvia officinalis* L.) herbal dust (food industry by-product) on the oxidative and microbiological stability of fresh pork sausages. *LWT*, 89, 749–755. doi:10.1016/j.lwt.2017.11.055

Studnický, J. (1979). *Prehľad potravinárskych technológií*. ALFA

Su, L., Yin, J.-J., Charles, D., Zhou, K., Moore, J., & Yu, L. (Lucy). (2007). Total phenolic contents, chelating capacities, and radical-scavenging properties of black peppercorn, nutmeg, rosehip, cinnamon and oregano leaf. *Food Chemistry*, 100(3), 990–997. doi:10.1016/j.foodchem.2005.10.058

Šuhaj, M. & Kováč, M. (2000). Metódy identifikácie falšovania a autentifikácie potravín. *Bulletin potravinárskeho výskumu*, 39(4), 241 – 254.

Teleszko, M., Wojdyło, A., Rudzińska, M., Oszmiański, J., & Golis, T. (2015). Analysis of Lipophilic and Hydrophilic Bioactive Compounds Content in Sea Buckthorn (*Hippophaë rhamnoides* L.) Berries. *Journal of Agricultural and Food Chemistry*, 63(16), 4120–4129. doi:10.1021/acs.jafc.5b00564

Ulu, H. (2004). Evaluation of three 2-thiobarbituric acid methods for the measurement of lipid oxidation in various meats and meat products. *Meat Science*, 67(4), 683–687. doi:10.1016/j.meatsci.2003.12.014

Ursache, F. M., Ghinea, I. O., Turturică, M., Aprodu, I., Râpeanu, G., & Stănciuc, N. (2017). Phytochemicals content and antioxidant properties of sea buckthorn (*Hippophae rhamnoides* L.) as affected by heat treatment - Quantitative spectroscopic and kinetic approaches. *Food chemistry*, 233, 442–449. <https://doi.org/10.1016/j.foodchem.2017.04.107>

Vejrážková, P. (2011). *Potraviny a výživa*. EU: Czech Republic, Project: CZ.1.07./1.1.06/01.0079.

Velasco, V., & Williams, P. (2011). Improving meat quality through natural antioxidants. *Chilean Journal of Agricultural Research*, 71(2), 313–322. doi:10.4067/s0718-58392011000200017

Villano, D., Fernandezpachon, M., Troncoso, A., & Garciaparrilla, M. (2006). Influence of enological practices on the antioxidant activity of wines. *Food Chemistry*, 95(3), 394–404. doi:10.1016/j.foodchem.2005.01.005

Wagh, R. V., & Chatli, M. K. (2017). Response surface optimization of extraction protocols to obtain phenolic rich antioxidant from sea buckthorn and their potential application into model meat system. *Journal of Food Science and Technology*, 54(6), 1565–1576. doi:10.1007/s13197-017-2588-6

Walczak-Zeidler, K., Feliczak-Guzik, A., & Nowak, I. (2012). Oleje roślinne stosowane jako surowce kosmetyczne – leksykon: Olej z rokitnika. Kostrzyn: Cursiva; 2012. p. 101–5.

Wang, B., Pace, R. D., Dessai, A. P., Bovell-Benjamin, A., & Phillips, B. (2002). Modified Extraction Method for Determining 2-Thiobarbituric Acid Values in Meat with Increased Specificity and Simplicity. *Journal of Food Science*, 67(8), 2833–2836. doi:10.1111/j.1365-2621.2002.tb08824.x

Wang, R., Zong, S.-X., Yu, L.-F., Lu, P.-F., & Luo, Y.-Q. (2014). Rhythms of volatile release from female and male sea buckthorn plants and electrophysiological response of sea buckthorn carpenter moths. *Journal of Plant Interactions*, 9(1), 763–774. doi:10.1080/17429145.2014.926569

Wąsowicz, E., Gramza, A., Heś, M., Jeleń, H. H., Korczak, J., Małecka, M. ... Zawirska-Wojtasiak, R. (2004). OXIDATION OF LIPIDS IN FOOD. *Polish Journal of Food and Nutrition Sciences*, 54(1s), 87-100.

Weitner, T., Inić, S., Jablan, J., Gabričević, M., & Domijan, A.-M. (2016). Spectrophotometric Determination of Malondialdehyde in Urine Suitable for Epidemiological Studies. *Croatica Chemica Acta*, 89(1), 133–139. doi:10.5562/cca2902

Wu, H. C., Shiau, C. Y., Chen, H. M., & Chiou, T. K. (2003). Antioxidant activities of carnosine, anserine, some free amino acids and their combination. *Journal of Food and Drug Analysis*, 11(2), 148–153. https://doi.org/10.38212/2224-6614.2720

Xia, F., Farmer, D. B., Lin, Y. M., & Avouris, P. (2010). Graphene field-effect transistors with high on/off current ratio and large transport band gap at room temperature. *Nano letters*, 10(2), 715–718. https://doi.org/10.1021/nl9039636

Yu, J., & Ahmedna, M. (2012). Functional components of grape pomace: their composition, biological properties and potential applications. *International Journal of Food Science & Technology*, 48(2), 221–237. doi:10.1111/j.1365-2621.2012.03197.x

Zeb, A., & Ullah, S. (2015). Sea buckthorn seed oil protects against the oxidative stress produced by thermally oxidized lipids. *Food chemistry*, 186, 6–12. <https://doi.org/10.1016/j.foodchem.2015.03.053>

Zengin, H., & Baysal, A. H. (2014). Antioxidant and Antimicrobial Activities of Thyme and Clove Essential Oils and Application in Minced Beef. *Journal of Food Processing and Preservation*, 39(6), 1261–1271. doi:10.1111/jfpp.12344

Laws and Decrees:

Decree of the Ministry of Agriculture and Rural Development of the Slovak Republic and the Ministry of Health of the Slovak Republic no. 04650/2008-OL

Decree no. 83/2016 of the Ministry of Agriculture and Rural Development of the Slovak Republic on Meat products

Regulation (EC) No 853/2004 of the European Parliament and of the Council

Online Resources:

URL 1: An Overview of Cluster-Zone Leaf Removal Strategies for Cool Climate Vineyards [online] [cit. 2021-07-07]. Available at: <<https://psuwineandgrapes.wordpress.com/2015/09/11/an-overview-of-cluster-zone-leaf-removal-strategies-for-cool-climate-vineyards/>>

URL 2: Lizzie Harper, Natural History Illustration for books, magazines & packaging, [online] [cit. 2021-07-07]. Available at: <https://lizzieharper.co.uk/image/sea-buckthorn-hippophae-rhamnoides/>