

10 References

References have been listed in the order of (1) the first or only author's last name and (2) the year of publication. Identical short references are distinguished in the text by lowercase letters, which if used are given in parentheses at the end of the respective entry in this list of references.

Abduo J, Lyons K, Bennani V, Waddell N, Swain M. Fit of screw-retained fixed implant frameworks fabricated by different methods: a systematic review. *Int J Prosthodont.* 2011 May–Jun; 24(3): 207–220.

Abrahamsson I, Berglundh T, Glantz PO, Lindhe J. The mucosal attachment at different abutments. An experimental study in dogs. *J Clin Periodontol.* 1998 Sep; 25(9): 721–727.

Abrahamsson I, Berglundh T. Effects of different implant surfaces and designs on marginal bone-level alterations: a review. *Clin Oral Implants Res.* 2009 Sep; 20 (Suppl 4): 207–215.

Adell R, Lekholm U, Rockler B, Bränemark PI. A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *Int J Oral Surg.* 1981 Dec; 10(6): 387–416.

Adell R, Eriksson B, Lekholm U, Bränemark PI, Jemt T. Long-term follow-up study of osseointegrated implants in the treatment of totally edentulous jaws. *Int J Oral Maxillofac Implants.* 1990 Winter; 5(4):347–359.

Adibrad M, Shahabuei M, Sahabi M. Significance of the width of keratinized mucosa on the health status of the supporting tissue around implants supporting overdentures. *J Oral Implantol.* 2009; 35(5): 232–237.

Agar JR, Cameron SM, Hughbanks JC, Parker MH. Cement removal from restorations luted to titanium abutments with simulated subgingival margins. *J Prosthet Dent.* 1998 Jul; 78(1): 43–47.

Aghaloo TL, Moy PK. Which hard tissue augmentation techniques are the most successful in furnishing bony support for implant placement? *Int J Oral Maxillofac Implants.* 2007; 22 (Suppl): 49–70.

Akcalı A, Schneider D, Ünlü F, Bicakçı N, Köse T, Hämerle CH. Soft tissue augmentation of ridge defects in the maxillary anterior area using two different methods: a randomized controlled clinical trial. *Clin Oral Implants Res.* 2015 Jun; 26(6): 688–695.

Akgül AA, Toygar TU. Natural craniofacial changes in the third decade of life: a longitudinal study. *Am J Orthod Dentofacial Orthop.* 2002 Nov; 122(5): 512–522.

Alani A, Maglad A, Nohl F. *Br Dent J.* The prosthetic management of gingival aesthetics. *Br Dent J.* 2011 Jan 22; 210(2): 63–69.

Albert AM, Ricanek K Jr, Patterson E. A review of the literature on the aging adult skull and face: implications for forensic science research and applications. *Forensic Sci Int.* 2007 Oct; 172(1): 1–9.

Albrektsson T, Zarb G, Worthington P, Eriksson AR. The long-term efficacy of currently used dental implants: a review and proposed criteria of success. *Int J Oral Maxillofac Implants.* 1986 Summer; 1(1): 11–25.

Albrektsson T, Dahlin C, Jemt T, Sennerby L, Turri A, Wennerberg A. Is Marginal Bone Loss around Oral Implants the Result of a Provoked Foreign Body Reaction? *Clin Implant Dent Relat Res.* 2014; 16: 155–165.

AlGhamdi AS. Successful treatment of early implant failure: a case series. *Clin Implant Dent Relat Res.* 2012 Jun; 14(3): 380–387.

Alharbi HM, Babay N, Alzoman H, Basudan S, Anil S, Jansen JA. Bone morphology changes around two types of bone-level implants installed in fresh extraction sockets—a histomorphometric study in Beagle dogs. *Clin Oral Implants Res.* 2015 Sep; 26(9): 1106–1112.

Al-Nawas B, Brägger U, Meijer HJ, Naert I, Persson R, Perucchi A, Quirynen M, Raghoebar GM, Reichert TE, Romeo E, Santing HJ, Schimmel M, Storelli S, ten Bruggenkate C, Vandekerckhove B, Wagner W, Wismeijer D, Müller F. A double-blind randomized controlled trial (RCT) of Titanium-13Zirconium versus Titanium Grade IV small-diameter bone level implants in edentulous mandibles—results from a 1-year observation period. *Clin Implant Dent Relat Res.* 2012 Dec; 14(6): 896–904.

Altuna P, Lucas-Taulé E, Gargallo-Albiol J, Figueras-Álvarez O, Hernández-Alfaro F, Nart J. Clinical evidence on titanium-zirconium dental implants: a systematic review and meta-analysis. *Int J Oral Maxillofac Surg.* 2016 Jul; 45(7): 842–850.

American Dental Association. 2007 Survey of Current Issues in Dentistry (SCID). 2008.

- Andersson L, Emami-Kristiansen Z, Högström J.** Single-tooth implant treatment in the anterior region of the maxilla for treatment of tooth loss after trauma: a retrospective clinical and interview study. *Dent Traumatol.* **2003** Jun; 19(3): 126–131.
- Andersson B, Bergenblock S, Fürst B, Jemt T.** Long-term function of single-implant restorations: a 17- to 19-year follow-up study on implant infraposition related to the shape of the face and patients' satisfaction. *Clin Implant Dent Relat Res.* **2013** Aug; 15(4): 471–480.
- Andreiotelli M, Wenz HJ, Kohal RJ.** Are ceramic implants a viable alternative to titanium implants? A systematic literature review. *Clin Oral Implants Res.* **2009** Sep; 20 (Suppl 4): 32–47.
- Anitua E, Orive G.** Short implants in maxillae and mandibles: a retrospective study with 1 to 8 years of follow-up. *J Periodontol.* **2010** Jun; 81(6): 819–826.
- Anitua E, Orive G.** A new approach for atraumatic implant explantation and immediate implant installation. *Oral Surg Oral Med Oral Pathol Oral Radiol.* **2012** Mar; 113(3): e19–e25.
- Annibali S, Bignozzi I, Cristalli MP, Graziani F, La Monaca G, Polimeni A.** Peri-implant marginal bone level: a systematic review and meta-analysis of studies comparing platform switching versus conventionally restored implants. *J Clin Periodontol.* **2012** Nov; 39(11): 1097–1113.
- Annibali S, Bignozzi I, Cristalli MP, Graziani F, La Monaca G, Polimeni A.** Peri-implant marginal bone level: a systematic review and meta-analysis of studies comparing platform switching versus conventionally restored implants. *J Clin Periodontol.* **2012** Nov; 39(11): 1097–1113. (a)
- Annibali S, Cristalli MP, Dell'Aquila D, Bignozzi I, La Monaca G, Pilloni A.** Short dental implants: a systematic review. *J Dent Res.* **2012** Jan; 91(1): 25–32. (b)
- Antoun H, Sitbon JM, Martinez H, Missika P.** A prospective randomized study comparing two techniques of bone augmentation: onlay graft alone or associated with a membrane. *Clin Oral Implants Res.* **2001** Dec; 12(6): 632–639.
- Araújo MG, Sonohara M, Hayacibara R, Cardaropoli G, Lindhe J.** Lateral ridge augmentation by the use of grafts comprised of autologous bone or a biomaterial. An experiment in the dog. *J Clin Periodontol.* **2002** Dec; 29(12): 1122–1131.
- Araújo MG, Sukekava F, Wennström JL, Lindhe J.** Ridge alterations following implant placement in fresh extraction sockets: an experimental study in the dog. *J Clin Periodontol.* **2005** Jun; 32(6): 645–652. (a)
- Araújo MG, Lindhe J.** Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *J Clin Periodontol.* **2005** Feb; 32(2): 212–218. (b)
- Araújo MG, Lindhe J.** Ridge alterations following tooth extraction with and without flap elevation: an experimental study in the dog. *Clin Oral Implants Res.* **2009** Jun; 20(6): 545–549. (a)
- Araújo MG, Lindhe J.** Ridge preservation with the use of Bio-Oss collagen: A 6-month study in the dog. *Clin Oral Implants Res.* **2009** May; 20(5): 433–440. (b)
- Araújo MG, da Silva JC, de Mendonça AF, Lindhe J.** Ridge alterations following grafting of fresh extraction sockets in man. A randomized clinical trial. *Clin Oral Implants Res.* **2015** Apr; 26(4): 417–412. (a)
- Araújo MG, Silva CO, Misawa M, Sukekava F.** Alveolar socket healing: what can we learn? *Periodontol 2000.* **2015** Jun; 68(1): 122–134. (b)
- Ashman A.** An immediate tooth root replacement: an implant cylinder and synthetic bone combination. *J Oral Implantol.* **1990;** 16(1): 28–38.
- Ata-Ali J, Ata-Ali F, Peñarrocha-Oltra D, Galindo-Moreno P.** What is the impact of bisphosphonate therapy upon dental implant survival? A systematic review and meta-analysis. *Clin Oral Implants Res.* **2016** Feb; 27(2): e38–46.
- Atieh MA, Ibrahim HM, Atieh AH.** Platform switching for marginal bone preservation around dental implants: a systematic review and meta-analysis. *J Periodontol.* **2010** Oct; 81(10): 1350–1366.
- Attard NJ, Zarb GA.** Immediate and early implant loading protocols: a literature review of clinical studies. *J Prosthet Dent.* **2005** Sep; 94(3): 242–258.

- Augthun M, Yildirim M, Spiekermann H, Biesterfeld S.** Healing of bone defects in combination with immediate implants using the membrane technique. *Int J Oral Maxillofac Implants.* 1995 Jul – Aug; 10(4): 421 – 428.
- Avila-Ortiz G, Elangovan S, Kramer KW, Blanchette D, Dawson DV.** Effect of alveolar ridge preservation after tooth extraction: a systematic review and meta-analysis. *J Dent Res.* 2014 Oct; 93(10): 950 – 958.
- Barter S, Stone P, Brägger U.** A pilot study to evaluate the success and survival rate of titanium-zirconium implants in partially edentulous patients: results after 24 months of follow-up. *Clin Oral Implants Res.* 2012 Jul; 23(7): 873 – 881.
- Barzilay I, Irene T.** Gingival prostheses—a review. *J Can Dent Assoc.* 2003 Feb; 69(2): 74 – 78.
- Batista EL Jr., Batista FC, Novaes AB Jr.** Management of soft tissue ridge deformities with acellular dermal matrix. Clinical approach and outcome after 6 months of treatment. *J Periodontol.* 2001 Feb; 72(2): 265 – 273.
- Becker W, Goldstein M, Becker BE, Sennerby L.** Minimal-invasive flapless implant surgery: a prospective multicenter study. *Clin Implant Dent Relat Res.* 2005; 7 (Suppl 1): S21 – S27.
- Belser UC.** Ästhetik-Checkliste für den festsitzenden Zahnersatz. In: Schärer P, Rinn L, Kopp FR (eds). Ästhetische Richtlinien für die rekonstruktive Zahnheilkunde. Berlin: Quintessenz, 1980. 187 – 204.
- Belser UC, Buser D, Hess D, Schmid B, Bernard JP, Lang NP.** Aesthetic implant restorations in partially edentulous patients—a critical appraisal. *Periodontol 2000.* 1998 Jun; 17: 132 – 150.
- Belser UC, Buser D, Higginbottom F.** Consensus statements and recommended clinical procedures regarding esthetics in implant dentistry. *Int J Oral Maxillofac Implants.* 2004; 19 (Suppl): 73 – 74.
- Belser UC, Grüttner L, Vailati F, Bornstein MM, Weber HP, Buser D.** Outcome evaluation of early placed maxillary anterior single-tooth implants using objective esthetic criteria: a cross-sectional, retrospective study in 45 patients with a 2- to 4-year follow-up using pink and white esthetic scores. *J Periodontol.* 2009 Jan; 80(1): 140 – 151.
- Benic GI, Gallucci GO, Mokti M, Hämerle CH, Weber HP, Jung RE.** Titanium-zirconium narrow-diameter versus titanium regular-diameter implants for anterior and premolar single crowns: 1-year results of a randomized controlled clinical study. *J Clin Periodontol.* 2013 Nov; 40(11): 1052 – 1061.
- Berberi A, Tehini G, Rifai K, Bou Nasser Eddine F, Badran B, Akl H.** Leakage evaluation of original and compatible implant-abutment connections: In vitro study using Rhodamine B. *J Dent Biomech.* 2014 Aug 11; 5: 1758736014547143.
- Berglundh T, Lindhe J.** Dimension of the periimplant mucosa. Biological width revisited. *J Clin Periodontol.* 1996 Oct; 23(10): 971 – 973.
- Berglundh T, Lindhe J.** Healing around implants placed in bone defects treated with Bio-Oss. An experimental study in the dog. *Clin Oral Implants Res.* 1997 Apr; 8(2): 117 – 124.
- Berglundh T, Giannobile WV.** Investigational clinical research in implant dentistry: beyond observational and descriptive studies. *J Dent Res.* 2013 Dec; 92 (12 Suppl): 107S – 108S.
- Bernard JP, Schatz JP, Christou P, Belser U, Kiliaridis S.** Long-term vertical changes of the anterior maxillary teeth adjacent to single implants in young and mature adults. A retrospective study. *J Clin Periodontol.* 2004 Nov; 31(11): 1024 – 1028.
- Bishara SE, Treder JE, Jakobsen JR.** Facial and dental changes in adulthood. *Am J Orthod Dentofacial Orthop.* 1994 Aug; 106(2): 175 – 186.
- Bonewald LF.** The amazing osteocyte. *J Bone Miner Res.* 2011 Feb; 26(2): 229 – 238.
- Boogaarts JD, Grotenhuis JA, Bartels RH, Beems T.** Use of a novel absorbable hydrogel for augmentation of dural repair: results of a preliminary clinical study. *Neurosurgery.* 2005 Jul; 57 (1 Suppl): 146 – 151; discussion 146 – 151.
- Bormann KH, Gellrich NC, Kniha H, Dard M, Wieland M, Gahlert M.** Biomechanical evaluation of a microstructured zirconia implant by a removal torque comparison with a standard Ti-SLA implant. *Clin Oral Implants Res.* 2012 Oct; 23(10): 1210 – 1216.

- Bornstein MM, Hart CN, Halbritter SA, Morton D, Buser D.** Early loading of nonsubmerged titanium implants with a chemically modified sand-blasted and acid-etched surface: 6-month results of a prospective case series study in the posterior mandible focusing on peri-implant crestal bone changes and implant stability quotient (ISQ) values. *Clin Implant Dent Relat Res.* 2009 Dec; 11(4): 338–347. (a)
- Bornstein MM, Heynen G, Bosshardt DD, Buser D.** Effect of two bioabsorbable barrier membranes on bone regeneration of standardized defects in calvarial bone: a comparative histomorphometric study in pigs. *J Periodontol.* 2009 Aug; 80(8): 1289–1299. (b)
- Bornstein MM, von Arx T, Bosshardt DD:** Properties of barrier membranes. In: Buser D (ed). 20 years of guided bone regeneration. Chicago: Quintessence, 2009: 47–69. (c)
- Bornstein MM, Wittneben JG, Brägger U, Buser D.** Early loading at 21 days of non-submerged titanium implants with a chemically modified sandblasted and acid-etched surface: 3-year results of a prospective study in the posterior mandible. *J Periodontol.* 2010 Jun; 81(6): 809–818.
- Bornstein MM, Scarfe WC, Vaughn VM, Jacobs R.** Cone beam computed tomography in implant dentistry: a systematic review focusing on guidelines, indications, and radiation dose risks. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 55–77. (a)
- Bornstein MM, Al-Nawas B, Kuchler U, Tahmaseb A.** Consensus statements and recommended clinical procedures regarding contemporary surgical and radiographic techniques in implant dentistry. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 78–82. (b)
- Bosshardt DD.** Biological mediators and periodontal regeneration: a review of enamel matrix proteins at the cellular and molecular levels. *J Clin Periodontol.* 2008 Sep; 35 (8 Suppl): 87–105.
- Botha PJ, Gluckman HL.** The gingival prosthesis—a literature review. *SADJ.* 1999 Jul; 54(7): 288–290.
- Botticelli D, Persson LG, Lindhe J, Berglundh T.** Bone tissue formation adjacent to implants placed in fresh extraction sockets: an experimental study in dogs. *Clin Oral Implants Res.* 2006 Aug; 17(4): 351–358.
- Bottino MC, Thomas V, Schmidt G, Vohra YK, Chu TM, Kowollik MJ, Janowski GM.** Recent advances in the development of GTR/GBR membranes for periodontal regeneration—a materials perspective. *Dent Mater.* 2012; 28: 703–721.
- Bouri A, Jr., Bissada N, Al-Zahrani MS, Faddoul F, Nouneh I.** Width of keratinized gingiva and the health status of the supporting tissues around dental implants. *Int J Oral Maxillofac Implants.* 2008 Mar–Apr; 23(2): 323–326.
- Brägger U, Hämmeterle CH, Lang NP.** Immediate transmucosal implants using the principle of guided tissue regeneration (II). A cross-sectional study comparing the clinical outcome 1 year after immediate to standard implant placement. *Clin Oral Implants Res.* 1996 Sep; 7(3): 268–276.
- Bränemark PI, Adell R, Breine U, Hansson BO, Lindström J, Ohlsson A.** Intra-osseous anchorage of dental prostheses. I. Experimental studies. *Scand J Plast Reconstr Surg.* 1969; 3(2): 81–100.
- Bratu EA, Tandlich M, Shapira L.** A rough surface implant neck with microthreads reduces the amount of marginal bone loss: a prospective clinical study. *Clin Oral Implants Res.* 2009 Aug; 20(8): 827–832.
- Braut V, Bornstein MM, Belser U, Buser D.** Thickness of the anterior maxillary facial bone wall—a retrospective radiographic study using cone beam computed tomography. *Int J Periodontics Restorative Dent.* 2011 Apr; 31(2): 125–131.
- Broggini N, McManus LM, Hermann JS, Medina R, Schenk RK, Buser D, Cochran DL.** Peri-implant inflammation defined by the implant-abutment interface. *J Dent Res.* 2006 May; 85(5): 473–478.
- Brown SD, Payne AG.** Immediately restored single implants in the aesthetic zone of the maxilla using a novel design: 1-year report. *Clin Oral Implants Res.* 2011 Apr; 22: 445–454.
- Bunyaratavej P, Wang HL.** Collagen membranes: a review. *J Periodontol.* 2001 Feb; 72(2): 215–229.
- Burchardt H.** The biology of bone graft repair. *Clin Orthop Relat Res.* 1983: 28–42.
- Burkhardt R, Joss A, Lang NP.** Soft tissue dehiscence coverage around endosseous implants: a prospective cohort study. *Clin Oral Implants Res.* 2008 May; 19(4): 451–457.

- Busenlechner D, Tangl S, Arnhart C, Redl H, Schuh C, Watzek G, Gruber R.** Resorption of deproteinized bovine bone mineral in a porcine calvaria augmentation model. *Clin Oral Implants Res.* **2012** Jan; 23(1): 95–99.
- Buser D, Weber HP, Lang NP.** Tissue integration of non-submerged implants. 1-year results of a prospective study with 100 ITI hollow-cylinder and hollow-screw implants. *Clin Oral Implants Res.* **1990** Dec; 1(1): 33–40.
- Buser D, Dula K, Belser U, Hirt HP, Berthold H.** Localized ridge augmentation using guided bone regeneration. 1. Surgical procedure in the maxilla. *Int J Periodontics Restorative Dent.* **1993**; 13(1): 29–45.
- Buser D, Dula K, Hirt HP, Schenk RK.** Lateral ridge augmentation using autografts and barrier membranes: a clinical study with 40 partially edentulous patients. *J Oral Maxillofac Surg.* **1996** Apr; 54(4): 420–432; discussion 432–423.
- Buser D, Mericske-Stern R, Bernard JP, Behneke A, Behneke N, Hirt HP, Belser UC, Lang NP.** Long-term evaluation of non-submerged ITI implants. Part 1: 8-year life table analysis of a prospective multi-center study with 2359 implants. *Clin Oral Implants Res.* **1997** Jun; 8(3): 161–172.
- Buser D, Nydegger T, Hirt HP, Cochran DL, Nolte LP.** Removal torque values of titanium implants in the maxilla of miniature pigs. *Int J Oral Maxillofac Implants.* **1998** Sep – Oct; 13(5): 611–619. (a)
- Buser D, Hoffmann B, Bernard JP, Lussi A, Mettler D, Schenk RK.** Evaluation of filling materials in membrane-protected bone defects. A comparative histomorphometric study in the mandible of miniature pigs. *Clin Oral Implants Res.* **1998** Jun; 9(3): 137–150. (b)
- Buser D, von Arx T, ten Bruggenkate C, Weingart D.** Basic surgical principles with ITI implants. *Clin Oral Implants Res.* **2000**; 11 (Suppl 1): 59–68.
- Buser D, Martin W, Belser UC.** Optimizing esthetics for implant restorations in the anterior maxilla: anatomic and surgical considerations. *Int J Oral Maxillofac Implants.* **2004**; 19 (Suppl): 43–61. (a)
- Buser D, Broggini N, Wieland M, Schenk RK, Denzer AJ, Cochran DL, Hoffmann B, Lussi A, Steinemann SG.** Enhanced bone apposition to a chemically modified SLA titanium surface. *J Dent Res.* **2004** Jul; 83(7): 529–533. (b)
- Buser D, Bornstein MM, Weber HP, Grüter L, Schmid B, Belser UC.** Early implant placement with simultaneous guided bone regeneration following single-tooth extraction in the esthetic zone: a cross-sectional, retrospective study in 45 subjects with a 2- to 4-year follow-up. *J Periodontol.* **2008** Sep; 79(9): 1773–1781.
- Buser D, Chen ST, Weber HP, Belser UC.** Early implant placement following single-tooth extraction in the esthetic zone: biologic rationale and surgical procedures. *Int J Periodontics Restorative Dent.* **2008** Oct; 28(5): 441–451.
- Buser D, Halbritter S, Hart C, Bornstein MM, Grüter L, Chappuis V, Belser UC.** Early implant placement with simultaneous guided bone regeneration following single-tooth extraction in the esthetic zone: 12-month results of a prospective study with 20 consecutive patients. *J Periodontol.* **2009** Jan; 80(1): 152–162.
- Buser D, Wittneben J, Bornstein MM, Grüter L, Chappuis V, Belser UC.** Stability of contour augmentation and esthetic outcomes of implant-supported single crowns in the esthetic zone: 3-year results of a prospective study with early implant placement postextraction. *J Periodontol.* **2011** Mar; 82(3): 342–349.
- Buser D, Janner SF, Wittneben JG, Brägger U, Ramseier CA, Salvi GE.** 10-year survival and success rates of 511 titanium implants with a sandblasted and acid-etched surface: a retrospective study in 303 partially edentulous patients. *Clin Implant Dent Relat Res.* **2012** Dec; 14(8): 839–851.
- Buser D, Chappuis V, Bornstein MM, Wittneben JG, Frei M, Belser UC.** Long-term stability of contour augmentation with early implant placement following single tooth extraction in the esthetic zone: a prospective, cross-sectional study in 41 patients with a 5- to 9-year follow-up. *J Periodontol.* **2013** Nov; 84(11): 1517–1527. (a)
- Buser D, Chappuis V, Kuchler U, Bornstein MM, Wittneben JG, Buser R, Cavusoglu Y, Belser UC.** Long-term stability of early implant placement with contour augmentation. *J Dent Res.* **2013** Dec; 92 (12 Suppl): 176S–182S. (b)

- Buser D, Chappuis V, Belser UC, Chen S:** Implant placement post extraction in esthetic single tooth sites: when immediate, when early, when late? *Periodontol 2000.* 2017 Feb; 73(1): 84–102.
- Butkevica A, Nathanson D, Pober R, Strating H:** Measurements of repeated tightening and loosening torque of seven different implant/abutment connection designs and their modifications: an in vitro study. *J Prosthodont.* 2015 Mar 22. [Epub ahead of print].
- Byrne PJ, Irwin C, Mullally B, Allen W, Ziada H:** Periodontics: 8. Periodontal problems associated with compromised anterior teeth. *Dent Update.* 2008 Jan – Feb; 35(1): 21–22, 24–26, 28.
- Caballé-Serrano J, Bosshardt DD, Buser D, Gruber R:** Proteomic analysis of porcine bone-conditioned medium. *Int J Oral Maxillofac Implants.* 2014 Sep – Oct; 29(5): 1208–1215d.
- Cairo F, Pagliaro U, Nieri M:** Treatment of gingival recession with coronally advanced flap procedures: a systematic review. *J Clin Periodontol.* 2008 Sep; 35 (8 Suppl): 136–162.
- Calcaterra R, Di Girolamo M, Mirisola C, Baggi L:** Effects of repeated screw tightening on implant abutment interfaces in terms of bacterial and yeast leakage in vitro: one-time abutment versus the multiscrewing technique. *Int J Periodontics Restorative Dent.* 2016 Mar – Apr; 36(2): 275–280.
- Caneva M, Salata LA, de Souza SS, Bressan E, Botticelli D, Lang NP:** Hard tissue formation adjacent to implants of various size and configuration immediately placed into extraction sockets: an experimental study in dogs. *Clin Oral Implants Res.* 2010 Sep; 21(9): 885–890.
- Capa N:** An alternative treatment approach to gingival recession: gingiva-colored partial porcelain veneers: a clinical report. *J Prosthet Dent.* 2007 Aug; 98(2): 82–84.
- Carbonell JM, Martin IS, Santos A, Pujol A, Sanz-Moliner JD, Nart J:** High-density polytetrafluoroethylene membranes in guided bone and tissue regeneration procedures: a literature review. *Int J Oral Maxillofac Surg.* 2014 Jan; 43(1): 75–84.
- Cardaropoli G, Araújo M, Lindhe J:** Dynamics of bone tissue formation in tooth extraction sites. An experimental study in dogs. *J Clin Periodontol.* 2003 Sep; 30(9): 809–818.
- Cardaropoli D, Re S, Corrente G:** The Papilla Presence Index (PPI): a new system to assess interproximal papillary levels. *Int J Periodontics Restorative Dent.* 2004 Oct; 24(5): 488–492.
- Carr AB, Bruski JB, Hurley E:** Effects of fabrication, finishing, and polishing procedures on preload in prostheses using conventional 'gold' and plastic cylinders. *Int J Oral Maxillofac Implants.* 1996 Sep – Oct; 11(5): 589–598.
- Cascione D, Nowzari H, Kim TH:** Simulated tissue in modern implant dentistry. *Spectrum Dialogue.* 2008; 7: 64–76.
- Cavalcanti AG, Fonseca FT, Zago CD, Brito Junior RB, França FM:** Efficacy of gutta-percha and polytetrafluoroethylene tape to microbiologically seal the screw access channel of different prosthetic implant abutments. *Clin Implant Dent Relat Res.* 2016 Aug; 18(4): 778–787.
- Chambrone L, Sukekava F, Araújo MG, Pustiglioni FE, Chambrone LA, Lima LA:** Root coverage procedures for the treatment of localised recession-type defects. *Cochrane Database Syst Rev.* 2009 Apr 15; (2) CD007161.
- Chappuis V, Gamer L, Cox K, Lowery JW, Bosshardt DD, Rosen V:** Periosteal BMP2 activity drives bone graft healing. *Bone.* 2012 Oct; 51(4): 800–809.
- Chappuis V, Buser R, Brägger U, Bornstein MM, Salvi GE, Buser D:** Long-term outcomes of dental implants with a titanium plasma-sprayed surface: a 20-year prospective case series study in partially edentulous patients. *Clin Implant Dent Relat Res.* 2013 Dec; 15(6): 780–790. (a)
- Chappuis V, Engel O, Reyes M, Shahim K, Nolte LP, Buser D:** Ridge alterations post-extraction in the esthetic zone: a 3D analysis with CBCT. *J Dent Res.* 2013 Dec; 92 (12 Suppl): 195S-201S. (b)
- Chappuis V, Engel O, Shahim K, Reyes M, Katsaros C, Buser D:** Soft-tissue alterations in esthetic postextraction sites: a 3-dimensional analysis. *J Dent Res.* 2015 Sep; 94 (9 Suppl): 187S-193S. (a)

- Chappuis V, Bornstein MM, Buser D, Belser U.** Influence of implant neck design on facial bone crest dimensions in the esthetic zone analyzed by cone beam CT: a comparative study with a 5-to-9-year follow-up. *Clin Oral Implants Res.* 2016 Sep; 27(9): 1055 – 1064.
- Chappuis V, Cavusoglu Y, Gruber R, Kuchler U, Buser D, Bosshardt DD.** Osseointegration of zirconia in the presence of multinucleated giant cells. *Clin Implant Dent Relat Res.* 2016 Aug; 18(4): 686 – 698. (b)
- Chappuis V, Cavusoglu Y, Buser D, von Arx T.** Lateral ridge augmentation using autogenous block grafts and guided bone regeneration: a 10-year prospective case series study. *Clin Implant Dent Relat Res.* 2017 Feb; 19(1): 85 – 96.
- Charalampakis G, Rabe P, Leonhardt A, Dahmen G. A** follow-up study of peri-implantitis cases after treatment. *J Clin Periodontol.* 2011 Sep; 38(9): 864 – 871.
- Chen ST, Buser D.** Clinical and esthetic outcomes of implants placed in postextraction sites. *Int J Oral Maxillofac Implants.* 2009; 24 (Suppl): 186 – 217.
- Chen ST, Beagle J, Jensen SS, Chiapasco M, Darby I.** Consensus statements and recommended clinical procedures regarding surgical techniques. *Int J Oral Maxillofac Implants.* 2009; 24 (Suppl): 272 – 278. (a)
- Chen ST, Darby IB, Reynolds EC, Clement JG.** Immediate implant placement postextraction without flap elevation. *J Periodontol.* 2009 Jan; 80(1): 163 – 172. (b)
- Chen FM, Zhang M, Wu ZF.** Toward delivery of multiple growth factors in tissue engineering. *Biomaterials.* 2010 Aug; 31(24): 6279 – 6308.
- Chen FM, Wu LA, Zhang M, Zhang R, Sun HH.** Homing of endogenous stem/progenitor cells for in situ tissue regeneration: Promises, strategies, and translational perspectives. *Biomaterials.* 2011 Apr; 32(12): 3189 – 3209.
- Chen ST, Buser D.** Esthetic outcomes following immediate and early implant placement in the anterior maxilla—a systematic review. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 186 – 215.
- Chevalier J.** What future for zirconia as a biomaterial? *Biomaterials.* 2006 Feb; 27(4): 535 – 543.
- Chiapasco M, Zaniboni M, Boisco M.** Augmentation procedures for the rehabilitation of deficient edentulous ridges with oral implants. *Clin Oral Implants Res.* 2006 Oct; 17 (Suppl 2):136 – 159.
- Chiapasco M, Casentini P, Zaniboni M.** Bone augmentation procedures in implant dentistry. *Int J Oral Maxillofac Implants.* 2009; 24 (Suppl): 237 – 259. (a)
- Chiapasco M, Zaniboni M.** Clinical outcomes of GBR procedures to correct peri-implant dehiscences and fenestrations: a systematic review. *Clin Oral Implants Res.* 2009 Sep; 20 (Suppl 4): 113 – 123. (b)
- Chiapasco M, Casentini P, Zaniboni M, Corsi E, Anello T.** Titanium-zirconium alloy narrow-diameter implants (Straumann Roxolid®) for the rehabilitation of horizontally deficient edentulous ridges: prospective study on 18 consecutive patients. *Clin Oral Implants Res.* 2012 Oct; 23(10): 1136 – 1141.
- Chiapasco M, Colletti G, Coggiola A, Di Martino G, Anelio T, Romeo E.** Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants.* 2015 Mar – Apr; 30(2): 450 – 460.
- Chiapasco M, Colletti G, Coggiola A, Di Martino G, Anelio T, Romeo E.** Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants.* 2015 Mar – Apr; 30(2): 450 – 460. (a)
- Chiapasco M, Di Martino G, Anelio T, Zaniboni M, Romeo E.** Fresh frozen versus autogenous iliac bone for the rehabilitation of the extremely atrophic maxilla with onlay grafts and endosseous implants: preliminary results of a prospective comparative study. *Clin Implant Dent Relat Res.* 2015 Jan; 17 (Suppl 1): e251 – 266. (b)
- Chiriac G, Herten M, Schwarz F, Rothamel D, Becker J.** Autogenous bone chips: influence of a new piezoelectric device (Piezosurgery) on chip morphology, cell viability and differentiation. *J Clin Periodontol.* 2005 Sep; 32(9): 994 – 999.
- Cho SC, Shetty S, Froum S, Elian N, Tarnow D.** Fixed and removable provisional options for patients undergoing implant treatment. *Compend Contin Educ Dent.* 2005 Nov; 28(11): 604 – 608.

- Choquet V, Hermans M, Adriaenssens P, Daelemans P, Tarnow DP, Malevez C.** Clinical and radiographic evaluation of the papilla level adjacent to single-tooth dental implants. A retrospective study in the maxillary anterior region. *J Periodontol* **2001**; *72*: 1364–1371.
- Chrcanovic BR, Albrektsson T, Wennerberg A.** Reasons for failures of oral implants. *J Oral Rehabil*. **2014** Jun; *41*(6): 443–476.
- Chrcanovic BR, Martins MD, Wennerberg A.** Immediate placement of implants into infected sites: a systematic review. *Clin Implant Dent Relat Res*. **2015** Jan; *17* (Suppl 1): e1-e16.
- Christensen GJ.** Ridge preservation: why not? *J Am Dent Assoc*. **1996** May; *127*(5): 669–670.
- Chu SJ, Tarnow DP.** Managing esthetic challenges with anterior implants. Part 1: Midfacial recession defects from etiology to resolution. *Compend Contin Educ Dent*. **2013** Oct; *34* Spec No 7: 26–31.
- Chung DM, Oh TJ, Shotwell JL, Misch CE, Wang HL.** Significance of keratinized mucosa in maintenance of dental implants with different surfaces. *J Periodontol*. **2006** Aug; *77*(8): 1410–1420.
- Cionca N, Müller N, Mombelli A.** Two-piece zirconia implants supporting all-ceramic crowns: a prospective clinical study. *Clin Oral Implants Res*. **2015** Apr; *26*(4): 413–418.
- Coachman C, Salama M, Garber D, Calamita M, Salama H, Cabral G.** Prosthetic gingival reconstruction in a fixed partial restoration. Part 1: introduction to artificial gingiva as an alternative therapy. *Int J Periodontics Restorative Dent*. **2009** Oct; *29*(5): 471–477.
- Coachman C, Salama M, Garber D, Calamita M, Salama H, Cabral G.** Prosthetic gingival reconstruction in fixed partial restorations. Part 3: laboratory procedures and maintenance. *Int J Periodontics Restorative Dent*. **2010** Feb; *30*(1): 19–29.
- Cochran DL, Morton D, Weber HP** Consensus statements and recommended clinical procedures regarding loading protocols for endosseous dental implants. *Int J Oral Maxillofac Implants*. **2004**; *19* (Suppl): 109–113.
- Cochran DL, Jackson JM, Bernard JP, ten Bruggenkate CM, Buser D, Taylor TD, Weingart D, Schoolfield JD, Jones AA, Oates TW.** A 5-year prospective multicenter study of early-loaded titanium implants with a sandblasted and acid-etched surface. *Int J Oral Maxillofac Implants*. **2011** Nov–Dec; *26*(6): 1324–1332.
- Cochran DL, Mau LP, Higginbottom FL, Wilson TG, Bosshardt DD, Schoolfield J, et al.** Soft and hard tissue histologic dimensions around dental implants in the canine restored with smaller-diameter abutments: a paradigm shift in peri-implant biology. *Int J Oral Maxillofac Implants*. **2013** Mar; *28*(2): 494–502.
- Colnot C.** Skeletal cell fate decisions within periosteum and bone marrow during bone regeneration. *J Bone Miner Res*. **2009** Feb; *24*(2): 274–282.
- Cooper LF.** Objective criteria: guiding and evaluating dental implant esthetics. *J Esthet Restor Dent*. **2008**; *20*(3): 195–205.
- Cordaro L, Amadé DS, Cordaro M.** Clinical results of alveolar ridge augmentation with mandibular block bone grafts in partially edentulous patients prior to implant placement. *Clin Oral Implants Res*. **2002** Feb; *13*(1): 103–111.
- Cordaro L, Torsello F, Morcavollo S, di Torresanto VM.** Effect of bovine bone and collagen membranes on healing of mandibular bone blocks: a prospective randomized controlled study. *Clin Oral Implants Res*. **2011** Oct; *22*(10): 1145–1150.
- Cordaro L, Torsello F, Chen S, Ganeles J, Brägger U, Hämerle C.** Implant-supported single tooth restoration in the aesthetic zone: transmucosal and submerged healing provide similar outcome when simultaneous bone augmentation is needed. *Clin Oral Implants Res*. **2013** Oct; *24*(10): 1130–1136.
- Cordaro L, Boghi F, Mirisola di Torresanto V, Torsello F.** Reconstruction of the moderately atrophic edentulous maxilla with mandibular bone grafts. *Clin Oral Implants Res*. **2013** Nov; *24*(11): 1214–1221.
- Cordaro L, Terheyden H.** Ridge augmentation procedures in implant patients: a staged approach. Berlin: Quintessence, **2014**.
- Cortellini P, Tonetti MS.** Microsurgical approach to periodontal regeneration. Initial evaluation in a case cohort. *J Periodontol*. **2001** Apr; *72*(4): 559–569.

- Costello FW.** Real teeth wear pink. *Dent Today.* **1995 Apr;** 14(4): 52 – 55.
- Cosyn J, Hooghe N, De Bruyn H.** A systematic review on the frequency of advanced recession following single immediate implant treatment. *J Clin Periodontol.* **2012 Jun;** 39(6): 582 – 589.
- Croll BM.** Emergence profiles in natural tooth contour. Part II: Clinical considerations. *J Prosthet Dent.* **1990 Apr;** 63(4): 374 – 379.
- Cumbo C, Marigo L, Somma F, La Torre G, Minciucchi I, D'Addona A.** Implant platform switching concept: a literature review. *Eur Rev Med Pharmacol Sci.* **2013 Feb;** 17(3): 392 – 397.
- Cura C, Saraçođlu A, Cöttert HS.** J Prosthet Dent. Alternative method for connecting a removable gingival extension and fixed partial denture: a clinical report. **2002 Jul;** 88(1): 1 – 3.
- da Cunha HA, Filho HN, Batista JG, Matsumoto MA.** Segmental osteotomy for the correction of a malpositioned single implant: an 8-year follow-up. *Quintessence Int.* **2011 Nov – Dec;** 42(1): 817 – 822.
- Dahlin C, Gottlow J, Linde A, Nyman S.** Healing of maxillary and mandibular bone defects using a membrane technique. An experimental study in monkeys. *Scand J Plast Reconstr Surg Hand Surg.* **1990; 24(1): 13 – 19.**
- Darby I, Chen ST, Buser D.** Ridge preservation techniques for implant therapy. *Int J Oral Maxillofac Implants.* **2009; 24 (Suppl): 260 – 271.**
- Dasmah A, Thor A, Ekestubbe A, Sennerby L, Rasmusson L.** Particulate vs. block bone grafts: three-dimensional changes in graft volume after reconstruction of the atrophic maxilla, a 2-year radiographic follow-up. *J Craniomaxillofac Surg.* **2012 Dec;** 40(8): 654 – 659.
- Dawson A, Chen S (eds).** The SAC Classification in implant dentistry. Chicago: Quintessence, **2009.**
- De Leonardi D, Garg AK, Pecora GE.** Osseointegration of rough acid-etched titanium implants: 5-year follow-up of 100 minimatic implants. *Int J Oral Maxillofac Implants.* **1999 May – Jun;** 14(3): 384 – 391.
- De Santis E, Lang NP, Scala A, Vigano P, Salata LA, Botticelli D.** Healing outcomes at implants installed in grafted sites: an experimental study in dogs. *Clin Oral Implants Res.* **2012 Mar;** 23(3): 340 – 350.
- Degidi M, Nardi D, Piattelli A.** Peri-implant tissue and radiographic bone levels in the immediately restored single-tooth implant: a retrospective analysis. *J Periodontol.* **2008 Feb;** 79(2): 252 – 259. (a)
- Degidi M, Novaes AB Jr, Nardi D, Piattelli A.** Outcome analysis of immediately placed, immediately restored implants in the esthetic area: the clinical relevance of different interimplant distances. *J Periodontol.* **2008 Jun;** 79(6): 1056 – 1061. (b)
- den Hartog L, Meijer HJ, Stegenga B, Tymstra N, Vissink A, Raghoebar GM.** Single implants with different neck designs in the aesthetic zone: a randomized clinical trial. *Clin Oral Implants Res.* **2011 Nov;** 22(11): 1289 – 1297.
- den Hartog L, Raghoebar GM, Slater JJ, Stellingsma K, Vissink A, Meijer HJ.** Single-tooth implants with different neck designs: a randomized clinical trial evaluating the aesthetic outcome. *Clin Implant Dent Relat Res.* **2013 Jun;** 15(3): 311 – 321.
- Denry I, Kelly JR.** State of the art of zirconia for dental applications. *Dent Mater.* **2008 Mar;** 24(3): 299 – 307.
- Depprich R, Zipprich H, Ommerborn M, Naujoks C, Wiesmann HP, Kiattavorncharoen S, Lauer HC, Meyer U, Kubler NR, Handschel J.** Osseointegration of zirconia implants compared with titanium: an in vivo study. *Head Face Med.* **2008 Dec;** 4: 30.
- Depprich R, Naujoks C, Ommerborn M, Schwarz F, Kubler NR, Handschel J.** Current findings regarding zirconia implants. *Clin Implant Dent Relat Res.* **2014 Feb;** 16(1): 124 – 137.
- Dhir S, Mahesh L, Kurtzman GM, Vandana KL.** Peri-implant and periodontal tissues: a review of differences and similarities. *Compend Contin Educ Dent.* **2013 Jul – Aug;** 34(7): e69 – e75.
- Di Giacomo GA, Cury PR, de Araujo NS, Sendyk WR, Sendyk CL.** Clinical application of stereolithographic surgical guides for implant placement: preliminary results. *J Periodontol.* **2005 Apr;** 76(4): 503 – 507.

- Donos N, Kostopoulos L, Karring T.** Alveolar ridge augmentation using a resorbable copolymer membrane and autogenous bone grafts. An experimental study in the rat. *Clin Oral Implants Res.* **2002** Apr; 13(2): 203–213.
- Duncan JD, Swift EJ Jr.** Use of tissue-tinted porcelain to restore soft-tissue defects. *J Prosthodont.* **1994** Jun; 3(2): 59–61.
- Egar T, Müller HP, Heincke A.** Ultrasonic determination of gingival thickness. Subject variation and influence of tooth type and clinical features. *J Clin Periodontol.* **1996** Sep; 23(9): 839–845.
- Ehrler DM, Vaccaro AR.** The use of allograft bone in lumbar spine surgery. *Clin Orthop Relat Res.* **2000** Feb; (371): 38–45.
- Elian N, Ehrlich B, Jalbout ZN, Classi AJ, Cho SC, Kamer AR, Froum S, Tarnow DP.** Advanced concepts in implant dentistry: creating the “aesthetic site foundation.” *Dent Clin North Am.* **2007** Apr; 51(2): 547–563, xi-xii. (a)
- Elian N, Cho SC, Froum S, Smith RB, Tarnow DP.** A simplified socket classification and repair technique. *Pract Proced Aesthet Dent.* **2007** Mar; 19(2): 99–104. (b)
- Elian N, Tabourian G, Jalbout ZN, Classi A, Cho SC, Froum S, Tarnow DP.** Accurate transfer of peri-implant soft tissue emergence profile from the provisional crown to the final prosthesis using an emergence profile cast. *J Esthet Restor Dent.* **2007**; 19(6): 306–314. (c)
- Elian N, Bloom M, Trushkowsky RD, Dard MM, Tarnow D.** Effect of 3- and 4-mm interimplant distances on the height of interimplant bone crest: a histomorphometric evaluation measured on bone level dental implants in minipig. *Implant Dent.* **2014** Oct; 23(5): 522–528.
- Engfors I, Orltrop A, Jemt T.** Fixed implant-supported prostheses in elderly patients: a 5-year retrospective study of 133 edentulous patients older than 79 years. *Clin Implant Dent Relat Res.* **2004**; 6(4): 190–198.
- Ericsson I, Lindhe J.** Probing depth at implants and teeth. An experimental study in the dog. *J Clin Periodontol.* **1993** Oct; 20(9): 623–627.
- Erisken C, Kalyon DM, Wang H.** Functionally graded electrospun polycaprolactone and beta-tricalcium phosphate nanocomposites for tissue engineering applications. *Biomaterials.* **2008** Oct; 29(30): 4065–4073.
- Ersoy AE, Turkyilmaz I, Ozan O, McGlumphy EA.** Reliability of implant placement with stereolithographic surgical guides generated from computed tomography: clinical data from 94 implants. *J Periodontol.* **2008** Aug; 79(8): 1339–1345.
- Esposito M, Ekestubbe A, Gröndahl K.** Radiological evaluation of marginal bone loss at tooth surfaces facing single Bränemark implants. *Clin Oral Implants Res.* **1993** Sep; 4(3): 151–157.
- Esposito M, Grusovin MG, Chew YS, Worthington HV, Coulthard P.** One-stage versus two-stage implant placement. A Cochrane systematic review of randomised controlled clinical trials. *Eur J Implantol.* **2009** Summer; 2(2): 91–99.
- Evans CD, Chen ST.** Esthetic outcomes of immediate implant placements. *Clin Oral Implants Res.* **2008** Jan; 19(1): 73–80.
- Evian CI, Cutler SA.** Direct replacement of failed CP titanium implants with larger-diameter, HA-coated Ti-6Al-4V implants: report of five cases. *Int J Oral Maxillofac Implants.* **1995** Nov–Dec; 10(6): 736–743.
- Fava J, Lin M, Zahran M, Jokstad A.** Single implant-supported crowns in the aesthetic zone: patient satisfaction with aesthetic appearance compared with appraisals by laypeople and dentists. *Clin Oral Implants Res.* **2015** Oct; 26(10): 1113–1120.
- Favero G, Botticelli D, Favero G, Garcia B, Mainetti T, Lang NP.** Alveolar bony crest preservation at implants installed immediately after tooth extraction: an experimental study in the dog. *Clin Oral Implants Res.* **2013** Jan; 24(1): 7–12.
- Felton DA, Kanoy BE, Bayne SC, Wirthman GP.** Effect of in vivo crown margin discrepancies on periodontal health. *J Prosthet Dent.* **1991** Mar; 65(3): 357–364.
- Fenner N, Hämmele CH, Sailer I, Jung RE.** Long-term clinical, technical, and esthetic outcomes of all-ceramic vs. titanium abutments on implant supporting single-tooth reconstructions after at least 5 years. *Clin Oral Implants Res.* **2016** Jun; 27(6): 716–723.

- Ferguson SJ, Broggini N, Wieland M, de Wild M, Rupp F, Geis-Gerstorfer J, Cochran DL, Buser D.** Biomechanical evaluation of the interfacial strength of a chemically modified sandblasted and acid-etched titanium surface. *J Biomed Mater Res A.* 2006 Aug; 78(2): 291–297.
- Fickl S, Zuh O, Wachtel H, Bolz W, Hürzeler M.** Tissue alterations after tooth extraction with and without surgical trauma: a volumetric study in the beagle dog. *J Clin Periodontol.* 2008 Apr; 35(4): 356–363.
- Filippi A, Pohl Y, von Arx T.** Decoronation of an ankylosed tooth for preservation of alveolar bone prior to implant placement. *Dent Traumatol.* 2001 Apr; 17(2): 93–95.
- Foong JK, Judge RB, Palamara JE, Swain MV.** Fracture resistance of titanium and zirconia abutments: an in vitro study. *J Prosthet Dent.* 2013 May; 109(5): 304–312.
- Forsberg CM.** Facial morphology and ageing: a longitudinal cephalometric investigation of young adults. *Eur J Orthod.* 1979; 1(1): 15–23.
- Forsberg CM, Eliasson S, Westergren H.** Face height and tooth eruption in adults—a 20-year follow-up investigation. *Eur J Orthod.* 1991 Aug; 13(4): 249–254.
- Francetti L, Trombelli L, Lombardo G, Guida L, Cafiero C, Rocuzzo M, Carusi G, Del Fabbro M.** Evaluation of efficacy of enamel matrix derivative in the treatment of intrabony defects: a 24-month multicenter study. *Int J Periodontics Restorative Dent.* 2005 Oct; 25(5): 461–473.
- Franz S, Rammelt S, Scharnweber D, Simon JC.** Immune responses to implants—a review of the implications for the design of immunomodulatory biomaterials. *Biomaterials.* 2011 Oct; 32(28): 6692–6709.
- Frost NA, Mealey BL, Jones AA, Huynh-Ba G.** Periodontal Biotype: Gingival Thickness as It Relates to Probe Visibility and Buccal Plate Thickness. *J Periodontol.* 2015 Oct; 86(10): 1141–1149.
- Froum SJ.** Dental implant complications: etiology, prevention, and treatment. Hoboken: Wiley-Blackwell, 2010.
- Fu JH, Yeh CY, Chan HL, Tatarakis N, Leong DJ, Wang HL.** Tissue biotype and its relation to the underlying bone morphology. *J Periodontol.* 2010 Apr; 81(4): 569–574.
- Fu JH, Oh TJ, Benavides E, Rudek I, Wang HL.** A randomized clinical trial evaluating the efficacy of the sandwich bone augmentation technique in increasing buccal bone thickness during implant placement surgery: I. Clinical and radiographic parameters. *Clin Oral Implants Res.* 2014 Apr; 25(4): 458–467.
- Fuentealba R, Jofré J.** Esthetic failure in implant dentistry. *Dent Clin North Am.* 2015 Jan; 59(1): 227–246.
- Fugazzotto PA.** Success and failure rates of osseointegrated implants in function in regenerated bone for 6 to 51 months: a preliminary report. *Int J Oral Maxillofac Implants.* 1997 Jan–Feb; 12(1): 17–24.
- Fugazzotto PA.** Shorter implants in clinical practice: rationale and treatment results. *Int J Oral Maxillofac Implants.* 2008 May–Jun; 23(3): 487–496.
- Fujihara K, Kotaki M, Ramakrishna S.** Guided bone regeneration membrane made of polycaprolactone/calcium carbonate composite nano-fibers. *Biomaterials.* 2005 Jul; 26(19): 4139–4147.
- Fürhauser R, Florescu D, Benesch T, Haas R, Mailath G, Watzek G.** Evaluation of soft tissue around single-tooth implant crowns: the pink esthetic score. *Clin Oral Implants Res.* 2005 Dec; 16(6): 639–644.
- Furze D, Byrne A, Donos N, Mardas N.** Clinical and esthetic outcomes of single-tooth implants in the anterior maxilla. *Quintessence Int.* 2012 Feb; 43(2): 127–134.
- Furze D, Byrne A, Alam S, Wittneben JG.** Esthetic outcome of implant supported crowns with and without peri-implant conditioning using provisional fixed prosthesis: a randomized controlled clinical trial. *Clin Implant Dent Relat Res.* 2016 Dec; 18(6): 1153–1162.
- Gahlert M, Gudehus T, Eichhorn S, Steinhauser E, Kniha H, Erhardt W.** Biomechanical and histomorphometric comparison between zirconia implants with varying surface textures and a titanium implant in the maxilla of miniature pigs. *Clin Oral Implants Res.* 2007 Oct; 18(5): 662–668.
- Gahlert M, Röhling S, Sprecher CM, Kniha H, Milz S, Bormann K.** In vivo performance of zirconia and titanium implants: a histomorphometric study in mini pig maxillae. *Clin Oral Implants Res.* 2012 Mar; 23(3): 281–286.

- Gahlert M, Burtscher D, Pfundstein G, Grunert I, Kniha H, Röhling S.** Dental zirconia implants up to three years in function: a retrospective clinical study and evaluation of prosthetic restorations and failures. *Int J Oral Maxillofac Implants.* 2013 May–Jun; 28(3): 896–904.
- Gahlert M, Kniha H, Weingart D, Schild S, Gellrich NC, Bormann KH.** A prospective clinical study to evaluate the performance of zirconium dioxide dental implants in single-tooth gaps. *Clin Oral Implants Res.* 2016 Dec; 27(12): e176–e184.
- Gallucci GO, Belser UC, Bernard JP, Magne P.** Modeling and characterization of the CEJ for optimization of esthetic implant design. *Int J Periodontics Restorative Dent.* 2004 Feb; 24(1): 19–29.
- Gallucci GO, Guex P, Vinci D, Belser UC.** Achieving natural-looking morphology and surface textures in anterior ceramic fixed rehabilitations. *Int J Periodontics Restorative Dent.* 2007 Apr; 27(2): 117–125.
- Gallucci GO, Grüter L, Nedir R, Bischof M, Belser UC.** Esthetic outcomes with porcelain-fused-to-ceramic and all-ceramic single-implant crowns: a randomized clinical trial. *Clin Oral Implants Res.* 2011 Jan; 22(1): 62–69.
- Gapski R, Neugeboren N, Pomeranz AZ, Reissner MW.** Endosseous implant failure influenced by crown cementation: A clinical case report. *Int J Oral Maxillofac Implants.* 2008 Sep–Oct; 23(5): 943–946.
- Garber DA, Belser UC.** Restoration-driven implant placement with restoration-generated site development. *Compend Contin Educ Dent.* 1995 Aug; 16(8): 796, 798–802, 804.
- Garcia LT, Verrett RG.** Metal-ceramic restorations—custom characterization with pink porcelain. *Compend Contin Educ Dent.* 2004 Apr; 25(4): 242–246.
- Gelb DA.** Immediate implant surgery: three-year retrospective evaluation of 50 consecutive cases. *Int J Oral Maxillofac Implants.* 1993; 8(4): 388–399.
- Giannobile WV, Somerman MJ.** Growth and amelogenin-like factors in periodontal wound healing. A systematic review. *Ann Periodontol.* 2003 Dec; 8(1): 193–204.
- Giannopoulou C, Bernard JP, Buser D, Carrel A, Belser UC.** Effect of intracrevicular restoration margins on peri-implant health: clinical, biochemical, and microbiologic findings around esthetic implants up to 9 years. *Int J Oral Maxillofac Implants.* 2003 Mar–Apr; 18(2): 173–181.
- Gielkens PF, Schortinkhuis J, de Jong JR, Paans AM, Ruben JL, Raghoebar GM, Stegenga B, Bos RR.** The influence of barrier membranes on autologous bone grafts. *J Dent Res.* 2008 Nov; 87(11): 1048–1052.
- Gigandet M, Bigolin G, Faoro F, Bürgin W, Brägger U.** Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res.* 2014 Apr; 16(2): 303–311.
- Gittens RA, Scheideler L, Rupp F, Hyzy SL, Geis-Gerstorfer J, Schwartz Z, Boyan BD.** A review on the wettability of dental implant surfaces. II: Biological and clinical aspects. *Acta Biomater.* 2014 Jul; 10(7): 2907–2918.
- Glauser R, Sailer I, Wohlwend A, Studer S, Schibli M, Schärer P.** Experimental zirconia abutments for implant-supported single-tooth restorations in esthetically demanding regions: 4-year results of a prospective clinical study. *Int J Prosthodont.* 2004 May–Jun; 17: 285–290.
- Gobbato L, Paniz G, Mazzocco F, Chierico A, Tsukiyama T, Levi PA Jr, Weisgold AS.** Significance of crown shape in the replacement of a central incisor with a single implant-supported crown. *Quintessence Int.* 2013 May; 44(5): 407–413.
- Goldberg VM, Stevenson S.** The biology of bone grafts. *Semin Arthroplasty.* 1993 Apr; 4(2): 58–63.
- Goldberg M, Langer R, Jia X.** Nanostructured materials for applications in drug delivery and tissue engineering. *J Biomater Sci Polym Ed.* 2007; 18(3): 241–268.
- Goodacre CJ.** Gingival esthetics. *J Prosthet Dent.* 1990 Jul; 64(1): 1–12.
- Gorski JP.** Biomineralization of bone: a fresh view of the roles of non-collagenous proteins. *Front Biosci (Landmark Ed).* 2011 Jun 1; 16: 2598–2621.
- Gotfredsen K, Berglundh T, Lindhe J.** Anchorage of titanium implants with different surface characteristics: an experimental study in rabbits. *Clin Implant Dent Relat Res.* 2000; 2(3): 120–128.

- Gottlow J, Dard M, Kjellson F, Obrecht M, Sennerby L.** Evaluation of a new titanium-zirconium dental implant: a biomechanical and histological comparative study in the mini pig. *Clin Implant Dent Relat Res.* 2012 Aug; 14: 538–545.
- Graziani F, Gennai S, Cei S, Ducci F, Discepoli N, Carmignani A, Tonetti M.** Does enamel matrix derivative application provide additional clinical benefits in residual periodontal pockets associated with suprabony defects? A systematic review and meta-analysis of randomized clinical trials. *J Clin Periodontol.* 2014 Apr; 41(4): 377–386.
- Greene PR.** The flexible gingival mask: an aesthetic solution in periodontal practice. *Br Dent J.* 1998 Jun 13; 184(11): 536–540.
- Greenstein G, Greenstein B, Cavallaro J, Elian N, Tarnow D.** Flap advancement: practical techniques to attain tension-free primary closure. *J Periodontol.* 2009 Jan; 80(1): 4–15.
- Griffin JD Jr.** Excellence in photography: heightening dentist-ceramist communication. *Dent Today.* 2009 Jul; 28(7): 124–127.
- Grossmann Y, Levin L.** Success and survival of single dental implants placed in sites of previously failed implants. *J Periodontol.* 2007 Sep; 78(9): 1670–1674.
- Grunder U, Polizzi G, Goené R, Hatano N, Henry P, Jackson WJ, Kawamura K, Köhler S, Renouard F, Rosenberg R, Triplett G, Werbitt M, Lithner B.** A 3-year prospective multicenter follow-up report on the immediate and delayed-immediate placement of implants. *Int J Oral Maxillofac Implants.* 1999 May–Apr; 14(2): 210–216.
- Grunder U.** Stability of the mucosal topography around single-tooth implants and adjacent teeth: 1-year results. *Int J Periodontics Restorative Dent.* 2000 Feb; 20(1): 11–17.
- Grunder U, Gracis S, Capelli M.** Influence of the 3-D bone-to-implant relationship on esthetics. *Int Periodontics Restorative Dent.* 2005 Apr; 25(2): 113–119.
- Grunder U.** Ideale Schnittführung. In: Grunder U (ed). *Implantate in der ästhetischen Zone: Ein Behandlungskonzept step-by step.* Berlin: Quintessenz, 2015. 326–350.
- Gruskin E, Doll BA, Futrell FW, Schmitz JP, Hollinger JO.** Demineralized bone matrix in bone repair: history and use. *Adv Drug Deliv Rev.* 2012 Sep; 64(12): 1063–1077.
- Grütter L, Belser UC.** Implant loading protocols for the partially edentulous esthetic zone. *Int J Oral Maxillofac Implants.* 2009; 24 (Suppl): 169–179.
- Gurtner GC, Werner S, Barrandon Y, Longaker MT.** Wound repair and regeneration. *Nature.* 2008 May 15; 453(7193): 314–321.
- Haack JE, Sakaguchi RL, Sun T, Coffey KP.** Elongation and preload stress in dental implant abutment screws. *Int J Oral Maxillofac Implants.* 1995 Sep–Oct; 10(5): 529–536.
- Haag P, Nilner K.** Bonding between titanium and dental porcelain: A systematic review. *Acta Odontol Scand.* 2010 May; 68(3): 154–164.
- Haj-Ali R, Walker MP.** A provisional fixed partial denture that simulates gingival tissue at the pontic-site defect. *J Prosthodont.* 2002 Mar; 11(1): 46–48.
- Hallman M, Thor A.** Bone substitutes and growth factors as an alternative/complement to autogenous bone for grafting in implant dentistry. *Periodontol 2000.* 2008; 47: 172–192.
- Hamilton A, Judge RB, Palamara JE, Evans C.** Evaluation of the fit of CAD/CAM abutments. *Int J Prosthodont.* 2013 Jul–Aug; 26(4): 370–380.
- Hämmerle CH, Jung RE.** Bone augmentation by means of barrier membranes. *Periodontol 2000.* 2003; 33: 36–53.
- Hämmerle CH, Chen ST, Wilson TG Jr.** Consensus statements and recommended clinical procedures regarding the placement of implants in extraction sockets. *Int J Oral Maxillofac Implants.* 2004; 19 (Suppl): 26–28.
- Hämmerle CH, Araújo MG, Simion M.** Evidence-based knowledge on the biology and treatment of extraction sockets. *Clin Oral Implants Res.* 2012 Feb; 23 (Suppl 5): 80–82.

- Hämmerle CH, Cordaro L, van Assche N, Benic GI, Bornstein M, Gamper F, Gotfredsen K, Harris D, Hürzeler M, Jacobs R, Kapos T, Kohal RJ, Patzelt SB, Sailer I, Tahmaseb A, Vercruyssen M, Wismeijer D.** Digital technologies to support planning, treatment, and fabrication processes and outcome assessments in implant dentistry. Summary and consensus statements. The 4th EAO Consensus Conference 2015. *Clin Oral Implants Res.* **2015** Sep; 26 (Suppl 11): 97–101.
- Han CH, Johansson CB, Wennerberg A, Albrektsson T.** Quantitative and qualitative investigations of surface enlarged titanium and titanium alloy implants. *Clin Oral Implants Res.* **1998** Feb; 9(1): 1–10.
- Hannon SM, Colvin CJ, Zurek DJ.** Selective use of gingival-toned ceramics: case reports. *Quintessence Int.* **1994** Apr; 25(4): 233–238.
- Harris D, Buser D, Dula K, et al.** EAO Guidelines for the use of diagnostic imaging in implant dentistry. *Clin Oral Implants Res.* **2002**; 13: 566–570.
- Harris D, Horner K, Gröndahl K, Jacobs R, Helmrot E, Benic GI, Bornstein MM, Dawood A, Quirynen M.** EAO guidelines for the use of diagnostic imaging in Implant Dentistry 2011: A consensus workshop organized by the European Association for Osseointegration at the Medical University of Warsaw. *Clin Oral Implants Res.* **2012** Nov; 23(11): 1243–1253.
- Heij DG, Opdebeeck H, van Steenberghe D, Kokich VG, Belser U, Quirynen M.** Facial development, continuous tooth eruption, and mesial drift as compromising factors for implant placement. *Int J Oral Maxillofac Implants.* **2006** Nov–Dec; 21(6): 867–878.
- Heitz-Mayfield LJ, Huynh-Ba G.** History of treated periodontitis and smoking as risks for implant therapy. *Int J Oral Maxillofac Implants.* **2009**; 24 (Suppl): 39–68.
- Heitz-Mayfield LJ, Mombelli A.** The therapy of peri-implantitis: a systematic review. *Int J Oral Maxillofac Implants.* **2014**; 29 (Suppl): 325–345. (a)
- Heitz-Mayfield LJ, Needleman I, Salvi GE, Pjetursson BE.** Consensus statements and clinical recommendations for prevention and management of biologic and technical implant complications. *Int J Oral Maxillofac Implants.* **2014**; 29 Suppl: 346–350. (b)
- Hermann JS, Buser D.** Guided bone regeneration for dental implants. *Curr Opin Periodontol.* **1996** May–Jun; 3: 168–177.
- Hermann JS, Cochran DL, Nummikoski PV, Buser D.** Crestal bone changes around titanium implants. A radiographic evaluation of unloaded nonsubmerged and submerged implants in the canine mandible. *J Periodontol.* **1997** Nov; 68(11): 1117–1130.
- Hermann JS, Buser D, Schenk RK, Cochran DL.** Crestal bone changes around titanium implants. A histometric evaluation of unloaded non-submerged and submerged implants in the canine mandible. *J Periodontol.* **2000** Sep; 71(9): 1412–1424.
- Hermann JS, Buser D, Schenk RK.** Biologic width around one- and two-piece titanium implants. *Clin Oral Implants Res.* **2001** Dec; 12(6): 559–571.
- Higginbottom FL, Wilson TG Jr.** Three-dimensional templates for placement of root-form dental implants: a technical note. *Int J Oral Maxillofac Implants.* **1996** Nov–Dec; 11(6): 787–793.
- Hinds KF.** Custom impression coping for an exact registration of the healed tissue in the esthetic implant restoration. *Int J Periodontics Restorative Dent.* **1997** Dec; 17(6): 584–591.
- Hinds KF.** Intraoral digital impressions to enhance implant esthetics. *Compend Contin Educ Dent.* **2014** Sep; 35 (3 Suppl): 25–33.
- Hisbergues M, Vendeville S, Vendeville P.** Zirconia: Established facts and perspectives for a biomaterial in dental implantology. *J Biomed Mater Res B Appl Biomater.* **2009** Feb; 88(2): 519–529.
- Hjørting-Hansen E.** Bone grafting to the jaws with special reference to reconstructive preprosthetic surgery. A historical review. *Mund Kiefer Gesichtschir.* **2002** Jan; 6(1): 6–14.
- Ho WF, Chen WK, Wu SC, Hsu HC.** Structure, mechanical properties, and grindability of dental Ti-Zr alloys. *J Mater Sci Mater Med.* **2008** Oct; 19: 3179–3186.
- Hochman MN, Chu SJ, Tarnow DP.** Maxillary anterior papilla display during smiling: a clinical study of the interdental smile line. *Int J Periodontics Restorative Dent.* **2012** Aug; 32(4): 375–383.
- Holtzclaw D, Toscano N, Eisenlohr L, Callan D.** The safety of bone allografts used in dentistry: a review. *J Am Dent Assoc.* **2008** Sep; 139(9): 1192–1199.

- Horowitz R, Holtzclaw D, Rosen PS.** A review on alveolar ridge preservation following tooth extraction. *J Evid Based Dental Pract.* **2012** Sep; 12(3): 149–160.
- Huang ZM, Zhang YZ, Kotaki M, Ramakrishna S.** A review on polymer nanofibers by electrospinning and their applications in nanocomposites. *Compos Sci Technol.* **2003** Nov; 63(15): 2223–2253.
- Hürzeler MB, Quiñones CR, Schupbach P.** Guided bone regeneration around dental implants in the atrophic alveolar ridge using a bioresorbable barrier. An experimental study in the monkey. *Clin Oral Implants Res.* **1997** Aug; 8(4): 323–331.
- Hürzeler MB, Kohal RJ, Naghshbandi J, Mota LF, Conradt J, Hutmacher D, Caffesse RG.** Evaluation of a new bioresorbable barrier to facilitate guided bone regeneration around exposed implant threads. An experimental study in the monkey. *Int J Oral Maxillofac Surg.* **1998** Aug; 27(4): 315–320.
- Hürzeler MB, Fickl S, Zuhr O, Wachtel H.** Clinical failures and shortfalls of immediate implant procedures. *Eur J Esthet Dent.* **2006** Aug; 1(2): 128–140.
- Hürzeler MB, Zuhr O, Schupbach P, Rebele SF, Emmanouilidis N, Fickl S.** The socket-shield technique: a proof-of-principle report. *J Clin Periodontol.* **2010** Sep; 37(9): 855–862.
- Huynh-Ba G, Pjetursson BE, Sanz M, Cecchinato D, Ferrus J, Lindhe J, Lang NP.** Analysis of the socket bone wall dimensions in the upper maxilla in relation to immediate implant placement. *Clin Oral Implants Res.* **2010** Jan; 21(1): 37–42.
- Hwang D, Wang HL.** Flap thickness as a predictor of root coverage: a systematic review. *J Periodontol.* **2007** Oct; 77(10): 1625–1634.
- Iasella JM, Greenwell H, Miller RL, Hill M, Drisko C, Bohra AA, Scheetz JP.** Ridge preservation with freeze-dried bone allograft and a collagen membrane compared to extraction alone for implant site development: a clinical and histologic study in humans. *J Periodontol.* **2003** Jul; 74(7): 990–999.
- Ikarashi Y, Toyoda K, Kobayash E, Doi H, Yoneyama T, Hamanaka H, Tsuchiya T.** Improved biocompatibility of titanium-zirconium (Ti-Zr) alloy: tissue reaction and sensitization to Ti-Zr alloy compared with pure Ti and Zr in rat implantation study. *Mater Trans.* **2005**; 46(10): 2260–2267.
- Intini G.** The use of platelet-rich plasma in bone reconstruction therapy. *Biomaterials.* **2009** Oct; 30(28): 4956–4966.
- Ioannidis A, Gallucci GO, Jung RE, Borzangy S, Hämmere CH, Benic GI.** Titanium-zirconium narrow-diameter versus titanium regular-diameter implants for anterior and premolar single crowns: 3-year results of a randomized controlled clinical study. *J Clin Periodontol.* **2015** Nov; 42(11): 1060–1070.
- Ishikawa-Nagai S, Da Silva JD, Weber HP, Park SE.** Optical phenomenon of peri-implant soft tissue. Part II. Preferred implant neck color to improve soft tissue esthetics. *Clin Oral Implants Res.* **2007** Oct; 18(5): 575–580.
- Jacobs R, Pittayapat P, van Steenberghe D, De Mars G, Gijbels F, Van Der Donck A, Li L, Liang X, Van Assche N, Quirynen M, Naert I.** A split-mouth comparative study up to 16 years of two screw-shaped titanium implant systems. *J Clin Periodontol.* **2010** Dec; 37(12): 1119–1127.
- Jacques LB, Coelho AB, Hollweg H, Conti PC.** Tissue sculpturing: an alternative method for improving esthetics of anterior fixed prosthodontics. *J Prosthet Dent.* **1999** May; 81(5): 630–633.
- Jaime APG, de Vasconcellos DK, Mesquita AM, Kimpara ET, Bottino MA.** Effect of cast rectifiers on the marginal fit of UCLA abutments. *Journal of Applied & Oral Science.* **2007** Jun; 15(3): 169–174.
- Januário AL, Barriviera M, Duarte WR.** Soft tissue cone-beam computed tomography: a novel method for the measurement of gingival tissue and the dimensions of the dentogingival unit. *J Esthet Restor Dent.* **2008**; 20(6): 366–373.
- Januário AL, Duarte WR, Barriviera M, Mesti JC, Araújo MG, Lindhe J.** Dimension of the facial bone wall in the anterior maxilla: a cone-beam computed tomography study. *Clin Oral Implants Res.* **2011** Oct; 22(10): 1168–1171.
- Jemt T.** Regeneration of gingival papillae after single-implant treatment. *Int J Periodontics Restorative Dent.* **1997** Aug; 17(4): 326–333.
- Jemt T, Johansson J.** Implant treatment in the edentulous maxillae: a 15-year follow-up study on 76 consecutive patients provided with fixed prostheses. *Clin Implant Dent Relat Res.* **2006**; 8(2): 61–69.

- Jensen SS, Aaboe M, Pinholt EM, Hjorting-Hansen E, Melsen F, Ruyter IE.** Tissue reaction and material characteristics of four bone substitutes. *Int J Oral Maxillofac Implants.* 1996 Jan – Feb; 11(1): 55 – 66.
- Jensen J, Joss A, Lang NP.** The smile line of different ethnic groups depending on age and gender. *Acta Med Dent Helv.* 1999; 4: 38 – 46.
- Jensen SS, Broggini N, Weibrich G, Hjörting-Hansen E, Schenk R, Buser D.** Bone regeneration in standardized bone defects with autografts or bone substitutes in combination with platelet concentrate: a histologic and histomorphometric study in the mandibles of minipigs. *Int J Oral Maxillofac Implants.* 2005 Sep – Oct; 20(5): 703 – 12.
- Jensen SS, Broggini N, Hjörting-Hansen E, Schenk R, Buser D.** Bone healing and graft resorption of autograft, anorganic bovine bone and beta-tricalcium phosphate. A histologic and histomorphometric study in the mandibles of minipigs. *Clin Oral Implants Res.* 2006 Jun; 17(3): 237 – 243.
- Jensen SS, Yeo A, Dard M, Hunziker E, Schenk R, Buser D.** Evaluation of a novel biphasic calcium phosphate in standardized bone defects: a histologic and histomorphometric study in the mandibles of minipigs. *Clin Oral Implants Res.* 2007 Dec; 18(6): 752 – 760.
- Jensen SS, Terheyden H.** Bone augmentation procedures in localized defects in the alveolar ridge: clinical results with different bone grafts and bone-substitute materials. *Int J Oral Maxillofac Implants.* 2009; 24 (Suppl): 218 – 236.
- Jensen SS, Bosshardt DD, Gruber R, Buser D.** Long-term stability of contour augmentation in the esthetic zone. Histologic and histomorphometric evaluation of 12 human biopsies 14 to 80 months after augmentation. *J Periodontol.* 2014 Nov; 85(11): 1 – 15.
- Jensen SS, Gruber R, Buser D, Bosshardt DD.** Osteoclast-like cells on deproteinized bovine bone mineral and biphasic calcium phosphate: light and transmission electron microscopical observations. *Clin Oral Implants Res.* 2015 Aug; 26(8): 859 – 864.
- Jimbo R, Naito Y, Galli S, Berner S, Dard M, Wennerberg A.** Biomechanical and histomorphometrical valuation of TiZr alloy implants: an in vivo study in the rabbit. *Clin Implant Dent Relat Res.* 2015 Oct; 17 (Suppl 2): e670 – e678.
- Joda T, Wittneben JG, Brägger U.** Digital implant impressions with the Individualized Scanbody Technique for emergence profile support. *Clin Oral Implants Res.* 2014 Mar; 25(3): 395 – 397.
- Joda, T, Bürki A, Bethge S, Brägger U, Zysset O.** Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. *Int J Oral Maxillofac Implants.* 2015 Nov – Dec; 30(6): 1272 – 1279.
- Johansson CB, Han CH, Wennerberg A, Albrektsson T.** A quantitative comparison of machined commercially pure titanium and titanium-aluminum-vanadium implants in rabbit bone. *Int J Oral Maxillofac Implants.* 1998 May – Jun; 13(3): 315 – 321.
- Jones AR, Martin W.** Comparing pink and white esthetic scores to layperson perception in the single-tooth implant patient. *Int J Oral Maxillofac Implants.* 2014 Nov – Dec; 29(6): 1348 – 1353.
- Jovanovic SA, Spiekermann H, Richter EJ.** Bone regeneration around titanium dental implants in dehisced defect sites: a clinical study. *Int J Oral Maxillofac Implants.* 1992 Summer; 7(2): 233 – 245.
- Jovanovic SA, Nevins M.** Bone formation utilizing titanium-reinforced barrier membranes. *Int J Periodontics Restorative Dent.* 1995 Feb; 15(1): 56 – 69.
- Jung RE, Siegenthaler DW, Hämmерle CH.** Postextraction tissue management: a soft tissue punch technique. *Int J Periodontics Restorative Dent.* 2004 Dec; 24(6): 545 – 553. (a)
- Jung R.** Replacement of an upper right central incisor with a regular neck implant restored with an all-ceramic crown, cemented. In: Belser U, Buser D, Hämmärlie C, Jung R, Martin W, Morton D, Schmid B. *ITI Treatment Guide, Vol. 1. Implant therapy in the esthetic zone: single-tooth replacements.* Editors: Belser U, Buser D, Wismeijer D. Berlin: Quintessence, 2006. (b)
- Jung RE, Cochran DL, Domken O, Seibl R, Jones AA, Buser D, Hämmärlie CH.** The effect of matrix bound parathyroid hormone on bone regeneration. *Clin Oral Implants Res.* 2007 Jun; 18(3): 319 – 325.
- Jung RE, Sailer I, Hämmärlie CH, Attin T, Schmidlin P.** In vitro color changes of soft tissues caused by restorative materials. *Int J Periodontics Restorative Dent.* 2007 Jun; 27(3): 251 – 257.

- Jung RE, Thoma DS, Hämmerle CH.** Assessment of the potential of growth factors for localized alveolar ridge augmentation: a systematic review. *J Clin Periodontol.* 2008 Sep; 35 (8 Suppl): 255 – 281.
- Jung RE, Holderegger C, Sailer I, Khraisat , Suter A, Hämmerle CH.** The effect of all-ceramic and porcelain-fused-to-metal restorations on marginal peri-implant soft tissue color: a randomized controlled clinical trial. *Int J Periodontics Restorative Dent.* 2008 Aug; 28(4): 357 – 365.
- Jung RE, Schneider D, Ganeles J, Wismeijer D, Zwahlen M, Hämmerle CH, Tahmaseb A.** Computer technology applications in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants.* 2009; 24 (Suppl): 92 – 109.
- Jung RE, Zembic A, Pjetursson BE, Zwahlen M, Thoma DS.** Systematic review of the survival rate and the incidence of biological, technical, and aesthetic complications of single crowns on implants reported in longitudinal studies with a mean follow-up of 5 years. *Clin Oral Implants Res.* 2012 Oct; 23 (Suppl 6): 2 – 21.
- Jung RE, Fenner N, Hämmerle CH, Zitzmann NU.** Long-term outcome of implants placed with guided bone regeneration (GBR) using resorbable and non-resorbable membranes after 12 – 14 years. *Clin Oral Implants Res.* 2013 Oct; 24(10): 1065 – 1073. (H365)
- Jung RE, Philipp A, Annen BM, Signorelli L, Thoma DS, Hämmerle CH, Attin T, Schmidlin P.** Radiographic evaluation of different techniques for ridge preservation after tooth extraction: a randomized controlled clinical trial. *J Clin Periodontol.* 2013 Jan; 40(1): 90 – 98. (b)
- Kaitas R, Paolone MG, Paolone G.** Guided orthodontic regeneration: a tool to enhance conventional regenerative techniques in implant surgery. *Int Orthod.* 2015 Dec; 13(4): 539 – 554.
- Kamalakidis S, Paniz G, Kang KH, Hirayama H.** Nonsurgical management of soft tissue deficiencies for anterior single implant-supported restorations: a clinical report. *J Prosthet Dent.* 2007 Jan; 97(1): 1 – 5.
- Kan JY, Rungcharassaeng K, Umez K, Kois JC.** Dimensions of peri-implant mucosa: an evaluation of maxillary anterior single implants in humans. *J Periodontol.* 2003 Apr; 74(4): 557 – 562. (a)
- Kan JY, Rungcharassaeng K, Umez K, Kois JC.** Dimensions of peri-implant mucosa: an evaluation of maxillary anterior single implants in humans. *J Periodontol.* 2003 Apr; 74(4): 557 – 562. (a)
- Kan JY, Rungcharassaeng K.** Interimplant papilla preservation in the esthetic zone: a report of six consecutive cases. *Int J Periodontics Restorative Dent.* 2003 Jun; 23(3): 249 – 259. (b)
- Kan JY, Rungcharassaeng K, Sclar A, Lozada JL.** Effects of the facial osseous defect morphology on gingival dynamics after immediate tooth replacement and guided bone regeneration: 1-year results. *J Oral Maxillofac Surg.* 2007 Jul; 65 (7 Suppl 1): 13 – 19.
- Kan JY, Rungcharassaeng K, Fillman M, Caruso J.** Tissue architecture modification for anterior implant esthetics: an interdisciplinary approach. *Eur J Esthet Dent.* 2009 Summer; 4(2): 104 – 117. (a)
- Kan JY, Rungcharassaeng K, Morimoto T, Lozada J.** Facial gingival tissue stability after connective tissue graft with single immediate tooth replacement in the esthetic zone: Consecutive case report. *J Oral Maxillofac Surg.* 2009; 67: 40 – 48. (b)
- Kan JY, Morimoto T, Rungcharassaeng K, Roe P, Smith DH.** Gingival biotype assessment in the esthetic zone: visual versus direct measurement. *Int J Periodontics Restorative Dent.* 2010 Jun; 30(3): 237 – 243.
- Kan JYK, Roe P, Rungcharassaeng K, Patel RD, Waki T, Lozada JL, Zimmerman G.** Classification of sagittal root position in relation to the anterior maxillary osseous housing for immediate implant placement: a cone beam computed tomography study. *Int J Oral Maxillofac Implants.* 2011 Jul; 26(4): 873 – 876.
- Kapos T, Evans C.** CAD/CAM technology for implant abutments, crowns, and superstructures. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 117 – 136.
- Karageorgiou V, Kaplan D.** Porosity of 3D biomaterial scaffolds and osteogenesis. *Biomaterials.* 2005 Sep; 26(27): 5474 – 5491.
- Karl M, Krafft T, Kelly JR.** Fracture of a narrow-diameter roxolid implant: clinical and fractographic considerations. *Int J Oral Maxillofac Implants.* 2014 Sep – Oct; 29(5): 1193 – 1196.

- Karoussis IK, Brägger U, Salvi GE, Burgin W, Lang NP.** Effect of implant design on survival and success rates of titanium oral implants: a 10-year prospective cohort study of the ITI Dental Implant System. *Clin Oral Implants Res.* **2004** Feb; 15(1): 8–17.
- Kassolis JD, Baer ML, Reynolds MA.** The segmental osteotomy in the management of malposed implants: a case report and literature review. *J Periodontol.* **2003** Apr; 74(4): 529–536.
- Keith JD, Jr., Petrungaro P, Leonetti JA, Elwell CW, Zeren KJ, Caputo C, Nikitakis NG, Schopf C, Warner MM.** Clinical and histologic evaluation of a mineralized block allograft: results from the developmental period (2001–2004). *Int J Periodontics Restorative Dent.* **2006** Aug; 26(4): 321–327.
- Kelly JR, Denry I.** Stabilized zirconia as a structural ceramic: An overview. *Dent Mater.* **2008** Mar; 24(3): 289–298.
- Kelly JR, Benetti P.** Ceramic materials in dentistry: historical evolution and current practice. *Aust Dent J.* **2011** Jun; 56 (Suppl): 84–96.
- Khan SN, Bostrom MP, Lane JM.** Bone growth factors. *Orthop Clin North Am.* **2000** Jul; 31(3): 375–388.
- Khoury F, Hanser T.** Mandibular bone block harvesting from the retromolar region: a 10-year prospective clinical study. *Int J Oral Maxillofac Implants.* **2015** May–Jun; 30(3): 688–397.
- Kim TH, Cascione D, Knezevic A.** Simulated tissue using a unique pontic design: a clinical report. *J Prosthet Dent.* **2009** Oct; 102(4): 205–210. (a)
- Kim BS, Kim YK, Yun PY, Yi YJ, Lee HJ, Kim SG, Son JS.** Evaluation of peri-implant tissue response according to the presence of keratinized mucosa. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* **2009** Mar; 107(3): e24–28. (b)
- Kim TH, Cascione D, Knezevic A, Nowzari H.** Restoration using gingiva-colored ceramic and a ridge lap pontic with circumferential pressure: a clinical report. *J Prosthet Dent.* **2010** Aug; 104(2): 71–76.
- Klein MO, Schiegnitz E, Al-Nawas B.** Systematic review on success of narrow-diameter dental implants. *Int J Oral Maxillofac Implants.* **2014**; 29 (Suppl): 43–54.
- Kleinheinz J, Büchter A, Kruse-Lösler B, Weingart D, Joos U.** Incision design in implant dentistry based on vascularization of the mucosa. *Clin Oral Implants Res.* **2005** Oct; 16(5): 518–523.
- Klinge B, Meyle J.** Peri-implant tissue destruction. The Third EAO Consensus Conference. *Clin Oral Implants Res.* **2012** Oct; 23 (Suppl 6): 108–110.
- Klokkevold PR.** Cone beam computed tomography for the dental implant patient. *J Calif Dent Assoc.* **2015** Sep; 43(9): 521–530.
- Klotz MW, Taylor TD, Goldberg AD.** Wear at the titanium-zirconia implant-abutment interface: a pilot study. *Int J Oral Maxillofac Implants.* **2011** Sep–Oct; 26(5): 970–975.
- Kobayashi E, Matsumoto S, Doi H, Yoneyama T, Hamanaka H.** Mechanical properties of the binary titanium-zirconium alloys and their potential for biomedical materials. *J Biomed Mater Res.* **1995** Aug; 29(8): 943–950.
- Kohal RJ, Weng D, Bächle M, Strub JR.** Loaded custom-made zirconia and titanium implants show similar osseointegration: an animal experiment. *J Periodontol.* **2004** Sep; 75(9): 1262–1268.
- Kois JC.** Predictable single tooth peri-implant esthetics: five diagnostic keys. *Compend Contin Educ Dent.* **2001** Mar; 22(3): 199–206.
- Kokich VO Jr, Kiyak HA, Shapiro PA.** Comparing the perception of dentists and lay people to altered dental esthetics. *J Esthet Dent.* **1999**; 11(6): 311–324.
- Kolk A, Handschel J, Drescher W, Rothamel D, Kloss F, Blessmann M, Heiland M, Wolff KD, Smeets R.** Current trends and future perspectives of bone substitute materials—from space holders to innovative biomaterials. *J Craniomaxillofa Surg.* **2012** Dec; 40(8): 706–718.
- Komiya A, Klinge B, Hultin M.** Treatment outcome of immediately loaded implants installed in edentulous jaws following computer-assisted virtual treatment planning and flapless surgery. *Clin Oral Implants Res.* **2008** Jul; 19(7): 677–685.
- Koutouzis T, Neiva R, Lipton D, Lundgren T.** The effect of interimplant distance on peri-implant bone and soft-tissue dimensional changes: a nonrandomized, prospective, 2-year follow-up study. *Int J Oral Maxillofac Implants.* **2015** Jul–Aug; 30(4): 900–908.

- Krennmair G, Piehslinger E, Wagner H.** Status of teeth adjacent to single-tooth implants. *Int J Prosthodont.* **2003** Sep – Oct; 16(5): 524 – 528.
- Kuchler U, von Arx T.** Horizontal ridge augmentation in conjunction with or prior to implant placement in the anterior maxilla: a systematic review. *Int J Oral Maxillofac Implants.* **2014**; 29 (Suppl): 14 – 24.
- Lang NP, Berglundh T, Working Group 4 of Seventh European Workshop on Periodontology.** Periimplant diseases: where are we now?—Consensus of the Seventh European Workshop on Periodontology. *J Clin Periodontol.* **2011** Mar; 38 (Suppl 11): 178 – 181.
- Langer B.** Spontaneous *in situ* gingival augmentation. *Int J Periodontics Restorative Dent.* **1994** Dec; 14(6): 524 – 535.
- Langer L, Langer B, Salem D.** Unintentional root fragment retention in proximity to dental implants: a series of six human case reports. *Int J Periodontics Restorative Dent.* **2015** May – Jun; 35(3): 305 – 313.
- Lanyon LE.** Osteocytes, strain detection, bone modeling and remodeling. *Calcif Tissue Int.* **1993**; 53 (Suppl 1): S102 – S106; discussion S106 – S107.
- Lazzara RJ.** Immediate implant placement into extraction sites: surgical and restorative advantages. *Int J Periodontics Restorative Dent.* **1989**; 9(5): 332 – 343.
- Lazzara RJ, Porter SS.** Platform switching: a new concept in implant dentistry for controlling postrestorative crestal bone levels. *Int J Periodontics Restorative Dent.* **2006** Feb; 26(1): 9 – 17.
- Le Guéhenne L, Soueidan A, Layrolle P, Amouriq Y.** Surface treatments of titanium dental implants for rapid osseointegration. *Dent Mater.* **2007** Jul; 23(7): 844 – 854.
- Lee K, Silva EA, Mooney DJ.** Growth factor delivery-based tissue engineering: general approaches and a review of recent developments. *J R Soc Interface.* **2011** Feb 6; 8(55): 153 – 170.
- LeGeros RZ, Lin S, Rohanizadeh R, Mijares D, LeGeros JP.** Biphasic calcium phosphate bioceramics: preparation, properties and applications. *J Mater Sci Mater Med.* **2003** Mar; 14(3): 201 – 209.
- LeGeros RZ.** Calcium phosphate-based osteoinductive materials. *Chem Rev.* **2008** Nov; 108(11): 4742 – 4753.
- Lekholm U, Gunne J, Henry P, Higuchi K, Lindén U, Bergström C, van Steenberghe D.** Survival of the Brånemark implant in partially edentulous jaws: a 10-year prospective multicenter study. *Int J Oral Maxillofac Implants.* **1999** Sep – Oct; 14(5): 639 – 645.
- Levin L, Schwartz-Arad D.** The effect of cigarette smoking on dental implants and related surgery. *Implant Dent.* **2005** Dec; 14(4): 357 – 361.
- Levine RA, Huynh-Ba G, Cochran DL.** Soft tissue augmentation procedures for mucogingival defects in esthetic sites. *Int J Oral Maxillofac Implants.* **2014**; 29 (Suppl): 155 – 185.
- Lewis S, Beumer J 3rd, Hornburg W, Moy P.** The “UCLA” abutment. *Int J Oral Maxillofac Implants.* **1998** Fall; 3(3): 183 – 189.
- Liao S, Wang W, Uo M, Ohkawa S, Akasaka T, Tamura K, Cui F, Watari F.** A three-layered nano-carbonated hydroxyapatite/collagen/PLGA composite membrane for guided tissue regeneration. *Biomaterials.* **2005** Dec; 26(36): 7564 – 7571.
- Lin GH, Chan HL, Wang HL.** The significance of keratinized mucosa on implant health: a systematic review. *J Periodontol.* **2013** Dec; 84(12): 1755 – 1767. (a)
- Lin WS, Harris BT, Morton D.** Use of implant-supported interim restorations to transfer periimplant soft tissue profiles to a milled polyurethane definitive cast. *J Prosthet Dent.* **2013** May; 109(5): 333 – 337.
- Lin WS, Harris B, Zandinejad A, Martin WC, Morton D.** Use of prefabricated titanium abutments and customized anatomic lithium disilicate structures for cement-retained implant restorations in the esthetic zone. *J Prosthet Dent.* **2014** Mar; 111(3): 181 – 185.
- Lindeboom JA, Tjiook Y, Kroon FH.** Immediate placement of implants in periapical infected sites: a prospective randomized study in 50 patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* **2006** Jun; 101(6): 705 – 710.

- Lindfors LT, Tervonen EA, Sárdor GK, Ylikontiola LP.** Guided bone regeneration using a titanium-reinforced ePTFE membrane and particulate autogenous bone: the effect of smoking and membrane exposure. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* **2010** Jun; 109(6): 825–830.
- Lindhe J, Socransky SS, Nyman S, Westfelt E.** Dimensional alteration of the periodontal tissues following therapy. *Int J Periodontics Restorative Dent.* **1987**; 7(2): 9–21.
- Lindhe J, Meyle J.** Peri-implant diseases: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol.* **2008** Sep; 35 (8 Suppl): 282–285.
- Lindquist LW, Carlsson GE, Jemt T.** A prospective 15-year follow-up study of mandibular fixed prostheses supported by osseointegrated implants. Clinical results and marginal bone loss. *Clin Oral Implants Res.* **1996** Dec; 7(4): 329–336.
- Linkevicius T, Apse P.** Influence of abutment material on stability of peri-implant tissues: a systematic review. *Int J Oral Maxillofac Implants.* **2008** May–Jun; 23(3): 449–456.
- Linkevicius T, Vindasiute E, Puisys A, Peciuliene V.** The influence of margin location on the amount of undetected cement excess after delivery of cement-retained implant restorations. *Clin Oral Implants Res.* **2011** Dec; 22(12): 1379–1384.
- Linkevicius T, Vindasiute E, Puisys A, Linkeviciene L, Maslova N, Puriene A.** The influence of the cementation margin position on the amount of undetected cement. A prospective clinical study. *Clin Oral Implants Res.* **2013** Jan; 24(1): 71–76.
- Linkevicius T, Vaitelis J.** The effect of zirconia or titanium as abutment material on soft peri-implant tissues: a systematic review and meta-analysis. *Clin Oral Implants Res.* **2015** Sep; 26 (Suppl 11): 139–147.
- Lops D, Chiapasco M, Rossi A, Bressan E, Romeo E.** Incidence of inter-proximal papilla between a tooth and an adjacent immediate implant placed into a fresh extraction socket: 1-year prospective study. *Clin Oral Implants Res.* **2008** Nov; 19(11): 1135–1140.
- Lorenzana ER, Allen EP.** The single-incision palatal harvest technique: a strategy for esthetics and patient comfort. *Int J Periodontics Restorative Dent.* **2000** Jun; 20(3): 297–305.
- Lozano FE.** Overview of dental photography. Lab communication: Part 1. *Forum Implantologicum.* **2014**; 10(1): 84–87.
- Lozano FE.** Overview of dental photography: white balance explained. *Forum Implantologicum.* **2015**; 11(2): 122–125. (a)
- Lozano FE, Gonzaga LH.** Overview of dental photography. Lab Communication: Part 2. Complex elements of lab communication. *Forum Implantologicum.* **2015**; 11(1): 40–43. (b)
- Lughi V, Sergo V.** Low temperature degradation—aging—of zirconia: a critical review of the relevant aspects in dentistry. *Dent Mater.* **2010** Aug; 26(8): 807–820.
- Lutolf MP, Lauer-Fields JL, Schmoekel HG, Metters AT, Weber FE, Fields GB, Hubbell JA.** Synthetic matrix metalloproteinase-sensitive hydrogels for the conduction of tissue regeneration: engineering cell-invasion characteristics. *Proc Natl Acad Sci U S A.* **2003** Apr 29; 100(9): 5413–5418.
- Lutolf MP, Hubbell JA.** Synthetic biomaterials as instructive extracellular microenvironments for morphogenesis in tissue engineering. *Nat Biotechnol.* **2005** Jan; 23(1): 47–55.
- Machtei EE.** The effect of membrane exposure on the outcome of regenerative procedures in humans: a meta-analysis. *J Periodontol.* **2001** Apr; 72(4): 512–516.
- Machtei EE, Mahler D, Oettinger-Barak O, Zuabi O, Horwitz J.** Dental implants placed in previously failed sites: survival rate and factors affecting the outcome. *Clin Oral Implants Res.* **2008** Mar; 19(3): 259–264.
- Maeda Y, Miura J, Taki I, Sogo M.** Biomechanical analysis on platform switching: is there any biomechanical rationale? *Clin Oral Implants Res.* **2007** Oct; 18(5): 581–584.
- Magne P, Belser UC (eds).** Bonded porcelain restorations in the anterior dentition: a biomimetic approach. Chicago: Quintessence, **2002**.

- Maiorana C**, Beretta M, Salina S, Santoro F. Reduction of autogenous bone graft resorption by means of Bio-Oss coverage: a prospective study. *Int J Periodontics Restorative Dent.* **2005** Feb; 25(1): 19–25.
- Mankoo T**. Maintenance of interdental papillae in the esthetic zone using multiple immediate adjacent implants to restore failing teeth—a report of ten cases at 2 to 7 years follow-up. *European Journal of Esthetic Dentistry.* **2008** Winter; 3(4): 304–322.
- Manzano-Moreno FJ**, Herrera-Briones FJ, Linares-Recatalla M, Ocaña-Peinado FM, Reyes-Botella C, Vallcillo-Capilla MF. Bacterial contamination levels of autogenous bone particles collected by 3 different techniques for harvesting intraoral bone grafts. *J Oral Maxillofac Surg.* **2015** Mar; 73(3): 424–429.
- Mao JJ**, Giannobile WV, Helms JA, Hollister SJ, Krebsbach PH, Longaker MT, Shi S. Craniofacial tissue engineering by stem cells. *J Dent Res.* **2006** Nov; 85(11): 966–979.
- Mardinger O**, Ben Zvi Y, Chaushu G, Nissan J, Manor Y. A retrospective analysis of replacing dental implants in previously failed sites. *Oral Surg Oral Med Oral Pathol Oral Radiol.* **2012** Sep; 114(3): 290–293.
- Markus SJ**. Interim esthetic restorations in conjunction with anterior implants. *J Prosthet Dent.* **1999** Aug; 82(2): 233–236.
- Martin W**, Morton D, Buser D. Pre-operative analysis and prosthetic treatment planning in esthetic implant dentistry. In: Belser U, Buser D, Hämmерle C, Jung R, Martin W, Morton D, Schmid B. *ITI Treatment Guide, Vol. 1. Implant therapy in the esthetic zone: single-tooth replacements.* Editors: Belser U, Buser D, Wismeijer D. Berlin: Quintessence, **2006**.
- Martin WC**, Pollini A, Morton D. The influence of restorative procedures on esthetic outcomes in implant dentistry: a systematic review. *Int J Oral Maxillofac Implants.* **2014**; 29 (Suppl): 142–154.
- Marx RE**, Carlson ER, Eichstaedt RM, Schimmele SR, Strauss JE, Georgeff KR. Platelet-rich plasma: Growth factor enhancement for bone grafts. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* **1998** Jun; 85(6): 638–646.
- Matarasso S**, Iorio Siciliano V, Aglietta M, Andreuccetti G, Salvi GE. Clinical and radiographic outcomes of a combined resective and regenerative approach in the treatment of peri-implantitis: a prospective case series. *Clin Oral Implants Res.* **2014** Jul; 25(7): 761–767.
- Mattheos N**, Janda MS. Exotic encounters with dental implants: managing complications with unidentified systems. *Aust Dent J.* **2012** Jun; 57(2): 236–242.
- McAllister BS**, Haghishat K. Bone augmentation techniques. *J Periodontol.* **2007** Mar; 78(3): 377–396.
- McClure MJ**, Sell SA, Simpson DG, Walpeth BH, Bowlin GL. A three-layered electrospun matrix to mimic native arterial architecture using polycaprolactone, elastin, and collagen: a preliminary study. *Acta Biomater.* **2010** Jul; 6(7): 2422–2433.
- Meijer HJ**, Stellingsma K, Meijndert L, Raghoebar GM. A new index for rating aesthetics of implant-supported single crowns and adjacent soft tissues—the Implant Crown Aesthetic Index. *Clin Oral Implants Res.* **2005** Dec; 16(6): 645–649.
- Mendelson MR**. Effective laboratory communication... it's a two-way street. *Dent Today.* **2006** Jul; 25(7): 96–98.
- Michaeli E**, Weinberg I, Nahlieli O. Dental implants in the diabetic patient: systemic and rehabilitative considerations. *Quintessence Int.* **2009** Sep; 40(8): 639–645.
- Miguel BS**, Ghayor C, Ehrbar M, Jung RE, Zwahlen RA, Hortschansky P, Schmoekel HG, Weber FE. N-methyl pyrrolidone as a potent bone morphogenetic protein enhancer for bone tissue regeneration. *Tissue Eng Part A.* **2009** Oct; 15(10): 2955–2963.
- Milella E**, Ramires PA, Brescia E, La Sala G, Di Paola L, Bruno V. Physicochemical, mechanical, and biological properties of commercial membranes for GTR. *J Biomed Mater Res.* **2001**; 58(4): 427–435.
- Miron RJ**, Hedbom E, Saulacic N, Zhang Y, Sculean A, Bosshardt DD, Buser D. Osteogenic potential of autogenous bone grafts harvested with four different surgical techniques. *J Dent Res.* **2011** Dec; 90(12): 1428–1433.

- Miron RJ, Gruber R, Hedbom E, Saulacic N, Zhang Y, Sculean A, Bosshardt DD, Buser D.** Impact of bone harvesting techniques on cell viability and the release of growth factors of autografts. *Clin Implant Dent Relat Res.* 2013 Aug; 15(4): 481 – 489.
- Mitrani R, Adolfi D, Tacher, S.** implant-supported restorations in the esthetic zone: understanding the biology. *J Esthet Restor Dent.* 2005; 17(4): 211 – 223.
- Miyakawa O, Watanabe K, Okawa S, Nakano S, Kobayashi M, Shiokawa N.** Layered structure of cast titanium surface. *Dental Mater J.* 1989 Dec; 8(2): 175 – 185.
- Mombelli A, Wick P.** Peri-implantitis treated by an antimicrobial and regenerative approach. In: Nrägger U, Heitz-Mayfield LJA. *ITI Treatment Guide, Vol. 8. Biological and hardware complications in implant dentistry.* Editors: Wismeijer D, Buser D, Chen S. Berlin: Quintessence, 2015.
- Montoya-Salazar V, Castillo-Oyagüe R, Torres-Sánchez C, Lynch CD, Gutiérrez-Pérez JL, Torres-Lagares D.** Outcome of single immediate implants placed in post-extraction infected and non-infected sites, restored with cemented crowns: a 3-year prospective study. *J Dent.* 2014 Jun; 42(6): 645 – 652.
- Moráquez OD, Belser UC.** The use of polytetrafluoroethylene tape for the management of screw access channels in implant-supported prostheses. *J Prosthet Dent.* 2010 Mar; 103(3): 189 – 191.
- Moraschini V, Barboza ES.** Effect of autologous platelet concentrates for alveolar socket preservation: a systematic review. *Int J Oral Maxillofac Surg.* 2015 May; 44(5): 632 – 641.
- Morris HF, Ochi S, Winkler S.** Implant survival in patients with type 2 diabetes: placement to 36 months. *Ann Periodontol.* 2000 Dec; 5(1): 157 – 165.
- Morton D, Bornstein MM, Wittneben JG, Martin WC, Ruskin JD, Hart CN, Buser D.** Early loading after 21 days of healing of nonsubmerged titanium implants with a chemically modified sandblasted and acid-etched surface: Two-year results of a prospective two-center study. *Implant Dent Relat Res.* 2010 Mar; 12(1): 9 – 17.
- Morton D, Chen ST, Martin WC, Levine RA, Buser D.** Consensus statements and recommended clinical procedures regarding optimizing esthetic outcomes in implant dentistry. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 216 – 220.
- Moskowitz EM, Sheridan JJ, Celenza F Jr, Tovilo K, Muñoz AM.** Essix appliances. Provisional anterior prosthesis for pre and post implant patients. *N Y State Dent J.* 1997 Apr; 63(4): 32 – 35.
- Moy PK, Medina D, Shetty V, Aghaloo TL.** Dental implant failure rates and associated risk factors. *Int J Oral Maxillofac Implants.* 2005 Jul – Aug; 20(4): 569 – 577.
- Müller HP, Heinecke A, Schaller N, Eger T.** Masticatory mucosa in subjects with different periodontal phenotypes. *J Clin Periodontol.* 2000 Sep; 27(9): 621 – 626.
- Müller F, Al-Nawas B, Storelli S, Quirynen M, Hicklin S, Castro-Laza J, Bassetti R, Schimmel M, Roxolid Study Group.** Small-diameter titanium grade IV and titanium-zirconium implants in edentulous mandibles: five-year results from a double-blind, randomized controlled trial. *BMC Oral Health.* 2015 Oct 12; 15(1): 123.
- Nauta A, Gurtner G, Longaker MT.** Wound healing and regenerative strategies. *Oral Dis.* 2011 Sep; 17(6): 541 – 549.
- Nemcovsky CE, Artzi Z.** Comparative study of buccal dehiscence defects in immediate, delayed, and late maxillary implant placement with collagen membranes: clinical healing between placement and second-stage surgery. *J Periodontol.* 2002 Jul; 73(7): 754 – 761.
- Nickenig HJ, Wichmann M, Schlegel KA, Nkenke E, Eitner S.** Radiographic evaluation of marginal bone levels adjacent to parallel-screw cylinder machined-neck implants and rough-surfaced microthreaded implants using digitized panoramic radiographs. *Clin Oral Implants Res.* 2009 Jun; 20(6): 550 – 554.
- Nissan J, Mardinger O, Calderon S, Romanos GE, Chaushu G.** Cancellous bone block allografts for the augmentation of the anterior atrophic maxilla. *Clin Implant Dent Relat Res.* 2011 Jun; 13(2): 104 – 111.

- Nyström E, Nilson H, Gunne J, Lundgren S.** A 9–14 year follow-up of onlay bone grafting in the atrophic maxilla. *Int J Oral Maxillofac Surg.* 2009 Feb; 38(2): 111–116.
- Oates TW, Valderrama P, Bischof M, Nedir R, Jones A, Simpson J, Toutenburg H, Cochran DL.** Enhanced implant stability with a chemically modified SLA surface: a randomized pilot study. *Int J Oral Maxillofac Implants.* 2007 Sep – Oct; 22(5): 755–760.
- Oliva J, Oliva X, Oliva JD.** Five-year success rate of 831 consecutively placed Zirconia dental implants in humans: a comparison of three different rough surfaces. *Int J Oral Maxillofac Implants.* 2010 Mar – Apr; 25(2): 336–344.
- Olsson M, Lindhe J.** Periodontal characteristics in individuals with varying form of the upper central incisors. *J Clin Periodontol* 1991 Jan; 18(1): 78–82.
- Osburn RC.** Preservation of the alveolar ridge: a simplified technique for retaining teeth beneath removable appliances. *J Indiana State Dent Assoc.* 1974 Jan – Feb; 53(1): 8–11.
- Ozaki W, Buchman SR.** Volume maintenance of onlay bone grafts in the craniofacial skeleton: micro-architecture versus embryologic origin. *Plast Reconstr Surg.* 1998 Aug; 102(2): 291–299.
- Palacci P, Nowzari H.** Soft tissue enhancement around dental implants. *Periodontol 2000.* 2008; 47: 113–132.
- Pallesen L, Schou S, Aaboe M, Hjørting-Hansen E, Nattestad A, Melsen F.** Influence of particle size of autogenous bone grafts on the early stages of bone regeneration: a histologic and stereologic study in rabbit calvarium. *Int J Oral Maxillofac Implants.* 2002 Jul – Aug; 17(4): 498–506.
- Palmer SH, Gibbons CL, Athanasou NA.** The pathology of bone allograft. *J Bone Joint Surg Br.* 1999 Mar; 81(2): 333–335.
- Park SE, Da Silva JD, Weber HP, Ishikawa-Nagai S.** Optical phenomenon of peri-implant soft tissue. Part I. Spectrophotometric assessment of natural tooth gingiva and peri-implant mucosa. *Clin Oral Implants Res.* 2007 Oct; 18(5): 569–474.
- Park SH, Lee KW, Oh TJ, Misch CE, Shotwell J, Wang HL.** Effect of absorbable membranes on sandwich bone augmentation. *Clin Oral Implants Res.* 2008 Jan; 19(1): 32–41.
- Park JC, Kim CS, Choi SH, Cho KS, Chai JK, Jung UW.** Flap extension attained by vertical and periosteal-releasing incisions: a prospective cohort study. *Clin Oral Implants Res.* 2012 Aug; 23(8): 993–998.
- Patras M, Martin W.** Simplified custom impression post for implant-supported restorations. *J Prosthet Dent.* 2016 May; 115(5): 556–559.
- Pauletto N, Lahiffe BJ, Walton JN.** Complications associated with excess cement around crowns on osseointegrated implants: a clinical report. *Int J Oral Maxillofac Implants.* 1999 Nov – Dec; 14(6): 865–868.
- Payer M, Heschl A, Koller M, Arnetz G, Lorenzoni M, Jakse N.** All-ceramic restoration of zirconia two-piece implants—a randomized controlled clinical trial. *Clin Oral Implants Res.* 2015 Apr; 26(4): 371–376.
- Peixoto A, Marques TM, Correia A.** Gingival biotype characterization—a study in a Portuguese sample. *Int J Esthet Dent.* 2015 Winter; 10(4): 534–546.
- Piattelli A, Scarano A, Russo P, Matarasso S.** Evaluation of guided bone regeneration in rabbit tibia using bioresorbable and non-resorbable membranes. *Biomaterials.* 1996 Apr; 17(8): 791–796.
- Piattelli M, Favero GA, Scarano A, Orsini G, Piattelli A.** Bone reactions to anorganic bovine bone (Bio-Oss) used in sinus augmentation procedures: a histologic long-term report of 20 cases in humans. *Int J Oral Maxillofac Implants.* 1999 Nov – Dec; 14(6): 835–840.
- Piattelli A, Vrespa G, Petrone G, Iezzi G, Annibali S, Scarano A.** Role of the microgap between implant and abutment: a retrospective histologic evaluation in monkeys. *J Periodontol.* 2003 Mar; 74(3): 346–352.
- Pjetursson BE, Tan K, Lang NP, Brägger U, Egger M, Zwahlen M.** A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res.* 2004 Dec; 15(8): 625–642.
- Pjetursson BE, Asgeirsson AG, Zwahlen M, Sailer I.** Improvements in implant dentistry over the last decade: comparison of survival and complication rates in older and newer publications. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 308–324.

- Polack MA.** Simple method of fabricating an impression coping to reproduce peri-implant gingiva on the master cast. *J Prosthet Dent.* 2002 Aug; 88(2): 221–223.
- Polimeni G, Albandar JM, Wikesjö UM.** Prognostic factors for alveolar regeneration: effect of space provision. *J Clin Periodontol.* 2005 Sep; 32(9): 951–954.
- Pontoriero R, Wennström J, Lindhe J.** The use of barrier membranes and enamel matrix proteins in the treatment of angular bone defects. A prospective controlled clinical study. *J Clin Periodontol.* 1999 Dec; 26(12): 833–840.
- Priest GF, Lindke L.** Gingival-colored porcelain for implant-supported prostheses in the aesthetic zone. *Pract Periodontics Aesthet Dent.* 1998 Nov–Dec; 10(9): 1231–1240.
- Priest G.** Virtual-designed and computer-milled implant abutments. *J Oral Maxillofac Surg.* 2005 Sep; 63(9 Suppl 2): 22–32.
- Priest GF.** The esthetic challenge of adjacent implants. *J Oral Maxillofac Surg.* 2007 Jul; 65 (7 Suppl 1): 2–12.
- Proussaefs P, Lozada J.** The use of resorbable collagen membrane in conjunction with autogenous bone graft and inorganic bovine mineral for buccal/labial alveolar ridge augmentation: a pilot study. *J Prosthet Dent.* 2003 Dec; 90(6): 530–538.
- Qahash M, Susin C, Polimeni G, Hall J, Wikesjö UM.** Bone healing dynamics at buccal peri-implant sites. *Clin Oral Implants Res.* 2008 Feb; 19(2): 166–172.
- Rathe F, Junker R, Chesnutt BM, Jansen JA.** The effect of enamel matrix derivative (Emdogain) on bone formation: a systematic review. *Tissue Eng Part B Rev.* 2009 Sep; 15(3): 215–224.
- Reddi AH.** Morphogenesis and tissue engineering of bone and cartilage: inductive signals, stem cells, and biomimetic biomaterials. *Tissue Eng.* 2000 Aug; 6(4): 351–359.
- Richter WA, Ueno H.** Relationship of crown margin placement to gingival inflammation. *J Prosthet Dent.* 1973 Aug; 30(2): 156–161.
- Rocchietta I, Simion M, Hoffmann M, Trisciuoglio D, Beigni M, Dahlin C.** Vertical bone augmentation with an autogenous block or particles in combination with guided bone regeneration: a clinical and histological preliminary study in humans. *Clin Implant Dent Relat Res.* 2016 Feb; 18(1): 19–29.
- Roccuzzo M, Bunino M, Needleman I, Sanz M.** Periodontal plastic surgery for treatment of localized gingival recessions: a systematic review. *J Clin Periodontol.* 2002; 29 (Suppl 3): 178–194; discussion 195–196.
- Roccuzzo M, Gaudioso L, Bunino M, Dalmasso P.** Surgical treatment of buccal soft tissue recessions around single implants: 1-year results from a prospective pilot study. *Clin Oral Implants Res.* 2014 Jun; 25(6): 641–646.
- Roe P, Kan JY, Rungcharassaeng K, Caruso JM, Zimmerman G, Mesquida J.** Horizontal and vertical dimensional changes of peri-implant facial bone following immediate placement and provisionalization of maxillary anterior single implants: a 1-year cone beam computed tomography study. *Int J Oral Maxillofac Implants.* 2012 Mar–Apr; 27(2): 393–400.
- Roffi A, Filardo G, Kon E, Marcacci M.** Does PRP enhance bone integration with grafts, graft substitutes, or implants? A systematic review. *BMC Musculoskeletal Disord.* 2013 Nov 21; 14: 330.
- Röhling S, Meng B, Cochren D.** Sandblasted and acid etched implant surfaces with or without high surface free energy —+H482 experimental and clinical background. In: Wennerberg A, Albrektsson T, Jimbo R: *Implant surfaces and their biological and clinical impact.* Springer Science, 2014.
- Romanos GE, Javed F.** Platform switching minimises crestal bone loss around dental implants: truth or myth? *J Oral Rehabil.* 2014 Sep; 41(9): 700–708.
- Roos-Jansåker AM, Renvert H, Lindahl C, Renvert S.** Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a prospective cohort study. *J Clin Periodontol.* 2007 Jul; 34(7): 625–632.
- Rothamel D, Schwarz F, Sager M, Herten M, Sculean A, Becker J.** Biodegradation of differently cross-linked collagen membranes: an experimental study in the rat. *Clin Oral Implants Res.* 2005 Jun; 16(3): 369–378.

- Rothamel D, Schwarz F, Fienitz T, Smeets R, Dreiseidler T, Ritter L, Happe A, Zöller J.** Biocompatibility and biodegradation of a native porcine pericardium membrane: results of in vitro and in vivo examinations. *Int J Oral Maxillofac Implants.* 2012 Jan – Feb; 27(1): 146 – 154.
- Rotstein I, Zalkind M, Mor C, Tarabeah A, Friedman S.** In vitro efficacy of sodium perborate preparations used for intracoronal bleaching of discolored non-vital teeth. *Endod Dent Traumatology.* 1991 Aug; 7(4): 177 – 180.
- Rungcharassaeng K, Kan Joseph YK, Yoshino S, Morimoto T, Zimmerman G.** Immediate implant placement and provisionalization with and without a connective tissue graft: an analysis of facial gingival tissue thickness. *Int J Periodontics Restorative Dent.* 2012 Dec; 32(6): 657 – 663.
- Sadrimanesh R, Siadat H, Sadr-Eshkevari P, Monzavi A, Maurer P, Rashad A.** Alveolar bone stress around implants with different abutment angulation: an FE-analysis of anterior maxilla. *Implant Dent.* 2012 Jun; 21(3): 196 – 201.
- Sailer I, Zembic A, Jung RE, Hämmерle CH, Mattiola A.** Single-tooth implant reconstructions: esthetic factors influencing the decision between titanium and zirconia abutments in anterior regions. *Eur J Esthet Dent.* 2007 Autumn; 2(3): 296 – 310.
- Sailer I, Philipp A, Zembic A, Pjetursson BE, Hämmärlé CH, Zwahlen M.** A systematic review of the performance of ceramic and metal implant abutments supporting fixed implant reconstructions. *Clin Oral Implants Res.* 2009 Sep; 20 (Suppl 4): 4 – 31. (a)
- Sailer I, Sailer T, Stawarczyk B, Jung RE, Hämmärlé CH.** In vitro study of the influence of the type of connection on the fracture load of zirconia abutments with internal and external implant-abutment connections. *Int J Oral Maxillofac Implants.* 2009 Sep – Oct; 24(2): 850 – 858. (b)
- Sailer I, Mühlmann S, Zwahlen M, Hämmärlé CH, Schneider D.** Cemented and screw-retained implant reconstructions: a systematic review of the survival and complication rates. *Clin Oral Implants Res.* 2012 Oct; 23 (Suppl 6): 163 – 201.
- Sailer I, Fehmer V, Ioannidis A, Hämmärlé CH, Thoma DS.** Threshold value for the perception of color changes of human gingiva. *Int J Periodontics Restorative Dent.* 2014 Nov – Dec; 34(6): 757 – 762.
- Sailer I, Makarov NA, Thoma DS, Zwahlen M, Pjetursson BE.** All-ceramic or metal-ceramic tooth-supported fixed dental prostheses (FDPs)? A systematic review of the survival and complication rates. Part I: Single crowns (SCs). *Dent Mater.* 2014 Jun; 31(6): 603 – 623.
- Salama H, Salama M, Kelly J.** The orthodontic-periodontal connection in implant site development. *Pract Periodontics Aesthet Dent.* 1996 Nov – Dec; 8(9): 923 – 932.
- Salama M, Coachman C, Garber D, Calamita M, Salama H, Cabral G.** Prosthetic gingival reconstruction in the fixed partial restoration. Part 2: diagnosis and treatment planning. *Int J Periodontics Restorative Dent.* 2009 Dec; 29(6): 573 – 581.
- Salvi GE, Brägger U.** Mechanical and technical risks in implant therapy. *Int J Oral Maxillofac Implants.* 2009; 24 Suppl: 69 – 85.
- Salvi GE, Zitzmann NU.** The effects of anti-infective preventive measures on the occurrence of biologic implant complications and implant loss: a systematic review. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 292 – 307.
- Sanavi F, Weisgold AS, Rose LF.** Biologic width and its relation to periodontal biotypes. *J Esthet Dent.* 1998; 10(3): 157 – 163.
- Santling HJ, Raghoobar GM, Vissink A, den Fartog L, Meijer HJ.** Performance of the Straumann Bone Level Implant System for anterior single-tooth replacement in augmented and nonaugmented sites: a prospective cohort study with 60 consecutive patients. *Clin Oral Implants Res.* 2013 Aug; 24(8): 941 – 948.
- Santosa RE, Martin W, Morton D.** Effects of a cementing technique in addition to luting agent on the uniaxial retention force of a single-tooth implant-supported restoration: an in vitro study. *Int J Oral Maxillofac Implants.* 2010 Nov – Dec; 25(6): 1145 – 1152.
- Sanz M, Lorenzo R, Aranda JJ, Martin C, Orsini M.** Clinical evaluation of a new collagen matrix (Mucograft prototype) to enhance the width of keratinized tissue in patients with fixed prosthetic restorations: a randomized prospective clinical trial. *J Clin Peridontol.* 2009 Oct; 36(10): 868 – 876.

- Sanz I, Garcia-Gargallo M, Herrera D, Martin C, Figuero E, Sanz M.** Surgical protocols for early implant placement in post-extraction sockets: a systematic review. *Clin Oral Implants Res.* 2012 Feb; 23 (Suppl 5): 67 – 79.
- Sanz-Sánchez I, Ortiz-Vigón A, Sanz-Martín I, Figuero E, Sanz M.** Effectiveness of lateral bone augmentation on the alveolar crest dimension: a systematic review and meta-analysis. *J Dent Res.* 2015 Sep; 94 (9 Suppl): 128S – 142S.
- Saulacic N, Bosshardt DD, Bornstein MM, Berner S, Buser D.** Bone apposition to a titanium-zirconium alloy implant, as compared to two other titanium-containing implants. *Eur Cell Mater.* 2012 Apr 10; 23: 273 – 286; discussion 286 – 288.
- Saulacic N, Erdösi R, Bosshardt DD, Gruber R, Buser D.** Acid and alkaline etching of sandblasted zirconia implants: a histomorphometric study in miniature pigs. *Clin Implant Dent Relat Res.* 2014 Jun; 16(3): 312 – 322.
- Sbordone L, Toti P, Menchini-Fabris GB, Sbordone C, Piombino P, Guidetti F.** Volume changes of autogenous bone grafts after alveolar ridge augmentation of atrophic maxillae and mandibles. *Int J Oral Maxillofac Surg.* 2009 Oct; 38(19): 1059 – 1065.
- Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A.** Bacterial adhesion on commercially pure titanium and zirconium oxide disks: an in vivo human study. *J Periodontol.* 2004 Feb; 75(2): 292 – 206.
- Schenk RK, Buser D, Hardwick WR, Dahlin C.** Healing pattern of bone regeneration in membrane-protected defects: a histologic study in the canine mandible. *Int J Oral Maxillofac Implants.* 1994 Jan – Feb; 9(1): 13 – 29.
- Schimmel M, Srinivasan M, Herrmann F.R., Müller F.** Loading protocols for implant-supported overdentures in the edentulous jaw: a systematic review and meta-analysis. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 271 – 286.
- Schlegel AK, Möhler H, Busch F, Mehl A.** Preclinical and clinical studies of a collagen membrane (Bio-Gide). *Biomaterials.* 1997 Apr; 18(7): 535 – 538.
- Schliephake H.** Bone growth factors in maxillofacial skeletal reconstruction. *Int J Oral Maxillofac Surg.* 2002 Oct; 31(5): 469 – 484.
- Schneider D, Grunder U, Ender A, Hä默le CH, Jung RE.** Volume gain and stability of peri-implant tissue following bone and soft tissue augmentation: 1-year results from a prospective cohort study. *Clin Oral Implants Res.* 2011 Jan; 22(1): 28 – 37.
- Schneider D, Weber FE, Grunder U, Andreoni C, Burkhardt R, Jung RE.** A randomized controlled clinical multicenter trial comparing the clinical and histological performance of a new, modified polylactide-co-glycolide acid membrane to an expanded polytetrafluoroethylene membrane in guided bone regeneration procedures. *Clin Oral Implants Res.* 2014 Feb; 25(2): 150 – 158.
- Schoenbaum TR, Han TJ.** Direct custom implant impression copings for the preservation of the pontic receptor site architecture. *J Prosthet Dent.* 2012 Mar; 107(3): 203 – 206.
- Schroeder A, Pohler O, Sutter F.** [Tissue reaction to an implant of a titanium hollow cylinder with a titanium surface spray layer]. *SSO Schweiz Monatsschr Zahnheilkd.* 1976; 86: 713 – 727.
- Schroeder A, Sutter F, Krekeler G.** Oral implantology: basics, ITI hollow cylinder system. New York: Thieme, 1991.
- Schropp L, Isidor F.** Papilla dimension and soft tissue level after early vs. delayed placement of single-tooth implants: 10-year results from a randomized controlled clinical trial. *Clin Oral Implants Res.* 2015 Mar; 26(3): 278 – 286.
- Schrott AR, Jimenez M, Hwang JW, Fiorellini J, Weber HP.** Five-year evaluation of the influence of keratinized mucosa on peri-implant soft-tissue health and stability around implants supporting full-arch mandibular fixed prostheses. *Clin Oral Implants Res.* 2009 Oct; 20(10): 1170 – 1177.
- Schulte W, Kleineikenscheidt H, Lindner K, Schareyka R.** [The Tübingen immediate implant in clinical studies.] *Dtsch Zahnärztl Z.* 1978; 33(5): 348 – 359.
- Schwartz-Arad D, Levin L, Sigal L.** Surgical success of intraoral autogenous block onlay bone grafting for alveolar ridge augmentation. *Implant Dent.* 2005 Jun; 14(2): 131 – 138.
- Schwartz-Arad D, Bichacho N.** Effect of age on single implant submersion rate in the central maxillary incisor region: a long-term retrospective study. *Clin Implant Dent Relat Res.* 2015 Jun; 17(3): 509 – 514.

- Schwarz F, Ferrari D, Herten M, Mihatovic I, Wieland M, Sager M, Becker J.** Effects of surface hydrophilicity and microtopography on early stages of soft and hard tissue integration at non-submerged titanium implants: an immunohistochemical study in dogs. *J Periodontol.* **2007** Nov; 78(11): 2171–2184.
- Schwarz F, Rothamel D, Herten M, Ferrari D, Sager M, Becker J.** Lateral ridge augmentation using particulated or block bone substitutes biocoated with rhGDF-5 and rhBMP-2: an immunohistochemical study in dogs. *Clin Oral Implants Res.* **2008** Jul; 19(7): 642–652.
- Schwarz F, Sahm N, Schwarz K, Becker J.** Impact of defect configuration on the clinical outcome following surgical regenerative therapy of peri-implantitis. *J Clin Periodontol.* **2010** May; 37(5): 449–455.
- Scilar AG.** Guidelines for flapless surgery. *J Oral Maxillofac Surg.* **2007** Jul; 65 (7 Suppl 1): 20–32.
- Sculean A, Donos N, Blaes A, Lauermann M, Reich E, Brecx M.** Comparison of enamel matrix proteins and bioabsorbable membranes in the treatment of intrabony periodontal defects. A split-mouth study. *J Periodontol.* **1999** Mar; 70(3): 255–262.
- Sculean A, Gruber R, Bosshardt DD.** Soft tissue wound healing around teeth and dental implants. *J Clin Periodontol.* **2014** Apr; 41 (Suppl 15): S6–S22.
- Shegarfi H, Reikeras O.** Review article: bone transplantation and immune response. *J Orthop Surg (Hong Kong).* **2009** Aug; 17(2): 206–211.
- Shin YK, Han CH, Heo SJ, Kim S, Chun HJ.** Radiographic evaluation of marginal bone level around implants with different neck designs after 1 year. *Int J Oral Maxillofac Implants.* **2006** Sep–Oct; 21(5): 789–794.
- Shor A, Schuler R, Goto Y.** Indirect implant-supported fixed provisional restoration in the esthetic zone: fabrication technique and treatment workflow. *J Esthet Restor Dent.* **2008**; 20(2): 82–95.
- Siddiqi A, Kieser JA, De Silva RK, Thomson WM, Duncan WJ.** Soft and hard tissue response to zirconia versus titanium one-piece implants placed in alveolar and palatal sites: a randomized control trial. *Clin Implant Dent Relat Res.* **2015** Jun; (17(3)): 483–496.
- Sigurdsson TJ, Nygaard L, Tatakis DN, Fu E, Turek TJ, Jin L, Wozney JM, Wiksö UM.** Periodontal repair in dogs: evaluation of rhBMP-2 carriers. *Int J Periodontics Restorative Dent.* **1996** Dec; 16(6): 524–537.
- Silva TM, Salvia AC, Carvalho RF, Pagani C, Rocha DM, Silva EG.** Polishing for glass ceramics: which protocol? *J Prosthodont Res.* **2014** Jul; 58(3): 160–170.
- Simion M, Baldoni M, Rossi P, Zaffe D.** A comparative study of the effectiveness of e-PTFE membranes with and without early exposure during the healing period. *Int J Periodontics Restorative Dent.* **1994** Apr; 14(2): 166–180. (a)
- Simion M, Trisi P, Piattelli A.** Vertical ridge augmentation using a membrane technique associated with osseointegrated implants. *Int J Periodontics Restorative Dent.* **1994** Dec; 14(6): 496–511. (b)
- Simion M, Misitano U, Gionso L, Salvato A.** Treatment of dehiscences and fenestrations around dental implants using resorbable and nonresorbable membranes associated with bone autografts: a comparative clinical study. *Int J Oral Maxillofac Implants.* **1997** Mar–Apr; 12(2): 159–167.
- Simion M, Jovanovic SA, Trisi P, Scarano A, Piattelli A.** Vertical ridge augmentation around dental implants using a membrane technique and autogenous bone or allografts in humans. *Int J Periodontics Restorative Dent.* **1998** Feb; 18(1): 8–23.
- Simion M, Fontana F, Rasperini G, Maiorana C.** Long-term evaluation of osseointegrated implants placed in sites augmented with sinus floor elevation associated with vertical ridge augmentation: a retrospective study of 38 consecutive implants with 1- to 7-year follow-up. *Int J Periodontics Restorative Dent.* **2004** Jun; 24(3): 208–221.
- Simion M, Fontana F, Rasperini G, Maiorana C.** Vertical ridge augmentation by expanded-polytetrafluoroethylene membrane and a combination of intraoral autogenous bone graft and deproteinized anorganic bovine bone (Bio-Oss). *Clin Oral Implants Res.* **2007** Oct; 18(5): 620–629.
- Simion M, Rocchietta I, Fontana F, Dellavia C.** Evaluation of a resorbable collagen matrix infused with rh-PDGF-BB in peri-implant soft tissue augmentation: a preliminary report with 3.5 years of observation. *Int J Periodontics Restorative Dent.* **2012** Jun; 32(3): 273–282.

- Smith DE, Zarb GA.** Criteria for success of osseointegrated endosseous implants. *J Prosthet Dent.* 1989 Nov; 62(5): 567 – 572.
- Sohrabi K, Mushantat A, Esfandiari S, Feine J.** How successful are small-diameter implants? A literature review. *Clin Oral Implants Res.* 2012 May; 23(5): 515 – 525.
- Spear FM, Kokich VG.** A multidisciplinary approach to esthetic dentistry. *Dent Clin North Am.* 2007 Apr; 51(2): 487 – 505.
- Speroni S, Cicciu M, Maridati P, Grossi GB, Maiorana C.** Clinical investigation of mucosal thickness stability after soft tissue grafting around implants: a 3-year retrospective study. *Indian J Dent Res.* 2010 Oct – Dec; 21(4): 474 – 479.
- Spin-Neto R, Stavropoulos A, Coletti FL, Pereira LA, Marcantonio E Jr, Wenzel A.** Remodeling of cortical and corticocancellous fresh-frozen allogeneic block bone grafts—a radiographic and histomorphometric comparison to autologous bone grafts. *Clin Oral Implants Res.* 2015 Jul; 26(7): 747 – 752.
- Spray JR, Black CG, Morris HF, Ochi S.** The influence of bone thickness on facial marginal bone response: stage 1 placement through stage 2 uncovering. *Ann Periodontol.* 2000 Dec; 5(1): 119 – 128.
- Springer IN, Terheyden H, Geiss S, Harle F, Hedderich J, Açıł Y.** Particulated bone grafts—effectiveness of bone cell supply. *Clin Oral Implants Res.* 2004 Apr; 15(2): 205 – 212.
- Spyropoulou PE, Razzoog M, Sierraalta M.** Restoring implants in the esthetic zone after sculpting and capturing the periimplant tissues in rest position: a clinical report. *J Prosthet Dent.* 2009 Dec; 102(6): 345 – 347.
- Srinivasan M, Vazquez L, Rieder P, Moraguez O, Bernard JP, Belser UC.** Survival rates of short (6 mm) micro-rough surface implants: a review of literature and meta-analysis. *Clin Oral Implants Res.* 2014 May; 25(5): 539 – 545.
- Stacchi C, Costantinides F, Biasotto M, Di Lenarda R.** Relocation of a malpositioned maxillary implant with piezoelectric osteotomies: a case report. *Int J Periodontics Restorative Dent.* 2008 Oct; 28(5): 489 – 495.
- Stellini E, Comuzzi L, Mazzocco F, Parente N, Gobbato L.** Relationships between different tooth shapes and patient's periodontal phenotype. *J Periodontal Res.* 2013 Oct; 48(5): 657 – 662.
- Stenport VF, Johansson CB.** Evaluations of bone tissue integration to pure and alloyed titanium implants. *Clin Implant Dent Relat Res.* 2008 Sep; 10(3): 191 – 199.
- Stimmelmayr M, Edelhoff F, Guth FJ, Erdelt K, Happe A, Beuer F.** Wear at the titanium-titanium and the titanium-zirconia implant-abutment interface: a comparative in vitro study. *Dent Mater.* 2012 Dec; 28(12): 1215 – 1220.
- Strietzel FP, Khongkhunthian P, Khattiya R, Patchanee P, Reichart PA.** Healing pattern of bone defects covered by different membrane types—a histologic study in the porcine mandible. *J Biomed Mater Res B Appl Biomater.* 2006 Jul(1); 78: 35 – 46.
- Strietzel FP, Neumann K, Hertel M.** Impact of platform switching on marginal peri-implant bone-level changes. A systematic review and meta-analysis. *Clin Oral Implants Res.* 2015 Mar; 26(3): 342 – 358.
- Strub JR, Rekow ED, Witkowski S.** Computer-aided design and fabrication of dental restorations: current systems and future possibilities. *J Am Dent Assoc.* 2006 Sep; 137(9): 1289 – 1296.
- Sui X, Wei H, Wang D, Han Y, Deng J, Wang Y, Wang J, Yang J.** Experimental research on the relationship between fit accuracy and fracture resistance of zirconia abutments. *J Dent.* 2014 Oct; 42(10): 1353 – 1359.
- Svanborg LM, Andersson M, Wennerberg A.** Surface characterization of commercial oral implants on the nanometer level. *J Biomed Mater Res B Appl Biomater.* 2010 Feb; 92(2): 462 – 469.
- Tahmaseb A, Wismeijer D, Coucke W, Derkx W.** Computer technology application in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants.* 2014; 29 (Suppl): 25 – 42.
- Takei HH.** The interdental space. *Dent Clin North Am.* 1980 Apr; 24(2): 169 – 176.
- Tarnow DP, Cho SC, Wallace SS.** The effect of inter-implant distance on the height of inter-implant bone crest. *J Periodontol.* 2000 Apr; 71(4): 546 – 549.

- Tarnow D, Elian N, Fletcher P, Froum S, Magner A, Cho SC, Salama M, Salama H, Garber DA.** Vertical distance from the crest of bone to the height of the interproximal papilla between adjacent implants. *J Periodontol.* 2003 Dec; 74(12): 1785–1788. (a)
- Tatakis DN, Chambrone L, Allen EP, Langer B, McGuire MK, Richardson CR, Zabalegui I, Zadeh HH.** Peri-implant soft tissue root coverage procedures: a consensus report from the AAP Regeneration Workshop. *J Periodontol.* 2015 Feb; 86 (2 Suppl): S52–S55.
- Tettamanti S, Millen C, Gavric J, Buser D, Belser UC, Brägger U, Wittneben JG.** Esthetic evaluation of implant crowns and peri-implant soft tissue in the anterior maxilla: comparison and reproducibility of three different indices. *Clin Implant Dent Relat Res.* 2016 Jun; 18(3): 517–526.
- Teughels W, Van Assche N, Sliepen I, Quirynen M.** Effect of material characteristics and/or surface topography on biofilm development. *Clin Oral Implants Res.* 2006 Oct; 17 (Suppl 2): 68–81.
- Theoharidou A, Petridis HP, Tzannas K, Garefis P.** Abutment screw loosening in single-implant restorations: A systematic review. *Int J Oral Maxillofac Implants.* 2008 Jul–Aug; 23(4): 681–690.
- Thoma DS, Benić GI, Zwahlen M, Hä默le CH, Jung RE.** A systematic review assessing soft tissue augmentation techniques. *Clin Oral Implants Res.* 2009 Sep; 20 (Suppl 4): 146–165.
- Thoma DS, Jones AA, Dard M, Grize L, Obrecht M, Cochrane DL.** Tissue integration of a new titanium-zirconium dental implant: a comparative histologic and radiographic study in the canine. *J Periodontol.* 2011 Oct; 82: 1453–1461.
- Thoma DS, Dard MM, Halg GA, Ramel CF, Hammerle CH, Jung RE.** Evaluation of a biodegradable synthetic hydrogel used as a guided bone regeneration membrane: an experimental study in dogs. *Clin Oral Implants Res.* 2012 Feb; 23(2): 160–168. (a)
- Thoma DS, Sancho-Puchades M, Ettlin DA, Hä默le CH, Jung RE.** Impact of a collagen matrix on early healing, aesthetics and patient morbidity in oral mucosal wounds—a randomized study in humans. *J Clin Periodontol.* 2012 Feb; 39(2): 157–165. (b)
- Thoma DS, Buranawat B, Hä默le CH, Held U, Jung RE.** Efficacy of soft tissue augmentation around dental implants and in partially edentulous areas: a systematic review. *J Clin Periodontol.* 2014 Apr; 41 (Suppl 15): S77–S91. (a)
- Thoma DS, Mühlemann S, Jung RE.** Critical soft-tissue dimensions with dental implants and treatment concepts. *Periodontol 2000.* 2014 Oct; 66(1): 106–118. (b)
- Thoma DS, Kruse A, Ghayor C, Jung RE, Weber FE.** Bone augmentation using a synthetic hydroxyapatite/silica oxide-based and a xenogenic hydroxyapatite-based bone substitute materials with and without recombinant human bone morphogenetic protein-2. *Clin Oral Implants Res.* 2015 May; 26(5): 592–598.
- Thoma DS, Ioannidis A, Cathomen E, Hä默le CH, Hüslér J, Jung RE.** Discoloration of the peri-implant mucosa caused by zirconia and titanium implants. *Int J Periodontics Restorative Dent.* 2016 Jan–Feb; 36(1): 39–45. (a)
- Thoma DS, Zeltner M, Hilbe M, Hä默le CH, Hüslér J, Jung RE.** Randomized controlled clinical study evaluating effectiveness and safety of a volume-stable collagen matrix compared to autogenous connective tissue grafts for soft tissue augmentation at implant sites. *J Clin Periodontol.* 2016 Oct; 43(10): 874–875. (b)
- Thoma DS, Brandenberg F, Fehmer V, Knechtle N, Hä默le CH, Sailer I.** The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: a randomized controlled clinical trial. *Clin Implant Dent Relat Res.* 2016 Dec; 18(6): 1210–1217. (c)
- Thomas V, Zhang X, Vohra YK.** A biomimetic tubular scaffold with spatially designed nanofibers of protein/PDS bio-blends. *Biotechnol Bioeng.* 2008 Dec 1; 104(5): 1025–1033.
- Thulasidas S, Givan DA, Lemons JE, O’Neal SJ, Ramp LC, Liu PR.** Influence of implant angulation on the fracture resistance of zirconia abutments. *J Prosthodont.* 2015 Feb; 24(2): 127–135.
- Tjan AH, Miller GD, The JG.** Some esthetic factors in a smile. *J Prosthet Dent.* 1984 Jan; 51(1): 24–28.

- Tonetti MS, Lang NP, Cortellini P, Suvan JE, Adriaens P, Dubravec D, Fonzar A, Fourmousis I, Mayfield L, Rossi R, Silvestri M, Tiedemann C, Topoll H, Vangsted T, Wallkamm B.** Enamel matrix proteins in the regenerative therapy of deep intrabony defects. *J Clin Periodontol.* 2002 Apr; 29(4): 317–325.
- Traore A, Yombi JC, Tribak K, Cornu O.** Risk of virus transmission through femoral head allografts: a Belgian appraisal. *J Clin Orthop Trauma.* 2013 Sep; 4(3): 119–122.
- Tsuji K, Bandyopadhyay A, Harfe BD, Cox K, Kakar S, Gerstenfeld L, Einhorn T, Tabin CJ, Rosen V.** BMP2 activity, although dispensable for bone formation, is required for the initiation of fracture healing. *Nat Genet.* 2006 Dec; 38(12): 1424–1429.
- Urban IA, Lozada JL, Jovanovic SA, Nagursky H, Nagy K.** Vertical ridge augmentation with titanium-reinforced, dense-PTFE membranes and a combination of particulated autogenous bone and anorganic bovine bone-derived mineral: a prospective case series in 19 patients. *Int J Oral Maxillofac Implants.* 2014 Jan–Feb; 29(1): 185–193.
- Urban IA, Monje A, Wang HL.** Vertical ridge augmentation and soft tissue reconstruction of the anterior atrophic maxillae: a case series. *Int J Periodontics Restorative Dent.* 2015 Sep–Oct; 35(5): 613–623.
- Urban IA, Lozada JL, Nagy K, Sanz M.** Treatment of severe mucogingival defects with a combination of strip gingival grafts and a xenogenic collagen matrix: a prospective case series study. *Int J Periodontics Restorative Dent.* 2015 May–Jun; 35(3): 345–353.
- Urist MR.** Bone: formation by autoinduction. *Science.* 1965 Nov 12; 150(3698): 893–899.
- Urist MR, Silverman BF, Büring K, Dubuc FL, Rosenberg JM.** The bone induction principle. *Clin Orthop Relat Res.* 1967 Jul–Aug; 53: 243–283.
- Vailati F, Belser U.** Implant-supported fixed prostheses with integrated artificial gingiva for the esthetic zone: the Pink Power Concept. *Forum Implantologicum.* 2011; 7(2): 108–123.
- Van Assche N, Michels S, Naert I, Quirynen M.** Randomized controlled trial to compare two bone substitutes in the treatment of bony dehiscences. *Clin Implant Dent Relat Res.* 2013 Aug; 15(4): 558–568.
- van Brakel R, Noordmans HJ, Frenken J, de Roode R, de Wit GC, Cune MS.** The effect of zirconia and titanium implant abutments on light reflection of the supporting soft tissues. *Clin Oral Implants Res.* 2011 Oct; 22(10): 1172–1178.
- Van der Weijden F, Dell'Acqua F, Slot DE.** Alveolar bone dimensional changes of post-extraction sockets in humans: a systematic review. *J Clin Periodontol.* 2009 Dec; 36(12): 1048–1058.
- van Steenberghe D.** Outcomes and their measurement in clinical trials of endosseous oral implants. *Ann Periodontol.* 1997 Mar; 2(1): 291–298.
- van Steenberghe D.** The use of oral implants in compromised patients. *Periodontol 2000.* 2003; 33: 9–11.
- Vela X, Méndez V, Rodríguez X, Segalá M, Tarnow DP.** Crestal bone changes on platform-switched implants and adjacent teeth when the tooth-implant distance is less than 1.5 mm. *Int J Periodontics Restorative Dent.* 2012 Apr; 32(2): 149–155.
- Velasco-Ortega E, Jos A, Cameán AM, Pato-Mourelo J, Segura-Egea JJ.** In vitro evaluation of cytotoxicity and genotoxicity of a commercial titanium alloy for dental implantology. *Mutat Res.* 2010 Sep 30; 702(1): 17–23.
- Velvart P, Ebner-Zimmermann U, Ebner JP.** Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery. *Int Endod J.* 2004 Oct; 37(10): 687–693.
- Vera C, De Kok IJ, Chen W, Reside G, Tyndall D, Cooper LF.** Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants.* 2012 Sep–Oct; 27(5): 1249–1257.
- Vercellotti T.** Piezoelectric surgery in implantology: a case report—a new piezoelectric ridge expansion technique. *Int J Periodontics Restorative Dent.* 2000 Aug; 20(4): 358–365.
- Vercruyssen M, Laleman I, Jacobs R, Quirynen M.** Computer-supported implant planning and guided surgery: a narrative review. *Clin Oral Implants Res.* 2015 Sep; 26 (Suppl 11): 69–76.

- Vervaeke S, Dierens M, Besseler J, De Bruyn H.** The influence of initial soft tissue thickness on peri-implant bone remodeling. *Clin Implant Dent Relat Res.* 2014 Apr; 16(2): 238 – 247.
- Vignoletti F, Johansson C, Albrektsson T, De Sanctis M, San Roman F, Sanz M.** Early healing of implants placed into fresh extraction sockets: an experimental study in the beagle dog. *De novo* bone formation. *J Clin Periodontol.* 2009 Mar; 36(3): 265 – 277.
- Vignoletti F, Matesanz P, Rodrigo D, Figuero E, Martin C, Sanz M.** Surgical protocols for ridge preservation after tooth extraction. A systematic review. *Clin Oral Implants Res.* 2012 Feb; 23 (Suppl 5): 22 – 38.
- Vignoletti F, Sanz M.** Immediate implants at fresh extraction sockets: from myth to reality. *Periodontol 2000.* 2014 Oct; 66(1): 132 – 152.
- Villa R, Rangert B.** Immediate and early function of implants placed in extraction sockets of maxillary infected teeth: a pilot study. *J Prosthet Dent.* 2007 Jun; 97 (6 Suppl): S96-S108.
- Vo TN, Kasper FK, Mikos AG.** Strategies for controlled delivery of growth factors and cells for bone regeneration. *Adv Drug Deliv Rev.* 2012 Sep; 64(12): 1292 – 1309.
- von Arx T, Cochran DL, Hermann JS, Schenk RK, Higginbottom FL, Buser D.** Lateral ridge augmentation and implant placement: an experimental study evaluating implant osseointegration in different augmentation materials in the canine mandible. *Int J Oral Maxillofac Implants.* 2001 May – Jun; 16(3): 343 – 354.
- von Arx T, Broggini N, Jensen SS, Bornstein MM, Schenk RK, Buser D.** Membrane durability and tissue response of different bioresorbable barrier membranes: a histologic study in the rabbit calvarium. *Int J Oral Maxillofac Implants.* 2005 Nov – Dec; 20(6): 843 – 853.
- von Arx T, Buser D.** Horizontal ridge augmentation using autogenous block grafts and the guided bone regeneration technique with collagen membranes: a clinical study with 42 patients. *Clin Oral Implants Res.* 2006 Aug; 17(4): 359 – 366.
- von Arx T, Salvi GE.** Incision techniques and flap designs for apical surgery in the anterior maxilla. *Eur J Esthet Dent.* 2008 Summer; 3(2): 110 – 126.
- Waasdorp JA, Evian CI, Mandracchia M.** Immediate placement of implants into infected sites: a systematic review of the literature. *J Periodontol.* 2010 Jun; 81(6): 801 – 808.
- Waasdorp J, Reynolds MA.** Allogeneic bone onlay grafts for alveolar ridge augmentation: a systematic review. *Int J Oral Maxillofac Implants.* 2010 May – Jun; 25(3): 525 – 531. (b)
- Wadhwani, C. Piñeyro, A.** Technique for controlling the cement for an implant crown. *J Prosthet Dent.* 2009 Jul; 102(1); 57 – 58.
- Wadhwani C, Piñeyro A, Hess T, Zhang H, Chung KH.** Effect of implant abutment modification on the extrusion of excess cement at the crown abutment margin for cement-retained implant restorations. *Int J Oral Maxillofac Implants.* 2011 Nov – Dec; 26(6): 1241 – 1246.
- Wadhwani CP, Piñeyro A, Akimoto K.** An introduction to the implant crown with an esthetic adhesive margin (ICEAM). *J Esthet Restor Dent.* 2012 Aug; 24(4): 246 – 254. (a)
- Wadhwani C, Rapoport D, La Rosa S, Hess T, Kretschmar S.** Radiographic detection and characteristic patterns of residual excess cement associated with cement-retained implant restorations: a clinical report. *J Prosthet Dent.* 2012 Mar; 107(3): 151 – 157. (b)
- Wadhwani C, Chung KH.** Effect of modifying the screw access channels of zirconia implant abutment on the cement flow pattern and retention of zirconia restorations. *J Prosthet Dent.* 2014 Jul; 112(1): 45 – 50.
- Wadhwani C, Goodwin S, Chung KH.** Cementing an implant crown: a novel measurement system using computational fluid dynamics approach. *Clin Implant Dent Relat Res.* 2016 Feb; 18(1): 97 – 106.
- Wallace DG, Cruise GM, Rhee WM, Schroeder JA, Prior JJ, Ju J, Maroney M, Duronio J, Ngo MH, Estridge T, Coker GC.** A tissue sealant based on reactive multi-functional polyethylene glycol. *J Biomed Mater Res.* 2001; 58(5): 545 – 555.
- Wang F, Zhang Z, Monje A, Huang W, Wu Y, Wang G.** Intermediate long-term clinical performance of dental implants placed in sites with a previous early implant failure: a retrospective analysis. *Clin Oral Implants Res.* 2015 Dec; 26(12): 1443 – 1449.

- Weber HP, Kim FM, Ng MW, Hwang JW, Fiorellini JP.** Peri-implant soft-tissue health surrounding cement- and screw-retained implant restorations: a multi-center, 3-year prospective study. *Clin Oral Implants Res.* **2006** Aug; 17(4): 375 – 379.
- Weber HP, Morton D, Gallucci GO, Roccuzzo M, Cordaro L, Grutter L.** Consensus statements and recommended clinical procedures regarding loading protocols. *Int J Oral Maxillofac Implants.* **2009**; 24 (Suppl): 180 – 183.
- Wechsler S, Fehr D, Molenberg A, Raeber G, Schense JC, Weber FE.** A novel, tissue occlusive poly(ethylene glycol) hydrogel material. *J Biomed Mater Res A.* **2008** May; 85(2): 285 – 292.
- Weisgold AS.** Contours of the full crown restoration. *Alpha Omega.* **1977** Dec; 70(3): 77 – 89.
- Wennerberg A, Albrektsson T.** Effects of titanium surface topography on bone integration: a systematic review. *Clin Oral Implants Res.* **2009** Sep; 20 (Suppl 4): 172 – 184.
- Wennström JL, Bengazi F, Lekholm U.** The influence of the masticatory mucosa on the peri-implant soft tissue condition. *Clin Oral Implants Res.* **1994** Mar; 5(1): 1 – 8.
- Wennström JL, Ekestubbe A, Gröndahl K, Karlsson S, Lindhe J.** Implant-supported single-tooth restorations: a 5-year prospective study. *J Clin Periodontol.* **2005** Jun; 32(6): 567 – 574.
- Wennström JL, Derkx J.** Is there a need for keratinized mucosa around implants to maintain health and tissue stability? *Clin Oral Implants Res.* **2012** Oct; 23 (Suppl 6): 136 – 146.
- Weston JF, Haupt E.** Creating aesthetic success through proper clinician and laboratory technical communication. *Dent Clin North Am.* **2011** Apr; 55(2): 371 – 382.
- Widmann G, Stoffner R, Schullian P, Widmann R, Keiler M, Zangerl A, Puelacher W, Bale RJ.** Comparison of the accuracy of invasive and noninvasive registration methods for image-guided oral implant surgery. *Int J Oral Maxillofac Implants.* **2010** May – Jun; 25(3): 491 – 498.
- Widmark G, Andersson B, Ivanoff CJ.** Mandibular bone graft in the anterior maxilla for single-tooth implants. Presentation of surgical method. *Int J Oral Maxillofac Surg.* **1997** Apr; 26(2): 106 – 109.
- Wiesner G, Esposito M, Worthington H, Schlee M.** Connective tissue grafts for thickening peri-implant tissues at implant placement. One-year results from an explanatory split-mouth randomised controlled clinical trial. *Eur J Oral Implantol.* **2010** Spring; 3(1): 27 – 35.
- Williams D.** The golden anniversary of titanium biomaterials. *Med Device Technol.* **2001** Sep; 12(7): 8 – 11.
- Williams DF.** On the mechanisms of biocompatibility. *Biomaterials.* **2008** Jul; 29(20): 2941 – 2953.
- Wilson TG Jr.** positive relationship between excess cement and peri-implant disease: a prospective clinical endoscopic study. *J Periodontol.* **2009** Sep; 80(9): 1388 – 1392.
- Winkler S, Ring K, Ring JD, Boberick KG.** Implant screw mechanics and the settling effect: overview. *J Oral Implantol.* **2003**; 29(5): 242 – 245.
- Wittneben JG, Buser D, Belser UC, Brägger U.** Peri-implant soft tissue conditioning with provisional restorations in the esthetic zone: the dynamic compression technique. *Int J Periodontics Restorative Dent.* **2013** Jul – Aug; 33(4): 447 – 455.
- Wittneben JG, Millen C, Brägger U.** Clinical performance of screw- versus cement-retained fixed implant-supported reconstructions—a systematic review. *Int J Oral Maxillofac Implants.* **2014**; 29 (Suppl): 84 – 98.
- Wood DL, Hoag PM, Donnenfeld OW, Rosenfeld LD.** Alveolar crest reduction following full and partial thickness flaps. *J Periodontol.* **1972** Mar; 43(3): 141 – 144.
- Yan JJ, Tsai AY, Wong MY, Hou LT.** Comparison of acellular dermal graft and palatal autograft in the reconstruction of keratinized gingiva around dental implants: a case report. *Int J Periodontics Restorative Dent.* **2006** Jun; 26(3): 287 – 292.
- Yilmaz B, Gilbert AB, Seidt JD, McGlumphy EA, Clelland NL** Displacement of implant abutments following initial and repeated torqueing. *Int J Oral Maxillofac Implants.* **2015** Sep – Oct; 30(5): 1011 – 1018.

- Young MP, Carter DH, Worthington H, Korachi M, Drucker DB.** Microbial analysis of bone collected during implant surgery: a clinical and laboratory study. *Clin Oral Implants Res.* **2001** Apr; 12(2): 95–103.
- Zadik Y, Abu-Tair J, Yarom N, Zaharia B, Elad S.** The importance of a thorough medical and pharmacological history before dental implant placement. *Aust Dent J.* **2012** Sep; 57(3): 388–392.
- Zalkind M, Hochman N.** Alternative method of conservative esthetic treatment for gingival recession. *J Prosthet Dent.* **1997** Jun; 77(6): 561–563.
- Zembic A, Sailer I, Jung RE, Hämmeler CH.** Randomized-controlled clinical trial of customized zirconia and titanium implant abutments for single-tooth implants in canine and posterior regions: 3-year results. *Clin Oral Implants Res.* **2009** Aug; 20(8): 802–808.
- Zembic A, Bösch A, Jung RE, Hämmeler CH, Sailer I.** Five-year results of a randomized controlled clinical trial comparing zirconia and titanium abutments supporting single-implant crowns in canine and posterior regions. *Clin Oral Implants Res.* **2013** Apr; 24(4): 384–390.
- Zembic A, Kim S, Zwahlen M, Kelly JR.** Systematic review of the survival rate and incidence of biological, technical, and esthetic complications of single implant abutments supporting fixed prostheses. *Int J Oral Maxillofac Implants.* **2014;** 29 (Suppl): 99–116.
- Zembic A, Philipp AO, Hämmeler CH, Wohlwend A, Sailer I.** Eleven-year follow-up of a prospective study of zirconia implant abutments supporting single all-ceramic crowns in anterior and premolar regions. *Clin Implant Dent Relat Res.* **2015** Oct; 17 (Suppl 2): e417–e426.
- Zinsli B, Sägesser T, Mericske E, Mericske-Stern R.** *Int J Oral Maxillofac Implants.* **2004** Jan–Feb; 19(1): 92–99.
- Zitzmann NU, Schärer P, Marinello CP.** Factors influencing the success of GBR. Smoking, timing of implant placement, implant location, bone quality and provisional restoration. *J Clin Periodontol.* **1999** Oct; 26(10): 673–682.
- Zitzmann NU, Arnold D, Ball J, Brusco D, Triaca A, Verna C.** Treatment strategies for infraoccluded dental implants. *J Prosthet Dent.* **2015** Mar; 113(3): 169–174.
- Zouras CS, Winkler S.** The custom implant impression coping: technical note. *Implant Dent.* **1995** Fall; 4(3): 178–180.
- Zucchelli G, Mazzotti C, Mounssif I, Mele M, Stefanini M, Montebugnoli L.** A novel surgical-prosthetic approach for soft tissue dehiscence coverage around single implants. *Clin Oral Implants Res.* **2013** Sep; 24(9): 957–962.
- Zwahlen RA, Cheung LK, Zheng LW, Chow RL, Li T, Schuknecht B, Grätz KW, Weber FE.** Comparison of two resorbable membrane systems in bone regeneration after removal of wisdom teeth: a randomized-controlled clinical pilot study. *Clin Oral Implants Res.* **2009** Oct; 20(10): 1084–1091.