

Bibliography

- Abadi, M. and Cardelli, L. (1996). *A Theory of Objects*. Berlin: Springer.
- Abdelmoty, A., Williams, M., and Paton, N. W. (1993). Deduction and deductive databases for geographic data handling. In Abel, D. and Ooi, D. C. (Eds), *Advances in Spatial Databases*, pp. 443–464. Berlin: Springer.
- Abel, D. J. and Mark, D. M. (1990). A comparative analysis of some two-dimensional orderings. *International Journal of Geographical Information Systems*, 4(1):21–31.
- Abiteboul, S., Hull, R., and Vianu, V. (1995). *Foundations of Databases*. Reading, MA: Addison-Wesley.
- Abowd, G., Mynatt, E. D., and Rodden, T. (2002). The human experience. *Pervasive Computing*, 1(1):48–57.
- Abraham, T. and Roddick, J. F. (1999). Survey of spatiotemporal databases. *GeoInformatica*, 3:61–69.
- ACM (2003). Association for computing machinery classic of the month website. <http://www.acm.org/classics>. Accessed 9 August 2003.
- Ahlqvist, O., Keukelaar, J., and Oukbir, K. (2000). Rough classification and accuracy assessment. *International Journal of Geographic Information Science*, 14:475–496.
- Aho, A. V., Hopcroft, J. E., and Ullman, J. D. (1974). *The Design and Analysis of Computer Algorithms*. Reading, MA: Addison-Wesley.
- Akima, H. (1978). A method of bivariate interpolation and smooth surface fitting for irregularly distributed data points. *ACM Transactions on Mathematical Software*, 4(2):148–159.
- Al Taha, K. K. (1992). *Temporal Reasoning in Cadastral Systems*. PhD thesis, University of Maine, Orono, ME.
- Alchourron, C., Gärdenfors, P., and Makinson, D. (1985). On the logic of theory change: Partial meet functions for contraction and revision. *Journal of Symbolic Logic*, 50:510–530.
- Allen, J. F. (1983). Maintaining knowledge about temporal intervals. *Communications of ACM*, 26:832–843.
- Allen, J. F. (1984). Towards a general theory of action and time. *Artificial Intelligence*, 23:123–154.

- Andany, J., Leonard, M., and Palisser, C. (1991). Management of schema evolution in databases. In *Proc. 17th International Conference on Very Large Data Bases (VLDB)*.
- Armstrong, M. A. (1979). *Basic Topology*. Maidenhead, England: McGraw-Hill.
- Barwise, J. and Etchemendy, J. (1999). *Language, Proof, and Logic*. New York: Seven Bridges.
- Baumgart, B. (1975). A polyhedron representation for computer vision. In *Proc. AFIPS National Conference 44*, pp. 589–596.
- Becker, B., Gschwind, S., Ohler, T., Seeger, B., and Widmayer, P. (1996). An asymptotically optimal multiversion B-tree. *VLDB Journal*, 5(4):264–275.
- Bentley, J. L. and Friedman, J. H. (1979). Data structures for range searching. *ACM Computing Surveys*, 11(4):397–409.
- Beresford, A. and Stajano, F. (2003). Location privacy in pervasive computing. *IEEE Pervasive Computing*, 2(1):46–55.
- Bertin, J. (1967). *Sémiologie Graphique*. Paris: Mouton.
- Bertolotto, M., De Floriani, L., and Marzano, P. (1994). An efficient representation for pyramidal terrain models. In Pissinou, N. and Makki, K. (Eds), *Proc. Second ACM Workshop on Advances in Geographic Information Systems*, pp. 129–136. Gaithersburg, MD: National Institute for Standards and Technology.
- Bézier, P. (1972). *Numerical Control—Mathematics and Applications*. London: Wiley. Translated from *Emploi des Machines à Commande Numérique* (1970), Masson et Cie: Paris, by Forrest, A. R. and Pankhurst, A. F.
- Blankenagel, G. and Güting, R. H. (1994). External segment trees. *Algorithmica*, 12:498–532.
- Booch, G. (1993). *Object-Oriented Analysis and Design with Applications*. Reading, MA: Addison-Wesley, 2nd edition.
- Booch, G., Rumbaugh, J., and Jacobson, I. (1998). *The Unified Modeling Language User Guide*. Reading, MA: Addison-Wesley.
- Bowyer, A. (1981). Computing Dirichlet tessellations. *Computer Journal*, 24:162–166.
- Brodie, M., Mylopoulos, J., and Schmidt, J. (Eds) (1984). *On Conceptual Modeling*. Berlin: Springer.
- Brookshear, J. G. (1989). *Theory of Computation: Formal Languages, Automata, and Complexity*. Redwood City, CA: Benjamin/Cummings.
- Bryant, R. and Singerman, D. (1985). Foundations of the theory of maps on surfaces with boundaries. *Quarterly Journal of Mathematics*, 36(2):17–41.
- Bryant, V. (1985). *Metric Spaces: Iteration and Application*. Cambridge: Cambridge University Press.

- Burrough, P. (1981). Fractal dimension of landscapes and other environmental data. *Nature*, 294:240–242.
- Burrough, P. and Frank, A. (1996). *Geographic Objects with Indeterminate Boundaries*. London: Taylor & Francis.
- Burrough, P. A. and McDonnell, R. A. (1998). *Principles of Geographical Information Systems*. Oxford: Oxford University Press, 2nd edition.
- Buttenfield, B. P. and McMaster, R. B. (Eds) (1991). *Map Generalization: Making Rules for Knowledge Representation*. London: Longman.
- Camara, A. S. and Raper, J. (Eds) (1999). *Spatial Multimedia and Virtual Reality*. London: Taylor & Francis.
- Cardelli, L. and Wegner, P. (1985). On understanding types, data abstraction, and polymorphism. *ACM Computing Surveys*, 17(4):480–521.
- Chamberlin, D. and Boyce, R. (1974). SEQUEL: A structured English query language. In *Proc. ACM SIGMOD Conference*, pp. 249–264. New York: ACM Press.
- Charniak, E. (1991). Bayesian networks without tears. *AI Magazine*, 91:50–63.
- Chazelle, B. (1991). Triangulating a simple polygon in linear time. *Discrete Computational Geometry*, 6:485–524.
- Chen, P. P.-S. (1976). The entity-relationship model—toward a unified view of data. *ACM Transactions on Database Systems*, 1(1):9–36.
- Chess, D., Grosz, B., Harrison, C., Levine, D., Parris, C., and Tsudik, G. (1995). Itinerant agents for mobile computing. *IEEE Personal Communications*, 2(5):34–49.
- Chicago Tribune* (2001). Rental firm uses GPS in speeding fine. July 2nd, p9. Chicago, IL: Associated Press.
- Chomicki, J. (1994). Temporal query languages: A survey. In *Proc. 1st International Conference on Temporal Logic (ICTL'94)*.
- Chomicki, J. and Revesz, P. (1997). Constraint-based interoperability of spatiotemporal databases. In *Advances in Spatial Databases*, volume 1262 of *Lecture Notes in Computer Science*, pp. 142–161. Berlin: Springer.
- ChoroChronos Participants (1999). ChoroChronos: A research network for spatiotemporal database systems. *SIGMOD Record*, 28(3):12–20.
- Chrisman, N. (1975). Topological information systems for geographic representation. In *Proc. AUTOCARTO 2*, pp. 346–351. Falls Church, VA: ASPRS/ACSM.
- Chrisman, N. (1978). Concepts of space as a guide to cartographic data structures. In Dutton, G. (Ed), *Proc. First International Advanced Study Symposium on Topological Data Structures for Geographic Information Systems*, pp. 1–19. Cambridge, MA: Harvard Laboratory for Computer Graphics and Spatial Analysis.
- Chrisman, N. (1997). *Exploring Geographic Information Systems*. New York: John Wiley.

- Chrisman, N. (1998). Rethinking levels of measurement in cartography. *Cartography and GIS*, 25(4):231–242.
- Clarke, B. L. (1981). A calculus of individuals based on connection. *Notre Dame Journal of Formal Logic*, 22(3).
- Clarke, B. L. (1985). Individuals and points. *Notre Dame Journal of Formal Logic*, 26(1).
- Clarke, K. C. (2002). *Getting Started with GIS*. Upper Saddle River, NJ: Prentice-Hall, 4th edition.
- Clarke, K. C. and Battersby, S. E. (2001). The coordinate digit density function and map information content analysis. In *Proc. ACSM Annual Meeting*, Las Vegas, NV.
- Clarke, K. C., Parks, B. O., and Crane, M. P. (Eds) (2001). *Geographic Information Systems and Environmental Modeling*. Upper Saddle River, NJ: Prentice-Hall.
- Clements, P. (1996). From subroutine to subsystems: Component-based software development. In Brown, A. W. (Ed), *Component Based Software Engineering*, pp. 3–6. Los Alamitos, CA: IEEE Computer Society Press.
- Cliff, A. D. and Ord, J. K. (1981). *Spatial Processes, Models, and Applications*. London: Pion.
- Coad, P. and Yourdon, E. (1991a). *Object-Oriented Analysis*. Upper Saddle River, NJ: Prentice-Hall/Yourdon Press.
- Coad, P. and Yourdon, E. (1991b). *Object-Oriented Design*. Upper Saddle River, NJ: Prentice-Hall/Yourdon Press.
- Codd, E. (1970). A relational model for large shared data banks. *Communications of the ACM*, 13(6):377–387.
- Codd, E. (1979). Extending the relational database model to capture more meaning. *ACM Transactions on Database Systems*, 4(4):397–434.
- Cohn, A. G., Bennett, B., Gooday, J., and Gotts, N. M. (1997). Qualitative spatial representation and reasoning with the region connection calculus. *GeoInformatica*, 1(3):275–316.
- Cohn, A. G. and Hazarika, S. M. (2001). Qualitative spatial reasoning: An overview. *Fundamenta Informaticae*, 46(1–2).
- Coleman, D. J. (1999). GIS in networked environments. In Longley, P., Goodchild, M. F., Maguire, D. J., and Rhind, D. W. (Eds), *Geographical Information Systems*, chapter 22. New York: John Wiley & Sons, 2nd edition.
- Comer, D. (1979). The ubiquitous B-tree. *ACM Computing Surveys*, 11(2):121–137.
- Connolly, T. and Begg, C. (1999). *Database Systems: A Practical Approach to Design, Implementation, and Management*. Reading, MA: Addison-Wesley.

- Coppock, J. T. and Rhind, D. W. (1991). The history of GIS. In Maguire, D. J., Goodchild, M. F., and Rhind, D. W. (Eds), *Geographical Information Systems*, volume 1, pp. 21–43. Essex, England: Longman.
- Couclelis, H. (1992). Beyond the raster-vector debate in GIS. In Frank, A. U., Campari, I., and Formentini, U. (Eds), *Theories of Spatio-Temporal Reasoning in Geographic Space*, volume 639 of *Lecture Notes in Computer Science*, pp. 65–77. Berlin: Springer.
- Coxeter, H. S. M. (1961). *Introduction to Geometry*. New York: Wiley.
- Cui, Z., Cohn, A. G., and Randell, D. A. (1993). Qualitative and topological relationships in spatial databases. In Abel, D. and Ooi, B. C. (Eds), *Advances in Spatial Databases, Proc. SSD'93*, volume 692 of *Lecture Notes in Computer Science*, pp. 296–315. Berlin: Springer.
- Date, C. J. (2003). *An Introduction to Database Systems*. Reading, MA: Addison-Wesley, 8th edition.
- David, B., Raynal, L., Schorter, G., and Mansart, V. (1993). GeO₂: Why objects in a geographical DBMS? In Abel, D. and Ooi, B. C. (Eds), *Advances in Spatial Databases*, volume 692 of *Lecture Notes in Computer Science*, pp. 264–276. Berlin: Springer.
- Davies, N., Cheverst, K., Mitchell, K., and Efrat, A. (2001). Using and determining location in a context-sensitive tour guide. *IEEE Computer*, 34(8):35–41.
- de Berg, M., van Kreveld, M., Overmars, M., and Schwarzkopf, O. (2000). *Computational Geometry: Algorithms and Applications*. Berlin: Springer, 2nd edition.
- De Floriani, L. (1989). A pyramidal data structure for triangle-based surface description. *IEEE Computer Graphics and Applications*, 9(2):67–78.
- De Floriani, L., Marzano, P., and Puppo, E. (1993). Spatial queries and data models. In Frank, A. U. and Campari, I. U. (Eds), *Spatial Information Theory*, volume 716 of *Lecture Notes in Computer Science*, pp. 113–138. Berlin: Springer.
- De Floriani, L., Marzano, P., and Puppo, E. (1994). Hierarchical terrain models: Survey and formalization. In *Proc. SAC'94*, pp. 323–327, Phoenix, AR.
- De Floriani, L. and Puppo, E. (1992). A hierarchical triangle-based model for terrain description. In Frank, A. U., Campari, I., and Formentini, U. (Eds), *Theories of Spatio-Temporal Reasoning in Geographic Space*, volume 639 of *Lecture Notes in Computer Science*, pp. 236–251. Berlin: Springer.
- Di Biase, D., MacEachren, A. M., Krygier, J., and Reeves, C. (1992). Animation and the role of map design in scientific visualization. *Cartography and Geographic Information Systems*, 23(4):345–370.
- Dijkstra, E. W. (1959). A note on two problems in connexion with graphs. *Numerische Mathematik*, (1):269–271.

- Dirichlet, G. L. (1850). Über die Reduction der positiven quadratischen Formen mit drei unbestimmten ganzen Zahlen. *Journal für die Reine und Angewandte Mathematik*, 40:209–227.
- Dix, A., Finlay, J., Abowd, G., and Beale, R. (1998). *Human-Computer Interaction*. London: Prentice-Hall, 2nd edition.
- Dodge, M. and Kitchin, R. (2002). *Atlas of Cyberspace*. Reading, MA: Addison-Wesley.
- Douglas, D. (1990). It makes me so CROSS. In Peuquet, D. J. and Marble, D. F. (Eds), *Introductory Readings in Geographic Information Systems*. London: Taylor & Francis. Reprinted from an unpublished manuscript, Harvard Laboratory for Computer Graphics and Spatial Analysis, 1974.
- Dretske, F. (1981). *Knowledge and the Flow of Information*. Cambridge, MA: MIT Press.
- Duckham, M., Drummond, J. E., and Forrest, D. (2000). Assessment of error in digital vector data using fractal geometry. *International Journal of Geographical Information Science*, 14(1):67–84.
- Duckham, M., Goodchild, M. F., and Worboys, M. F. (Eds) (2003). *Foundations of Geographic Information Science*. London: Taylor & Francis.
- Duckham, M., Mason, K., Stell, J. G., and Worboys, M. F. (2001). A formal approach to imperfection in geographic information. *Computer, Environment, and Urban Systems*, 25:89–103.
- Duckham, M. and Worboys, M. F. (2001). Computational structure in three-valued nearness relations. In Montello, D. R. (Ed), *Spatial Information Theory: Foundations of Geographic Information Science*, volume 2205 of *Lecture Notes in Computer Science*, pp. 76–91. Berlin: Springer.
- Dutton, G. H. (1984). Geodesic modeling of planetary relief. *Cartographica*, 21(2 & 3):188–207.
- Dutton, G. H. (1989). Planetary modeling via hierarchical tessellation. In *Proc. AUTOCARTO 9*, pp. 462–471. Baltimore, MD: ASPRS/ACSM.
- Dutton, G. H. (1990). Locational properties of quaternary triangular meshes. In Brassel, K. and Kishimoto, H. (Eds), *Proc. 4th International Symposium on Spatial Data Handling*, pp. 901–910, Zurich.
- Dutton, G. H. (1999). *A Hierarchical Coordinate System for Geoprocessing and Cartography*, volume 79 of *Lecture Notes in Earth Sciences*. Berlin: Springer.
- Dwyer, R. A. (1987). A fast divide-and-conquer algorithm for constructing Delaunay triangulations. *Algorithmica*, 2:137–151.
- Dykes, J. A. (1997). Exploring spatial data representations with dynamic graphics. *Computers and Geosciences*, 23(4):345–370.
- Egenhofer, M. and Kuhn, W. (1999). Interacting with geographic information. In Longley, P., Goodchild, M. F., Maguire, D. J., and Rhind,

- D. W. (Eds), *Geographical Information Systems*, chapter 28, pp. 401–412. New York: John Wiley & Sons, 2nd edition.
- Egenhofer, M. J. (1989). A formal definition of binary topological relationships. In Litwin, W. and Schek, H.-J. (Eds), *Proc. Third International Conference on Foundations of Data Organization and Algorithms (FODO)*, volume 367 of *Lecture Notes in Computer Science*, pp. 457–472. Berlin: Springer.
- Egenhofer, M. J. (1991). Reasoning about binary topological relations. In Günther, O. and Schek, H.-J. (Eds), *Advances in Spatial Databases, Proc. SSD'91*, volume 525 of *Lecture Notes in Computer Science*, pp. 143–160. Berlin: Springer.
- Egenhofer, M. J. and Frank, A. (1992). Object-oriented modeling for GIS. *URISA Journal*, 4:3–19.
- Egenhofer, M. J., Frank, A. U., and Jackson, J. (1989). A topological data model for spatial databases. In Günther, O. and Smith, T. (Eds), *Design and Implementation of Large Spatial Databases, Proc. SSD'89*, volume 409 of *Lecture Notes in Computer Science*, pp. 189–211. Berlin: Springer.
- Egenhofer, M. J. and Franzosa, R. D. (1991). Point-set topological spatial relations. *International Journal of Geographical Information Systems*, 5(2):161–176.
- Egenhofer, M. J. and Franzosa, R. D. (1995). On the equivalence of topological relations. *International Journal of Geographical Information Systems*, 9(2):133–152.
- Egenhofer, M. J. and Herring, J. R. (1990). A mathematical framework for the definition of topological relationships. In Brassel, K. and Kishimoto, H. (Eds), *Proc. Fourth International Symposium on Spatial Data Handling*, pp. 803–813, Zurich.
- Egenhofer, M. J. and Herring, J. R. (1991). High-level spatial data structures for GIS. In Maguire, D. J., Goodchild, M. F., and Rhind, D. W. (Eds), *Geographical Information Systems*, volume 1, pp. 227–237. Essex, England: Longman.
- Egenhofer, M. J. and Kuhn, W. (1998). Beyond desktop GIS. In *Proceedings GIS PlaNET*, Lisbon.
- Elmasri, R. E. and Navathe, S. B. (2003). *Fundamentals of Database Systems*. Reading, MA: Addison-Wesley, 3rd edition.
- Fabrikant, S. I. and Buttenfield, B. P. (2001). Formalizing spaces for information access. *Annals of the Association of American Geographers*, 91:263–280.
- Faloutsos, C., Sellis, T., and Roussopoulos, N. (1987). Analysis of object-oriented spatial access methods. In *Proc. 16th ACM SIGMOD Conference*, pp. 426–439. New York: ACM Press.
- Fekete, G. and Davis, L. S. (1984). Property spheres: A new representation for 3-D object recognition. In *Proc. Workshop on Computer Vision: Representation and Control*, pp. 176–186, Annapolis, MD.

- Fernández, R. N. and Rusinkiewicz, M. (1993). A conceptual design of a soil database for a geographical information system. *International Journal of Geographical Information Systems*, 7(6):525–539.
- Finkel, R. A. and Bentley, J. L. (1974). Quad trees: A data structure for retrieval on composite keys. *Acta Informatica*, 4(1):1–9.
- Fisher, P. F. (1994). Hearing the reliability in classified remotely sensed images. *Cartography and Geographical Information Systems*, 21(1):31–36.
- Fisher, P. F. (1999). Models of uncertainty in spatial data. In Longley, P., Goodchild, M. F., Maguire, D. J., and Rhind, D. W. (Eds), *Geographical Information Systems*, chapter 13. New York: John Wiley & Sons, 2nd edition.
- Fisher, P. F. and Orf, T. (1991). Investigation of the meaning of near and close on a university campus. *Computers, Environment, and Urban Systems*, 15:23–35.
- Flanagan, N., Jennings, C., and Flanagan, C. (1994). Automatic GIS data capture and conversion. In Worboys, M. F. (Ed), *Innovations in GIS*, pp. 25–38. London: Taylor & Francis.
- Foley, J. D., van Dam, A., Feiner, S. K., and Hughes, J. F. (1995). *Computer Graphics: Principles and Practice*. Reading, MA: Addison-Wesley, 2nd edition.
- Foresman, T. (Ed) (1998). *The History of Geographic Information Systems*. Upper Saddle River, NJ: Prentice-Hall.
- Forman, G. H. and Zahorjan, J. (1994). The challenges of mobile computing. *IEEE Computer*, 27(4):38–47.
- Fortune, S. (1987). A sweepline algorithm for voronoi diagrams. *Algorithmica*, 2:153–174.
- Fotheringham, A. S., Brunson, C., and Charlton, M. (2002). *Geographically Weighted Regression: The Analysis of Spatially Varying Relationships*. New York: John Wiley.
- Frank, A. and Barrera, R. (1989). The field-tree: A data structure for geographic information systems. In Günther, O. and Smith, T. (Eds), *Design and Implementation of Large Spatial Databases, Proc. SSD'89*, volume 409 of *Lecture Notes in Computer Science*, pp. 29–44. Berlin: Springer.
- Freeman, J. (1975). The modeling of spatial relations. *Computer Graphics and Image Processing*, 4:156–171.
- Freeston, M. (1989). A well-behaved file structure for the storage of spatial objects. In Günther, O. and Smith, T. (Eds), *Design and Implementation of Large Spatial Databases, Proc. SSD'89*, volume 409 of *Lecture Notes in Computer Science*, pp. 287–300. Berlin: Springer.
- Freeston, M. (1993). Begriffsverzeichnis: A concept index. In Worboys, M. F. and Grundy, A. F. (Eds), *Advances in Databases, Proc. 11th British National Conference on Databases, BNCOD11*, volume 696 of *Lecture Notes in Computer Science*, pp. 1–22. Berlin: Springer.

- Freundschuh, S. and Egenhofer, M. (1997). Human conceptions of spaces: Implications for GIS. *Transactions in GIS*, 2(4):361–375.
- Fuchs, H., Abram, G. D., and Grant, E. D. (1983). Near real-time shaded display of rigid objects. *Computer Graphics*, 17(3):65–72.
- Fuchs, H., Kedem, Z. M., and Naylor, B. F. (1980). On visible surface generation by *a priori* tree structures. *Computer Graphics*, 14(3):124–133.
- Gabbay, D. and Hunter, A. (1991). Making inconsistencies respectable: Part 1—A logical framework for inconsistency in reasoning. In Jorrand, P. and Keleman, J. (Eds), *Foundations of Artificial Intelligence Research*, volume 535 of *Lecture Notes in Computer Science*, pp. 19–32. Berlin: Springer.
- Galton, A. (2000). *Qualitative Spatial Change*. Oxford: Oxford University Press.
- Galton, A. (2003). On the ontological status of geographical boundaries. In Duckham, M., Goodchild, M. F., and Worboys, M. F. (Eds), *Foundations of Geographic Information Science*, pp. 151–171. London: Taylor & Francis.
- Gärdenfors, P. and Rott, H. (1995). Belief revision. In Gabbay, D. M., Hogger, C. J., and Robinson, J. A. (Eds), *Handbook of Logic in Artificial Intelligence and Logic Programming*, volume 4, pp. 35–132. Oxford: Oxford University Press.
- Garey, M. R., Johnson, D. S., Preparata, F. P., and Tarjan, R. E. (1978). Triangulating a simple polygon. *Information Processing Letters*, 7:175–179.
- Garlan, D. and Shaw, M. (1993). An introduction to software architecture. In Ambriola, V. and Tortora, G. (Eds), *Advances in Software Engineering and Knowledge Engineering*, volume 1. River Edge, NJ: World Scientific Publishing.
- Gatrell, A. C. (1991). Concepts of space and geographical data. In Maguire, D. J., Goodchild, M. F., and Rhind, D. W. (Eds), *Geographical Information Systems*, volume 1, pp. 119–134. Essex, England: Longman.
- Gaver, W. W. (1986). Auditory icons: Using sound in computer interfaces. *Human-Computer Interaction*, 2:167–177.
- Giblin, P. J. (1977). *Graphs, Surfaces, and Homology: An Introduction to Algebraic Topology*. London: Chapman & Hall.
- Gold, C. (1994). Three approaches to automated topology, and how computational geometry helps. In Waugh, T. and Healey, R. G. (Eds), *Advances in GIS Research, Proc. SDH'94*, pp. 145–158.
- Gold, C. and Cormack, S. (1987). Spatially ordered networks and topographic reconstructions. *International Journal of Geographical Information Systems*, 1:137–148.
- Goodchild, M. F. (1988). Lakes on fractal surfaces: A null hypothesis for lake rich landscapes. *Mathematical Geology*, 20(6):615–629.

- Goodchild, M. F. (1989). Tiling large geographical databases. In Günther, O. and Smith, T. (Eds), *Design and Implementation of Large Spatial Databases, Proc. SSD'89*, volume 409 of *Lecture Notes in Computer Science*, pp. 137–146. Berlin: Springer.
- Goodchild, M. F. (1991). Geographical data modeling. *Computers and Geosciences*, 18:400–408.
- Goodchild, M. F. (1997). Towards a geography of geographic information in a digital world. *Computers, Environment and Urban Systems*, 21(6):377–391.
- Goodchild, M. F. and Proctor, J. (1997). Scale in a digital geographic world. *Geographical and Environmental Modelling*, 1(1):5–23.
- Goodchild, M. F. and Shiren, Y. (1992). A hierarchical data structure for global geographical information systems. *Graphical Models and Image Processing*, 54(1):31–44.
- Greene, D. and Yao, F. (1986). Finite resolution computational geometry. In *Proc. 27th IEEE Symposium on the Foundations of Computer Science*, pp. 143–152.
- Guibas, L. and Stolfi, J. (1985). Primitives for the manipulation of general subdivisions and the computation of Voronoi diagrams. *ACM Transactions on Graphics*, 4(2):74–123.
- Günther, O. (1988). *Efficient Structures for Geometric Data Management*, volume 337 of *Lecture Notes in Computer Science*. Berlin: Springer.
- Guptill, S. C. and Morrison, J. L. (Eds) (1995). *Elements of Spatial Data Quality*. Oxford: Pergamon Press.
- Güting, R. H., Böhlen, M. H., Erwig, M., Jensen, C. S., Lorentzos, N. A., Schneider, M., and Vazirgiannis, M. (2000). A foundation for representing and querying moving objects. *ACM Transactions on Database Systems*, 25(1):1–42.
- Güting, R. H. and Schneider, M. (1995). Realm-based spatial data types: The ROSE algebra. *VLDB Journal*, 4(2):243–286.
- Guttman, A. (1984). R-trees: A dynamic index structure for spatial searching. In *Proc. 13th ACM SIGMOD Conference*, pp. 47–57. New York: ACM Press.
- Hammer, M. M. and McLeod, D. J. (1981). Database description with SDM. *ACM Transactions on Database Systems*, 6(3):351–386.
- Harary, F. (1969). *Graph Theory*. Reading, MA: Addison-Wesley.
- Hein, J. L. (2003). *Discrete Mathematics*. Sudbury, MA: Jones & Bartlett, 2nd edition.
- Henle, M. (1979). *A Combinatorial Introduction to Topology*. San Francisco, CA: Freeman.
- Herring, J. (1991). The mathematical modeling of spatial and non-spatial information in geographic information systems. In Mark, D. M. and Frank, A. U. (Eds), *Cognitive and Linguistic Aspects of Geographic Space*, pp. 313–350. Dordrecht, the Netherlands: Kluwer Academic.

- Higginbottom, J., Pianesi, F., and Varzi, A. (Eds) (2000). *Speaking of Events*. Oxford: Oxford University Press.
- Hightower, J. and Boriello, G. (2001). Location systems for ubiquitous computing. *IEEE Computer*, 34(8):57–66.
- Hoffmann, C. M. (1989). *Geometric and Solid Modeling: An Introduction*. San Mateo, CA: Morgan Kaufmann.
- Hornsby, K. and Egenhofer, M. (2000). Identity-based change: A foundation for spatio-temporal knowledge representation. *International Journal of Geographical Information Science*, 14(3):207–224.
- Hull, R. and King, R. (1987). Semantic data modeling: Survey, applications, and research issues. *ACM Computer Surveys*, 19:201–260.
- Hunter, A. (1997). *Uncertainty in Information Systems: An Introduction to Techniques and Applications*. New York: McGraw-Hill.
- Hunter, A. (1998). Paraconsistent logics. In Besnard, P. and Hunter, A. (Eds), *Handbook of Defeasible Reasoning and Uncertainty Management Systems*, volume 2, pp. 11–36. Dordrecht, the Netherlands: Kluwer.
- Jankowski, P. and Nyerges, T. (2001). *Geographic Information Systems for Group Decision Making*. London: Taylor & Francis.
- Jayawardena, D. P. W. and Worboys, M. F. (1995). The role of triangulation in spatial data handling. In Fisher, P. F. (Ed), *Innovations in GIS*, pp. 7–17. London: Taylor & Francis.
- João, E. (1998). *Causes and Consequences of Map Generalisation*. London: Taylor & Francis.
- Johnson, M. (1987). *The Body in the Mind*. Chicago: University of Chicago Press.
- Jones, C. B. (1997). *Geographical Information Systems and Computer Cartography*. Reading, MA: Addison-Wesley.
- Keefe, R. and Smith, P. (1996). *Vagueness: A Reader*. Cambridge, MA: MIT Press.
- Kemp, K. K. (1992). Environmental modeling with GIS: A strategy for dealing with spatial continuity. In *Proc. GIS/LIS Annual Conference, ASPRS and ACSM*, pp. 397–406, Bethesda.
- Knuth, D. (1973). *The Art of Computer Programming: Sorting and Searching*, volume 3. Reading, MA: Addison-Wesley.
- Kollios, G. and Tsotras, V. J. (2002). Hashing methods for temporal data. *IEEE Transactions on Data and Knowledge Engineering*, 14(4):902–919.
- Kriegel, H. P., Brinkhoff, T., and Schneider, R. (1993). Efficient spatial query processing in geographic database systems. *IEEE Data Engineering Bulletin*, 6(3):10–15.
- Krygier, J. (1994). Sound and geographic visualization. In MacEachren, A. M. and Taylor, D. R. F. (Eds), *Visualization in Modern Cartography*, pp. 1–12. Oxford: Pergamon.

- Kuhn, W. and Frank, A. U. (1991). A formalization of metaphors and image-schemas in user interfaces. In Mark, D. M. and Frank, A. U. (Eds), *Cognitive and Linguistic Aspects of Geographic Space*, pp. 419–434. Dordrecht, the Netherlands: Kluwer Academic.
- Kuipers, B. (1978). Modeling spatial knowledge. *Cognitive Science*, 2:129–153.
- Kuipers, B. (1994). *Qualitative Reasoning: Modeling and Simulation with Incomplete Knowledge*. Cambridge, MA: MIT Press.
- Kuipers, B. (2000). The spatial semantic hierarchy. *Artificial Intelligence*, 119:191–233.
- Kumar, A., Tsotras, V. J., and Faloutsos, C. (1998). Designing access methods for bitemporal databases. *IEEE Transactions on Data and Knowledge Engineering*, 10(1):1–20.
- Kurose, J. F. and Ross, K. W. (2002). *Computer Networking: A Top-Down Approach Featuring the Internet*. Reading, MA: Addison-Wesley, 2nd edition.
- Lakoff, G. and Johnson, M. (1999). *Philosophy in the Flesh: The Embodied Mind and Its Challenge to Western Thought*. New York: Basic Books.
- Lam, N. S.-N. and De Cola, L. (Eds) (1993). *Fractals in Geography*. Upper Saddle River, NJ: Prentice-Hall.
- Langran, G. (1992). *Time in Geographic Information Systems*. London: Taylor & Francis.
- Lee, D.-T. and Schachter, B. J. (1980). Two algorithms for constructing the Delaunay triangulation. *International Journal of Computer and Information Sciences*, 9(3):219–242.
- Lee, J. (1991). Analyses of visibility sites on topographic surfaces. *International Journal of Geographical Information Systems*, 1:413–429.
- Lenne, N. J. (1911). Theorems on the simple finite polygon and polyhedron. *American Journal of Mathematics*, 33:37–62.
- Lipschutz, S. (1997). *Schaum's Outline of Discrete Mathematics*. New York: McGraw-Hill, 2nd edition.
- Longley, P., Goodchild, M. F., Maguire, D. J., and Rhind, D. W. (Eds) (1999). *Geographical Information Systems*. New York: John Wiley & Sons, 2nd edition.
- Longley, P. A., Goodchild, M. F., Maguire, D. J., and Rhind, D. W. (2001). *Geographic Information Systems and Science*. New York: John Wiley & Sons.
- Lowen, R. (1996). *Fuzzy Set Theory: Basic Concepts, Techniques, and Bibliography*. Dordrecht, the Netherlands: Kluwer Academic Publishers.
- Luger, G. F. and Stubblefield, W. A. (1998). *Artificial Intelligence: Structures and Strategies for Complex Problem Solving*. Reading, MA: Addison-Wesley, 3rd edition.

- MacEachren, A. (1994a). Time as a cartographic variable. In Hearnshaw, H. M. and Unwin, D. J. (Eds), *Visualization in Geographical Information Systems*, chapter 13, pp. 115–130. New York: John Wiley.
- MacEachren, A. M. (1994b). Visualization in modern cartography: Setting the agenda. In MacEachren, A. M. and Taylor, D. R. F. (Eds), *Visualization in Modern Cartography*, pp. 1–12. Oxford: Pergamon.
- MacEachren, A. M. (1995). *How Maps Work*. New York: Guilford Press.
- MacEachren, A. M., Howard, D., von Wyss, M., Askov, D., and Taormino, T. (1993). Visualizing the health of Chesapeake Bay: An uncertain endeavor. In *Proc. GIS/LIS*, pp. 449–458. <http://www.geovista.psu.edu/publications/RVIS/index.html>, accessed 24 July 2003.
- Mackinson, D. (1985). How to give it up: A survey of some formal aspects of the logic of theory change. *Synthese*, 62:347–363.
- Madsen, K. H. (1994). A guide to metaphorical design. *Communications of the ACM*, 37(12):57–62.
- Maguire, D. J., Goodchild, M. F., and Rhind, D. W. (Eds) (1991). *Geographical Information Systems*. Chicago: Longman, 1st edition. Some chapters available online from <http://www.wiley.com/gis>.
- Mandelbrot, B. B. (1982). *The Fractal Geometry of Nature*. San Francisco, CA: Freeman.
- Manolopoulos, Y., Theodoridis, Y., and Tsotras, V. J. (1999). *Advanced Database Indexing*. Dordrecht, the Netherlands: Kluwer Academic Publishers.
- Mark, D. M. (1979). Phenomenon-based data structuring and digital terrain modeling. *Geo-Processing*, 1:27–36.
- Mark, D. M. (1989). Cognitive image-schemata for geographic information: Relations to users' views and GIS interfaces. In *Proc. GIS/LIS*, volume 2, pp. 551–560. Falls Church, VA: ASPRS/ACSM.
- Mark, D. M. and Frank, A. U. (1996). Experiential and formal models of geographic space. *Environment and Planning B*, 23:3–24.
- Miller, C. L. and Laflamme, R. A. (1958). The digital terrain model—theory and application. *Photogrammetric Engineering*, 24(3):433–442.
- Miller, H. J. and Shaw, S.-L. (2002). *Geographic Information Systems for Transportation: Principles and Applications*. Oxford: Oxford University Press.
- Moellering, H. (Ed) (1991). *Spatial Database Transfer Standards: Current International Status*. London: Elsevier.
- Moellering, H. (Ed) (1997). *Spatial Database Transfer Standards 2: Characteristics for Assessing Standards and Full Descriptions of the National and International Standards in the World*. London: Elsevier.
- Monmonier, M. (1996). *How to Lie with Maps*. Chicago: University of Chicago Press, 2nd edition.
- Monmonier, M. (2002). *Spying with Maps: Surveillance Technologies and the Future of Privacy*. Chicago: University of Chicago Press.

- Montello, D. R. (1992). The geometry of environmental knowledge. In Frank, A. U., Campari, I., and Formentini, U. (Eds), *Theories and Methods of Spatio-Temporal Reasoning in Geographic Space*, volume 639 of *Lecture Notes in Computer Science*, pp. 136–152. Berlin: Springer.
- Montello, D. R. (1993). Scale and multiple psychologies of space. In Frank, A. U. and Campari, I. (Eds), *Spatial Information Theory: A Theoretical Basis for GIS*, volume 716 of *Lecture Notes in Computer Science*, pp. 312–321. Berlin: Springer.
- Montello, D. R. (2003). Regions in geography. In Duckham, M., Goodchild, M. F., and Worboys, M. F. (Eds), *Foundations of Geographic Information Science*, pp. 173–189. London: Taylor & Francis.
- Morehouse, S. (1990). The role of semantics in geographic data modeling. In Brassel, K. and Kishimoto, H. (Eds), *Proc. Fourth International Symposium on Spatial Data Handling*, pp. 689–700, Zurich.
- Motro, A. and Smets, P. (1996). *Uncertainty Management in Information Systems: From Needs to Solutions*. Boston: Kluwer.
- Mourelatos, A. P. D. (1978). Events, processes, and states. *Linguistics and Philosophy*, 2:415–434.
- Munakata, T. (1998). *Fundamentals of the New Artificial Intelligence: Beyond Traditional Paradigms*. Berlin: Springer.
- Musavi, M. T., Shirvaikar, M. V., Ramanathan, E., and Nekorei, A. R. (1988). A vision-based method to automate map processing. *International Journal of Pattern Recognition*, 21(4):319–326.
- Nelson, R. C. and Samet, H. (1986). A consistent hierarchical representation for vector data. *Computer Graphics*, 20(4):197–206.
- Nievergelt, J., Hinterberger, H., and Sevcik, K. C. (1984). The grid file: An adaptable, symmetric, multikey file structure. *ACM Transactions on Database Systems*, 9(1):38–71.
- Norman, D. A. (1988). *The Design of Everyday Things*. New York: Doubleday.
- Ohya, T., Iri, M., and Murota, K. (1984a). A fast Voronoi-diagram algorithm with quaternary tree bucketing. *Information Processing Letters*, 18(4):227–231.
- Ohya, T., Iri, M., and Murota, K. (1984b). Improvements of the incremental method for the Voronoi diagram with computational comparisons of various algorithms. *Journal of the Operations Research Society of Japan*, 27:306–336.
- Okabe, A., Boots, B., and Sugihara, K. (1992). *Spatial tessellations: Concepts and Applications of Voronoi Diagrams*. Chichester, England: Wiley.
- O'Leary, T. J. and O'Leary, L. I. (2003). *Computing Essentials*. New York: McGraw-Hill.

- Onsrud, H. J., Johnson, J., and Lopez, X. (1994). Protecting personal privacy in using geographic information systems. *Photogrammetric Engineering and Remote Sensing*, 60(9):1083–1095.
- Openshaw, S. (1991). Developing appropriate spatial analysis methods for GIS. In Maguire, D. J., Goodchild, M. F., and Rhind, D. W. (Eds), *Geographical Information Systems*, volume 1, pp. 389–402. Essex, England: Longman.
- O'Rourke, J. (1998). *Computational Geometry in C*. Cambridge, UK: Cambridge University Press, 2nd edition.
- O'Sullivan, D. and Unwin, D. (2002). *Geographic Information Analysis*. New York: John Wiley & Sons.
- Oszu, M. T. and Valduriez, P. (1999). *Principles of Distributed Database Systems*. Upper Saddle River, NJ: Prentice-Hall, 2nd edition.
- Otoo, E. J. and Zhu, H. (1993). Indexing on spherical surfaces using semi-quadcodes. In Abel, D. and Ooi, B. C. (Eds), *Advances in Spatial Databases, Proc. SSD'93*, volume 692 of *Lecture Notes in Computer Science*, pp. 510–529. Berlin: Springer.
- Parsons, S. (1996). Current approaches to handling imperfect information in data and knowledge bases. *IEEE Transactions in Knowledge and Data Engineering*, 8(3):353–372.
- Paton, N., Abdelmoty, A., and Williams, M. (1996). Programming spatial databases: A deductive object-oriented approach. In Parker, D. (Ed), *Innovations in GIS 3*, pp. 69–78. London: Taylor & Francis.
- Pawlak, Z. (1982). Rough sets. *International Journal of Computer and Information Sciences*, 11:341–356.
- Pawlak, Z. (1995). Vagueness and uncertainty: A rough set perspective. *Computational Intelligence*, 11:227–232.
- Peitgen, H.-O., Jurgens, H., and Saupe, D. (1992). *Chaos and Fractals: New Frontiers of Science*. Berlin: Springer.
- Peterson, M. P. (1994). Spatial visualization through cartographic animation: Theory and practice. In *Proc. GIS/LIS*, pp. 619–628. <http://www.sgi.ursus.maine.edu/gisweb/spatdb/gis-lis/gi94078.html>, accessed 24 July 2003.
- Peucker, T. K. (1978). Data structures for digital terrain models: Discussion and comparison. In *Harvard Papers on Geographic Information Systems*, number 5. Cambridge, MA: Harvard University Press.
- Peucker, T. K., Fowler, R. J., Little, J. J., and Mark, D. M. (1978). The triangulated irregular network. In *Proc. ASP Digital Terrain Models Symposium*, pp. 516–540, Falls Church, VA.
- Peuquet, D. J. (1984). A conceptual framework and comparison of spatial data models. *Cartographica*, 21(4):66–113. Reproduced in Peuquet and Marble (1990).
- Peuquet, D. J. (2001). Making space for time: Issues in space-time data representation. *GeoInformatica*, 5:11–32.

- Peuquet, D. J. and Marble, D. M. (Eds) (1990). *Introductory Readings in Geographic Information Systems*. London: Taylor & Francis.
- Peuquet, D. J. and Zhan, C.-X. (1987). An algorithm to determine the directional relationship between arbitrarily-shaped polygons in the plane. *Pattern Recognition*, 20:65–74.
- Phillips, A. D. M. (1993). *The Potteries: Continuity and Change in the Staffordshire Conurbation*. Thrupp, UK: Sutton Publishing.
- Pianesi, F. and Varzi, A. C. (1996). Events, topology, and temporal relations. *The Monist*, 78:89–116.
- Polidori, L., Chorowicz, J., and Guillande, R. (1991). Description of terrain as a fractal surface and application to digital elevation model quality assessment. *Photogrammetric Engineering and Remote Sensing*, 57(10):1329–1332.
- Pradhan, S., Brignone, C., Cui, J.-H., McReynolds, A., and Smith, M. T. (2001). Websigns: Hyperlinking physical locations to the web. *IEEE Computer*, 34(8):42–48.
- Preece, J., Rogers, Y., and Sharp, H. (2002). *Interaction Design: Beyond Human-Computer Interaction*. New York: John Wiley & Sons.
- Preparata, F. P. and Shamos, M. I. (1985). *Computational Geometry: An Introduction*. Berlin: Springer.
- Priest, G. (2001). *An Introduction to Non-Classical Logic*. Cambridge, UK: Cambridge University Press.
- Pullar, D. and Egenhofer, M. J. (1988). Towards formal definitions of spatial relationships among spatial objects. In *Proc. Third International Symposium on Spatial Data Handling*, pp. 225–242. Columbus, OH: International Geographical Union.
- Ramakrishnan, R. and Gehrke, J. (2000). *Database Management Systems*, volume 2nd. New York: McGraw-Hill.
- Randell, D. A., Cui, Z., and Cohn, A. G. (1992). A spatial logic based on regions and connection. In Nebel, B., Rich, C., and Swartout, W. (Eds), *Principles of Knowledge Representation and Reasoning: Proc. Third International Conference KR'92*, pp. 165–176. San Mateo, CA: Morgan Kaufmann.
- Rigaux, P., Scholl, M. O., and Voisard, A. (2001). *Spatial Databases: With Application to GIS*. San Mateo, CA: Morgan Kaufmann.
- Ritter, G. X., Wilson, J., and Davidson, J. (1990). Image algebra: An overview. *Computer Vision, Graphics, and Image Processing*, 49:297–331.
- Robinson, A. H., Morrison, J. L., Muehrcke, P. C., Kimerling, A. J., and Guptill, S. C. (1995). *Elements of Cartography*. New York: John Wiley & Sons, 6th edition.
- Roddick, J. (1996). A survey of schema versioning issues for database systems. *Information and Software Technology*, 37(7):383–393.

- Rothermel, K. and Schwehm, M. (1999). Mobile agents. In Kent, A. and Williams, J. G. (Eds), *Encyclopedia for Computer Science and Technology*, volume 40, pp. 155–176. New York: Marcel Dekker.
- Rumbaugh, J., Blaha, M., Premerlani, W., Eddy, F., and Lorenson, W. (1990). *Object-Oriented Modeling and Design*. Upper Saddle River, NJ: Prentice-Hall.
- Russell, S. J. and Norvig, P. (2002). *Artificial Intelligence: A Modern Approach*. Upper Saddle River, NJ: Prentice-Hall, 2nd edition.
- Samet, H. (1990a). *Applications of Spatial Data Structures: Computer Graphics, Image Processing, and GIS*. Reading, MA: Addison-Wesley.
- Samet, H. (1990b). *The Design and Analysis of Spatial Data Structures*. Reading, MA: Addison-Wesley.
- Samet, H. (1995). Spatial data structures. In Kim, W. (Ed), *Modern Database Systems*, chapter 18, pp. 361–385. New York: ACM Press.
- Samet, H. and Aref, W. G. (1995). Spatial data models and query processing. In Kim, W. (Ed), *Modern Database Systems*, chapter 17, pp. 338–360. New York: ACM Press.
- Samet, H. and Webber, R. E. (1985). Storing a collection of polygons using quadtrees. *ACM Transactions on Graphics*, 4(3):182–222.
- Shafer, G. (1976). *A Mathematical Theory of Evidence*. Princeton, NJ: Princeton University Press.
- Shamos, M. I. (1975). Geometric complexity. In *Proc. Seventh Annual ACM Symposium on Theory of Computing*, pp. 224–233.
- Shamos, M. I. and Hoey, D. (1975). Closest point problems. In *Proc. 16th Annual IEEE Symposium on Foundations of Computer Science*, pp. 151–162.
- Shannon, C. and Weaver, W. (1949). *Mathematical Theory of Communication*. Urbana, IL: University of Illinois Press. Republished 1963.
- Shekhar, S. and Chawla, S. (2002). *Spatial Databases: A Tour*. Upper Saddle River, NJ: Prentice-Hall.
- Sheth, A. and Larson, J. L. (1990). Federated databases: Architectures and integration. *ACM Computing Surveys*, 22(3):183–236.
- Shi, W., Goodchild, M. F., and Fisher, P. F. (Eds) (2002). *Spatial Data Quality*. London: Taylor & Francis.
- Shneiderman, B. (1997). *Designing the User Interface*. Reading, MA: Addison-Wesley, 3rd edition.
- Shoham, Y. (1988). *Reasoning about Change*. Cambridge, MA: MIT Press.
- Smith, B. (1995). On drawing lines on a map. In Frank, A. U. and Kuhn, W. (Eds), *Spatial Information Theory: A Theoretical Basis for GIS*, volume 988 of *Lecture Notes in Computer Science*. Berlin: Springer.
- Smith, B. (1998). The basic tools of formal ontology. In Guarino, N. (Ed), *Formal Ontology in Information Systems*, pp. 19–28. Amsterdam: IOS Press.

- Smith, B. and Varzi, A. C. (2000). Fiat and bona fide boundaries. *Philosophy and Phenomenological Research*, 60(2):401–420.
- Smith, J. M. and Smith, D. C. P. (1977). Database abstractions: Aggregation and generalization. *ACM Transactions on Database Systems*, 2(2):105–133.
- Snodgrass, R. (Ed) (1995). *The TSQL2 Temporal Query Language*. Dordrecht, the Netherlands: Kluwer Academic Publishers.
- Sondheim, M., Gardels, K., and Buehler, K. (1999). GIS interoperability. In Longley, P., Goodchild, M. F., Maguire, D. J., and Rhind, D. W. (Eds), *Geographical Information Systems*, chapter 24. New York: John Wiley & Sons, 2nd edition.
- Sperber, D. and Wilson, D. (1995). *Relevance: Communication and Cognition*. Oxford: Blackwell, 2nd edition.
- Spiegel, M. R., Schiller, J. J., and Srinivasan, R. A. (2000). *Schaum's Outline of Probability and Statistics*. New York: McGraw-Hill, 2nd edition.
- Spyns, P., Meersman, R., and Jarrar, M. (2002). Data modelling versus ontology engineering. *SIGMOD Record*, 31(4):12–17.
- Stallings, W. (1999). *Data and Computer Communications*. Upper Saddle River, NJ: Prentice-Hall, 6th edition.
- Stevens, S. S. (1946). On the theory of scales and measurement. *Science*, 103:677–680.
- Stonebraker, M., Sellis, T., and Hanson, E. (1986). An analysis of rule indexing implementations in data base systems. In *Proc. First International Conference on Expert Database Systems*, pp. 353–364, Charleston, SC.
- Sutherland, W. A. (1975). *Introduction to Metric and Topological Spaces*. Oxford: Clarendon Press.
- Szyperski, C. (2002). *Component Software*. Reading, MA: Addison-Wesley, 2nd edition.
- Takayama, M. and Couclelis, H. (1997). Map dynamics integrating cellular automata and GIS through geo-algebra. *International Journal of Geographical Information Science*, 11(1):73–91.
- Tannenbaum, A. S. (2002). *Computer Networks*. Upper Saddle River, NJ: Prentice-Hall, 4th edition.
- Tansel, A. U. and Tin, E. (1997). The expressing power of temporal relational query languages. *IEEE Transactions of Data and Knowledge Engineering*, 9(1):120–134.
- Tarjan, R. E. and Wyk, C. J. V. (1988). An $O(n \log \log n)$ -time algorithm for triangulating a simple polygon. *SIAM Journal of Computing*, 17:143–178.
- Teorey, T. J., Yang, D., and Fry, J. P. (1986). Logical design methodology for relational databases. *ACM Computing Surveys*, 18(2):197–222.

- Theodoridis, Y. (2003). Ten benchmark database queries for location-based services. *The Computer Journal*, 46(5).
- Thompson, R. B. and Thompson, B. F. (2002). *PC Hardware in a Nutshell*. Sebastopol, CA: O'Reilly, 2nd edition.
- Timpf, S. (2003). Geographic activity models. In Duckham, M., Goodchild, M. F., and Worboys, M. F. (Eds), *Foundations of Geographic Information Science*, pp. 241–254. London: Taylor & Francis.
- Tobler, W. (1970). A computer movie simulating urban growth in the Detroit region. *Economic Geography*, 46(2):234–240.
- Tobler, W. (1993). Non-isotropic geographic modeling. Technical Report 93-1, National Center for Geographic Information and Analysis, Santa Barbara, CA. In *Three Presentations on Geographical Analysis and Modeling*.
- Tomlin, C. D. (1983). A map algebra. In *Proc. Harvard Computer Graphics Conference*, Cambridge, MA.
- Tomlin, C. D. (1990). *Geographic Information Systems and Cartographic Modeling*. Upper Saddle River, NJ: Prentice-Hall.
- Tomlin, C. D. (1991). Cartographic modeling. In Maguire, D. J., Goodchild, M. F., and Rhind, D. W. (Eds), *Geographical Information Systems*, volume 1, pp. 361–374. Essex, England: Longman.
- Tsai, V. J. D. (1993). Delaunay triangulations in TIN creation: An overview and a linear-time algorithm. *International Journal of Geographical Information Systems*, 7(6):501–524.
- Unwin, D. J. (1981). *Introductory Spatial Analysis*. London: Methuen.
- van Oosterom, P. J. M. (1993). *Reactive Data Structures for Geographic Information Systems*. Oxford: Oxford University Press.
- van Oosterom, P. J. M. (1999). Spatial access methods. In Longley, P., Goodchild, M. F., Maguire, D. J., and Rhind, D. W. (Eds), *Geographical Information Systems*, chapter 27. New York: John Wiley & Sons, 2nd edition.
- Vckovski, A. (1998). *Interoperable and Distributed Processing in GIS*. London: Taylor & Francis.
- Voronoi, G. (1908). Nouvelles applications des paramètres continus à la théorie des formes quadratiques, deuxième memoire, recherches sur les paralleloèdres primitifs. *Journal für die Reine und Angewandte Mathematik*, 134:198–287.
- Want, R., Hopper, A., Falcao, V., and Gibbons, J. (1992). The Active Badge location system. *ACM Transactions on Information Systems*, 10(1):91–102.
- Want, R. and Pering, T. (2003). New horizons for mobile computing. In *Proc. First International Conference on Pervasive Computing and Communications (PerCom '03)*, pp. 3–8.
- Ware, C. (2000). *Information Visualization: Perception for Design*. San Francisco: Morgan Kaufmann.

- Warwick, K. (2000). Cyborg 1.0. *Wired*, 8(2).
- Waugh, T. C. and Healey, R. (1987). The GEOVIEW design: A relational database approach to geographic data handling. *International Journal of Geographical Information Systems*, 1:101–118.
- Wegner, P. (1996). Interoperability. *ACM Computing Surveys*, 28(1):285–287.
- Weibel, R. and Heller, M. (1991). Digital terrain modeling. In Maguire, D. J., Goodchild, M. F., and Rhind, D. W. (Eds), *Geographical Information Systems*, volume 1, pp. 269–297. Essex, England: Longman.
- Weibel, R. and Jones, C. B. (1998). Computational perspectives on map generalization. *Geoinformatica*, 2(4):301–314.
- Weiler, K. (1985). Edge-based data structures for solid modeling in curved-surface environments. *Computer Graphics Applications*, 5(1):21–40.
- Weiser, M. (1991). The computer for the twenty-first century. *Scientific American*, pp. 94–104.
- Werbach, K. (2000). Location-based computing: Wherever you go, there you are. *Release 1.0*, 18(6):1–26.
- Wiederhold, G. (1992). Mediators in the architecture of future information systems. *IEEE Computer*, 25(3):38–49.
- Williams, B. K., Sawyer, S. C., and Hutchinson-Clifford, S. (2001). *Using Information Technology*. New York: McGraw-Hill, 4th edition.
- Williamson, T. (1994). *Vagueness*. London: Routledge.
- Wolfson, O., Xu, B., Chamberlain, S., and Jiang, L. (1998). Moving objects databases: Issues and solutions. In *Proc. 10th International Conference on Scientific and Statistical Database Management, SSDBM98*, pp. 111–122, Capri, Italy.
- Wood, J. (2002). *Java Programming for Spatial Scientists*. London: Taylor & Francis.
- Worboys, M. F. (1992). A generic model for planar geographic objects. *International Journal of Geographical Information Systems*, 6:353–372.
- Worboys, M. F. (1994a). Object-oriented approaches to geo-referenced information. *International Journal of Geographical Information Systems*, 8(4):385–399.
- Worboys, M. F. (1994b). A unified model of spatial and temporal information. *Computer Journal*, 37(1):26–34.
- Worboys, M. F. (1998a). Computation with imprecise geospatial data. *Computers, Environment, and Urban Systems*, 22(2):85–106.
- Worboys, M. F. (1998b). Imprecision in finite resolution spatial data. *Geoinformatica*, 2(3):257–280.
- Worboys, M. F. (2001). Nearness relations in environmental space. *International Journal of Geographical Information Science*, 15(7):633–651.

Worboys, M. F. and Duckham, M. (2004). *GIS: A Computing Perspective*. Boca Raton, FL: CRC Press, 2nd edition.

Worboys, M. F., Hearnshaw, H. M., and Maguire, D. J. (1990). Object-oriented data modeling for spatial databases. *International Journal of Geographical Information Systems*, 4:369–383.

Xia, Z.-G. and Clarke, K. C. (1997). Approaches to scaling of spatial data in the geosciences. In Quattrochi, D. A. and Goodchild, M. F. (Eds), *Scaling in Remote Sensing and GIS*, pp. 309–360. Boca Raton, FL: CRC Lewis.

Zadeh, L. A. (1965). Fuzzy sets. *Information and Control*, 8:338–353.

Zadeh, L. A. (1988). Fuzzy logic. *IEEE Computer*, 21:83–93.

Zhang, T. Y. and Suen, C. Y. (1984). A fast parallel algorithm for thinning digital patterns. *Communications of the ACM*, 27(3):236–239.

Zubin, D. (1989). Natural language understanding and reference frames. In Mark, D., Frank, A., Egenhofer, M., Freundschuh, S., McGranaghan, M., and White, R. M. (Eds), *Languages of Spatial Relations: Initiative 2 Specialist Meeting Report*, pp. 13–16. Santa Barbara, CA: National Center for Geographic Information and Analysis.

Active Badge, 254

active location sensor, 282

acyclic graph, 120

adaptive thresholding, 208

adjacency

 list, 212

 matrix, 210

affine transformation, 54, 130

affiliates, 298

aggregation, 76

akatory, 150

algorithms, 169, see also A*,

 Delaunay triangulation,

 Dijkstra's, Dijkstra-Peucker,

 Garvey et al., exhaustive,

 greedy, Greene, Han, matching,

 Kruskal, walking path,

 Zhang-Suen

algorithmic complexity, 176

α -cut, 347

ALO, 25

amplitude modulation, 30

analog, 29

analog, 297

frequency, 307

order, 368

anisotropic, 146

annulus, 109, 110

antisymmetric, 76, 121

arc, 118

architecture, see computer,

 architecture; database,

 architecture; system,

 architecture

Archives, 268

arithmetic logic unit, see ALU

arrangement, 104

aspect, 16

assignment operator, 163, 177

assisted GPS, 287

association, 76, 78

asynchronous behavior, 175

atomic transaction, 23

atomicity

 re-expressive, 367

 timestamp, 376

 type, 37, 67

augmented reality, 175

average case performance, 171

axis, 125, 123