

References

- Abdella K. and McFarlane N. (1997) A new second-order turbulence closure scheme for the planetary boundary layer. *J. Atmos. Sci.* **54**, 1850–67.
- ACEA (1999) ACEA Programme on Emissions of Fine Particles from Passenger Cars. Brussels, ACEA.
- Adamson A. W. (1990) *Physical Chemistry of Surfaces*, 5th edn. New York, John Wiley and Sons, Inc.
- Alam M. K. (1987) The effect of van der Waals and viscous forces on aerosol coagulation. *Aerosol Sci. Technol.* **6**, 41–52.
- Alfarro S. C. and Gomes L. (2001) Modeling mineral aerosol production by wind erosion: Emission intensities and aerosol size distributions in source areas. *J. Geophys. Res.* **106**, 18075–84.
- Allen P. and Wagner K. (1992) 1987 California Air Resources Board emissions inventory, magnetic tapes ARA806, ARA807.
- Al Nakshabandi G. and Konhke H. (1965) Thermal conductivity and diffusivity of soils as related to moisture tension and other physical properties. *Agric. Meteor.* **2**, 271–9.
- Ambartsumiam V. (1936) The effect of the absorption lines on the radiative equilibrium of the outer layers of the stars. *Publ. Obs. Astron. Univ. Leningrad* **6**, 7–18.
- Anandakumar K. (1999) A study of the partition of net radiation into heat fluxes on a dry asphalt surface. *Atmos. Environ.* **33**, 3911–18.
- Anbar M. and Neta P. (1967) A compilation of specific bimolecular rate constants for the reactions of hydrated electrons, hydrogen atoms, and hydroxyl radicals with inorganic and organic compounds in aqueous solution. *Int. J. Appl. Radiat. Isot.* **18**, 493–523.
- Andre J. C., De Moor G., Lacarrere P., and Du Vachat R. (1978) Modeling the 24-hour evolution of the mean and turbulent structures of the planetary boundary layer. *J. Atmos. Sci.* **35**, 1861–83.
- Andreae M. O. and Merlet P. (2001) Emission of trace gases and aerosols from biomass burning. *Global Biogeochemical Cycles* **15**, 955–66.
- Andreas E. L. (1992) Sea spray and the turbulent air-sea heat fluxes. *J. Geophys. Res.* **97**, 11,429–41.
- Andrén A. (1990) Evaluation of a turbulence closure scheme suitable for air pollution applications. *J. Appl. Math. Phys.* **29**, 224–39.
- Andres R. J. and Kasgnoc A. D. (1998) A time-averaged inventory of subaerial volcanic sulfur emissions. *J. Geophys. Res.* **103**, 25251–61.
- Angell C. A., Guni M. O., and Sichina W. J. (1982) Heat capacity of water at extremes of supercooling and superheating. *J. Phys. Chem.* **86**, 998–1002.
- Anthes R. A. (1977) A cumulus parameterization scheme utilizing a one-dimensional cloud model. *Mon. Wea. Rev.* **105**, 270–86.
- Anthes R. A., Kuo Y.-H., Hsieh E.-Y., Low-Nam S., and Bettge T. W. (1989) Estimation of skill and uncertainty in regional numerical models. *Q. J. Roy. Meteor. Soc.* **115**, 763–806.
- Apsley D. D. and Castro I. P. (1997) A limited-length-scale k - ε model for the neutral and stably-stratified atmospheric boundary layer. *Boundary-Layer Meteor.* **83**, 75–98.

References

- Arakawa A. (1984) Boundary conditions in limited-area models. Course notes, Department of Atmospheric Sciences, University of California, Los Angeles.
- (1997) Adjustment mechanisms in atmospheric models. *J. Meteor. Soc. Japan* 75, 155–79.
- Arakawa A. and Konor C. S. (1995) Vertical differencing of the primitive equations based on the Charney–Phillips grid in hybrid σ - p vertical coordinates. *Mon. Wea. Rev.* 124, 511–28.
- Arakawa A. and Lamb V. R. (1977) Computational design of the basic dynamical processes of the UCLA general circulation model. *Methods Comput. Phys.* 17, 174–265.
- Arakawa A. and Schubert W. H. (1974) Interaction of a cumulus cloud ensemble with large scale environment, Part I. *J. Atmos. Sci.* 31, 674–701.
- Arakawa A. and Suarez M. J. (1983) Vertical differencing of the primitive equations in sigma coordinates. *Mon. Wea. Rev.* 111, 34–45.
- Archer C. L. and Jacobson M. Z. (2003) Spatial and temporal distributions of U.S. winds and wind power at 80 m derived from measurements. *J. Geophys. Res.* 108 (D9), 4289, doi:10.1029/2002JD002076.
- Arking A. A. and Grossman K. (1972) The influence of line shape and band structure on temperatures in planetary atmospheres. *J. Atmos. Sci.* 29, 937–49.
- Arstila H., Korhonen P., and Kulmala M. (1999) Ternary nucleation: Kinetics and application to water–ammonia–hydrochloric acid system. *J. Aerosol Sci.* 30, 131–8.
- Artelt C., Schmid H.-J., and Peukert W. (2003) On the relevance of accounting for the evolution of the fractal dimension in aerosol process simulations. *J. Aerosol Sci.* 34, 511–34.
- Arya S. P. (1988) *Introduction to Micrometeorology*. San Diego, Academic Press, 307pp.
- Asphalt Roofing Manufacturers Association (ARMA) (1999) *Roofing Basics*, <http://www.asphaltruofing.org/basics.html>.
- Atkinson R., Lloyd A. C., and Winges L. (1982) An updated chemical mechanism for hydrocarbon/NO_x/SO₂ photooxidations suitable for inclusion in atmospheric simulation models. *Atmos. Environ.* 16, 1341–55.
- Atkinson R., Baulch D. L., Cox R. A., et al. (1997) Evaluated kinetic, photochemical, and heterogeneous data for atmospheric chemistry. Supplement V. *J. Phys. Chem. Ref. Data* 26, 521–1011.
- Austin J. (1991) On the explicit versus family solution of the fully diurnal photochemical equations of the stratosphere. *J. Geophys. Res.* 96, 12,941–74.
- Avissar R. and Maher Y. (1988) Mapping frost-sensitive areas with a three-dimensional local-scale numerical model. Part I: Physical and numerical aspects. *J. Appl. Meteor.* 27, 400–13.
- Bader G. and Deuflhard P. (1983) A semi-implicit mid-point rule for stiff systems of ordinary differential equations. *Numer. Math.* 41, 373–98.
- Bagnold R. A. (1941) *The Physics of Blown Sand and Desert Dunes*. New York, Methuen, 265pp.
- Baldocchi D. D., Hicks B. B., and Camara P. (1987) A canopy stomatal resistance model for gaseous deposition to vegetated surfaces. *Atmos. Environ.* 21, 91–101.
- Bannon P. R. (1966) On the anelastic approximation for a compressible atmosphere. *J. Atmos. Sci.* 53, 3618–28.
- Bassett M. E. and Seinfeld J. H. (1983) Atmospheric equilibrium model of sulfate and nitrate aerosol. *Atmos. Environ.* 17, 2237–52.
- (1984) Atmospheric equilibrium model of sulfate and nitrate aerosol-II. Particle size analysis. *Atmos. Environ.* 18, 1163–70.
- Bates T. S., Kiene R. P., Wolfe G. V., et al. (1994) The cycling of sulfur in surface seawater of the Northeast Pacific. *J. Geophys. Res.* 99, 7835–43.
- Beard K. V. (1976) Terminal velocity and shape of cloud and precipitation drops aloft. *J. Atmos. Sci.* 33, 851–64.
- Beard K. V. and Grover S. N. (1974) Numerical collision efficiencies for small raindrops colliding with micron size particles. *J. Atmos. Sci.* 31, 543–50.

References

- Beard K. V. and Ochs III H. T. (1984) Collection and coalescence efficiencies for accretion. *J. Geophys. Res.* **89**, 7165–9.
- Beard K. V. and Pruppacher H. R. (1971) A wind tunnel investigation of the rate of evaporation of small water drops falling at terminal velocity in air. *J. Atmos. Sci.* **28**, 1455–64.
- Behar D., Czapski G., and Duchovny I. (1970) Carbonate radical in flash photolysis and pulse radiolysis of aqueous carbonate solutions. *J. Phys. Chem.* **74**, 2206–10.
- Bermejo R. and Conde J. (2002) A conservative quasi-monotone semi-Lagrangian scheme. *Mon. Wea. Rev.* **130**, 423–30.
- Berresheim H., Wine P. H., and Davis D. D. (1995) Sulfur in the atmosphere. In *Composition, Chemistry, and Climate of the Atmosphere*. H. B. Singh, ed., New York, Van Nostrand Reinhold, 251–307.
- Betterton E. A. and Hoffmann M. R. (1988) Henry's law constants of some environmentally important aldehydes. *Environ. Sci. Technol.* **22**, 1415–18.
- Betts A. K. (1986) A new convective adjustment scheme. Part I: Observational and theoretical basis. *Q. J. Roy. Meteor. Soc.* **112**, 677–91.
- Betts A. K. and Miller M. J. (1986) A new convective adjustment scheme. Part II: Single column tests using GATE wave, BOMEX, ATEX, and arctic air-mass data sets. *Q. J. Roy. Meteor. Soc.* **112**, 693–709.
- Bhumralkar C. M. (1975) Numerical experiments on the computation of ground surface temperature in an atmospheric general circulation model. *J. Appl. Meteor.* **14**, 67–100.
- Bielski B. H. J. (1978) Reevaluation of the spectral and kinetic properties of HO₂ and O₂⁺ free radicals. *Photochem. Photobiol.* **28**, 645–9.
- Bigg E. K. (1953) The formation of atmospheric ice crystals by the freezing of droplets. *Q. J. Roy. Meteor. Soc.* **79**, 510–19.
- Binkowski F. S. and Roselle S. J. (2003) Models-3 Community Multiscale Air Quality (CMAQ) model aerosol component 1. Model description. *J. Geophys. Res.* **108** (D6), 4183, doi:10.1029/2001JD001409.
- Binkowski F. S. and Shankar U. (1995) The regional particulate matter model 1. Model description and preliminary results. *J. Geophys. Res.* **100**, 26191–209.
- Blackadar A. K. (1976) Modeling the nocturnal boundary layer. *Proceedings of the Third Symposium on Atmospheric Turbulence, Diffusion and Air Quality*, Boston, American Meteorological Society, 46–9.
- (1978) Modeling pollutant transfer during daytime convection. *Proceedings of the Fourth Symposium on Atmospheric Turbulence, Diffusion, and Air Quality*, Reno, American Meteorological Society, 443–7.
- Blumthaler M. and Ambach W. (1988) Solar UVB-albedo of various surfaces. *Photochem. Photobiol.* **48**, 85–8.
- Boccippio D. J., Cummins K. L., Christian H. J., and Goodman S. J. (2001) Combined satellite- and surface-based estimation of the intracloud–cloud-to-ground lightning ratio over the continental United States. *Mon. Wea. Rev.* **129**, 108–22.
- Bohren C. F. (1986) Applicability of effective-medium theories to problems of scattering and absorption by nonhomogeneous atmospheric particles. *J. Atmos. Sci.* **43**, 468–75.
- Bohren C. F. and Huffman D. R. (1983) *Absorption and Scattering of Light by Small Particles*. New York, John Wiley and Sons, 530pp.
- Bojkov R. D. and Fioletov V. E. (1995) Estimating the global ozone characteristics during the last 30 years. *J. Geophys. Res.* **100**, 16,537–51.
- Bolsaitis P. and Elliott J. F. (1990) Thermodynamic activities and equilibrium partial pressures for aqueous sulfuric acid solutions. *J. Chem. Eng. Data* **35**, 69–85.
- Bolton D. (1980) The computation of equivalent potential temperature. *Mon. Wea. Rev.* **108**, 1046–53.
- Bond D. W., Steiger S., Zhang R., Tie X., and Orville R. E. (2002) The importance of NO_x production by lightning in the tropics. *Atmos. Environ.* **36**, 1509–19.

References

- Bond T. C., Streets D. G., Yarber K. F., Nelson S. M., Woo, J.-H., and Klimont, Z. (2004) A technology-based global inventory of black and organic carbon emissions from combustion. *J. Geophys. Res.*, **109**, (D1) 4203, doi: 10.1029/2003JD003697.
- Bonsang B., Martin D., Lambert G., Kanakidou M., Le Roulley J. C., and Sennequier G. (1991) Vertical distribution of nonmethane hydrocarbons in the remote marine boundary layer. *J. Geophys. Res.* **96**, 7313–24.
- Bothe E. and Schulte-Frohlinde D. (1980) Reaction of dihydroxymethyl radical with molecular oxygen in aqueous solution. *Z. Naturforsch. B, Anorg. Chem. Org. Chem.* **35**, 1035–9.
- Bott A. (1989) A positive definite advection scheme obtained by nonlinear renormalization of the advective fluxes. *Mon. Wea. Rev.* **117**, 1006–15.
- (2000) A flux method for the numerical solution of the stochastic collection equation: Extension to two-dimensional particle distributions. *J. Atmos. Sci.* **57**, 284–94.
- Bott A. and Carmichael G. R. (1993) Multiphase chemistry in a microphysical radiation fog model – a numerical study. *Atmos. Environ.* **27A**, 503–22.
- Boubel R. W., Fox D. L., Turner D. B., and Stern A. C. S. (1994) *Fundamentals of Air Pollution*. San Diego, Academic Press, Inc.
- Boyce S. D. and Hoffmann M. R. (1984) Kinetics and mechanism of the formation of hydroxymethanesulfonic acid at low pH. *J. Phys. Chem.* **88**, 4740–6.
- Brewer P. G. (1997) Ocean chemistry of the fossil fuel CO₂ signal: The haline signal of “business as usual.” *Geophys. Res. Lett.* **24**, 1367–9.
- Briere S. (1987) Energetics of daytime sea breeze circulation as determined from a two-dimensional and third-order closure mode. *J. Atmos. Sci.* **44**, 1455–74.
- Brock J. R., Zehavi D., and Kuhn P. (1986) Condensation aerosol formations and growth in a laminar coaxial jet: Experimental. *J. Aerosol Sci.* **17**, 11–22.
- Bromley L. A. (1973) Thermodynamic properties of strong electrolytes in aqueous solutions. *AICHE J.* **19**, 313–20.
- Brownawell M. (2004) <http://isa.dknet.dk/~innova/gemarkus.htm>.
- Bruggeman D. A. G. (1935) Berechnung verschiedener physikalischer Konstanten von heterogenen Substanzen. I. Dielektrizitätskonstanten und Leitfähigkeiten der Mischkörper aus isotropen Substanzen. *Ann. Phys. (Leipzig)* **24**, 639–79.
- Brutsaert W. (1991) *Evaporation in the Atmosphere*. Dordrecht, Kluwer Academic Publishers, 299pp.
- Burtscher H. and Schmidt-Ott A. (1982) Enormous enhancement of van der Waals forces between small silver particles. *Phys. Rev. Lett.* **48**, 1734–7.
- Businger J. A., Wyngaard J. C., Izumi Y., and Bradley E. F. (1971) Flux-profile relationships in the atmospheric surface layer. *J. Atmos. Sci.* **28**, 181–9.
- Butler J. N. (1982) *Carbon Dioxide Equilibria and Their Applications*. Reading MA, Addison-Wesley Publishing Co., 259pp.
- Calder K. L. (1949) Eddy diffusion and evaporation in flow over aerodynamically smooth and rough surfaces: A treatment based on laboratory laws of turbulent flow with special reference to conditions in the lower atmosphere. *Q. J. Mech. Appl. Math.* **2**, 153–76.
- Caldeira K. and Wickett M. E. (2003) Anthropogenic carbon and ocean pH. *Nature* **425**, 265.
- California Air Resources Board (CARB) (1988) *Method Used to Develop a Size-Segregated Particulate Matter Inventory*. Technical Support Division, Emission Inventory Branch, California Air Resources Board, Sacramento, CA.
- Campbell F. W. and Maffel L. (1974) Contrast and spatial frequency. *Sci. Am.* **231**, 106–14.
- Capaldo K. P., Pilinis C., and Pandis S. N. (2000) A computationally efficient hybrid approach for dynamic gas/aerosol transfer in air quality models. *Atmos. Environ.* **34**, 3617–27.
- Carmichael G. R., Peters L. K., and Kitada T. (1986) A second generation model for regional-scale transport/chemistry/deposition. *Atmos. Environ.* **20**, 173–88.
- Carpenter R. L., Droegelemeier K. K., Woodward P. R., and Hane C. E. (1990) Application of the piecewise parabolic method (PPM) to meteorological modeling. *Mon. Wea. Rev.* **118**, 586–612.

References

- Carter W. P. L. (1990) A detailed mechanism for the gas-phase atmospheric reactions of organic compounds. *Atmos. Environ.* **24A**, 481–518.
- (1991) *Development of Ozone Reactivity Scales for Volatile Organic Compounds*. EPA-600/3-91-050. U.S. Environmental Protection Agency, Research Triangle Park, NC.
- (2000) *Documentation of the SAPRC-99 Chemical Mechanism for VOC Reactivity Assessment*. Final Report to the California Air Resources Board Under Contracts 92-329 and 95-308, California Air Resources Board, Sacramento, CA.
- Cass G. R. (1979) On the relationship between sulfate air quality and visibility with examples in Los Angeles. *Atmos. Environ.* **13**, 1069–84.
- Castro T., Madronich S., Rivale S., Muhlia A., and Mar B. (2001) The influence of aerosols on photochemical smog in Mexico City. *Atmos. Environ.* **35**, 1765–72.
- Celia M. A. and Gray W. G. (1992) *Numerical Methods for Differential Equations*. Englewood Cliffs, Prentice-Hall.
- Chameides W. L. (1984) The photochemistry of a remote marine stratiform cloud. *J. Geophys. Res.* **89**, 4739–55.
- Chameides W. L. and Stelson A. W. (1992) Aqueous-phase chemical processes in deliquescent sea-salt aerosols: A mechanism that couples the atmospheric cycles of S and sea salt. *J. Geophys. Res.* **97**, 20, 565–80.
- Chang E., Nolan K., Said M., Chico T., Chan S., and Pang E. (1991) *1987 Emissions Inventory for the South Coast Air Basin: Average Annual Day*. South Coast Air Quality Management District (SCAQMD), Los Angeles.
- Chang S., Brodzinsky G. R., Gundel L. A., and Novakov T. (1982) Chemical and catalytic properties of elemental carbon. In *Particulate Carbon: Atmospheric Life Cycle*, G. T. Wolff and R. L. Klimsch, eds., New York, Plenum Press, 158–81.
- Chang W., Heikes B. G., and Lee M. (2004) Ozone deposition to the sea surface: chemical enhancement and wind speed dependence. *Atmos. Environ.* **38**, 1053–9.
- Chapman S. (1930) A theory of upper-atmospheric ozone. *Mem. Roy. Meteor. Soc.* **3**, 104–25.
- Chapman S. and Cowling T. G. (1970) *The Mathematical Theory of Nonuniform Gases*. Cambridge, Cambridge University Press.
- Charney J. G. (1949) On a physical basis for numerical prediction of large-scale motions in the atmosphere. *J. Meteor.* **6**, 371–85.
- (1951) Dynamical forecasting by numerical process. In *Compendium of Meteorology*, T. F. Malone, ed., Boston, American Meteorological Society, 470–82.
- Charney J. G. and Phillips N. A. (1953) Numerical integration of the quasigeostrophic equations for barotropic and simple baroclinic flows. *J. Meteor.* **10**, 71–99.
- Charnock H. (1955) Wind stress on a water surface. *Q. J. Roy. Meteor. Soc.* **81**, 639–40.
- Chatfield R. B., Gardner E. P., and Calvert J. G. (1987) Sources and sinks of acetone in the troposphere: Behavior of reactive hydrocarbons and a stable product. *J. Geophys. Res.* **92**, 4208–16.
- Chen C. (1991) A nested grid, nonhydrostatic, elastic model using a terrain-following coordinate transformation: The radiative-nesting boundary conditions. *Mon. Wea. Rev.* **119**, 2852–69.
- Chen S., Cope V. W., and Hoffman M. Z. (1973) Behavior of CO_3^- radicals generated in the flash photolysis of carbonatoamines complexes of cobalt(III) in aqueous solution. *J. Phys. Chem.* **77**, 1111–6.
- Cheng M.-D. and Arakawa A. (1997) Inclusion of rainwater budget and convective downdrafts in the Arakawa-Schubert cumulus parameterization. *J. Atmos. Sci.* **54**, 1359–78.
- Cheng Y., Canuto V. M., and Howard A. M. (2002) An improved model for the turbulent PBL. *J. Atmos. Sci.* **59**, 1550–65.
- Chock D. P. (1991) A comparison of numerical methods for solving the advection equation – III. *Atmos. Environ.* **25A**, 853–71.

References

- Chock D. P. and Winkler S. L. (1994) A comparison of advection algorithms coupled with chemistry. *Atmos. Environ.* **28**, 2659–75.
- (2000) A trajectory-grid approach for solving the condensation and evaporation equations of aerosols. *Atmos. Environ.* **34**, 2957–73.
- Chock D. P., Sun P., and Winkler S. L. (1996) Trajectory-grid: An accurate sign-preserving advection-diffusion approach for air quality modeling. *Atmos. Environ.* **30**, 857–68.
- Christensen H., Sehested K., and Corfitzen H. (1982) Reactions of hydroxyl radicals with hydrogen peroxide at ambient and elevated temperatures. *J. Phys. Chem.* **86**, 1588–90.
- Chylek P. (1977) A note on extinction and scattering efficiencies. *J. Appl. Meteor.* **16**, 321–2.
- Chylek P., Srivastava V., Pinnick R. G., and Wang R. T. (1988) Scattering of electromagnetic waves by composite spherical particles: experiment and effective medium approximations. *Appl. Opt.* **27**, 2396–404.
- Chylek P., Videen G., Ngo D., Pinnick R. G., and Klett J. D. (1995) Effect of black carbon on the optical properties and climate forcing of sulfate aerosols. *J. Geophys. Res.* **100**, 16,325–32.
- Clapp R. B. and Hornberger G. M. (1978) Empirical equations for some soil hydraulic properties. *Water Resour. Res.* **14**, 601–4.
- Cleaver B., Rhodes E., and Ubbelohde A. R. (1963) Studies of phase transformations in nitrates and nitrites I. Changes in ultra-violet absorption spectra on melting. *Proc. Roy. Soc. London* **276**, 437–53.
- Clegg S. L. and Brimblecombe P. (1995) Application of a multicomponent thermodynamic model to activities and thermal properties of 0–40 mol kg⁻¹ aqueous sulphuric acid from < 200 K to 328 K. *J. Chem. Eng. Data* **40**, 43–64.
- Clegg S. L. and Seinfeld J. H. (2004) Improvement of the Zdanovskii-Stokes-Robinson model for mixtures containing solutes of different charge types. *J. Phys. Chem.* **108**, 1008–17.
- Clegg S. L., Brimblecombe P., Liang Z., and Chan C. K. (1997) Thermodynamic properties of aqueous aerosols to high supersaturation: II – A model of the system Na⁺–Cl⁻–NO₃⁻–SO₄²⁻–H₂O at 298.15 K. *Aerosol Sci. Technol.* **27**, 345–66.
- Clegg S. L., Seinfeld J. H., and Edney E. O. (2003) Thermodynamic modeling of aqueous aerosols containing electrolytes and dissolved organic compounds. II. An extended Zdanovskii-Stokes-Robinson approach. *J. Aerosol Sci.* **34**, 667–90.
- Clyne M. A. A., Monkhouse P. B., and Townsend L. W. (1976) Reactions of O(³P) atoms with halogens: The rate constants for the elementary reactions O(³P) + BrCl, O(³P) + Br₂ and O(³P) + Cl₂. *Int. J. Chem. Kinet.* **8**, 425–49.
- Coffman D. J. and Hegg D. A. (1995) A preliminary study of the effect of ammonia on particle nucleation in the marine boundary layer. *J. Geophys. Res.* **100**, 7147–60.
- Cohen M. D., Flagan R. C., and Seinfeld J. H. (1987a) Studies of concentrated electrolyte solutions using the electrodynamic balance. 1. Water activities for single-electrolyte solutions. *J. Phys. Chem.* **91**, 4563–74.
- (1987b) Studies of concentrated electrolyte solutions using the electrodynamic balance. 2. Water activities for mixed-electrolyte solutions. *J. Phys. Chem.* **91**, 4575–82.
- Coleman G. N. (1999) Similarity statistics from a direct numerical simulation of the neutrally stratified planetary boundary layer. *J. Atmos. Sci.* **56**, 891–9.
- Collela P. and Woodward P. R. (1984) The piecewise parabolic method (PPM) for gas-dynamical simulations. *J. Comp. Phys.* **54**, 174–201.
- Comes F. J., Forberich O., and Walter J. (1997) OH field measurements: A critical input into model calculations on atmospheric chemistry. *J. Atmos. Sci.* **54**, 1886–94.
- Conklin M. H. and Hoffmann M. R. (1988) Metal ion-S(IV) chemistry III. Thermodynamics and kinetics of transient iron(III)-sulfur(IV) complexes. *Environ. Sci. Technol.* **22**, 891–8.
- Cooke W. F. and Wilson J. J. N. (1996) A global black carbon aerosol model. *J. Geophys. Res.* **101**, 19,395–409.

References

- Cooke, W. F., Lioussse C., Cachier H., and Feichter J. (1999) Construction of a $1^\circ \times 1^\circ$ fossil fuel emission data set for carbonaceous aerosol and implementation and radiative impact in the ECHAM4 model. *J. Geophys. Res.* **104**, 22,137–62.
- Cotton W. R. and Anthes R. A. (1989) *Storm and Cloud Dynamics*. San Diego, Academic Press, Inc.
- Courant R., Friedrichs K., and Lewy H. (1928) Über die partiellen Differenzengleichungen der mathematischen Physik. *Math. Ann.* **100**, 32–74.
- Crank J. (1975) *The Mathematics of Diffusion*, 2nd edn. Oxford, Clarendon Press.
- Crank J. and Nicolson P. (1947) A practical method for numerical evaluation of solutions of partial differential equations of the heat-conduction type. *Proc. Camb. Philos. Soc.* **43**, 50–67.
- Crutzen P. J. (1971) Ozone production rates in an oxygen-hydrogen-nitrogen oxide atmosphere. *J. Geophys. Res.* **76**, 7311–27.
- Cuenca R. H., Ek M., and Mahrt L. (1996) Impact of soil water property parameterization on atmospheric boundary layer simulation. *J. Geophys. Res.* **101**, 7269–77.
- Cunningham E. (1910) On the velocity of steady fall of spherical particles through fluid medium. *Proc. Roy. Soc. London* **A83**, 357–65.
- Curtiss C. F. and Hirschfelder J. O. (1952) Integration of stiff equations. *Proc. Nat. Acad. Sci. USA* **38**, 235–43.
- Cuzzi J. N., Ackerman T. P., and Helmle L. C. (1982) The delta-four-stream approximation for radiative transfer. *J. Atmos. Sci.* **39**, 917–25.
- Dabdub D. and Seinfeld J. H. (1994) Numerical advective schemes used in air quality models – sequential and parallel implementation. *Atmos. Environ.* **28**, 3369–85.
- (1995) Extrapolation techniques used in the solution of stiff ODEs associated with chemical kinetics of air quality models. *Atmos. Environ.* **29**, 403–10.
- Danielsen, E. F., Bleck R., and Morris D. A. (1972) Hail growth by stochastic collection in a cumulus model. *J. Atmos. Sci.* **29**, 135–55.
- Davies H. C. (1976) A lateral boundary formulation for multi-level prediction models. *Q. J. Roy. Meteor. Soc.* **102**, 405–18.
- Davis E. J. (1983) Transport phenomena with single aerosol particles. *Aerosol Sci. Technol.* **2**, 121–44.
- Dean, J. A. (1992) *Lange's Handbook of Chemistry*. New York, McGraw-Hill, Inc.
- Deardorff J. W. (1972) Numerical investigation of neutral and unstable planetary boundary layers. *J. Atmos. Sci.* **29**, 91–115.
- (1977) A parameterization of ground surface moisture content for use in atmospheric prediction models. *J. Appl. Meteor.* **16**, 1182–5.
- (1978) Efficient prediction of ground surface temperature and moisture with inclusion of a layer of vegetation. *J. Geophys. Res.* **83**, 1889–903.
- De Arellano J. V., Duynkerke P., and van Weele M. (1994) Tethered-balloon measurements of actinic flux in a cloud-capped marine boundary layer. *J. Geophys. Res.* **99**, 3699–705.
- De Leeuw G., Neele F. P., Hill M., Smith M. H., and Vignati E. (2000) Production of sea spray aerosol in the surf zone. *J. Geophys. Res.* **105**, 29397–409.
- Deirmendjian D. (1969) *Electromagnetic Scattering on Spherical Polydispersions*. New York, Elsevier.
- DeMore W. B., Sanders S. P., Golden D. M., et al. (1997) *Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling*. Evaluation number 12, JPL Publ. 97-4, Jet Propulsion Laboratory, Pasadena, CA.
- Dickerson R. R., Kondragunta S., Stenchikov G., Civerolo K. L., Dodridge B. G., and Holben B. N. (1997) The impact of aerosols on solar UV radiation and photochemical smog. *Science* **278**, 827–30.
- Dickinson R. E. (1984) Modeling evapotranspiration for three-dimensional global climate models. In *Climate Processes and Climate Sensitivity*, Geophys. Monogr. Ser., Vol. 29,

References

- J. E. Hanson and T. Takahashi, eds., Washington, DC, American Geophysical Union, 58–72.
- Ding P. and Randall D. A. (1998) A cumulus parameterization with multiple cloud-base levels. *J. Geophys. Res.* **103**, 11,341–53.
- Donea J. (1984) A Taylor–Galerkin method for convective transport problems. *Int. J. Numer. Methods Engng.* **20**, 101–19.
- Dorsch R. G. and Hacker P. (1951) *Experimental Values of Surface Tension of Supercooled Water*. National Advisory Committee for Aeronautics (NACA), Tech. Note 2510.
- Duce R. A. (1969) On the source of gaseous chlorine in the marine atmosphere. *J. Geophys. Res.* **70**, 1775–9.
- Dudhia J. (1993) A nonhydrostatic version of the Penn State–NCAR mesoscale model: Validation tests and simulation of an Atlantic cyclone and cold front. *Mon. Wea. Rev.* **121**, 1493–513.
- Durran D. R. (1999) *Numerical Methods for Wave Equations in Geophysical Fluid Dynamics*. New York, Springer-Verlag.
- Dyer A. J. (1974) A review of flux-profile relationships. *Boundary-Layer Meteor.* **7**, 363–72.
- Dyer A. J. and Bradley E. F. (1982) An alternative analysis of flux-gradient relationships at the 1976 ITCE. *Boundary-Layer Meteor.* **22**, 3–19.
- Easter R. C. (1993) Two modified versions of Bott's positive-definite numerical advection scheme. *Mon. Wea. Rev.* **121**, 297–304.
- Eddington S. A. (1916) On the radiative equilibrium of the stars. *Mon. Not. Roy. Astron. Soc.* **77**, 16–35.
- Edlen B. (1966) The refractive index of air. *Meteorology* **2**, 71–80.
- Eliasen E., Machenhauer B., and Rasmussen E. (1970) *On a Numerical Method for Integration of the Hydrodynamical Equations with a Spectral Representation of the Horizontal Fields*. Report No. 2, Institut for Teoretisk Meteorologi, University of Copenhagen, 35pp.
- Elliott D. L., Holladay C. G., Barchet W. R., Foote H. P., and Sandusky W. F. (1986) *Wind Energy Resource Atlas of the United States*. DOE/CH 10093-4 Natl. Renew. Energy Lab., Golden, CO.
- Elliott S., Turco R. P., and Jacobson M. Z. (1993) Tests on combined projection/forward differencing integration for stiff photochemical family systems at long time step. *Computers Chem.* **17**, 91–102.
- Emanuel K. A. (1991) A scheme for representing cumulus convection in large-scale models. *J. Atmos. Sci.* **38**, 1541–57.
- Enger L. (1986) A higher order closure model applied to dispersion in a convective PGL. *Atmos. Environ.* **20**, 879–94.
- Eriksson E. (1960) The yearly circulation of chloride and sulfur in nature; meteorological, geochemical and pedological implications. Part II. *Tellus* **12**, 63–109.
- Erisman J. W., van Pul W. A. J., and Wyers P. (1994) Parameterization of surface resistance for the quantification of atmospheric deposition of acidifying pollutants and ozone. *Atmos. Environ.* **28**, 2595–607.
- Facchini M. C., Mircea M., Fuzzi S., and Charlson R. J. (1999) Cloud albedo enhancement by surface-active organic solutes in growing droplets. *Nature* **401**, 257–9.
- Fang, M., Zheng M., Wang F., To K. L., Jaafar A. B., and Tong S. L. (1999) The solvent-extractable organic compounds in the Indonesia biomass burning aerosols – characterization studies. *Atmos. Environ.* **33**, 783–95.
- Farhataziz and Ross A. B. (1977) *Selected Specific Rates of Transients From Water in Aqueous Solutions, III. Hydroxyl Radical and Perhydroxyl Radical and Their Radical Ions*, Rep. NSRDBS-NBS 59, U.S. Department of Commerce, Washington, DC.
- Farman J. C., Gardiner B. G., and Shanklin J. D. (1985). Large losses of total ozone in Antarctica reveal seasonal ClO_x/NO_x interaction. *Nature* **315**, 207–10.

References

- Fassi-Fihri A., Suhre K., and Rosset R. (1997) Internal and external mixing in atmospheric aerosols by coagulation: Impact on the optical and hygroscopic properties of the sulphate-soot system. *Atmos. Environ.* 31, 1392–402.
- Ferek, R. J., Reid J. S., Hobbs P. V., Blake D. R., and Liousse C. (1998) Emission factors of hydrocarbons, halocarbons, trace gases, and particles from biomass burning in Brazil. *J. Geophys. Res.* 103, 32,107–18.
- Fernandez-Diaz J. M., Gonzalez-Pola Muniz C., Rodriguez Brana M. A., Arganza Garcia B., and Garcia Nieto P. J. (2000) A modified semi-implicit method to obtain the evolution of an aerosol by coagulation. *Atmos. Environ.* 34, 4301–14.
- Filippov V. K., Charykova M. V., and Trofimov Y. M. (1985) Thermodynamics of the system $\text{NH}_4\text{H}_2\text{PO}_4\text{-}(\text{NH}_4)_2\text{SO}_4\text{-H}_2\text{O}$ at 25 °C. *J. Appl. Chem. USSR* 58, 1807–11.
- Finlayson-Pitts B. and Pitts Jr. J. N. (2000) *Chemistry of the Upper and Lower Atmosphere*, San Diego, Academic Press.
- Fleming E. L., Chandra S., Schoeberl M. R., and Barnett J. J. (1988) *Monthly Mean Global Climatology of Temperature, Wind, Geopotential Height, and Pressure for 1–120 km*. Tech. Memo. 100697, NASA, 85pp.
- Fletcher N. H. (1958) Size effect in heterogeneous nucleation. *J. Chem. Phys.* 29, 572–76.
- Flossmann A. I., Hall W. D., and Pruppacher H. R. (1985) A theoretical study of the wet removal of atmospheric pollutants. Part I: The redistribution of aerosol particles captured through nucleation and impaction scavenging by growing cloud drops. *J. Atmos. Sci.* 42, 582–606.
- Flubacher P., Leadbetter A. J., and Morrison J. A. (1960) Heat capacity of ice at low temperatures. *J. Chem. Phys.* 33, 1751–5.
- Foster V. G. (1992) Determination of the refractive index dispersion of liquid nitrobenzene in the visible and ultraviolet. *J. Phys. D* 25, 525–9.
- Fowler L. D., Randall D. A., and Rutledge S. (1996) Liquid and ice cloud microphysics in the CSU general circulation model. Part I: Model description and simulated microphysical processes. *J. Climate* 9, 489–529.
- Frank W. M. and Cohen C. (1987) Simulation of tropical convective systems. Part I: A cumulus parameterization. *J. Atmos. Sci.* 44, 3787–99.
- Freedman F. R. and Jacobson M. Z. (2002) Transport-dissipation analytical solutions to the $E-\epsilon$ turbulence model and their role in predictions of the neutral ABL. *Boundary-Layer Meteor.* 102, 117–38.
- (2003) Modification of the standard ϵ -equation for the stable ABL through enforced consistency with Monin–Obukhov similarity theory. *Boundary-Layer Meteor.* 106, 383–410.
- Fridlind A. M. and Jacobson M. Z. (2000) A study of gas–aerosol equilibrium and aerosol pH in the remote marine boundary layer during the First Aerosol Characterization Experiment (ACE 1). *J. Geophys. Res.* 105, 17325–40.
- (2003) Point and column aerosol radiative closure during ACE 1: Effects of particle shape and size. *J. Geophys. Res.* 108 (D3) doi:10.1029/2001JD001553.
- Friedlander S. K. (1977) *Smoke, Dust, and Haze. Fundamentals of Aerosol Behavior*. New York, John Wiley & Sons, Inc.
- (1983) Dynamics of aerosol formation by chemical reaction. *Ann. N. Y. Acad. Sci.* 404, 354–64.
- Friedli H., Löttscher H., Oeschger H., Siegenthaler U., and Stauffer B. (1996) Ice core record of $^{13}\text{C}/^{12}\text{C}$ ratio of atmospheric CO_2 in the past two centuries. *Nature* 324, 237–8.
- Fritsch J. M. and Chappel C. F. (1980) Numerical prediction of convectively driven mesoscale pressure systems. Part I: Convective parameterization. *J. Atmos. Sci.* 37, 1722–33.
- Fu Q. and Liou K. N. (1992) On the correlated k-distribution method for radiative transfer in nonhomogeneous atmospheres. *J. Atmos. Sci.* 49, 2139–56.
- (1993) Parameterization of the radiative properties of cirrus clouds. *J. Atmos. Sci.* 50, 2008–25.

References

- Fu Q., Liou K. N., Cribb M. C., Charlock T. P., and Grossman A. (1997) Multiple scattering parameterization in thermal infrared radiative transfer. *J. Atmos. Sci.* 54, 2799–812.
- Fuchs N. A. (1964) *The Mechanics of Aerosols* (translated by R. E. Daisley and M. Fuchs). New York, Pergamon Press.
- Fuchs N. A. and Sutugin A. G. (1971). Highly dispersed aerosols. In *Topics in Current Aerosol Research*, Vol. 2, G. M. Hidy and J. R. Brock, eds., New York, Pergamon Press, 1–60.
- Fuller K. A. (1995) Scattering and absorption cross sections of compounded spheres. III. Spheres containing arbitrarily located spherical inhomogeneities. *J. Opt. Soc. Am. A* 12, 893–904.
- Fuller K. A., Malm W. C., and Kreidenweis S. M. (1999) Effects of mixing on extinction by carbonaceous particles. *J. Geophys. Res.* 104, 15,941–54.
- Galbally I. E. and Roy C. R. (1980) Destruction of ozone at the earth's surface. *Q. J. Roy. Meteor. Soc.* 106, 599–620.
- Ganzeveld L. and Lelieveld J. (1995) Dry deposition parameterization in a chemistry general circulation model and its influence on the distribution of reactive trace gases. *J. Geophys. Res.* 100, 20,999–1,012.
- Garcia R. R., Stordal F., Solomon S., and Kiehl J. T. (1992) A new numerical model of the middle atmosphere 1. Dynamics and transport of tropospheric source gases. *J. Geophys. Res.* 97, 12,967–91.
- Garratt J. R. (1992) *The Atmospheric Boundary Layer*. Cambridge, Cambridge University Press.
- Garratt J. R. and Hicks B. B. (1973) Momentum, heat and water vapour transfer to and from natural and artificial surfaces. *Q. J. Roy. Meteor. Soc.* 99, 680–7.
- Gaydos, T. M., Koo B., Pandis S. N., and Chock D. P. (2003) *Atmos. Environ.* 37, 3303–16.
- Gazdag J. (1973) Numerical convective schemes based on accurate computation of space derivatives. *J. Comp. Phys.* 13, 100–13.
- Gear C. W. (1971) *Numerical Initial Value Problems in Ordinary Differential Equations*. Englewood Cliffs, NJ, Prentice-Hall.
- Gelbard F. (1990) Modeling multicomponent aerosol particle growth by vapor condensation. *Aerosol Sci. Technol.* 12, 399–412.
- Gelbard F. and Seinfeld J. H. (1980) Simulation of multicomponent aerosol dynamics. *J. Colloid Interface Sci.* 78, 485–501.
- Gelbard F., Fitzgerald J. W., and Hoppel W. A. (1998) A one-dimensional sectional model to simulate multicomponent aerosol dynamics in the marine boundary layer. 3. Numerical methods and comparisons with exact solutions. *J. Geophys. Res.* 103, 16,119–132.
- Gerber H., Takano Y., Garrett T. J., and Hobbs P. V. (2000) Nephelometer measurements of the asymmetry parameter, volume extinction coefficient, and backscatter ratio in Arctic clouds. *J. Atmos. Sci.* 57, 3021–33.
- Gery M. W., Whitten G. Z., and Killus J. P. (1988) *Development and Testing of the CBM-IV for Urban and Regional Modeling*. Report EPA-600/3-88-012. U.S. Environmental Protection Agency, Research Triangle Park, NC.
- Gery M. W., Whitten G. Z., Killus J. P., and Dodge M. C. (1989) A photochemical kinetics mechanism for urban and regional scale computer modeling. *J. Geophys. Res.* 94, 12,925–56.
- Ghio A. J. and Samet J. M. (1999) Metals and air pollution particles. In *Air Pollution and Health*, S. T. Holgate, J. M. Samet, H. S. Koren, and R. L. Maynard, eds., San Diego, Academic Press, 635–51.
- Giauque W. F. and Stout J. W. (1936) The entropy of water and the third law of thermodynamics. The heat capacity of ice from 15 to 273 K. *J. Am. Chem. Soc.* 58, 1144–50.
- Gillette D. A. (1974) On the production of soil wind erosion aerosols having the potential for long range transport. *Atmos. Res.* 8, 735–44.

References

- Huang H.-C. and Chang J. S. (2001) On the performance of numerical solvers for a chemistry submodel in three-dimensional air quality models. 1. Box model simulations. *J. Geophys. Res.* **106**, 20,175–88.
- Hughes T. J. R. and Brooks A. N. (1979) A multidimensional upwind scheme with no crosswind diffusion. In *Finite Element Methods for Convection Dominated Flows*, T. J. R. Hughes, ed., AMD Vol. 34, ASME, New York, 19–35.
- Huie R. E. and Neta P. (1987) Rate constants for some oxidations of S(IV) by radicals in aqueous solutions. *Atmos. Environ.* **21**, 1743–7.
- Hulbert H. M. and Katz S. (1964) Some problems in particle technology: A statistical mechanical formulation. *Chem. Eng. Sci.* **19**, 555–74.
- Hynes A. J., Wine P. H., and Semmes D. H. (1986) Kinetic mechanism of OH reactions with organic sulfides. *J. Phys. Chem.* **90**, 4148–56.
- Irvine W. M. (1968) Multiple scattering by large particles. II. Optically thick layers. *Astrophys. J.* **152**, 823–34.
(1975) Multiple scattering in planetary atmospheres. *Icarus* **25**, 175–204.
- Ishizaka Y. and Adhikari M. (2003) Composition of cloud condensation nuclei. *J. Geophys. Res.* **108** (D4), 4138, doi:10.1029/2002JD002085.
- Jackman C. H., Fleming E. L., Chandra S., Considine D. B., and Rosenfield J. E. (1996) Past, present, and future modeled ozone trends with comparisons to observed trends. *J. Geophys. Res.* **101**, 28,753–67.
- Jacob D. J. (1986) Chemistry of OH in remote clouds and its role in the production of formic acid and peroxymonosulfonate. *J. Geophys. Res.* **91**, 9807–26.
- Jacob D. J., Gottlieb E. W., and Prather M. J. (1989a) Chemistry of a polluted cloudy boundary layer. *J. Geophys. Res.* **94**, 12,975–13,002.
- Jacob D. J., Sillman S., Logan J. A., and Wofsy S. C. (1989b) Least independent variables method for simulation of tropospheric ozone. *J. Geophys. Res.* **94**, 8497–509.
- Jacobson M. Z. (1994) Developing, coupling, and applying a gas, aerosol, transport, and radiation model to study urban and regional air pollution. Ph.D. Thesis, Dept. of Atmospheric Sciences, University of California, Los Angeles.
- (1995) Computation of global photochemistry with SMVGEAR II. *Atmos. Environ.* **29A**, 2541–6.
(1997a) Development and application of a new air pollution modeling system. Part II: Aerosol module structure and design. *Atmos. Environ.* **31A**, 131–44.
(1997b) Development and application of a new air pollution modeling system. Part III: Aerosol-phase simulations. *Atmos. Environ.* **31A**, 587–608.
(1997c) Numerical techniques to solve condensational and dissolutional growth equations when growth is coupled to reversible aqueous reactions. *Aerosol Sci. Technol.* **27**, 491–8.
(1998a) Vector and scalar improvement of SMVGEAR II through absolute error tolerance control. *Atmos. Environ.* **32**, 791–6.
(1998b) Studying the effects of aerosols on vertical photolysis rate coefficient and temperature profiles over an urban airshed. *J. Geophys. Res.* **103**, 10,593–604.
(1999a) Effects of soil moisture on temperatures, winds, and pollutant concentrations in Los Angeles. *J. Appl. Meteorol.* **38**, 607–16.
(1999b) Studying the effects of calcium and magnesium on size-distributed nitrate and ammonium with EQUISOLV II. *Atmos. Environ.* **33**, 3634–49.
(1999c) Isolating nitrated and aromatic aerosols and nitrated aromatic gases as sources of ultraviolet light absorption. *J. Geophys. Res.* **104**, 3527–42.
(2000) A physically-based treatment of elemental carbon optics: Implications for global direct forcing of aerosols. *Geophys. Res. Lett.* **27**, 217–20.
(2001a) GATOR-GCMM: A global- through urban-scale air pollution and weather forecast model 1. Model design and treatment of subgrid soil, vegetation, roads, rooftops, water, sea ice, and snow. *J. Geophys. Res.* **106**, 5385–401.

References

- (2001b) Strong radiative heating due to the mixing state of black carbon in atmospheric aerosols. *Nature* **409**, 695–7.
- (2002) Analysis of aerosol interactions with numerical techniques for solving coagulation, nucleation, condensation, dissolution, and reversible chemistry among multiple size distributions. *J. Geophys. Res.* **107** (D19), 4366, doi:10.1029/2001JD002044.
- (2003) Development of mixed-phase clouds from multiple aerosol size distributions and the effect of the clouds on aerosol removal. *J. Geophys. Res.* **108** (D8), 4245, doi:10.1029/2002JD002691.
- (2005a) A refined method of parameterizing absorption coefficients among multiple gases simultaneously from line-by-line data. *J. Atmos. Sci.* **62**, 506–17.
- (2005b) Studying ocean acidification with conservative, stable numerical schemes for nonequilibrium air–ocean exchange and ocean equilibrium chemistry. *J. Geophys. Res.*, in review.
- (2005c) A solution to the problem of nonequilibrium acid/base gas-particle transfer at long time step. *Aerosol Sci. Technol.* **39**, 92–103.
- Jacobson M. Z. and Seinfeld J. H. (2004) Evolution of nanoparticle size and mixing state near the point of emission. *Atmos. Environ.* **38**, 1839–50.
- Jacobson M. Z. and Turco R. P. (1994) SMVGEAR: A sparse-matrix, vectorized Gear code for atmospheric models. *Atmos. Environ.* **28A**, 273–84.
- (1995) Simulating condensational growth, evaporation, and coagulation of aerosols using a combined moving and stationary size grid. *Aerosol Sci. Technol.* **22**, 73–92.
- Jacobson M. Z., Turco R. P., Jensen E. J., and Toon O. B. (1994) Modeling coagulation among particles of different composition and size. *Atmos. Environ.* **28A**, 1327–38.
- Jacobson M. Z., Tabazadeh A., and Turco R. P. (1996b) Simulating equilibrium within aerosols and non-equilibrium between gases and aerosols. *J. Geophys. Res.* **101**, 9079–91.
- Jaecker-Voirol A. and Mirabel P. (1989) Heteromolecular nucleation in the sulfuric acid-water system. *Atmos. Environ.* **23**, 2033–57.
- Jaenicke R. (1988) Aerosol physics and chemistry. In *Numerical Data and Functional Relationships in Science and Technology*. New Series Vol. 4, Meteorology Subvol. b, Physical and Chemical Properties of Air, G. Fischer, ed., Berlin, Springer-Verlag.
- Jarvis P. G., James G. B., and Landsberg J. J. (1976) Coniferous forest. In *Vegetation and the Atmosphere*, Vol. 2. J. L. Monteith, ed., New York, Academic Press, 171–240.
- Jayne J. T., Davidovits P., Worsnop D. R., Zahniser M. S., and Kolb C. E. (1990) Uptake of SO₂ by aqueous surfaces as a function of pH: The effect of chemical reaction at the interface. *J. Phys. Chem.* **94**, 6041–8.
- Jayson G. G., Parsons B. J., and Swallow A. J. (1973) Some simple, highly reactive, inorganic chlorine derivatives in aqueous solution. *Trans. Faraday Soc.* **69**, 1597–607.
- Jeans J. (1954) *The Dynamical Theory of Gases*. New York, Dover.
- Jenkin M. E., Saunders S. M., Wagner V., and Pilling J. (2003) Protocol for the development of the Master Chemical Mechanism, MCM v3 (Part B): tropospheric degradation of aromatic volatile organic compounds. *Atmos. Chem. Phys.* **3**, 181–93.
- John W., Wall S. M., Ondo J. L., and Winklmayr W. (1989) *Acidic Aerosol Size Distributions During SCAQS*. Final Report for the California Air Resources Board under Contract No. A6-112-32.
- Joseph J. H., Wiscombe W. J., and Weinman J. A. (1976) The delta-Eddington approximation for radiative flux transfer. *J. Atmos. Sci.* **33**, 2452–9.
- Joslin R. D., Streett C. L., and Chang C.-L. (1993) Spatial direct numerical simulation of boundary-layer transition mechanisms-validation of PSE theory. *Theor. Comput. Fluid Dyn.* **4**, 271–88.
- Junge C. E. (1961) Vertical profiles of condensation nuclei in the stratosphere. *J. Meteor.* **18**, 501–9.
- Kaimal J. C. and Finnigan J. J. (1994) *Atmospheric Boundary Layer Flows: Their Structure and Measurement*. New York, Oxford University Press.

References

- Kain J. S. (2004) The Kain–Fritsch convective parameterization: An update. *J. Appl. Meteor.* **43**, 170–81.
- Kain J. S. and Fritsch J. M. (1990) A one-dimensional entraining/detraining plume model and its application in convective parameterization. *J. Atmos. Sci.* **47**, 2784–802.
- Kao C.-Y. J. and Ogura Y. (1987) Response of cumulus clouds to large-scale forcing using the Arakawa–Schubert cumulus parameterization. *J. Atmos. Sci.* **44**, 2437–548.
- Kaps P. and Rentrop P. (1979) Generalized Runge–Kutta methods of order four with stepsize control for stiff ordinary differential equations. *Numer. Math.* **33**, 55–88.
- Kasahara A. (1974) Various vertical coordinate systems used for numerical weather prediction. *Mon. Wea. Rev.* **102**, 509–22.
- Kasten F. (1968) Falling speed of aerosol particles. *J. Appl. Meteor.* **7**, 944–7.
- Katrinak K. A., Rez P., Perkes P. R., and Buseck P. R. (1993) Fractal geometry of carbonaceous aggregates from an urban aerosol. *Environ. Sci. Technol.* **27**, 539–47.
- Kawata Y. and Irvine W. M. (1970) The Eddington approximation for planetary atmospheres. *Astrophys. J.* **160**, 787–90.
- Keeling C. D. and Whorf T. P. (2003) Atmospheric CO₂ concentrations (ppmv) derived from in situ air samples collected at Mauna Loa Observatory, Hawaii. cdiac.esd.ornl.gov/ftp/maunaloa-co2/maunaloa.co2.
- Kerker M. (1969) *The Scattering of Light and Other Electromagnetic Radiation*. New York, Academic Press.
- Ketefian G. (2005) Development, testing, and application of a 3-D nonhydrostatic potential-energy-conserving, compressible atmospheric model. Ph.D. Dissertation, Stanford University.
- Ketefian G. and Jacobson M. Z. (2005a) Development and application of a 2-D potential-ensrophy-, energy-, and mass-conserving mixed-layer ocean model with arbitrary boundaries, *Mon. Wea. Rev.*, in submission.
- (2005b) Development and application of an orthogonal-curvilinear-grid nonhydrostatic potential-ensrophy-, energy-, and mass-conserving atmospheric model with arbitrary boundaries, *Mon. Wea. Rev.*, in submission.
- Kettle A. J. and Andreae M. O. (2000) Flux of dimethylsulfide from the oceans: A comparison of updated data sets and flux models. *J. Geophys. Res.* **105**, 26,793–808.
- Kim Y. P. and Seinfeld J. H. (1995) Atmospheric gas–aerosol equilibrium: III. Thermodynamics of crustal elements Ca²⁺, K⁺, and Mg²⁺. *Aerosol Sci. Technol.* **22**, 93–110.
- Kim J., Moin P., and Moser R. (1987) Turbulence statistics in fully developed channel flow at low Reynolds number. *J. Fluid Mech.* **177**, 133–66.
- Kim Y. P., Seinfeld J. H., and Saxena P. (1993a) Atmospheric gas–aerosol equilibrium I. Thermodynamic model. *Aerosol Sci. Technol.* **19**, 157–81.
- (1993b) Atmospheric gas–aerosol equilibrium II. Analysis of common approximations and activity coefficient calculation methods. *Aerosol Sci. Technol.* **19**, 182–98.
- Kittelson D. B. (1998) Engine and nanoparticles: a review. *J. Aerosol Sci.* **6**, 443–51.
- Klemp J. B. and Wilhelmson R. B. (1978) The simulation of three-dimensional convective storm dynamics. *J. Atmos. Sci.* **3**, 1070–96.
- Klingen H.-J. and Roth P. (1989) Size analysis and fractal dimension of diesel particles based on REM measurements with an automatic imaging system. *J. Aerosol Sci.* **20**, 861–4.
- Knudsen M. and Weber S. (1911) Luftwiderstand gegen die langsame Bewegung kleiner Kugeln. *Ann. Phys.* **36**, 981–94.
- Köhler H. (1936) The nucleus in the growth of hygroscopic droplets. *Trans. Faraday Soc.* **32**, 1152–61.
- Kondo J., Saigusa N., and Sato T. (1990) A parameterization of evaporation from bare soil surfaces. *J. Appl. Meteor.* **29**, 385–9.
- Kondratyev K. Ya. (1969) *Radiation in the Atmosphere*. San Diego, Academic Press, 912pp.

References

- Korhonen H., Napari I., Timmreck C., et al. (2003) Heterogeneous nucleation as a potential sulphate-coating mechanism of atmospheric mineral dust particles and implications of coated dust on new particle formation. *J. Geophys. Res.* 108 (D17), 4546, doi:10.1029/2003JD003553.
- Koschmieder H. (1924) Theorie der horizontalen Sichtweite. *Beitr. Phys. Freien Atm.* 12, 33–53, 171–81.
- Kozac-Channing L. F. and Hertz G. R. (1983) Solubility of ozone in aqueous solutions of 0–0.6 M ionic strength at 5–30 °C. *Environ. Sci. Technol.* 17, 145–9.
- Kreidenweis S. M., Zhang Y., and Taylor G. R. (1997) The effects of clouds on aerosol and chemical species production and distribution 2. Chemistry model description and sensitivity analysis. *J. Geophys. Res.* 102, 23,867–82.
- Kreidenweis S. M., Walcek C., Kim C.-H., et al. (2003) Modification of aerosol mass and size distribution due to aqueous-phase SO₂ oxidation in clouds: comparison of several models. *J. Geophys. Res.* 108 (D7) doi:10.1029/2002JD002697.
- Kreitzberg C. W. and Perkey D. (1976) Release of potential instability. Part I: A sequential plume model within a hydrostatic primitive equation model. *J. Atmos. Sci.* 33, 456–75.
- Krekov G. M. (1993) Models of atmospheric aerosols. In *Aerosol Effects on Climate*. S. G. Jennings, ed., Tucson, University of Arizona Press, 9–72.
- Krishnamurti T. N. and Moxim W. J. (1971) On parameterization of convective and non-convective latent heat release. *J. Appl. Meteor.* 10, 3–13.
- Krishnamurti T. N., Bedi H. S., and Hardiker V. M. (1998) *An Introduction to Global Spectral Modeling*. New York, Oxford University Press.
- Krishnamurti T. N., Pan H.-L., Pasch R. J., and Molinari J. (1980) Cumulus parameterization and rainfall rates I. *Mon. Wea. Rev.* 108, 465–72.
- Kritz M. A. and Rancher J. (1980) Circulation of Na, Cl, and Br in the tropical marine atmosphere. *J. Geophys. Res.* 85, 1633–9.
- Kulmala M., Laaksonen A., and Pirjola L. (1998) Parameterizations for sulfuric acid/water nucleation rates. *J. Geophys. Res.* 103, 8301–7.
- Kuo H. L. (1965) On formation and intensification of tropical cyclones through latent heat release by cumulus convection. *J. Atmos. Sci.* 22, 40–63.
- (1974) Further studies of the parameterization of the influence of cumulus convection on large-scale flow. *J. Atmos. Sci.* 31, 1232–40.
- Kurihara Y. (1973) A scheme of moist convective adjustment. *Mon. Wea. Rev.* 101, 547–53.
- Kurihara Y. and Bender M. A. (1983) A numerical scheme to treat the open lateral boundary of limited area model. *Mon. Wea. Rev.* 111, 445–54.
- Kusik C. L. and Meissner H. P. (1978) Electrolyte activity coefficients in inorganic processing. *AIChE J. Symp. Ser.* 173, 14–20.
- Lacis A. A. and Hansen J. E. (1974) A parameterization for the absorption of solar radiation in the Earth's atmosphere. *J. Atmos. Sci.* 31, 118–33.
- Lacis A., Wang W. C., and Hansen J. (1979) Correlated *k*-distribution method for radiative transfer in climate models: Application to effect of cirrus clouds on climate. *NASA Conf. Publ.* 2076, 309–314.
- Lacis A. A. and Oinas V. (1991) A description of the correlated *k*-distribution method for modeling nongray gaseous absorption, thermal emission, and multiple scattering in vertically inhomogeneous atmospheres. *J. Geophys. Res.* 96, 9027–63.
- Lamb H. (1910) On atmospheric oscillations. *Proc. Roy. Soc. London* 84, 551–72.
- Langford A. O., Proffitt M. H., VanZandt T. E., and Lamarque J.-F. (1996) Modulation of tropospheric ozone by a propagating gravity wave. *J. Geophys. Res.* 101, 26, 605–13.
- Larson S., Cass G., Hussey K., and Luce F. (1984) *Visibility Model Verification by Image Processing Techniques*. Final report to the California Air Resources Board under Agreement A2-077-32.
- Lary D. J. (1997) Catalytic destruction of stratospheric ozone. *J. Geophys. Res.* 102, 21,515–26.

References

- Lazrus A. L., Cadle R. D., Gandrud B. W., Greenberg J. P., Huebert B. J., and Rose W. I. (1979) Sulfur and halogen chemistry of the stratosphere and of volcanic eruption plumes. *J. Geophys. Res.* **84**, 7869.
- Ledbury W. and Blair E. W. (1925) The partial formaldehyde vapour pressure of aqueous solutions of formaldehyde, II. *J. Chem. Soc.* **127**, 2832–39.
- Lee H. D. P., translator (1951) *Meteorologica* by Aristotle, T. E. Page, ed., Cambridge, MA, Harvard University Press.
- Lee K. O., Cole R., Sekar R., et al. (2001) Detailed characterization of morphology and dimensions of diesel particulates via thermophoretic sampling, SAF 2001-01-3572.
- Lee K. W. (1985) Conservation of particle size distribution parameters during Brownian coagulation. *J. Colloid Interface Sci.* **108**, 199–206.
- Lee T. J. and Pielke R. A. (1992) Estimating the soil surface specific humidity. *J. Appl. Meteor.* **31**, 480–4.
- Lee Y.-N. (1984) Kinetics of some aqueous-phase reactions of peroxyacetyl nitrate. In *Gas-Liquid Chemistry of Natural Waters*, Vol.1, BNL 51757, pp. 21/1–21/7, Brookhaven National Laboratory, Brookhaven, NY.
- Le Henaff P. (1968) Méthodes d'étude et propriétés des hydrates, hemiacétals et hemiacétals dérivés des aldéhydes et des cétones. *Bull. Soc. Chim. France*, **11**, 4687–700.
- Lenschow D. H., Li X. S., Zhu C. J., and Stankov B. B. (1988) The stably stratified boundary layer over the great plains. *Boundary-Layer Meteor.* **42**, 95–121.
- Lesins G., Chylek P., and Lohmann U. (2002) A study of internal and external mixing scenarios and its effect on aerosol optical properties and direct radiative forcing. *J. Geophys. Res.* **107** (D10), doi:10.1029/2001JD000973.
- Lettau H. H. (1969) Note on aerodynamic roughness-parameter estimation on the basis of roughness element description. *J. Appl. Meteor.* **8**, 828–32.
- Li Z., Williams A. L., and Rood M. J. (1998) Influence of soluble surfactant properties on the activation of aerosol particles containing inorganic solute. *J. Atmos. Sci.* **55**, 1859–66.
- Liang J. and Jacob D. J. (1997) Effect of aqueous-phase cloud chemistry on tropospheric ozone. *J. Geophys. Res.* **102**, 5993–6002.
- Liang J. and Jacobson M. Z. (1999) A study of sulfur dioxide oxidation pathways for a range of liquid water contents, pHs, and temperatures. *J. Geophys. Res.* **104**, 13, 749–69.
- (2000) Comparison of a 4000-reaction chemical mechanism with the carbon bond IV and an adjusted carbon bond IV-EX mechanism using SMVGEAR II. *Atmos. Environ.* **34**, 3015–26.
- Lide D. R., ed.-in-chief (2003) *CRC Handbook of Chemistry and Physics*. Boca Raton, FL, CRC Press, Inc.
- Lilly D. K. (1996) A comparison of incompressible, anelastic and Boussinesq dynamics. *Atmos. Res.* **40**, 143–51.
- Lind J. A. and Kok G. L. (1986) Henry's law determinations for aqueous solutions of hydrogen peroxide, methylhydroperoxide, and peroxyacetic acid. *J. Geophys. Res.* **91**, 7889–95.
- Lind J. A., Kok G. L., and Lazrus A. L. (1987) Aqueous phase oxidation of sulfur(IV) by hydrogen peroxide, methylhydroperoxide, and peroxyacetic acid. *J. Geophys. Res.* **92**, 4171–7.
- Lindzen R. S. (1981) Turbulence and stress due to gravity wave and tidal breakdown. *J. Geophys. Res.* **86**, 9707–14.
- Liou K. N. (1974) Analytic two-stream and four-stream solutions for radiative transfer. *J. Atmos. Sci.* **31**, 1473–5.
- (2002) *An Introduction to Atmospheric Radiation*. Amsterdam, Academic Press.
- Liousse C., Penner J. E., Chuang C., Walton J. J., Eddleman H., and Cachier H. (1996) A global three-dimensional model study of carbonaceous aerosols. *J. Geophys. Res.* **101**, 19,411–32.

References

- Liss P. S. and Merlivat L. (1986) Air-sea gas exchange rates: Introduction and synthesis. In *The Role of Air-Sea Exchange in Geochemical Cycling*. P. Buat-Menard, ed., Hingham, MA, D. Reidel Publishing Co., 113–127.
- List R. J., ed. (1984) *Smithsonian Meteorological Tables*, 6th edn. Washington, DC, Smithsonian Institution Press.
- List R. and Gillespie J. R. (1976) Evolution of raindrop spectra with collision-induced breakup. *J. Atmos. Sci.* 33, 2007–13.
- Lister J. D., Smit D. J., and Hounslow M. J. (1995) Adjustable discretized population balance for growth and aggregation. *AIChE Journal* 41, 591–603.
- Liu C. H. and Leung D. Y. C. (2001) Turbulence and dispersion studies using a three-dimensional second-order closure Eulerian model. *J. Appl. Meteorol.* 40, 92–113.
- Lord S. J. and Arakawa A. (1980) Interaction of a cumulus cloud ensemble with the large-scale environment. Part II. *J. Atmos. Sci.* 37, 2677–92.
- Lorentz H. A. (1906) The absorption and emission of lines of gaseous bodies. In *H. A. Lorentz Collected Papers* (The Hague, 1934–1939) 3, 215–38.
- Lorenz E. N. (1960) Energy and numerical weather prediction. *Tellus* 12, 364–73.
- Louis J.-F. (1979) A parametric model of vertical eddy fluxes in the atmosphere. *Boundary-Layer Meteor.* 17, 187–202.
- Lu R. (1994) Development of an integrated air pollution modeling system and simulations of ozone distributions over the Los Angeles Basin. Ph.D. Thesis, University of California, Los Angeles.
- Lu R. and Turco R. P. (1994) Air pollution transport in a coastal environment. Part I: Two-dimensional simulations of sea-breeze and mountain effects. *J. Atmos. Sci.* 51, 2285–308.
- Ludlum F. H. (1980) *Clouds and Storms*. University Park, PA, The Pennsylvania State University Press.
- Lurmann F. W., Carter W. P. L., and Coyner L. A. (1987) *A Surrogate Species Chemical Reaction Mechanism for Urban Scale Air Quality Simulation Models. Volume I: Adaption of the Mechanism*. EPA-600/3-87/014a, U.S. Environmental Protection Agency, Research Triangle Park, NC.
- Lurmann F. W., Main H. H., Knapp K. T., Stockburger L., Rasmussen R. A., and Fung K. (1992) *Analysis of the Ambient VOC Data Collected in the Southern California Air Quality Study*, Final Report to the California Air Resources Board under Contract A832-130.
- Madronich S. (1987) Photodissociation in the atmosphere 1. Actinic flux and the effects of ground reflections and clouds. *J. Geophys. Res.* 92, 9740–52.
- Madronich, S. and Calvert J. G. (1989) *The NCAR Master Mechanism of the Gas-phase Chemistry-Version 2.0*. Rep. NCAR/TN-333+STR, National Center for Atmospheric Research.
- Mahfouf J.-F. and Noilhan J. (1991) Comparative study of various formulations of evaporation from bare soil using in situ data. *J. Appl. Meteor.* 30, 1354–65.
- (1996) Inclusion of gravitational drainage in a land surface scheme based on the force-restore method. *J. Appl. Meteor.* 35, 987–92.
- Mahrt L., Heald R. C., Lenschow D. H., Stankov B. B., and Troen I. (1979) An observational study of the structure of the nocturnal boundary layer. *Boundary-Layer Meteor.* 17, 247–64.
- Makar P. A. (2001) The estimation of organic gas vapour pressure. *Atmos. Environ.* 35, 961–74.
- Makar P. A. and Karpik S. R. (1996) Basis-spline interpolation on the sphere: Applications to semi-lagrangian advection. *Mon. Wea. Rev.* 124, 182–99.
- Makar P. A., Vouchet V. S., and Nenes A. (2003) Inorganic chemistry calculations using HETV – a vectorized solver for the SO_4^{2-} - NO_3^- - NH_4^+ system based on the ISORROPIA algorithms. *Atmos. Environ.* 37, 2279–94.

References

- Makar P. A., Moran M. D., Scholtz M. T., and Taylor A. (2003) Speciation of volatile organic compound emissions for regional air quality modeling of particulate matter and ozone. *J. Geophys. Res.* 108 (D2), 4041, doi:10.1029/2001JD000797.
- Manabe S. J., Smagorinsky J., and Strickler R. F. (1965) Simulated climatology of a general circulation model with a hydrological cycle. *Mon. Wea. Rev.* 93, 769–98.
- Marbaix P., Gallee H., Brasseur O., and Van Ypersele J.-P. (2003) Lateral boundary conditions in regional climate models: A detailed study of the relaxation procedure. *Mon. Wea. Rev.* 131, 461–79.
- Maricq, M. M., Chase R. E., Podsiadlik D. H., and Vogt R. (1999) *Vehicle Exhaust Particle Size Distributions: A Comparison of Tailpipe and Dilution Tunnel Measurements*. SAE Technical Paper 1999-01-1461, Warrendale, PA, USA.
- Marland G., Boden T. A., and Andres R. J. (2003) Global CO₂ emissions from fossil-fuel burning, cement manufacture, and gas flaring: 1751–2000. In *Trends Online: A Compendium of Data on Global Change*. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, TN, USA.
- Marlow W. H. (1981) Size effects in aerosol particle interactions: The van der Waals potential and collision rates. *Surf. Sci.* 106, 529–37.
- Marsh A. R. W. and McElroy W. J. (1985) The dissociation constant and Henry's law constant of HCl in aqueous solution. *Atmos. Environ.* 19, 1075–80.
- Marshall J. S. and Palmer W. (1948) The distribution of raindrops with size. *J. Meteor.* 3, 165–8.
- Marshall S. F., Covert D. S., and Charlson R. J. (1995) Relationship between asymmetry parameter and hemispheric backscatter ratio: implications for climate forcing by aerosols. *Appl. Opt.* 34, 6306–11.
- Martens C. S., Wesolowski J. J., Hariss R. C., and Kaifer R. (1973) Chlorine loss from Puerto Rican and San Francisco Bay Area marine aerosols. *J. Geophys. Res.* 78, 8778–92.
- Martensson E. M., Nilsson E. D., de Leeuw G., Cohen L. H., and Hansson H.-C. (2003) Laboratory simulation and parameterization of the primary marine aerosol production. *J. Geophys. Res.* 108 (D9), 4297, doi:10.1029/2002JD002263.
- Marticorena B. and Bergametti G. (1995) Modeling the atmospheric dust cycle: 1. Design of a soil-derived dust emission scheme. *J. Geophys. Res.* 100, 16415–30.
- Marticorena B., Bergametti G., Gillette D., and Belnap J. (1997) Factors controlling threshold friction velocity in semiarid and arid areas of the United States. *J. Geophys. Res.* 102, 23277–87.
- Martin J. J., Wang P. K., and Pruppacher H. R. (1980) A theoretical study of the effect of electric charges on the efficiency with which aerosol particles are collected by ice crystal plates. *J. Colloid Interface Sci.* 78, 44–56.
- Martin L. R. and Hill M. W. (1987a) The iron-catalyzed oxidation of sulfur: Reconciliation of the literature rates. *Atmos. Environ.* 21, 1487–90.
- (1987b) The effect of ionic strength on the manganese catalyzed oxidation of sulfur(IV). *Atmos. Environ.* 21, 2267–70.
- Mason B. J. (1971) *The Physics of Clouds*. Oxford, Clarendon Press.
- Matsuno T. (1966) Numerical integrations of the primitive equations by simulated backward difference scheme. *J. Meteor. Soc. Japan* 44, 76–84.
- Mauna Loa Data Center (2001) Data for atmospheric trace gases. <http://mloserv.mlo.hawaii.gov/>.
- Maxwell J. C. (1890) *The Scientific Papers of James Clerk Maxwell*, Vol. II. W. D. Niven, ed., Cambridge, Cambridge University Press, 636–40.
- Maxwell Garnett J. C. (1904) Colours in metal glasses and in metallic films. *Philos. Trans. Roy. Soc. A* 203, 385–420.
- McClelland L., Simkin T., Summers M., Nielsen E., and Stein T. C. (eds.) (1989) *Global Volcanism 1975–1985*. Englewood Cliffs, NJ, Prentice-Hall, 655pp.

References

- McCumber M. C. (1980) A numerical simulation of the influence of heat and moisture fluxes upon mesoscale circulations, Ph.D. Thesis, University of Virginia, Charlottesville.
- McCumber M. C. and Pielke R. A. (1981) Simulation of the effects of surface fluxes of heat and moisture in a mesoscale numerical model. Part I: Soil layer. *J. Geophys. Res.* 86, 9929–38.
- McElroy M. B., Salawitch R. J., Wofsy S. C., and Logan J. A. (1986) Reduction of Antarctic ozone due to synergistic interactions of chlorine and bromine. *Nature* 321, 759–62.
- McGraw R. and Saunders J. H. (1984) A condensation feedback mechanism for oscillatory nucleation and growth. *Aerosol Sci. Technol.* 3, 367–80.
- McMurtry P. H. and Grosjean D. (1985) Photochemical formation of organic aerosols: growth laws and mechanisms. *Atmos. Environ.* 19, 1445–51.
- McRae G. J., Goodin W. R., and Seinfeld J. H. (1982) Development of a second-generation mathematical model for urban air pollution – I. Model formulation. *Atmos. Environ.* 16, 679–96.
- Medor W. E. and Weaver W. R. (1980) Two-stream approximations to radiative transfer in planetary atmospheres: A unified description of existing methods and a new improvement. *J. Atmos. Sci.* 37, 630–43.
- Mellor G. L. and Yamada T. (1974) A hierarchy of turbulence closure models for planetary boundary layers. *J. Atmos. Sci.* 31, 1791–806.
- (1982) Development of a turbulence closure model for geophysical fluid problems. *Rev. Geophys. Space Phys.* 20, 851–75.
- Meng Z. and Seinfeld J. H. (1996) Time scales to achieve atmospheric gas–aerosol equilibrium for volatile species. *Atmos. Environ.* 30, 2889–900.
- Meng Z., Seinfeld J. H., Saxena P., and Kim Y. P. (1995) Atmospheric gas–aerosol equilibrium: IV. Thermodynamics of carbonates. *Aerosol. Sci. Technol.* 23, 131–54.
- Meng Z., Dabdub D., and Seinfeld J. H. (1998) Size-resolved and chemically resolved model of atmospheric aerosol dynamics. *J. Geophys. Res.* 103, 3419–35.
- Mesinger F. and Arakawa A. (1976) *Numerical Methods Used in Atmospheric Models*. GARP Publication Series. No. 17, 1. World Meteorological Organization, 64pp.
- Metzger S., Dentener F., Pandis S., and Lelieveld J. (2002) Gas/aerosol partitioning: 1. A computationally efficient model. *J. Geophys. Res.* 107 (D16) 10.1029/2001JD001102.
- Middleton P. and Brock J. R. (1976) Simulation of aerosol kinetics. *J. Colloid Interface Sci.* 54, 249–64.
- Middleton W. E. K. (1952) *Vision Through the Atmosphere*. Toronto, Canada, University of Toronto Press.
- Mihailovic D. T., Rajkovic B., Lalic B., and Dekic L. (1995) Schemes for parameterizing evaporation from a non-plant covered surface and their impact on partitioning the surface energy in land–air exchange parameterization. *J. Appl. Meteor.* 34, 2462–75.
- Millero F. J. (1995) Thermodynamics of the carbon dioxide system in the oceans. *Geochim. Cosmochim. Acta* 59, 661–7.
- Millikan R. A. (1923) The general law of fall of a small spherical body through a gas, and its bearing upon the nature of molecular reflection from surfaces. *Phys. Rev.* 22, 1–23.
- Mitchell A. R. (1969) *Computational Methods in Partial Differential Equations*. New York, John Wiley.
- Miyakoda K., Smagorinsky J., Strickler R. F., and Hembree G. D. (1969) Experimental extended predictions with a nine-level hemispheric model. *Mon. Wea. Rev.* 97, 1–76.
- Moeng C. H. (1984) A large-eddy simulation model for the study of planetary boundary-layer turbulence. *J. Atmos. Sci.* 41, 2202–16.
- Molina L. T. and Molina M. J. (1986) Production of Cl_2O_2 by the self reaction of the ClO radical. *J. Phys. Chem.* 91, 433–6.
- Molina M. J. and Rowland F. S. (1974) Stratospheric sink for chlorofluoromethanes: Chlorine atom catalysed destruction of ozone. *Nature* 249, 810–2.

References

- Molinari J. (1982) A method for calculating the effects of deep cumulus convection in numerical models. *Mon. Wea. Rev.* 11, 1527–34.
- Monahan E. C., Spiel D. E., and Davidson K. L. (1986) A model of marine aerosol generation via whitecaps and wave disruption. In *Oceanic Whitecaps and Their Role in Air-Sea Exchange Processes*. E. C. Monahan and G. MacNiocaill, eds., Norwell, MA, D. Reidel, 167–74.
- Monin A. S. and Obukhov A. M. (1954) Basic laws of turbulent mixing in the ground layer of the atmosphere. *Trans. Geophys. Inst. Akad. Nauk USSR* 151, 1963–87.
- Monin A. S. and Yaglom (1971) *Statistical Fluid Mechanics*. Cambridge, MA, MIT Press.
- Monteith J. L. and Szeicz G. (1962) Radiative temperature in the heat balance of natural surfaces. *Q. J. Roy. Meteor. Soc.* 88, 496–507.
- Moorthi S. and Suarez M. J. (1992) Relaxed Arakawa–Schubert: A parameterization of moist convection for general circulation models. *Mon. Wea. Rev.* 120, 978–86.
- Mordy W. (1959) Computations of the growth by condensation of a population of cloud droplets. *Tellus* 11, 16–44.
- Mountain R. D., Mulholland G. W., and Baum H. (1986) Simulation of aerosol agglomeration in the free molecular and continuum flow regimes. *J. Colloid. Interface Sci.* 114, 67–81.
- Moya M., Pandis S. N., and Jacobson M. Z. (2001) Is the size distribution of urban aerosols determined by thermodynamic equilibrium? An application to Southern California. *Atmos. Environ.* 36, 2349–65.
- Mozurkewich M., McMurry P. H., Gupta A., and Calvert J. G. (1987) Mass accommodation coefficients for HO₂ radicals on aqueous particles. *J. Geophys. Res.* 92, 4163–70.
- Mulholland G. W., Samson R. J., Mountain R. D., and Ernst M. H. (1988) Cluster size distribution for free molecular agglomeration. *Energy and Fuels* 2, 481–6.
- Muller H. (1928) Zur allgemeinen Theorie der raschen Koagulation. Die koagulation von Stabchen- und Blättchen-kolloiden; die Theorie beliebig polydisperser Systeme und der Stromungskoagulation. *Kolloidbeihete* 27, 223–50.
- Munger W. J., Collett J. Jr., Daube B. C., and Hoffmann M. R. (1989) Carboxylic acids and carbonyl compounds in southern California clouds and fogs. *Tellus* 41b, 230–42.
- Mylonas D. T., Allen D. T., Ehrman S. H., and Pratsinis S. E. (1991) The sources and size distributions of organonitrates in Los Angeles aerosols. *Atmos. Environ.* 25A, 2855–61.
- Nair R. D., Scroggs J. S., and Semazzi F. H. M. (2002) Efficient conservative global transport schemes for climate and atmospheric chemistry models. *Mon. Wea. Rev.* 130, 2059–73.
- Nakicenovic N. and Swart, R., eds. (2000) *Emissions Scenarios. A Special Report of the Intergovernmental Panel on Climate Change*. Cambridge, Cambridge University Press.
- Napari I., Noppel M., Vehkamaki H., and Kulmala M. (2002) Parameterization of ternary nucleation rates for H₂SO₄-NH₃-H₂O vapors. *J. Geophys. Res.* 107 (D19), 4381, doi:10.1029/2002JD002132.
- National Oceanic and Atmospheric Administration (NOAA) (1976) *U.S. Standard Atmosphere*. Washington, DC.
- Naumann K.-H. (2003) COSIMA-A computer program simulating the dynamics of fractal aerosols. *J. Aerosol Sci.* 34, 1371–97.
- Nautical Almanac Office (NAO) and Her Majesty's Nautical Almanac Office (1993) *Astronomical Almanac*. Washington, DC, U.S. Government Printing Office.
- Nebeker F. (1995) *Calculating the Weather*. San Diego, Academic Press, Inc.
- Nenes A., Pandis S. N., and Pilinis C. (1998) ISORROPIA: A new thermodynamic equilibrium model for multiphase multicomponent inorganic aerosols. *Aquat. Geochem.* 4, 123–52.
- (1999) Continued development and testing of a new thermodynamic aerosol module for urban and regional air quality. *Atmos. Environ.* 33, 1553–1560.
- Nesbitt F. L., Monks P. S., Wayne W. A., Stief L. J., and Touni R. (1995) The reaction of O(³P) + HOBr: Temperature dependence of the rate constant and importance of the reaction as an HOBr loss process. *Geophys. Res. Lett.* 22, 827–30.

References

- Nguyen K. and Dabdub D. (2001) Two-level time-marching scheme using splines for solving the advection equation. *Atmos. Environ.* 35, 1627–37.
- (2002) Semi-Lagrangian flux scheme for the solution of the aerosol condensation/evaporation equation. *Aerosol Sci. Technol.* 36, 407–418.
- Nicolet M. (1989) Solar spectral irradiances with their diversity between 120 and 900 nm. *Planet. Space Sci.* 37, 1249–89.
- Noilhan J. and Planton S. (1989) A simple parameterization of land surface processes for meteorological models. *Mon. Wea. Rev.* 117, 536–49.
- Noll K. E., Fang K. Y. P., and Khalili E. (1990) Characterization of atmospheric coarse particles in the Los Angeles Basin. *Aerosol Sci. Technol.* 12, 28–38.
- Odum J. R., Hoffmann T., Bowman F., Collins T., Flagan R. C., and Seinfeld J. H. (1996) Gas-particle partitioning and secondary organic aerosol yields. *Environ. Sci. Technol.* 30, 2580–5.
- Ogura Y. and Phillips N. A. (1962) Scale analysis of deep and shallow convection in the atmosphere. *J. Atmos. Sci.* 19, 173–9.
- Okada K. and Hitzenberger R. (2001) Mixing properties of individual submicrometer particles in Vienna. *Atmos. Environ.* 35, 5617–28.
- Oke T. R. (1978) *Boundary Layer Climates*. London, Methuen.
- Oke T. R., Spronken-Smith R. A., Jauregui E., and Grimmond C. S. B. (1999) The energy balance of central Mexico City during the dry season. *Atmos. Environ.* 33, 3919–30.
- Okuyama K., Kousaka Y., and Hayashi K. (1984) Change in size distribution of ultrafine aerosol particles undergoing Brownian coagulation. *J. Colloid Interface Sci.* 101, 98–109.
- Olscamp P. J., translator (1965) *Discourse on Method, Optics, Geometry, and Meteorology* by René Descartes. Indianapolis, Bobbs-Merrill Company, Inc.
- Ooyama V. K. (1971) A theory on parameterization of cumulus convection. *J. Meteor. Soc. Japan* 49, 744–56.
- Orszag S. A. (1970) Transform method for calculation of vector coupled sums: Application to the spectral form of the vorticity equation. *J. Atmos. Sci.* 27, 890–5.
- (1971) Numerical simulation of incompressible flows within simple boundaries. I. Galerkin (spectral) representations. *Stud. Appl. Math.* 50, 293–326.
- Orville H. D. and Kopp F. J. (1977). Numerical simulations of the history of a hailstorm. *J. Atmos. Sci.* 34, 1596–618.
- Osborne N. S., Stimson H. F., and Ginnings D. C. (1939) Measurements of heat capacity and heat of vaporization of water in the range of 0 degrees to 100 degrees celsius. *J. Res. Nat. Bur. Stand.* 23, 197–260.
- Pandis S. N. and Seinfeld J. H. (1989) Sensitivity analysis of a chemical mechanism for aqueous-phase atmospheric chemistry. *J. Geophys. Res.* 94, 1105–26.
- Pandis S. N., Harley R. A., Cass G. R., and Seinfeld J. H. (1992) Secondary organic aerosol formation and transport. *Atmos. Environ.* 26A, 2269–82.
- Pandis S. N., Russell L. M., and Seinfeld J. H. (1994) The relationship between DMS flux and CCN concentration in remote marine regions. *J. Geophys. Res.* 99, 16945–57.
- Park J.-Y. and Lee Y.-N. (1987) Aqueous solubility and hydrolysis kinetics of peroxy nitric acid. Paper presented at 193rd Meeting, American Chemical Society, Denver, CO, April 5–10.
- Parker V. B. (1965) *Thermal Properties of Aqueous Uni-univalent Electrolytes*. National Standard Reference Data Series – NBS 2. U.S. Government Printing Office, Washington, DC.
- Parkinson C. L. and Washington W. M. (1979) A large-scale numerical model for sea ice. *J. Geophys. Res.* 84, 311–37.
- Pasquill F. (1962) *Atmospheric Diffusion*. London, Van Nostrand.
- Paulson S. E. and Seinfeld J. H. (1992) Development and evaluation of a photooxidation mechanism for isoprene. *J. Geophys. Res.* 97, 20,703–15.

References

- Peng C., Chan M. N., and Chan C. K. (2001) The hygroscopic properties of dicarboxylic and multifunctional acids: Measurements and UNIFAC predictions. *Environ. Sci. Technol.* 35, 4495–501.
- Pepper D. W., Kern C. D., and Long P. E. Jr. (1979) Modeling the dispersion of atmospheric pollution using cubic splines and chapeau functions. *Atmos. Environ.* 13, 223–37.
- Perrin D. D. (1982) *Ionization Constants of Inorganic Acids and Bases in Aqueous Solution*, 2nd edn. New York, Pergamon.
- Perron G., Roux A., and Desnoyers J. E. (1981) Heat capacities and volumes of NaCl, MgCl₂, CaCl₂, and NiCl₂ up to 6 molal in water. *Can. J. Chem.* 59, 3049–54.
- Petersen R. L. (1997) A wind tunnel evaluation of methods for estimating surface roughness length at industrial facilities. *Atmos. Environ.* 31, 45–57.
- Philip J. R. (1957) Evaporation, and moisture and heat fields in the soil. *J. Meteor.* 14, 354–66.
- Phillips N. A. (1957) A coordinate system having some special advantages for numerical forecasting. *J. Meteor.* 14, 184–5.
- Pielke R. A. (1984) *Mesoscale Meteorological Modeling*. San Diego, Academic Press, Inc.
- Pilinis C. and Seinfeld J. H. (1987) Continued development of a general equilibrium model for inorganic multicomponent atmospheric aerosols. *Atmos. Environ.* 21, 2453–66.
- (1988) Development and evaluation of an eulerian photochemical gas-aerosol model. *Atmos. Environ.* 22, 1985–2001.
- Pilinis C., Capaldo K. P., Nenes A., and Pandis S. N. (2000) MADM-A new multicomponent aerosol dynamics model. *Aerosol Sci. Technol.* 32, 482–502.
- Pinto J. P., Turco R. P., and Toon O. B. (1989) Self-limiting physical and chemical effects in volcanic eruption clouds. *J. Geophys. Res.* 94, 11,165.
- Pitter R. L. and Pruppacher H. R. (1973) A wind tunnel investigation of freezing of small water drops falling at terminal velocity in air. *Q. J. Roy. Meteor. Soc.* 99, 540–50.
- Pitzer K. S. (1991) Ion interaction approach: Theory and data correlation. In *Activity Coefficients in Electrolyte Solutions*, 2nd edn. K. S. Pitzer, ed., Boca Raton, FL, CRC Press, 75–153.
- Pitzer K. S. and Mayorga G. (1973) Thermodynamics of electrolytes II. Activity and osmotic coefficients for strong electrolytes with one or both ions univalent. *J. Phys. Chem.* 77, 2300–8.
- Pollack J. B. and Cuzzi J. N. (1980) Scattering by nonspherical particles of size comparable to a wavelength: A new semi-empirical theory and its application to tropospheric aerosols. *J. Atmos. Sci.* 37, 868–81.
- Pooley F. D. and Mille M. (1999) Composition of air pollution particles. In *Air Pollution and Health*. S. T. Holgate, J. M. Samet, H. S. Koren, and R. L. Maynard, eds., San Diego, Academic Press, 619–34.
- Potter J. F. (1970) The delta-function approximation in radiative transfer theory. *J. Atmos. Sci.* 27, 943–9.
- Prather M. J. (1986) Numerical advection by conservation of second-order moments. *J. Geophys. Res.* 91, 6671–81.
- Pratsinis S. E. (1988) Simultaneous nucleation, condensation, and coagulation in aerosol reactors. *J. Colloid Interface Sci.* 124, 416–27.
- Press W. H., Flannery B. P., Teukolsky, S. A., and Vetterling W. T. (1992). *Numerical Recipes: The Art of Scientific Computing*. Cambridge, Cambridge University Press.
- Price C., Penner J., and Prather M. (1997) NO_x from lightning 1. Global distribution based on lightning physics. *J. Geophys. Res.* 102, 5929–41.
- Price G. V. and MacPherson A. K. (1973) A numerical weather forecasting method using cubic splines on a variable mesh. *J. Appl. Meteor.* 12, 1102–13.
- Pruppacher H. R. and Klett J. D. (1997) *Microphysics of Clouds and Precipitation*, 2nd rev. and enl. edn., Dordrecht, Kluwer Academic Publishers.
- Pruppacher H. R. and Rasmussen R. (1979) A wind tunnel investigation of the rate of evaporation of large water drops falling at terminal velocity in air. *J. Atmos. Sci.* 36, 1255–60.

References

- Purnell D. K. (1976) Solution of the advection equation by upstream interpolation with a cubic spline. *Mon. Wea. Rev.* **104**, 42–8.
- Rahmes T. F., Omar A. H., and Wuebbles D. J. (1998) Atmospheric distributions of soot particles by current and future aircraft fleets and resulting radiative forcing on climate. *J. Geophys. Res.* **103**, 31,657–67.
- Rao N. P. and McMurry P. H. (1989) Nucleation and growth of aerosol in chemically reacting systems. *Aerosol Sci. Technol.* **11**, 120–33.
- Raoult F.-M. (1887) General law of the vapor pressure of solvents. *Comptes Rendus* **104**, 1430–3.
- Rasch P. J. (1994) Conservative shape-preserving two-dimensional transport on a spherical grid. *Mon. Wea. Rev.* **122**, 1337–50.
- Rasmussen R. and Pruppacher H. R. (1982) A wind tunnel and theoretical study of the melting behavior of atmospheric ice particles. I: A wind tunnel study of frozen drops of radius <500 mm. *J. Atmos. Sci.* **39**, 152–8.
- Rasmussen R., Levizzani M. V., and Pruppacher H. R. (1984) A wind tunnel and theoretical study of the melting behavior of atmospheric ice particles. II: A theoretical study for frozen drops of radius <500 mm. *J. Atmos. Sci.* **41**, 374–80.
- Reid J. S. and Hobbs P. V. (1998) Physical and optical properties of young smoke from individual biomass fires in Brazil. *J. Geophys. Res.* **103**, 32,013–30.
- Reid, J. S., Hobbs P. V., Ferek R. J., et al. (1998) Physical, chemical, and optical properties of regional hazes dominated by smoke in Brazil. *J. Geophys. Res.* **103**, 32,059–80.
- Reisin T., Levin Z., and Tzivion S. (1996) Rain production in convective clouds as simulated in an axisymmetric model with detailed microphysics. Part I: Description of the model. *J. Atmos. Sci.* **53**, 497–519.
- Reynolds S. D., Roth P. M., and Seinfeld J. H. (1973) Mathematical modeling of photochemical air pollution – I: Formulation of the model. *Atmos. Environ.* **7**, 1033–61.
- Richardson L. F. (1922) *Weather Prediction by Numerical Process*. Cambridge, Cambridge University Press, reprinted 1965, 236pp.
- Robert A. (1982) A semi-Lagrangian and semi-implicit numerical integration scheme for the primitive meteorological equations. *Japan Meteor. Soc.* **60**, 319–25.
- Robinson R. A. and Stokes R. H. (1955) *Electrolyte Solutions*. New York, Academic Press.
- Rogak S. N. and Flagan R. C. (1992) Coagulation of aerosol agglomerates in the transition regime. *J. Colloid Interface Sci.* **151**, 203–24.
- Rogers R. R. and Yau M. K. (1989) *A Short Course in Cloud Physics*. Oxford, Pergamon Press.
- Rosenbaum J. S. (1976) Conservation properties of numerical integration methods for systems of ordinary differential equations. *J. Comp. Phys.* **20**, 259–67.
- Ross A. B. and Neta P. (1979) *Rate Constants for Reactions of Inorganic Radicals in Aqueous Solutions*. NSRDS-NBS 65. National Bureau of Standards, U.S. Department of Commerce, Washington, DC.
- Rossby C. and collaborators (1939) Relation between variations in the intensity of the zonal circulation of the atmosphere and the displacements of the semi-permanent centers of action. *J. Marine Res.* **2**, 38–55.
- Rothman L. S., et al. (2003) The HITRAN molecular spectroscopic database: Edition of 2000 including updates of 2001. *J. Quant. Spectrosc. Radiat. Transfer* **82**, 5–44.
- Roux A., Musbally G. M., Perron G., et al. (1978) Apparent molal heat capacities and volumes of aqueous electrolytes at 25 °C: NaClO₃, NaClO₄, NaNO₃, NaBrO₃, NaIO₃, KCLO₃, KBrO₃, KIO₃, NH₄NO₃, NH₄Cl, and NH₄ClO₄. *Can. J. Chem.* **56**, 24–8.
- Russell A. G., Winner D. A., Harley R. A., McCue K. F., and Cass G. R. (1993) Mathematical modeling and control of the dry deposition flux of nitrogen-containing air pollutants. *Environ. Sci. Technol.* **27**, 2772–82.
- Russell L. M., Pandis S. N., and Seinfeld J. H. (1994) Aerosol production and growth in the marine boundary layer. *J. Geophys. Res.* **99**, 20,989–21,003.

References

- Saffman P. G. and Turner J. S. (1956) On the collision of drops in turbulent clouds. *J. Fluid Mech.* 1, 16–30.
- Sander R., Lelieveld J., and Crutzen P. J. (1995) Modelling of nighttime nitrogen and sulfur chemistry in size resolved droplets of an orographic cloud. *J. Atmos. Chem.* 20, 89–116.
- Sandu A. (2001) Positive numerical integration methods for chemical kinetic systems. *J. Comp. Phys.* 170, 589–602.
- (2002) A Newton–Cotes quadrature approach for solving the aerosol coagulation equation. *Atmos. Environ.* 36, 583–9.
- Sandu A., Verwer J. G., van Loon M., et al. (1997) Benchmarking stiff ODE solvers for atmospheric chemistry problems I: Implicit versus explicit. *Atmos. Environ.* 31, 3151–66.
- San Jose R., Casanova J. L., Viloria R. E., and Casanova J. (1985) Evaluation of the turbulent parameters of the unstable surface boundary layer outside Businger's range. *Atmos. Environ.* 19, 1555–61.
- Saunders S. M., Jenkin M. E., Derwent R. G., and Pilling M. J. (2003) Protocol for the development of the Mater Chemical Mechanism, MCM v3 (Part A): tropospheric degradation of non-aromatic volatile organic compounds. *Atmos. Chem. Phys.* 3, 161–80.
- Saxena P., Hudishevskyj A. B., Seigneur C., and Seinfeld J. H. (1986) A comparative study of equilibrium approaches to the chemical characterization of secondary aerosols. *Atmos. Environ.* 20, 1471–83.
- Saxena P., Mueller P. K., and Hildemann L. M. (1993) Sources and chemistry of chloride in the troposphere: A review. In *Managing Hazardous Air Pollutants: State of the Art*. W. Chow and K. K. Connor, eds., Boca Raton, FL, Lewis Publishers, 173–90.
- Schmidt K. H. (1972) Electrical conductivity techniques for studying the kinetics of radiation-induced chemical reactions in aqueous solutions. *Int. J. Radiat. Phys. Chem.* 4, 439–68.
- Schmidt-Ott A. and Burtscher H. (1982) The effect of van der Waals forces on aerosol coagulation. *J. Colloid Interface Sci.* 89, 353–7.
- Schnaiter M., Horvath H., Mohler O., Naumann K.-H., Saathoff H., and Schock O. W. (2003) UV-VIS-NIR spectral optical properties of soot and soot-containing aerosols. *J. Aerosol Sci.* 34, 1421–44.
- Schneider W., Moortgat G. K., Tyndall G. S., and Burrows J. P. (1987) Absorption cross-sections of NO₂ in the UV and visible region (200–700 nm) at 298 K. *J. Photochem. Photobiol. A: Chem.* 40, 195–217.
- Scholes G. and Willson R. L. (1967) γ -radiolysis of aqueous thymine solutions. Determination of relative reaction rates of OH radicals. *Trans. Faraday Soc.* 63, 2982–93.
- Schroeder W. H., Dobson M., Kane D. M., and Johnson N. D. (1987) Toxic trace elements associated with airborne particulate matter: a review. *J. Air Pollut. Control Assoc.* 37, 1267–85.
- Schwartz S. E. (1984) Gas- and aqueous-phase chemistry of HO₂ in liquid water clouds. *J. Geophys. Res.* 89, 11,589–98.
- (1986) Mass-transport considerations pertinent to aqueous phase reactions of gases in liquid-water clouds. In *Chemistry of Multiphase Atmospheric Systems*, NATO ASI Series, Vol. G6. W. Jaeschke, ed., Berlin, Springer-Verlag, 415–71.
- Schwartz S. E. and White W. H. (1981) Solubility equilibria of the nitrogen oxides and oxyacids in aqueous solution. *Adv. Environ. Sci. Eng.* 4, 1–45.
- Seaman N. L., Ludwig F. L., Donall E. G., Warner T. T., and Bhumralkar C. M. (1989) Numerical studies of urban planetary boundary-layer structure under realistic synoptic conditions. *J. Appl. Meteor.* 28, 760–81.
- Seery D. J. and Britton D. (1964) The continuous absorption spectra of chlorine, bromine, bromine chloride, iodine chloride, and iodine bromide. *J. Phys. Chem.* 68, 2263–6.
- Sehested K., Rasmussen O. L., and Fricke H. (1968) Rate constants of OH with HO₂, O₂[–], and H₂O₂⁺ from hydrogen peroxide formation in pulse-irradiated oxygenated water. *J. Phys. Chem.* 72, 626–31.

- Sehmel G. A. (1980) Particle and gas dry deposition: A review. *Atmos. Environ.* **14**, 983–1011.
- Seinfeld J. H. and Pandis S. N. (1998) *Atmospheric Chemistry and Physics*. New York, Wiley-Interscience.
- Sellers W. D. (1965) *Physical Climatology*. Chicago, University of Chicago Press, 272pp.
- Sellers, P. J., Los S. O., Tucker C. J., et al. (1996) A revised land surface parameterization (SiB2) for atmospheric GCMs. Part II: The generation of global fields of terrestrial biophysical parameters from satellite data. *J. Clim.* **9**, 706–37.
- Shao Y. (2001) A model for mineral dust emission. *J. Geophys. Res.* **106**, 20239–54.
- Shao Y., Raupach M. R., and Leys J. F. (1996) A model for predicting Aeolian sand drift and dust entrainment on scales from paddock to region. *Aust. J. Soil Res.* **34**, 309–42.
- Shen T.-L., Wooldridge P. J., and Molina M. J. (1995) Stratospheric pollution and ozone depletion. In *Composition, Chemistry, and Climate of the Atmosphere*. H. B. Singh, ed., New York, Van Nostrand Reinhold.
- Sheridan P. J., Brock C. A., and Wilson J. C. (1994) Aerosol particles in the upper troposphere and lower stratosphere: Elemental composition and morphology of individual particles in northern midlatitudes. *Geophys. Res. Lett.* **21**, 2587–90.
- Sherman A. H. and Hindmarsh A. C. (1980) *GEARS: A Package for the Solution of Sparse, Stiff Ordinary Differential Equations*. Report UCRL-84102, Lawrence Livermore Laboratory.
- Shimazaki T. and Laird A. R. (1970) A model calculation of the diurnal variation in minor neutral constituents in the mesosphere and lower thermosphere including transport effects. *J. Geophys. Res.* **75**, 3221–35.
- Shir C. C. and Bornstein R. D. (1976) Eddy exchange coefficients in numerical models of the planetary boundary layer. *Boundary-Layer Meteor.* **11**, 171–85.
- Shuttleworth W. J. (1989) Micrometeorology of temperate and tropical forest. *Phil. Trans. Roy. Soc. London B* **324**, 299–334.
- Siegel R. and Howell J. R. (1992) *Thermal Radiation Heat Transfer*. Washington, DC, Taylor and Francis.
- Singh H. B. (1995) Halogens in the atmospheric environment. In *Composition, Chemistry, and Climate of the Atmosphere*. H. B. Singh, ed., New York, Van Nostrand Reinhold.
- Singh H. B., Viezee W., and Salas L. J. (1988) Measurements of selected C₂-C₅ hydrocarbons in the troposphere: Latitudinal, vertical, and temporal variations. *J. Geophys. Res.* **93**, 15,861–78.
- Singh H. B., Kanakidou M., Crutzen P. J., and Jacob D. J. (1995) High concentrations and photochemical fate of oxygenated hydrocarbons in the global troposphere. *Nature* **378**, 50–4.
- Singh H. B., Herlth D., Kolyer R., et al. (1996) Reactive nitrogen and ozone over the western Pacific: Distributions, partitioning, and sources. *J. Geophys. Res.* **101**, 1793–808.
- Skamarock W. C. and Klemp J. B. (1992) The stability of time-split numerical methods for the hydrostatic and the nonhydrostatic elastic equations. *Mon. Wea. Rev.* **120**, 2109–27.
- Skamarock W. C., Dye J. E., Defer E., Barth M. C., Stith J. L., and Ridley B. A. (2003) Observational- and modeling-based budget of lightning-produced NO_x in a continental thunderstorm. *J. Geophys. Res.* **108** (D10), 4305, doi:10.1029/2002JD002163.
- Slinn W. G. N., Hasse L., Hicks B. B., et al. (1978) Some aspects of the transfer of atmospheric trace constituents past the air-sea interface. *Atmos. Environ.* **12**, 2055–87.
- Smith M. H. and Harrison N. M. (1998) The sea spray generation function. *J. Aerosol Sci.* **29**, Suppl. 1, S189–S190.
- Smith R. M. and Martell A. E. (1976) *Critical Stability Constants, Vol. 4: Inorganic Complexes*. New York, Plenum.
- Smolarkiewicz P. K. (1983) A simple positive definite advection scheme with small implicit diffusion. *Mon. Wea. Rev.* **111**, 479–86.
- Smoluchowski M. V. (1918) Versuch einer mathematischen Theorie der Koagulationskinetik kolloider Lösungen. *Z. Phys. Chem.* **92**, 129–68.

References

- Snider J. R. and Dawson G. A. (1985) Tropospheric light alcohols, carbonyls, and acetonitrile: Concentrations in the southwestern United States and Henry's law data. *J. Geophys. Res.* **90**, 3797–805.
- Snyder J. P. (1987) *Map Projections – A Working Manual*. U.S. Geological Survey professional paper 1395, U.S. Government Printing Office, Washington.
- Sokolik I., Andronova A., and Johnson C. (1993) Complex refractive index of atmospheric dust aerosols. *Atmos. Environ.* **27A**, 2495–502.
- Solomon, S., Garcia R. R., Rowland F. S., and Wuebbles D. J. (1986) On the depletion of Antarctic ozone. *Nature* **321**, 755–7.
- Sommer L. (1989) *Analytical Absorption Spectrophotometry in the Visible and Ultraviolet*. Amsterdam, Elsevier.
- Spencer J. W. (1971) Fourier series representation of the position of the Sun. *Search* **2**, 172.
- Stam D. M., de Haan J. F., Hovenier J. W., and Stammes P. (2000) A fast method for simulating observations of polarized light emerging from the atmosphere applied to the oxygen-A band. *J. Quant. Spectrosc. Radiat. Transfer* **64**, 131–49.
- Staniforth A. and Cote J. (1991) Semi-Lagrangian integration schemes for atmospheric models – a review. *Mon. Wea. Rev.* **119**, 2206–23.
- Steiner D., Burtchnew H., and Grass H. (1992) Structure and disposition of particles from a spark ignition engine. *Atmos. Environ.* **26**, 997–1003.
- Stelson A. W., Bassett M. E., and Seinfeld J. H. (1984) Thermodynamic equilibrium properties of aqueous solutions of nitrate, sulfate and ammonium. In *Chemistry of Particles, Fogs and Rain*. J. L. Durham, ed., Ann Arbor, MI, Ann Arbor Publication, 1–52.
- Stephens E. R., Scott W. E., Hanst P. L., and Doerr R. C. (1956) Recent developments in the study of the organic chemistry of the atmosphere. *J. Air Pollut. Contr. Assoc.* **6**, 159–65.
- Stockwell W. R. (1986) A homogeneous gas-phase mechanism for use in a regional acid deposition model. *Atmos. Environ.* **20**, 1615–32.
- Stockwell W. R. (1995) On the HO₂ + HO₂ reaction: Its misapplication in atmospheric chemistry models. *J. Geophys. Res.* **100**, 11,695–8.
- Stoer J. and Bulirsch R. (1980) *Introduction to Numerical Analysis*. New York, Springer-Verlag.
- Stokes R. H. and Robinson R. A. (1966) Interactions in aqueous nonelectrolyte solutions. I. Solute–solvent equilibria. *J. Phys. Chem.* **70**, 2126–30.
- Stommel H. (1947) Entrainment of air into a cumulus cloud. Part I. *J. Appl. Meteor.* **4**, 91–4.
- Streets D. G. and Waldhoff S. T. (1998) Biofuel use in Asia and acidifying emissions, *Energy* **23**, 1029–42.
(1999) Greenhouse-gas emissions from biofuel combustion in Asia. *Energy* **24**, 841–55.
- Strom J., Okada K., and Heintzenber J. (1992) On the state of mixing of particles due to Brownian coagulation. *J. Aerosol Sci.* **23** 467–80.
- Stuart A. L. (2002) Volatile chemical partitioning during cloud hydrometeor freezing and its effects on tropospheric chemical distributions. Ph.D. Thesis, Stanford University.
- Stull R. B. (1988) *An Introduction to Boundary Layer Meteorology*. Dordrecht, Kluwer Academic Publishers.
- Stumm W. and Morgan J. J. (1981) *Aquatic Chemistry*. New York, Wiley Interscience, 780pp.
- Suck S. H. and Brock J. R. (1979) Evolution of atmospheric aerosol particle size distributions via Brownian coagulation: Numerical simulation. *J. Aerosol Sci.* **10**, 581–90.
- Sukhatme S. P. and Saikhedkar N. (1969) Heat capacities of glycerol-water mixtures and aqueous solutions of ammonium sulfate, ammonium nitrate and strontium nitrate. *Ind. J. Technol.* **7**, 1–4.
- Sun Q. and Wexler A. S. (1998) Modeling urban and regional aerosols – condensation and evaporation near acid neutrality. *Atmos. Environ.* **32**, 3527–31.
- Tabazadeh A. and Turco R. P. (1993a) Stratospheric chlorine injection by volcanic eruptions: HCl scavenging and implications for ozone. *Science* **260**, 1082–6.

- (1993b) A model for heterogeneous chemical processes on the surfaces of ice and nitric acid trihydrate particles. *J. Geophys. Res.* **98**, 12,727–40.
- Tabazadeh A., Turco R. P., Drdla K., and Jacobson M. Z. (1994) A study of Type I polar stratospheric cloud formation. *Geophys. Res. Lett.* **21**, 1619–22.
- Tabazadeh A., Djikaev Y. S., and Reiss H. (2002) Surface crystallization of supercooled water in clouds. *Proc. Nat. Acad. Sci.* **99** 15,873–8.
- Tang I. N. (1996) Chemical and size effects of hygroscopic aerosols on light scattering coefficients. *J. Geophys. Res.* **101**, 19,245–50.
- (1997) Thermodynamic and optical properties of mixed-salt aerosols of atmospheric importance. *J. Geophys. Res.* **102**, 1883–93.
- Tang I. N. and Munkelwitz H. R. (1993) Composition and temperature dependence of the deliquescence properties of hygroscopic aerosols. *Atmos. Environ.* **27A**, 467–73.
- (1994) Water activities, densities, and refractive indices of aqueous sulfates and sodium nitrate droplets of atmospheric importance. *J. Geophys. Res.* **99**, 18,801–8.
- Tang I. N., Wong W. T., and Munkelwitz H. R. (1981) The relative importance of atmospheric sulfates and nitrates in visibility reduction. *Atmos. Environ.* **15**, 2463–71.
- Tanguay M., Robert A., and Laprise R. (1990) A semiimplicit semiLagrangian fully-compressible regional forecast model. *Mon. Wea. Rev.* **118**, 1970–80.
- Tao Y. and McMurry P. H. (1989) Vapor pressures and surface free energies of C₁₄-C₁₉ monocarboxylic acids and C₅-dicarboxylic and C₆-dicarboxylic acids. *Environ. Sci. Technol.* **25**, 1788–93.
- Tapp M. C. and White P. W. (1976) A nonhydrostatic mesoscale model. *Quart. J. Roy. Meteor. Soc.* **102**, 277–96.
- Tegen I., Lacis A. A., and Fung I. (1996) The influence on climate forcing of mineral aerosols from disturbed soils. *Nature* **380**, 419–22.
- Terry D. A., McGraw R., and Rangel R. H. (2001) Method of moments solutions for a laminar flow aerosol reactor model. *Aerosol Sci. Technol.* **34**, 353–62.
- Tesche T. W. (1988) Accuracy of ozone air quality models. *J. Environ. Eng.* **114**, 739–52.
- Thekaekara M. P. (1974) Extraterrestrial solar spectrum, 3000–6100 Å at 1-Å intervals. *Appl. Opt.* **13**, 518–22.
- Thompson N., Barrie N., and Ayles M. (1981) The meteorological office rainfall and evaporation calculation system: MORECS. *Hydrol. Memo.* **45**, 1–69.
- Thuburn J. (1996) Multidimensional flux-limited advection schemes. *J. Comp. Phys.* **123**, 74–83.
- (1997) TVD schemes, positive schemes, and the universal limiter. *Mon. Wea. Rev.* **125**, 1990–3.
- Tiedtke M. (1989) A comprehensive mass flux scheme for cumulus parameterization in large-scale models. *Mon. Wea. Rev.* **117**, 1779–800.
- Tjernstrom M. (1993) Turbulence length scales in stably stratified free shear flow analyzed from slant aircraft profiles. *J. Appl. Meteor.* **32**, 948–63.
- Toon O. B. and Ackerman T. P. (1981) Algorithms for the calculation of scattering by stratified spheres. *Appl. Opt.* **20**, 3657–60.
- Toon O. B., Hamill P., Turco R. P., and Pinto J. (1986) Condensation of HNO₃ and HCl in the winter polar stratospheres. *Geophys. Res. Lett. Nov. Supp.* **13**, 1284–7.
- Toon O. B., Turco R. P., Westphal D., Malone R., and Liu M. S. (1988) A multidimensional model for aerosols: Description of computational analogs. *J. Atmos. Sci.* **45**, 2123–43.
- Toon O. B., McKay C. P., and Ackerman T. P. (1989a) Rapid calculation of radiative heating rates and photodissociation rates in inhomogeneous multiple scattering atmospheres. *J. Geophys. Res.* **94**, 16,287–301.
- Toon O. B., Turco R. P., Jordan J., Goodman J., and Ferry G. (1989b) Physical processes in polar stratospheric ice clouds. *J. Geophys. Res.* **94**, 11,359–80.
- Trautmann T. and Wanner C. (1999) A fast and efficient modified sectional method for simulating multicomponent collisional kinetics. *Atmos. Environ.* **33**, 1631–40.

References

- Tremback C. J., Powell J., Cotton W. R., and Pielke R. A. (1987) The forward-in-time upstream advection scheme: Extension to higher orders. *Mon. Wea. Rev.* **115**, 540–55.
- Troe J. (1979) Predictive possibilities of unimolecular rate theory. *J. Phys. Chem.* **83**, 114–26.
- Tsang T. H. and Brock J. R. (1982) Aerosol coagulation in the plume from a cross-wind line source. *Atmos. Environ.* **16**, 2229–35.
- (1986) Simulation of condensation aerosol growth by condensation and evaporation. *Aerosol Sci. Technol.* **5**, 385–8.
- Tsang, T. H. and Huang L. K. (1990) On a Petrov–Galerkin finite element method for evaporation of polydisperse aerosols. *Aerosol Sci. Technol.* **12**, 578–97.
- Tsang T. H. and Korgaonkar N. (1987) Effect of evaporation on the extinction coefficient of an aerosol cloud. *Aerosol Sci. Technol.* **7**, 317–28.
- Turco R. P. and Whitten R. C. (1974) A comparison of several computational techniques for solving some common aeronomic problems. *J. Geophys. Res.* **79**, 3179–85.
- Turco R. P., Hamill P., Toon O. B., Whitten R. C., and Kiang C. S. (1979) *The NASA-Ames Research Center Stratospheric Aerosol Model: I. Physical Processes and Computational Analogs*. NASA Technical Publication (TP) 1362, iii–94.
- Turco R. P., Toon O. B., Whitten R. C., Keesee R. G., and Hollenbach D. (1982) Noctilucent clouds: Simulation studies of their genesis, properties and global influence. *Planet. Space Sci.* **30**, 1147–81.
- Turco R. P., Toon O. B., and Hamill P. (1989) Heterogeneous physiochemistry of the polar ozone hole. *J. Geophys. Res.* **94**, 16,493–510.
- Twohy C. H., Clarke A. D., Warren S. G., Radke L. F., and Charlson R. J. (1989) Light-absorbing material extracted from cloud droplets and its effect on cloud albedo. *J. Geophys. Res.* **94**, 8623–31.
- Tyndall G. S. and Ravishankara A. R. (1991) Atmospheric oxidation of reduced sulfur species. *Int. J. Chem. Kinet.* **23**, 483–527.
- Tzivion S., Feingold G., and Levin Z. (1987) An efficient numerical solution to the stochastic collection equation. *J. Atmos. Sci.* **44**, 3139–49.
- U.S. Department of the Army (1958) *Universal Transverse Mercator Grid. Tables for Transformation of Coordinates from Grid to Geographic; Clarke 1866 Spheroid*. U.S. Government Printing Office, Washington, DC.
- U.S. Environmental Protection Agency (USEPA) (1978) *Air Quality Criteria for Ozone and Other Photochemical Oxidants*. Report No. EPA-600/8-78-004.
- Vali G. (1971) Quantitative evaluation of experimental results on the heterogeneous freezing nucleation of supercooled liquids. *J. Atmos. Sci.* **28**, 402–9.
- van de Hulst H. C. (1957) *Light Scattering by Small Particles*. New York, John Wiley and Sons, Inc.
- Vanderzee C. E., Waugh D. H., and Haas N. C. (1980) Enthalpies of dilution and relative apparent molar enthalpies of aqueous ammonium nitrate. The case of a weakly hydrolysed (dissociated) salt. *J. Chem. Thermodynam.* **12**, 21–5.
- van Dingenen R. and Raes F. (1993) Ternary nucleation of methane sulphonic acid, sulphuric acid and water vapour. *J. Aerosol Sci.* **24**, 1–17.
- van Doren J. M., Watson L. R., Davidovits P., Worsnop D. R., Zahniser S., and Kolb C. E. (1990) Temperature dependence of the uptake coefficients of HNO_3 , HCl , and N_2O_5 by water droplets. *J. Phys. Chem.* **94**, 3256–69.
- van Genuchten M. T. (1980) A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Ann. Geophys.* **3**, 615–28.
- van Weele M. and Duynkerke P. G. (1993) Effects of clouds on the photodissociation of NO_2 : Observation and modelling. *J. Atmos. Chem.* **16**, 231–55.
- van Zandt T. E. and Fritts D. C. (1989) A theory of enhanced saturation of the gravity wave spectrum due to increases in atmospheric stability. *Pure Appl. Geophys. Pageoph.* **130**, 399–420.

References

- Varoglu E. and Finn W. D. L. (1980) Finite elements incorporating characteristics for one-dimensional diffusion-convection equation. *J. Comp. Phys.* **34**, 371–89.
- Vehkamaki H., Kulmala M., Napari I., et al. (2002) An improved parameterization for sulfuric acid-water nucleation rates for tropospheric and stratospheric conditions. *J. Geophys. Res.* **107** (D22), 4622, doi:10.1029/2002JD002184.
- Venkataraman C. and Friedlander S. K. (1994) Size distributions of polycyclic aromatic hydrocarbons and elemental carbon. 2. Ambient measurements and effects of atmospheric processes. *Environ. Sci. Technol.* **28**, 563–72.
- Venkataraman C., Lyons J. M., and Friedlander S. K. (1994) Size distributions of polycyclic aromatic hydrocarbons and elemental carbon. 1. Sampling, measurement methods, and source characterization. *Environ. Sci. Technol.* **28**, 555–62.
- Verwer J. G. (1994) Gauss–Seidel iteration for stiff ODEs from chemical kinetics. *SIAM J. Sci. Comput.* **15**, 1243–50.
- Villars D. S. (1959) A method of successive approximations for computing combustion equilibria on a high speed digital computer. *J. Phys. Chem.* **63**, 521–5.
- Visser J. (1972) On Hamaker constants: A comparison between Hamaker constants and Lifshitz–van der Waals constants. *Adv. Colloid Interface Sci.* **3**, 331–63.
- Waggoner A. P., Weiss R. E., Ahlquist N. C., Covert D. S., Will S., and Charlson R. J. (1981) Optical characteristics of atmospheric aerosols. *Atmos. Environ.* **15**, 1891–909.
- Wagman D. D., Evans W. H., Parker V. B., et al. (1982) The NBS tables of chemical thermodynamic properties: Selected values for inorganic and C₁ and C₂ organic substances in SI units. *J. Phys. Chem. Ref. Data* **11**, Suppl. 2.
- Walcek C. (2000) Minor flux adjustment near mixing ratio extremes for simplified yet highly accurate monotonic calculation of tracer advection. *J. Geophys. Res.* **105**, 9335–48.
- Walcek C. and Aleksic N. M. (1998) A simple but accurate mass conservative, peak-preserving, mixing ratio bounded advection algorithm with Fortran code. *Atmos. Environ.* **32**, 3863–80.
- Walcek C. J., Brost R. A., and Chang J. S. (1986) SO₂, sulfate and HNO₃ deposition velocities computed using regional landuse and meteorological data. *Atmos. Environ.* **20**, 949–64.
- Walcek C. J., Yuan H.-H., and Stockwell W. R. (1997) The influence of aqueous-phase chemical reactions on ozone formation in polluted and nonpolluted clouds. *Atmos. Environ.* **31**, 1221–37.
- Walmsley J. L. and Wesely M. L. (1996) Modification of coded parameterizations of surface resistances to gaseous dry deposition. *Atmos. Environ.* **30A**, 1181–8.
- Wang C. and Prinn R. G. (2000) On the roles of deep convective clouds in tropospheric chemistry. *J. Geophys. Res.* **105**, 22,269–97.
- Wang P. K., Grover S. N., and Pruppacher H. R. (1978) On the effect of electric charges on the scavenging of aerosol particles by clouds and small raindrops. *J. Atmos. Sci.* **35**, 1735–43.
- Wanninkhof R. (1992) Relationship between wind speed and gas exchange over the ocean. *J. Geophys. Res.* **97**, 7373–82.
- Washington W. M. and Parkinson C. L. (1986) *An Introduction to Three-Dimensional Climate Modeling*. Mill Valley, CA, University Science Books.
- Watson R. T. (1977) Rate constants for reactions of ClO_x of atmospheric interest. *J. Phys. Chem. Ref. Data* **6**, 871–917.
- Weeks J. L. and Rabani J. (1966) The pulse radiolysis of deaerated aqueous carbonate solutions. *J. Phys. Chem.* **70**, 2100–6.
- Weingartner E., Burtscher H., and Baltensperger U. (1997) Hygroscopic properties of carbon and diesel soot particles. *Atmos. Environ.* **31**, 2311–27.
- Weisman M. L., Skamarock W. C., and Klemp J. B. (1997) The resolution dependence of explicitly modeled convective systems. *Mon. Wea. Rev.* **125**, 527–48.
- Welch R. M., Cox S. K., and Davis J. M. (1980) *Solar Radiation and Clouds*, Meteorological Monograph 17. American Meteorological Society.

References

- Wengle H. and Seinfeld J. H. (1978) Pseudospectral solution of atmospheric diffusion problems. *J. Comp. Phys.* **26**, 87–106.
- Wentzel, M., Gorzawski, H., Naumann, K.-H., Saathoff, H., and Weinbruch, S. (2003) Transmission electron microscopical and aerosol dynamical characterization of soot aerosols. *J. Aerosol Sci.* **34**, 1347–70.
- Wesely M. L. (1989) Parameterization of surface resistances to gaseous dry deposition in regional-scale numerical models. *Atmos. Environ.* **23**, 1293–304.
- Wesely M. L. and Hicks B. B. (1977) Some factors that affect the deposition rates of sulfur dioxide and similar gases on vegetation. *J. Air Pollut. Control Ass.* **27**, 1110–6.
- West R., Crisp D., and Chen L. (1990). Mapping transformation for broadband atmospheric radiation calculations. *J. Quant. Spectrosc. Radiat. Transfer* **43**, 191–9.
- Wetzel P. J. and Chang J. (1987) Concerning the relationship between evapotranspiration and soil moisture. *J. Climate Appl. Meteor.* **26**, 18–27.
- Wexler A. S. and Clegg S. L. (2002) Atmospheric aerosol models for systems including the ions H^+ , NH_4^+ , Na^+ , SO_4^{2-} , NO_3^- , Cl^- , Br^- , and H_2O . *J. Geophys. Res.* **107** (D14) 10.1029/2001JD000451.
- Wexler A. S. and Seinfeld J. H. (1990) The distribution of ammonium salts among a size and composition dispersed aerosol. *Atmos. Environ.* **24A**, 1231–46.
- (1991) Second-generation inorganic aerosol model. *Atmos. Environ.* **25A**, 2731–48.
- Whitby E. R. (1985) *The Model Aerosol Dynamics Model. Part I. Report to the U.S. Environmental Protection Agency*. Department of Mechanical Engineering, University of Minnesota, Minneapolis.
- Whitby K. T. (1978) The physical characteristics of sulfur aerosols. *Atmos. Environ.* **12**, 135–59.
- White M. (2000) *Leonardo: The First Scientist*. London, Abacus, 370pp.
- Whitten G. Z., Hogo H., and Killus J. P. (1980) The carbon bond mechanism: A condensed kinetic mechanism for photochemical smog. *Environ. Sci. Technol.* **14**, 690–700.
- Wicker L. J. and Skamarock W. C. (1998) A time-splitting scheme for the elastic equations incorporating second-order Runge–Kutta time differencing. *Mon. Wea. Rev.* **126**, 1992–9.
- (2002) Time-splitting methods for elastic models using forward time schemes. *Mon. Wea. Rev.* **130**, 2088–97.
- Wilke C. R. and Chang P. (1955) Correlation of diffusion coefficients in dilute solutions. *Am. Inst. Chem. Eng. J.* **1**, 264–70.
- Wine P. H., Tang Y., Thorn, R. P., Wells J. R., and Davis D. D. (1989) Kinetics of aqueous-phase reactions of the SO_4^- radical with potential importance in cloud chemistry. *J. Geophys. Res.* **94**, 1085–94.
- Wiscombe W. (1977) The delta-M method: Rapid yet accurate radiative flux calculations for strongly asymmetric phase functions. *J. Atmos. Sci.* **34**, 1408–22.
- Wolf M. E. and Hidy G. M. (1997) Aerosols and climate: Anthropogenic emissions and trends for 50 years. *J. Geophys. Res.* **102**, 11, 113–21.
- Woodcock A. H. (1953) Salt nuclei in marine air as a function of altitude and wind force. *J. Meteorol.* **10**, 362–71.
- Woods T. N., Prinz D. K., Rottman, G. J., et al. (1996) Validation of the UARS solar ultraviolet irradiances: Comparison with the ATLAS 1 and 2 measurements. *J. Geophys. Res.* **101**, 9541–69.
- World Meteorological Organization (WMO) (1975) *Manual on the Observation of Clouds and Other Meteors*. World Meteorological Organization, Geneva.
- (1995) *Scientific Assessment of Ozone Depletion: 1994*. Report 25, Global Ozone Research and Monitoring Project, World Meteorological Organization, Geneva.
- (1998) *Scientific Assessment of Ozone Depletion: 1998*. Report 44, WMO Global Ozone Research and Monitoring Project, World Meteorological Organization, Geneva.

References

- Worsnop D. R., Fox L. E., Zahniser M. S., and Wofsy S. C. (1993). Vapor pressures of solid hydrates of nitric acid: Implications for polar stratospheric clouds. *Science* **259**, 71–4.
- Wu J. (1993) Production of spume drops by the wind tearing of wave crests: The search for quantification. *J. Geophys. Res.* **98**, 18,221–7.
- Wu Y.-C. and Hamer W. J. (1980) Revised values of the osmotic coefficients and mean activity coefficients of sodium nitrate in water at 25 °C. *J. Phys. Chem. Ref. Data* **9**, 513–8.
- Xiong C. and Friedlander S. K. (2001) Morphological properties of atmospheric aerosol aggregates. *Proc. Natl. Acad. Sci.* **9**, 11,851–6.
- Yabe T., Tanaka R., Nakamura T., and Xiao F. (2001) An exactly conservative semi-Lagrangian scheme (CIP-CSL) in one dimension. *Mon. Wea. Rev.* **129**, 332–44.
- Yamamoto G., Tanaka M., and Asano S. (1970) Radiative transfer in water clouds in the infrared region. *J. Atmos. Sci.* **27**, 282–92.
- Yamartino R. J. (1993) Nonnegative conserved scalar transport using grid-cell-centered spectrally constrained Blackman cubics for applications on a variable-thickness mesh. *Mon. Wea. Rev.* **121**, 753–63.
- Yanenko N. A. (1971) *The Method of Fractional Steps*. Berlin, Springer-Verlag, 160pp.
- Yin F., Grosjean D., and Seinfeld J. H. (1990) Photooxidation of dimethyl sulfide and dimethyl disulfide. I: Mechanism development. *J. Atmos. Chem.* **11**, 309–64.
- Young A. T. (1980) Revised depolarization corrections for atmospheric extinction. *Appl. Opt.* **19**, 3427–8.
- Young T. R. and Boris J. P. (1977) A numerical technique for solving stiff ordinary differential equations associated with the chemical kinetics of reactive-flow problems. *J. Phys. Chem.* **81**, 2424–7.
- Zawadski I., Torlaschi E., and Sauvageau, R. (1981) The relationship between mesoscale thermodynamic variables and convective precipitation. *J. Atmos. Sci.* **38**, 1535–40.
- Zaytsev I. D. and Aseyev G. G., eds. (1992) *Properties of Aqueous Solutions of Electrolytes* (translated by M. A. Lazarev and V. R. Sorochenko). Boca Raton, FL, CRC Press.
- Zeldovich Y. B. (1942) Theory of new-phase formation: cavitation. *J. Exp. Theor. Phys. (USSR)* **12**, 525–38.
- Zhang D. and Anthes R. A. (1982) A high-resolution model of the planetary boundary layer – sensitivity tests and comparisons with SESAME-79 data. *J. Appl. Meteor.* **21**, 1594–609.
- Zhang Y., Bischof C. H., Easter R. C., and Wu P.-T. (1998) Sensitivity analysis of multi-phase chemical mechanism using automatic differentiation. *J. Geophys. Res.* **103**, 18, 953–79.
- Zhang Y., Seigneur C., Seinfeld J. H., Jacobson M. Z., and Binkowski F. (1999) Simulation of aerosol dynamics: A comparative review of algorithms used in air quality models. *Aerosol Sci. Technol.* **31**, 487–514.
- Zhang Y., Seigneur C., Seinfeld J. H., Jacobson M., Clegg S.L, and Binkowski F. (2000) A comparative review of inorganic aerosol thermodynamic equilibrium modules: Similarities, differences, and their likely causes. *Atmos. Environ.* **34**, 117–37.
- Zhang Y., Pun. B., Wu S.-Y., et al. (2004) Development and application of the model for aerosol dynamics, reaction, ionization and dissolution (MADRID). *J. Geophys. Res.* **109**, D01202, doi: 10.1029/2003JD 003501.
- Zhao J. and Turco R. P. (1995) Nucleation simulations in the wake of a jet aircraft in stratospheric flight. *J. Aerosol Sci.* **26**, 779–95.