

ZOZNAM POUŽITEJ LITERATÚRY

- AASLYNG, M. D. – TŘRNGREN, M. A. – MADSEN, N.T. 2010. Scandinavian consumer preference for beef steaks packed with or without oxygen. In *Meat Science*, vol. 85, no. 3, p. 519–524.
- ÁLVAREZ-ASTORGA, M. – CAPITA, R. – ALONSO-CALLEJA, C. – MORENO, B. – DEL CAMINO GARCÍA-FERNÁNDEZ, M. 2002. Microbiological quality of retail chicken by-products in Spain. In *Meat Science*, vol. 62, no. 1, p. 45–50.
- ANADON H.L.S. 2002. Biological, nutritional, and processing factors affecting breast meat quality of broilers., Ph.D. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA, 24061, USA.
- ASOWATA-AYODELE, A. M. – AFOLAYAN, A. J. – OTUNOLA, G. A. 2016. Ethnobotanical survey of culinary herbs and spices used in the traditional medicinal system of Nkonkobe Municipality, Eastern Cape, South Africa. In *South African Journal of Botany*, vol. 104, p. 69–75.
- BAGHERI, L. – KHODAEI, N. – SALMIERI, S. – KARBOUNE, S. – LACROIX, M. 2020. Correlation between chemical composition and antimicrobial properties of essential oils against most common food pathogens and spoilers: In-vitro efficacy and predictive modelling. In *Microbial Pathogenesis*, vol. 147, p. 104212.
- BAJPAI, V.K. – SHARMA, A. – BAEK, K.-H. 2013. Antibacterial mode of action of *Cudrania tricuspidata* fruit essential oil, affecting membrane permeability and surfasse characteristics of food-borne pathogens. In *Food Control*, vol. 32, no. 2, p. 582–590.
- BAKKALI, F. – AVERBECK, S. – AVERBECK, D. – IDAOMAR, M. 2008. Biological effects of essential oils: a review. In *Food and Chemical Toxicology*, vol. 46, no. 2, p. 446–475.
- BALAMATSIA, C. C. – PALEOLOGOS, E. K. – KONTOMINAS, M. G. – SAVVAIDIS, I. N. 2006. Correlation between microbial flora, sensory changes and biogenic amines formation in fresh chicken meat stored aerobically or under modified atmosphere packaging at 4 degrees C: Possible role of biogenic amines as spoilage indicators. In *Antonie Van Leeuwenhoek*, vol. 89, no. 1, p. 9–17.
- BANSODE, V. J. 2012. A review on pharmacological activities of *Cinnamomum cassia* Blume. In *International Journal of Green Pharmacy*, vol. 6, no. 2, p. 102–108.
- BARANAUSKIENE, R. – VENSKUTONI, S. P. R. – VISKELIS, P. – DAMBRAUSKIENE, E. 2003. Influence of Nitrogen Fertilizers on the Yield and Composition of Thyme (*Thymus vulgaris*). In *Journal of Agriculture and Food Chemistry*, vol. 51, no. 26, p. 7751–7758.
- BIANCHI, D. M. – BARBARO, A. – GALLINA, S. – VITALE, N. – CHIAVACCI, L. – CARAMELLI, M. – DECASTELLI, L. 2013. Monitoring of foodborne

- pathogenic bacteria in vending machine raw milk in Piedmont, Italy. In *Food Control*, vol. 32, no. 2, pp. 435–439.
- BIGGS, A. 2009. *Mastitis in cattle*. Crowood Press Ltd. Ramsbury, Marlborough. ISBN 978 184797 071 8.
- BONOLI, M. – CABONI, M. – RODRIGUEZESTRADA, M. – LERCKER, G. 2007. Effect of feeding fat sources on the quality and composition of lipids of precooked ready-to-eat fried chicken patties. In *Food Chemistry*, vol. 101, no. 4, p. 1327–1337.
- BJÖRKROTH, J. 2005. Microbiological ecology of marinated meat products. In *Meat Science*, vol. 70, no. 3, p. 477–480.
- S. BURT. 2004. Essential oils: their antibacterial properties and potential applications in foods: a review. In *International Journal of Food Microbiology*, vol. 94, no. 3, p. 223–253.
- CALO, J. R. – CRANDALL, P. G. – O'BRYAN, C.A. – RICKE, S.C. 2015. Essential oils as antimicrobials in food systems: a review. In *Food Control*, vol. 54, p. 111–119.
- CARDOSO-UGARTE, G. A. – LÓPEZ-MALO, A. – SOSA-MORALES, M. E., 2016. Cinnamon (*Cinnamomum zeylanicum*) essential oils. In *Essential Oils in Food Preservation, Flavor and Safety*, p. 339–347.
- CASABURI, A. – PIOMBINO, P. – NYCHAS, G. J. – VILLANI, F. – ERCOLINI, D. 2015. Bacterial populations and the volatilome associated to meat spoilage. In *Food Microbiology*, vol. 45 p. 83–102.
- CERESER, N. D. – JÚNIOR, O. R. – MARTINELLI, T. M. – SOUZA, V. – RODRIGUES, L. B. – KERKOFF, J. 2013. Resistance profile of *Aeromonas* spp. isolated in dairy products industry/Perfil de resistência de *Aeromonas* spp. isolada no fluxograma de produção do queijo minas frescal industrial e artesanal. In *Ars Veterinaria*, vol. 29, no. 1, p. 30–36.
- CORRY, J. E. L. – ATABAY, H. I. 2001. Poultry as a source of *Campylobacter* and related organisms. In *Journal of Applied Microbiology*, vol. 90, p. 96S–114S.
- CZAIKOSKI, K. – MESOMO, M. C. – SCHEER, A. D. P. – QUEIROGA, C. L. – DESCHAMPS, C. – CORAZZA, M. L. 2017. Chemical composition and biological activity of *Eupatorium intermedium* essential oil. In *Journal of Essential Oil Research*, vol. 29, no. 1, p. 93–100.
- CORTÉS-ROJAS, D. – DE SOUZA, C. – OLIVEIRA, W. 2014. Clove (*Syzygium aromaticum*): a precious spice. In *Asian Pacific Journal of Tropical Biomedicine*, vol. 4, no. 2, p. 90–96.
- DEMIROK, E. – VELUZ, G. – STUYVENBERG, W. V. – CASTANEDA, M. P. – BYRD, A. – ALVARADO, C. Z. Quality and safety of broiler meat in various chilling systems. In *Poultry Science*, vol. 92, no. 4, p. 1117–1126.
- DE SOUZA PEDROSA, G. T. – PIMENTEL, T. C. – GAVAHIAN, M. – DE MEDEIROS, L. L. – PAGÁN, R. – MAGNANI, M. 2021. The combined effect of essential oils and emerging technologies on food safety and quality. In *LWT – Food Science and Technology*, vol. 147, p. 111593.

- DEN BAKKER, H. – CUMMINGS, C. – FERREIRA, V. – VATTA, P. – ORSI, R. H. – DEGORICIJA, L. *et al.* 2010. Comparative genomics of the bacterial genus *Listeria*: genome evolution is characterized by limited gene acquisition and limited gene loss. In *BMC Genomics*, vol. 11, no. 1, p. 688.
- DELAQUIS, P. J. – STANICH, K. – GIRARD, B. – MAZZA, G. 2002. Antimicrobial activity of individual and mixed fractions of dill, cilantro, coriander and eucalyptus essential oils. In *International Journal of Food Microbiology*, vol. 74, no. 1-1, p. 101–109.
- DEVLIEGHERE, F. – DEBEVER, J. – GIL, M. I. 2003. MAP, product safety and nutritional quality. In *Novel Food Packaging Techniques*, Woodhead Publishing Limited, Cambridge, p. 208–230.
- DOMINGO, D. – LÓPEZ-BREA, M. 2016. Plantas com acción antimicrobiana. In *Revista Española de Quimioterapia*, vol.16, p. 385–393.
- EILERT, S. J. 2005. New packaging technologies for the 21st century. In *Meat Science*, vol. 71, no. 1, p. 122–127.
- EL ASBAHANI, A. – MILADI, K. – BADRI, W. – SALA, M. – AÏT ADDI, E. H. – CASABIANCA, H. – EL MOUSADIK, A. – HARTMANN, D. – JILALE, A. – RENAUD, F. N. R. – ELAISSARI, A. 2015. Essential oils: From extraction to encapsulation. In *International Journal of Pharmaceutics*, vol. 483, no. 1-2, p. 220–243.
- EMIROĞLU, Z. K. – YEMİŞ, G. P. – COŞKUN, B. K. – CANDOĞAN, K. 2010. Antimicrobial activity of soy edible films incorporated with thyme and oregano essential oils on fresh ground beef patties. In *Meat Science*, vol. 86, no. 2, p. 283–288.
- ESCOBAR-PÁRAMO, P. – SABBAGH, A. – DARLU, P. – PRADILLON, O. – VAURY, C. – DENAMUR, E. – LECOINTRE, G. 2004. Decreasing the effects of horizontal gene transfer on bacterial phylogeny: the *Escherichia coli* case study. In *Molecular Phylogenetics and Evolution*, vol. 30, no. 1, p. 243–250.
- FARRELL, D. 2013. The role of poultry in human nutrition. In *Poultry development review*, FAO, Rome, ISBN 978-92-5-108067-2.
- FIGUERAS, M. J. – SUAREZ-FRANQUET, A. – CHACON, M. R. – SOLER, L. – NAVARRO, M. – ALEJANDRE, C. – GRASA, B. – MARTINEZ-MURCIA, A. J. – GUARRO, J. 2005. First record of the rare species *Aeromonas culicicola* from a drinking water supply. In *Applied and Environmental Microbiology*, vol. 71, no. 1, p. 538–541.
- FLETCHER, D. L. 1999. Relationship of breast meat color variation to muscle pH and texture. In *Poultry Science*, vol. 78, no. 9, p. 1323–1327.
- FORBES, B. A. – SAHM, D. F. – WEISSFELD, A. S. 2007. Enterobacteriaceae. In *Bailey and Scott's Diagnostic Microbiology* (12th ed), Mosby, St. Louis, p. 323–333.
- FRANK, J. F. – HASSAN, A. N. 2011. Microorganisms associated with milk. In *Encyclopedia of Dairy Sciences*, p. 447–457.

- FRONING, G. W. 1995. Color of poultry meat. In *Poultry and avian biology reviews*, vol. 6, no. 1, p. 83–93.
- GILL, A. O. – GILL, C. O. 2005. Preservative packaging for fresh meats, poultry and fin fish. In *Innovations in Food Packaging*, Elsevier Academic Press, London, p. 204–220.
- GREGER, M. 2014. Trans fat in animal fat. In *NutritionFacts.org*, <https://nutritionfacts.org/2014/02/27/trans-fat-in-animal-fat/>
- GUAN, W. – LI, S. – YAN, R. – TANG, S. – QUAN, C. 2007. Comparison of essential oils of clove buds extracted with supercritical carbon dioxide and other three traditional extraction methods. In *Food Chemistry*, vol. 101, no. 4, p. 1558–1564.
- GUBAN, J. – KORVER, D. R. – ALLISON, G. E. – TANNOCK G. W. 2006. Relationship of dietary antimicrobial drug administration with broiler performance, decreased population levels of *Lactobacillus salivarius*, and reduced bile salt deconjugation in the ileum of broiler chickens. In *Poultry Science*, vol. 85, no. 12, p. 2186–2194.
- GUTIERREZ, J. – BARRY-RYAN, C. – BOURKE, P. 2008. The antimicrobial efficacy of plant essential oil combinations and interactions with food ingredients. In *International Journal of Food Microbiology*, vol. 124, no. 1, p. 91–97.
- GUL, K. – SINGH, P. – WANI, A. A. 2016. Safety of Meat and Poultry. In *Regulating Safety of Traditional and Ethnic Foods*, p. 63–77.
- HALLIWELL, B. 1999. Free radicals in biology and medicine. Oxford University Press, Oxford, 896 p., ISBN-13: 9780198717478.
- HANNEMANN, S. – GAO, B. – GALÁN, J. E. 2013. *Salmonella* modulation of host cell gene expression promotes its intracellular growth. In *PLoS Pathogens*, vol. 9, no. 10, p. e1003668.
- HARADA, T. – DANG, V. C. – NGUYEN, D. P. – NGUYEN, T. A. – SAKAMOTO, M. – OHKUMA, M. – MOTOOKA, D. – NAKAMURA, S. – UCHIDA, K. – JINNAI, M. et al. 2016. *Enterococcus saigonensis* sp. nov., isolated from retail chicken meat and liver. In *International Journal of Systematic and Evolutionary Microbiology*, vol. 66, no. 10, p. 3779–3785.
- HERMANS, D. – PASMANS, F. – MESSENS, W. – MARTEL, A. – VAN IMMERSEEL, F. – RASSCHAERT, G. – HEYNDRICKX, M. – VAN DEUN, K. – HAESEBROUCK, F. 2012. Poultry as a host for the zoonotic pathogen *Campylobacter jejuni*. In *Vector Borne and Zoonotic Diseases*, vol. 12, no. 2, p. 89–98.
- HEUER, O. E. – PEDERSEN, K. – ANDERSEN, J. S. – MADSEN, M. 2001. Prevalence and antimicrobial susceptibility of thermophilic *Campylobacter* in organic and conventional broiler flocks. In *Letters in Applied Microbiology*, vol. 33, no. 4, p. 269–274.
- HINTON, A. – CASON, J. A. – INGRAM, K. D. 2004. Tracking spoilage bacteria in commercial poultry processing and refrigerated storage of poultry carcasses. In *International Journal of Food Microbiology*, vol. 91, no. 2, p. 155–165.

- HÖLL, L. – BEHR, J. – VOGEL, R. F. 2016. Identification and growth dynamics of meat spoilage microorganisms in modified atmosphere packaged poultry meat by MALDI-TOF MS. In *Food Microbiology*, vol. 60, p. 84–91.
- HOLLEY, R. A – PATEL, D. 2005. Improvement in shelf-life and safety of perishable foods by plant essential oils and smoke antimicrobials. In *Food Microbiology*, vol. 22, no. 4, p. 273–292.
- HUE, O. – ALLAIN, V. – LAISNEY, M. J. – LE BOUQUIN, S. – LALANDE, F. – PETETIN, I. – ROUXEL, S. – QUESNE, S. – GLOAGUEN, P. Y. – PICHEROT, M. *et al.* 2011. Campylobacter contamination of broiler caeca and carcasses at the slaughterhouse and correlation with Salmonella contamination. In *Food Microbiology*, vol. 28, no. 5, p. 862–868.
- CHAICHI, M. – MOHAMMADI, A. – BADI, F. – HASHEMI, M. 2021. Triple synergistic essential oils prevent pathogenic and spoilage bacteria growth in the refrigerated chicken breast meat. In *Biocatalysis and Agricultural Biotechnology*, vol. 32, p. 101926.
- CHAILLOU, S. – CHAULOT-TALMON, A. – CAEKEBEKE, H. – CARDINAL, M. – CHRISTIEANS, S. – DENIS, C. – DESMONTS, M. H. – DOUSSET, X. – FEURER, C. – HAMON, E. *et al.* 2015. Origin and ecological selection of core and food-specific bacterial communities associated with meat and seafood spoilage. In *The ISME Journal*, vol. 9, no. 5, p. 1105–1118.
- IBEKWE, A. M. – WATT, P. M. – GRIEVE, C. M. – SHARMA, V. K. – LYONS, S. R. 2002. Multiplex fluorogenic real-time PCR for detection and quantification of *Escherichia coli* O157:H7 in dairy waste water wetlands. In *Applied and Environmental Microbiology*, vol. 68, no. 10, p. 4853–4862.
- IVANOVIC, J. – MISIC, D. – ZIZOVIC, I. – RISTIC, M. 2012. In vitro control of multiplication of some food-associated bacteria by thyme, rosemary and sage isolates. In *Food Control*, vol. 25, no. 1, p. 110–116.
- JÄÄSKELÄINEN, E. – HULTMAN, J. – PARSHINTSEV, J. – RIEKKOLA, M. L. – BJÖRKROTH, J. 2016. Development of spoilage bacterial community and volatile compounds in chilled beef under vacuum or high oxygen atmospheres. In *International Journal of Food Microbiology*, vol. 223, p. 25–32.
- JAY, J. M. – LOESSNER, M. J. – GOLDEN, D. A. 2005. *Modern Food Microbiology*. Springer Science Inc., New York, 470 p., ISBN 978-0-387-23413-7.
- JANDA, J. M. – ABBOTT, S. L. 2006. *The Enterobacteria*, 2nd ed. Chap 9. Washington, DC, American Society for Microbiology, p. 137–150.
- JANTAN, I. – KARIM, B. – SANTHANAM, J. – AZDINA, J. 2008. Correlation between chemical composition and antifungal activity of the essential oils of eight *Cinnamomum* species. In *Pharmaceutical Biology*, vol. 46, no. 6, p. 406–412.
- JIMÉNEZ, S. M. – SALSI, M. S. – TIBURZI, M. C. – RAFAGHELLI, R. C. – TESSI, M. A. – COUTAZ, V. R. 1997. Spoilage microflora in fresh chicken breast stored at 4 °C influence of packaging methods. In *Journal of Applied Microbiology*, vol. 83, no. 5, p. 613–618.

- JIROVETZ, L. – BUCHBAUER, G. – STOILOVA, I. – STOYANOVA, A. – KRASTANOV, A. – SCHMIDT, E. – 2006. Chemical composition and antioxidant properties of clove leaf essential oil. In *Journal of Agricultural and Food Chemistry*, vol. 54, no. 17, p. 6303–6307.
- JAYASENA, D. D – JO, C. 2013. Essential oils as potential antimicrobial agents in meat and meat products: a review. In *Trends in Food Science & Technology*, vol. 34, no. 2, p. 96–108.
- KAAKOUSH, N. O. – CASTAÑO-RODRÍGUEZ, N. – MITCHELL, H. M. – MAN, S.M. 2015. Global epidemiology of *Campylobacter* infection. In *Clinical Microbiology Reviews*, vol. 28, no. 3, p. 687–720.
- KAČÁNIOVÁ, M. – TERENTJEVA, M. – VUKOVIC, N. – PUCHALSKI, C. – ROYCHOUDHURY, S. – KUNOVÁ, S. – KLŪGA, A. – TOKÁR, M. – KLUZ, M. – IVANIŠOVÁ, E. 2017. The antioxidant and antimicrobial activity of essential oils against *Pseudomonas* spp. isolated from fish. In *Saudi Pharmaceutical Journal*, vol. 25, no. 8, p. 1108–1116.
- KERRY, J. P. – O'GRADY, M. N. – HOGAN, S. A. 2006. Past, current and potential utilisation of active and intelligent packaging systems for meat and muscle-based products: a review. In *Meat Science*, vol. 74, no. 1, p. 113–130.
- KODANA, M. – TARUMOTO, N. – KAWAMURA, T. – SAITO, T. – OHNO, H. – MAESAKI, S. – IKEBUCHI, K. 2016. Utility of the MALDI-TOF MS method to identify nontuberculous mycobacteria. In *Journal of Infection and Chemotherapy*, vol. 22, no. 1, p. 32–35.
- KOKKINI, S. – KAROUSOU, R. – DARDIOTI, A. – KRIGAS, N. – LANARAS, T. 1997. Autumn essential oils of Greek oregano. In *Phytochemistry*, vol. 44, no. 5, p. 883–886.
- KOSTAKI, M. – GIATRAKOU, V. – SAVVAIDIS, I. N. – KONTOMINAS, M. G. 2009. Combined effect of MAP and thyme essential oil on the microbiological, chemical and sensory attributes of organically aquacultured sea bass (*Dicentrarchus labrax*) fillets. In *Food Microbiology*, vol. 26, no. 5, p. 475–482.
- KOUTSOUMANIS, K. – STAMATIOU, A. – SKANDAMIS, P. – NYCHAS, G.-J. E. 2006. Development of a microbial model for the combined effect of temperature and pH on spoilage of ground meat, and validation of the model under dynamic temperature conditions. In *Applied and Environmental Microbiology*, vol. 72, no. 1, p. 124–134.
- KWON, Y. S. – CHOI, W. G. – KIM, W. J. – KIM, W. K. – KIM, M. J. – KANG, W. H. – KIM, C. M. 2002. Antimicrobial constituents of *Foeniculum vulgare*. In *Archives of Pharmacal Research*, vol. 25, no. 2, p. 154–157.
- LLANA RUIZ CABELLO, M. – PICHARDO, S. – MAISANABA, S. – PUERTO, M. – PRIETO, A. I. – GUTIÉRREZ-PRAENA, D. – JOS, A. – CAMEÁN, A. M. 2015. In vitro toxicological evaluation of essential oils and their main compounds used in active food packaging: a review. In *Food and Chemical Toxicology*, vol. 81, p. 9–27.

- LEE, H. S. – KWON, M. – HEO, S. – KIM, M. G. – KIM, G.-B. 2017. Characterization of the biodiversity of the spoilage microbiota in chicken meat using next generation sequencing and culture dependent approach. In *Korean Journal for Food Science of Animal Resources*, vol. 37, no. 4, p. 535–541.
- LIMA, M. C. – DE SOUZA, E. L. 2021. A systematic quantitative analysis of the published literature on the efficacy of essential oils as sanitizers in fresh leafy vegetables. In *Critical Reviews in Food Science and Nutrition*, vol. 64, no. 14, p. 2326 to 2339.
- LIN, P.-C. – LEE, J. J. – CHANG, I.-J. 2016. Essential oils from Taiwan: chemical composition and antibacterial activity against *Escherichia coli*. In *Journal of Food and Drug Analysis*, vol. 24, no. 3, p. 464–470.
- LINE, J. E. – OAKLEY, B. B. – STERN, N. J. Comparison of cumulative drip sampling with whole carcass rinses for estimation of *Campylobacter* species and quality indicator organisms associated with processed broiler chickens. In *Poultry Science*, vol. 92, no. 1, p. 218–224.
- LIU, S. – JIN, D. – LAN, R. – WANG, Y. – MENG, Q. – DAI, H. – LU, S. – HU, S. – XU, J. 2015. *Escherichia marmotae* sp. nov., isolated from faeces of *Marmota himalayana*, In *International Journal of Systematic and Evolutionary Microbiology*, vol. 65, no. 7, p. 2130–2134.
- LUBER, P. 2009. Cross-contamination versus undercooking of poultry meat or eggs – Which risks need to be managed first? In *International Journal of Food Microbiology*, vol. 134, no. 1-2, p. 21–28.
- LUCERA, A. – COSTA, C. – CONTE, A. – DEL NOBILE, M. A. 2012. Food applications of natural antimicrobial compounds. In *Frontiers in Microbiology*, vol. 3, no. 287, p. 1–13.
- LUND, M. N. – LAMETSCH, R. – HVIID, M. S. – JENSEN, O. N. – SKIBSTED, L. H. 2007. High oxygen packaging atmosphere influences protein oxidation and tenderness of porcine longissimus dorsi during chill storage. In *Meat Science*, vol. 77, no. 3, p. 295–303.
- LV, F. – LIANG, H. – YUAN, Q. – LI, CH. 2011. In vitro antimicrobial effects and mechanism of action of selected plant essential oil combinations against four food-related microorganisms. In *Food Research International*, vol. 44, no. 9, p. 3057–3064.
- MAHADY, G. B. – PENDLAND, S. L. – STOIA, A. – HAMILL, F. A. – FABRICANT, D. – DIETZ, B. M. – CHADWICK, L. R. 2005. *In-vitro* susceptibility of *Helicobacter pylori* to botanical extracts used traditionally for the treatment of gastro-intestinal disorders. In *Phytotherapy Research*, vol. 19, no. 11, p. 988–999.
- MARINO, M. – BERSANI, C. – COMI, G. 2001. Impedance measurements to study the antimicrobial activity of essential oils from *Lamiaceae* and *Compositae*. In *International Journal of Food microbiology*, vol. 67, no. 3, p. 187–195.
- MCLAUCHLIN, J. – REES C. 2009. *Listeria*. Garrity G (Ed.). In *Bergey's manual of systematic bacteriology*, vol. 3, Springer, New York, p. 244–257.

- MORGAN, E. – CAMPBELL, J. D. – ROWE, S. C. – BISPHAM, J. – STEVENS, M. P. – BOWEN, A. J. – BARROW, P. A. – MASKELL, D. J. – WALLIS, T. S. 2004. Identification of host-specific colonization factors of *Salmonella enterica* serovar Typhimurium. In *Molecular Microbiology*, vol. 54, no. 4, p. 994–1010.
- MOHSENZADEH, M. 2007. Evaluation of antibacterial activity of selected Iranian essential oils against *Staphylococcus aureus* and *Escherichia coli* in nutrient broth medium. In *Pakistan Journal of Biological Sciences*, vol. 10, no. 20, p. 3693–3697.
- MCMILLIN, K. W. 2008. Where is MAP going? A review and future potential of modified atmosphere packaging for meat. In *Meat Science*, vol. 80, no. 1, p. 43–65.
- MHONE, T. A. – MATOPE, G. – SAIDI, P. 2011. Aerobic bacterial, coliform, *Escherichia coli* and *Staphylococcus aureus* counts of raw and processed milk from selected small holder dairy farms of Zimbabwe. In *International Journal of Food Microbiology*, vol. 151, no. 2, p. 223–228.
- MOHAMMED, I. 1993. International trade in non-wood forest products: an overview. In *FO: Misc/93/11— Working Paper*. Food and Agriculture Organization of the United Nations.
- NABAVI, S. F. – DI LORENZO, A. – IZADI, M. – SOBARZO-SANCHEZ, E. – DAGLIA, M. – NABAVI, S. M. 2015. Antibacterial effects of cinnamon: From farm to food, cosmetic and pharmaceutical industries. In *Nutrients*, vol. 7, no. 9, p. 7729–7748.
- NATTRESS, F. M. – JEREMIAH, L. E. 2000. Bacterial mediated off-flavours in retail-ready beef after storage in controlled atmospheres. In *Food Research International*, vol. 33, no. 9, p. 743–748.
- NORTHCUTT, J. K. 2009. Factors affecting poultry meat quality. In *Bulletin 1157*. The University of Georgia, Cooperative Extension, College of Agriculture Science and Environmental Science & Family and Consumer Sciences.
- NOTERMANS, S. – VAN HOEIJ, K. 2008. *The Food Safety File*. Woerden, Netherlands, 127 p.
- NEIRON, J. M., 1994. Therapeutic herbal composition: Google Patents.
- NOMURA, F. 2015. Proteome-based bacterial identification using matrix-assisted laser desorption ionization–time of flight mass spectrometry (MALDI-TOF MS): A revolutionary shift in clinical diagnostic microbiology. In *Biochimica et Biophysica Acta (BBA) – Proteins and Proteomics*, vol. 1854, no. 6, p. 528–537.
- NUNEZ, L. – AQUINO, M. D. – CHIRIFE, J. 2001. Antifungal properties of clove oil (*Eugenia caryo-Phylata*) in sugar solution. In *Brazilian Journal of Microbiology*, vol. 32, no. 2, p. 123–126.
- NURDJANNAH, N. – BERMAWIE, N. 2012. Cloves. In: Peter, K.V. (Ed.), *Handbook of Herbs and Spices.*, second ed. Woodhead Publishing, Cambridge, UK, p. 197–215.

- OZCAN, G. – SAGDIC, O. – OZCAN, M. 2003. Note: Inhibition of pathogenic bacteria by essential oils at different concentrations. In *Food Science and Technology International*, vol. 9, no. 2, p. 85–88.
- PANDEY, A. – SINGH, P. 2011. Antibacterial activity of *Syzygium aromaticum* (clove) with metal ion effect against food borne pathogens. In *Asian Journal of Plant Science and Research*, vol. 1, no. 2, p. 69–80.
- PAPADIMITRIOU, K. – ZOUMPOPOULOU, G. – FOLIGNE, B. – ALEXANDRAKI, V. – KAZOU, M. POT, B. et al. 2015. Discovering probiotic organisms: in vitro, in vivo, genetic and omics approaches. In *Frontiers in Microbiology*, vol. 6, p. 1–28.
- PARRY, R. T. 1993. Introduction. In *Principles and Applications of Modified Atmosphere Packaging of Food*, Parry, R.T. (Ed.). Blackie Academic & Professional, Glasgow, p. 1–18.
- PATEIRO, M. – MUNEKATA, P. E. S. – SANT'ANA, A. S. – DOMÍNGUEZ, R. – RODRÍGUEZ-LÁZARO, D. – LORENZO, J. M. 2021. Application of essential oils as antimicrobial agents against spoilage and pathogenic microorganisms in meat products. In *International Journal of Food Microbiology*, vol. 337, p. 108966.
- PEIX, A. – RAMÍREZ-BAHENA, M. H. – VELÁZQUEZ, E. 2009. Historical evolution and current status of the taxonomy of genus *Pseudomonas*. In *Infection, Genetics and Evolution*, vol. 9, no. 6, p. 1132–1147.
- PIRES, C. – RAMOS, C. – TEIXEIRA, B. – BATISTA, I. – NUNES, M. L. – MARQUES, A. 2013. Hake proteins edible films incorporated with essential oils: physical, mechanical, antioxidant and antibacterial properties. In *Food Hydrocolloids*, vol. 30, no. 1, p. 224–231.
- ROUGER, A. – MORICEAU, N. – PREVOST, H. – REMENANT, B. – ZAGOREC, M. 2018. Diversity of bacterial communities in French chicken cuts stored under modified atmosphere packaging. In *Food Microbiology*, vol. 70, p. 7–16.
- ROUGER, A. – REMENANT, B. – PRÉVOST, H. – ZAGOREC, M. A. 2017. Method to isolate bacterial communities and characterize ecosystems from food products: Validation and utilization as a reproducible chicken meat model. In *Internal Journal of Food Microbiology*, vol. 247, p. 38–47.
- RUSSELL, S. M. 2008. The Effect of an acidic, copper sulfate-based commercial sanitizer on indicator, pathogenic, and spoilage bacteria associated with broiler chicken carcasses when applied at various intervention points during poultry processing. In *Poultry Science*, vol. 87, no. 7, p. 1435–1440.
- SAHAR, A. – BOUBELLOUTA, T. – DUFOUR, É. 2011. Synchronous front-face fluorescence spectroscopy as a promising tool for the rapid determination of spoilage bacteria on chicken breast. In *Food Research International*, vol. 44, no. 1, p. 471–480.
- SINHA, S. – SHIMADA, T. – RAMAMURTHY, T. – BHATTACHARYA, S. K. – YAMASAKI, S. – TAKEDA, Y. – NAIR, G. B. 2004. Prevalence, serotype

- distribution, antibiotic susceptibility and genetic profiles of mesophilic *Aeromonas* species isolated from hospitalized diarrhoeal cases in Kolkata, India. In *Journal of Medical Microbiology*, vol. 53, no. 6, p. 527–534.
- SAHIN, O. – ZHANG, Q. – MEITZLER, J. C. – HARR, B. S. – MORISHITA, T. Y. – MOHAN, R. 2001. Prevalence, antigenic specificity, and bactericidal activity of poultry anti-*Campylobacter* maternal antibodies. In *Applied and Environmental Microbiology*, vol. 67, no. 9, p. 3951–3957.
- SANTOYO, S. – CAVERO, S. – JAIME, L. – IBAÑEZ, E. – SEÑORÁNS, F. J. – REGLER, G. Supercritical carbon dioxide extraction of compounds with antimicrobial activity from *Origanum vulgare* L. determination of optimal extraction parameters. In *Journal of Food Protect*, vol. 69, no. 2, p. 369–75.
- SGORBINI, C. B. – CAGLIERO, C. – CORDERO, C. – LIBERTO, E. – RUBIOLO, P. 2015. Herbs and spices: Characterization and quantitation of biologically active markers for routine quality control by multipleheadspace solid-phase microextraction combined with separative or non-separative analysis. In *Journal of Chromatography A*, vol. 1376, p. 9–17.
- SHAN, B. – CAI, Y. – BROOKS, J. D. – CORKE, H. 2007. Antibacterial properties and major bioactive components of cinnamon stick (*Cinnamomum burmannii*): activity against food borne pathogenic bacteria. In *Journal of Agricultural and Food Chemistry*, vol. 55, no.14, p. 5484–5490.
- SHRIVASTAVA, K., SAHU, S., MISHRA, S., DE, K., 2014. In vitro antimicrobial activity and phytochemical screening of *Syzygium aromaticum*. In *Asian Journal of Research in Pharmaceutical Science*, vol. 4, no. 1, p. 12–15.
- SORHEIM, O., AUNE, T., NESBAKKEN, T., 1997. Technological, hygienic and toxicological aspects of carbon monoxide used in modified-atmosphere packaging of meat. In *Trends in Food Science and Technology*, vol. 8, no. 9, p. 307–312.
- STOJANOVIĆ-RADIĆ, Z. – PEJČIĆ, M. – JOKOVIĆ, N. – JOKANOVIĆ, M. – IVIĆ, M. – ŠOJIĆ, B. – ŠKALJAC, S. – STOJANOVIĆ, P. – MIHAJILOV-KRSTEV, T. 2018. Inhibition of *Salmonella* Enteritidis growth and storage stability in chicken meat treated with basil and rosemary essential oils alone or in combination. In *Food Control*, vol. 90, p. 332–343.
- SWAMY, M. K. – AKHTAR, M. S. – SINNIAH, U. R. 2016. Antimicrobial properties of plant essential oils against human pathogens and their mode of action: an updated review. In *Evidence-Based Complementary and Alternative Medicine*, p. 1–21.
- ŠTEFANOVIČ, J. – HANZEN, J. 2013. Lexikón lekárskej bakteriologie. Bratislava, HPL servis, 160 s.
- TAKAHASHI, H. – NAKAMURA, A. – FUJINO, N. – SAWAGUCHI, Y. – SATO, M. – KUDA, T. – KIMURA, B. 2021. Evaluation of the antibacterial activity of allyl isothiocyanate, clove oil, eugenol and carvacrol against spoilage lactic acid bacteria. In *LWT – Food Science and Technology*, vol. 145, p. 111263.

- TAJKARIMI, M. M. – IBRAHIM, S. A. – CLIVER, D. O. 2010. Antimicrobial herb and spice compounds in food. In *Food Control*, vol. 21, no. 9, p. 1199–1218.
- TEIXEIRA, B. – MARQUES, A. – RAMOS, C. – NENG, N. R. – NOGUEIRA, J. M. F. – SARAIVA, J. A. – NUNES, M. L. 2013. Chemical composition and antibacterial and antioxidant properties of commercial essential oils. In *Industrial Crops and Products*, vol. 43, p. 587–595.
- TORRES, M. J. – PÉREZ BRANDAN, C. – PETROSELLI, G. – ERRA-BALSELLS, R. – AUDISIO, M. C. 2016. Antagonistic effects of *Bacillus subtilis* subsp. *subtilis* and *B. amyloliquefaciens* against *Macrophomina phaseolina*: SEM study of fungal changes and UV-MALDI-TOF MS analysis of their bioactive compounds. In *Microbiological Research*, vol. 182, p. 31–39.
- TSAFRAKIDOU, P. – SAMELI, N. – BOSNEA, L. – CHORIANOPOULOS, N. – SAMELIS, J. 2021. Assessment of the spoilage microbiota in minced free-range chicken meat during storage at 4 °C in retail modified atmosphere packages. In *Food Microbiology*, vol. 99, p. 103822.
- TUNCER, B. – SIRELI, U. T. 2008. Microbial growth on broiler carcasses stored at different temperatures after air- or water-chilling. In *Poultry Science*, vol. 87, p. 793–799.
- VAN NIEROP, W. – DUSE, A. G. – MARAIS, E. – AITHMA, N. – THOTHOBOLLO, N. – KASSEL, M. – STEWART, R. – POTGIETER, A. – FERNANDES, B. – GALPIN, J. S. – BLOOMFIELD, S. F. 2005. Contamination of chicken carcasses in Gauteng, South Africa, by *Salmonella*, *Listeria monocytogenes* and *Campylobacter*. In *International Journal of Food Microbiology*, vol. 99, p. 1–6.
- VANGALAPATI, M. – SREE SATYA, N. – SURYA PRAKASH, D. V. – AVANIGADDA, S. 2012. A review on pharmacological activities and clinical effects of *Cinnamon* species. In *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, vol. 3, no. 1, p. 653–663.
- VALLVERDÚ-QUERALT, A. – REGUEIRO, J. – MARTINEZ-HUELAMO, M. – ALVARENGA, J. F. R. – LEAL, L. N. – LAMUELA-RAVENTOS, R. M. 2014. A comprehensive study on the phenolic profile of widely used culinary herbs and spices: rosemary, thyme, oregano, cinnamon, cumin and bay. In *Food Chemistry*, vol. 154, p. 299–307.
- WALLEY, K. – PARROT, P. – CUSTANCE, P. – MELEDO-ABRAHIM, P. – BOURDIN, A. 2015. A review of French consumers purchasing patterns, perceptions and decision factors for poultry meat. In *World's Poultry Science Journal*, vol. 71, no. 1, p. 5–14.
- WANG, G. Y. – WANG, H. H. – HAN, Y. W. – XING, T. – YE, K. P. – XU, X. L. – ZHOU, G. H. 2017. Evaluation of the spoilage potential of bacteria isolated from chilled chicken in vitro and in situ. In *Food Microbiology*, vol. 63, p. 139–146.
- WANKHEDE, T. 2015. Evaluation of antioxidant and antimicrobial activity of the Indian clove *Syzygium aromaticum* L. In *International Research Journal of Science and Engineering*, vol. 3, no. 4, p. 166–172.

- WARRIER, P. K. – NAMBIAR, V. P. K. – RAMANKUTTY, C. 1994. Indian medicinal plants A Compendium of 500 Species (Vol.II) Orient Longman, Madras.
- XU, J.-G. – LIU, T. – HU, Q.-P. – CAO, X.-M. 2016. Chemical composition, antibacterial properties and mechanism of action of essential oil from clove buds against *Staphylococcus aureus*. In *Molecules*, vol. 21, no. 9, p. 1194.
- XU, J. – ZHOU, F. – JI, B. P. – PEI, R. S. – XU, N. 2008. Carvacrol and thymol had desired antimicrobial effect on *E. coli*. In *Letters in Applied Microbiology*, vol. 47, no. 3, pp. 174–179.
- ZAKRYS, P. I. – O’SULLIVAN, M. G. – ALLEN, P. – KERRY, J. P. 2009. Consumer acceptability and physiochemical characteristics of modified atmosphere packed beef steaks. In *Meat Science*, vol. 81, p. 720–725.
- YUSOP, S. M. – O’SULLIVAN, M. G. – KERRY, J. F. – KERRY, J. P. 2010. Effect of marinating time and low pH on marinade performance and sensory acceptability of poultry meat. In *Meat Science*, vol. 85, p. 657–663.
- ZHANG, H. – WU, J. – GUO, X. 2016. Effects of antimicrobial and antioxidant activities of spice extracts on raw chicken meat quality. In *Food Science and Human Wellnes*, vol. 5, no. 1, p. 39–48.
- ZHOU, D. – HAN, Y. – YANG, R. 2006. Molecular and physiological insights into plague transmission, virulence and etiology. In *Microbes and Infections*, vol. 8, no. 1, p. 273–284.
- URL 1 <http://www.nzdl.org/cgi-bin/library.cgi?e=d-00000-00---off-0whoedm--00-0----0-10-0---0---0direct-10---4-----0-0l--11-en-50---20-about---00-0-1-00-0-0-11-1-0utfZz-8-00&a=d&c=whoedm&cl=CL1.1&d=HASH16e13d8f98944d7e8576f3.3.49>
- URL 2 https://sk.wikipedia.org/wiki/Klin%C4%8Dekovec_vo%C5%88av%C3%BD