

# Literatura

## Monografie a kapitoly v monografiích

- BAILEY, L. 1984: *The Effect of the Number of Honey Bee Colonies on their Honey Yields and Diseases*. Ilford: Central Association of Bee-Keepers.
- CRANE, E. 1999: *The World History of Beekeeping and Honey Hunting*. Abington: Routledge.
- CRANE, E, (ed.) 1975: *Honey: a Comprehensive Survey*. London: Heinemann.
- DADANT, C. (ed.) 1890: *Langstroth on the Hive and the Honey Bee*. Hamilton: Charles Dadant and Son.
- HEAF, D. J. 2010: *The Bee-friendly Beekeeper: A sustainable approach*. Hebden Bridge: Northern Bee Books.
- JOSKA, J. 1958: *Chov včel pro začátečníky*. Praha: Čs. svaz včelařů.
- KOLOMÝ, J. 2015: *Situace v profesionálním včelaření v ČR*. Bystřice: Asociace profesionálních včelařů.
- KRIEG, P. - HOFBAUER, J. - KOMZÁKOVÁ, O. 2009: Čmeláci a jejich podpora v zemědělské krajině. Máslovice: Výzkumný ústav včelařský Dol.
- LANGSTROTH, L. L. 1853: *The Hive and the Honey-Bee*. Northampton: Hopkins, Bridgeman and Company.
- MATÚŠOVÁ, J. 2009: *Slovník pomístních jmen v Čechách V (Bra-Buc)*. Praha: Academia.
- PATON, D. C. 1997: *Overview of Feral and Managed Honeybees in Australia Distribution, Abundance, Extent of Interactions with Native Biota, Evidence of Impacts and Future Research*. Canberra: Australian Nature Conservation Agency and University of Adelaide.

- PŘIDAL, A. 2005: *Ekologie opylovatelů*. Brno: nakladatelství Lynx.
- STAROŇ, M. 2016: „Včelie dielo – dôležitý orgán včelstva“. In: K. Čermák – K. Sládek a kol., *Ekologie chovu včel*. Červený Kostelec: Pavel Mervart.
- STORCH, H. 2017: *Na česně. Jak z pozorování na česně poznáme, co se děje ve včelstvu*. Lelekovice: Franesa.
- THÜR, J. 1946: *Bienenzucht: Naturgerecht einfach und erfolgsicher*. Wien: Friedrich Stock's Nachf. Karl Stropek.
- WARRÉ, E. 2010: *Beekeeping for All*. Hebden Bridge: Northern Bee Books.
- WARRÉ, E. 2018: *Včelaření pro každého*. Chudenice: Lukáš Kubec – Netoliko.
- WEAVER, D. 2016: „Cesta Weaverových z Texasu k plné varroaresistentnímu kmeni včel“. In: K. Čermák – K. Sládek a kol., *Ekologie chovu včel*. Červený Kostelec: Pavel Mervart.

## Odborné články

- AIZEN, M. A. – HARDER, L. D. 2009: „The global stock of domesticated honey bees is growing slower than agricultural demand for pollination“, *Current Biology* 19 (11), s. 915–918.
- ALAUX, C. – DUCLOZ, F. – CRAUSER, D. – LE CONTE, Y. 2010: „Diet effects on honeybee immunocompetence“, *Biology Letters*, č. rsbl20090986.
- AL-GHAMDI, A. – ADGABA, N. – GETACHEW, A. – TADESSE, Y. 2016: „New approach for determination of an optimum honeybee colony's carrying capacity based on productivity and nectar secretion potential of bee forage species“, *Saudi Journal of Biological Sciences* 23 (1), s. 92–100.
- ALLEN, K. L. – MOLAN, P. C. – REID, G. M. 1991: „A survey of the antibacterial activity of some New Zealand honeys“, *Journal of pharmacy and pharmacology* 43 (12), s. 817–822.
- ALTON, K. – RATNIEKS, F. 2013: „To bee or not to bee“, *The Biologist* 60 (4), s. 12–15.
- ANONYM 1874: „Včelařství v Rakousku-Uhersku dle statistických materiálů z r. 1869–1870“, *Český včelař* 8, s. 3–6.

- ARUNDEL, J. – OLDROYD, B. P. – WINTER, S. 2013: „Modelling estimates of honey bee (*Apis spp.*) colony density from drones“, *Ecological Modelling* 267 (1–2), s. 1–10.
- BADER, W. 2018: „Wachs – die ‚Leber‘ des Bienenstocks“, *bienen & natur* 1 (2), s. 14–15.
- BLACQUIÈRE T. – PANZIERA D. 2018: „A Plea for Use of Honey Bees' Natural Resilience in Beekeeping“, *Bee World* 95 (2), s. 34–38.
- BRANDT, A. 2015: „Neues aus Kirchhain – Effekte von Neonicotinoiden auf die Bienengesundheit“, *Allgemeine Deutsche Imkerzeitung* 49 (4), s. 23.
- BRANDT, A. – GORENFLO, A. – SIEDE, R. – MEIXNER, M. – BÜCHLER, R. 2016: „The neonicotinoids thiacloprid, imidacloprid, and clothianidin affect the immunocompetence of honey bees (*Apis mellifera L.*)“, *Journal of insect physiology* 2016 (86), s. 40–47.
- BREEZE, T. D. – VAISSIÈRE, B. E. – BOMMARCO, R. – PETANIDOU, T., SERAPHIDES, N. – KOZAK, L. – MORETTI, M. 2014: „Agricultural policies exacerbate honeybee pollination service supply-demand mismatches across Europe“, *PLoS one* 9 (e82996).
- CIERZNIAK, T. 1994: „The effect of a differentiation of agricultural landscape on Apoidea communities“, *Zeszyty Naukowe Wyższej Szkoły Pedagogicznej w Bydgoszczy. Studia Przyrodnicze* 11 (1), s. 13–50.
- DONKERSLEY, P. – RHODES, G. – PICKUP, R. W. – JONES, K. C. – WILSON, K. 2018: „Bacterial communities associated with honeybee food stores are correlated with land use“, *Ecology and evolution* 8 (10), s. 4743–4756.
- EFSA, G. O. 2013: „EFSA Guidance Document on the risk assessment of plant protection products on bees (*Apis mellifera*, *Bombus spp.* and solitary bees)“, *EFSA Journal* 11 (7), s. 3295.
- ERBER, A. 2019: „Přestavba smrkových monokultur“, *Vesmír* 98 (4), s. 222–224.
- ESTEVES, R. J. P. – VILLADELREY, M. C. – RABAJANTE, J. F. 2010: „Determining the optimal distribution of bee colony locations to avoid overpopulation using mixed integer programming“, *Journal of Nature Studies* 9 (1), s. 79–82.
- FRIEDE, A. 2018: „Suche sauberes Wachs – Am Wohl der Bienen“, *bienen & natur* 1 (2), s. 16.
- GALLAI, N. – SALLES, J. M. – SETTELE, J. – VAISSIÈRE, B. E. 2009: „Economic valuation of the vulnerability of world agriculture confronted with pollinator decline“, *Ecological Economics* 68 (3), s. 810–821.

- GARRIDO, C. 2015: „Welche Pestizide schaden Bienen?“, *Allgemeine Deutsche Imkerzeitung* 49 (12), s. 18–19.
- GARRIDO, C. 2019: „Verbrauchersicherheit im Fokus“, *bienen & natur* 3 (1), s. 20–21.
- GAVINA, M. K. A. – RABAJANTE, J. F. – CERVANCIA, C. R. 2014: „Mathematical programming models for determining the optimal location of beehives“, *Bulletin of Mathematical Biology* 76 (5), s. 997–1016.
- GHAZOUL, J. 2005: „Buzziness as usual? Questioning the global pollination crisis“, *Trends in Ecology and Evolution* 20 (7), s. 367–373.
- GOULSON, D. – SPARROW, K. R. 2009: „Evidence for competition between honeybees and bumblebees; effects on bumblebee worker size“, *Journal of Insect Conservation* 13 (2), s. 177–181.
- HINSON, E. M. – DUNCAN, M. – LIM, J. – ARUNDEL, J. – OLDROYD, B. P. 2015: „The density of feral honey bee (*Apis mellifera*) colonies in South East Australia is greater in undisturbed than in disturbed habitats“, *Apidologie* 46 (3), s. 403–413.
- HRUŠKA, J. 2019: „Přehlížená proměna zemědělství“, *Vesmír* 98 (4), s. 210–213.
- KLEMENS, E. – VOLKMAR, W. 2006: „Increased density of honeybee colonies affects foraging bumblebees“, *Apidologie* 37 (5), s. 517–532.
- KRAUS, B. – PAGE, R. E. 1995: „Effect of *Varroa jacobsoni* (Mesostigmata: Varroidae) on feral *Apis mellifera* (Hymenoptera: Apidae) in California“, *Environmental Entomology* 24 (6), s. 1473–1480.
- LAŠTŮVKA, Z. – ŠEFROVÁ, H. 2004: „Dochází k nebývalému šíření teplomilného hmyzu na naše území?“ *Veronica* 18 (4), s. 1–3.
- LE CONTE, Y. – DE VAUBLANC, G. – CRAUSER, D. – JEANNE, F. – ROUSSELLE, J. C. – BÉCARD, J. M. 2007: „Honey bee colonies that have survived *Varroa destructor*“, *Apidologie* 38 (6), s. 566–572.
- LOCKE, B. 2016: „Natural *Varroa* mite-surviving *Apis mellifera* honey bee populations“, *Apidologie* 47 (3), s. 467–482.
- LOEFFLER, A. – LINEK, M. – MOODLEY, A. – GUARDABASSI, L. – WINKLER, M. – SUNG, J. M. L. – WEIS, R. – LLOYD, D. H. 2007: „First report of multiresistant, *mecA*-positive *Staphylococcus intermedius* in Europe: 12 cases from a veterinary dermatology referral clinic in Germany“, *Veterinary dermatology* 18 (6), s. 412–421.
- MAJTAN, J. – MAJTANOVÁ, L. – BOHOVA, J. – MAJTAN, V. 2011: „Honeydew honey as a potent antibacterial agent in eradication of multi-drug resistant *Stenotrophomonas maltophilia* isolates from cancer patients“, *Phytotherapy research* 25 (4), s. 584–587.

- MARCUCCI, M. C. 1995: „Propolis: chemical composition, biological properties and therapeutic activity“, *Apidologie* 26 (2), s. 83–99.
- MCGREGOR, S. E. 1959: „Cotton-flower visitation and pollen distribution by honey bees“, *Science* 129 (3341), s. 97–98.
- MCGREGOR, S. E. – LEVIN, M. D. – FOSTER, R. E. 1965: „Honey bee visitors and fruit set of cantaloups“, *Journal of Economic Entomology* 58 (5), s. 968–970.
- MCMULLAN, J. 2018: „Adaptation in Honey Bee (*Apis mellifera*) Colonies Exhibiting Tolerance to *Varroa destructor* in Ireland“, *Bee World* 95 (2), s. 39–43.
- MCNALLY, L. C. – SCHNEIDER, S. S. 1996: „Spatial distribution and nesting biology of colonies of the African honey bee *Apis mellifera scutellata* (Hymenoptera: Apidae) in Botswana, Africa“, *Environmental Entomology* 25 (3), s. 643–652.
- MEDICI DE MATTOS, I. – DE JONG, J. – SOARES, E. 2016: „Island population of European honey bees in Northeastern Brazil that have survived *Varroa* infestations for over 30 years“, *Apidologie* 47 (6), s. 818–827.
- MIKHEYEV, A. S. – TIN, M. M. Y. – ARORA, J. – SEELEY, T. D. 2015: „Museum samples reveal rapid evolution by wild honey bees exposed to a novel parasite“, *Nature Communications* 6 (1), s. 1–8.
- MOFFETT, J. O. – STITH, L. S. 1972: „Honey bees as pollinators of hybrid cotton“, *Environmental Entomology* 1 (3), s. 368–370.
- MORETTO, G. – LEONIDAS, J. DE M. 2003: „Infestation and distribution of the mite *Varroa destructor* in colonies of africanized bees“, *Brazilian Journal of Biology* 63 (1), s. 83–86.
- MOTTA, E. V. – RAYMANN, K. – MORAN, N. A. 2018: „Glyphosate perturbs the gut microbiota of honey bees“, *Proceedings of the National Academy of Sciences* 115 (41), s. 10305–10310.
- MULLIN C. A. – FRAZIER M. – FRAZIER J. L. – ASHCRAFT S. – SIMONDS R. A KOL. 2010: „High Levels of Miticides and Agrochemicals in North American Apiaries: Implications for Honey Bee Health“, *PLoS ONE* 5 (3), s. e9754.
- NEUMANN, P. – BLACQUIÈRE, T. 2016: „The Darwin cure for apiculture? Natural selection and managed honey bee health“, *Evolutionary Applications* 10 (3), DOI: 10.1111/eva.12448.
- OLDROYD, B. P. – FEWELL, J. H. 2007: „Genetic diversity promotes homeostasis in insect colonies“, *Trends in Ecology & Evolution* 22 (8), s. 408–413.

- OLDROYD, B. - SMOLENKSI, A. - LAWLER, S. - ESTOUP, A. - CROZIER, R. 1995: „Colony aggregations in *Apis mellifera L.*”, *Apidologie* 26 (2), s. 119–130.
- OLDROYD, B. P. - THEXTON, E. G. - LAWLER, S. H. - CROZIER, R. H. 1997: „Population demography of Australian feral bees (*Apis mellifera*)”, *Oecologia* 111 (3), s. 381–387.
- PALMER-JONES, T. - CLINCH, P. G. - BRISCOE, D. A. 1976: „Effect of honey bee saturation on the pollination of Chinese gooseberries variety ‘Hayward’”, *New Zealand Journal of Experimental Agriculture* 4 (2), s. 255–256.
- PITHART, D. 2015: „Povodně a sucho – krajina jako základ řešení 1. Ekosystémy říční krajiny”, *Živa* 2015 (1), s. 21–24.
- PRETEL, J. 2013: „Změny klimatu v Česku”, *Vesmír* 92 (11), s. 605–609.
- RADETZKI, T. 2019: „Wir brauchen neue Regeln für Pestizide!” *bienen & natur* 3 (1), s. 13.
- ROSA, J. T. 1924: „Fruiting habit and pollination of cantaloupe”, *Proceedings of the Society for Horticultural Science* 21, s. 51–57.
- SÁNCHEZ-BAYO, F. - WYCKHUYSEN, KRIS A. G. 2019: „Worldwide decline of the entomofauna: A review of its drivers”, *Biological Conservation* 232, s. 8–27.
- SEELEY, T. D. 2007: „Honey bees of the Arnot forest: A population of feral colonies persisting with Varroa destructor in the northeastern United States”, *Apidologie* 38 (1), s. 19–29.
- SEELEY, T. D. 2017: „Darwinian beekeeping: An evolutionary approach to apiculture”, *American Bee Journal* 157 (3), s. 277–282.
- SEELEY, T. D. - MORSE, R. A. 1976: „The nest of the honey bee (*Apis mellifera L.*)”, *Insectes Sociaux* 23 (4), s. 495–512.
- SEELEY, T. D. - MORSE, R. A. 1978: „Nest site selection by the honey bee, *Apis mellifera*”, *Insectes Sociaux* 25 (4), s. 323–337.
- SEELEY, T. D. - SMITH, M. L. 2015: „Crowding honey bee colonies in apiaries can increase their vulnerability to the deadly ectoparasite Varroa destructor”, *Apidologie* 46 (6), s. 716–727.
- SEELEY, T. D. - TARPY, D. R. - GRIFFIN, S. R. - CARCIONE, A. - DELANEY, D. A. 2015: „A survivor population of wild colonies of European honeybees in the northeastern United States: investigating its genetic structure”, *Apidologie* 46 (5), s. 654–666.
- SEELEY, T. D. 2007: „Honey bees of the Arnot Forest: a population of feral colonies persisting with Varroa destructor in the northeastern United States”, *Apidologie* 38 (1), s. 19–29.

- SCHULP, C. J. E. - LAUTENBACH, S. - VERBURG, P. H. 2014: „Quantifying and mapping ecosystem services: demand and supply of pollination in the European Union”, *Ecological Indicators* 36 (1), s. 131–141.
- SIEDE, R. 2016: „Neues aus Kirchhain – Clothianidin beeinträchtigt Futtersaftdrüse und Brutentwicklung”, *Allgemeine Deutsche Imkerzeitung* 50 (4), s. 24.
- SIMON-DELSO, N. - SAN MARTIN, G. - BRUNEAU, E. - HAUTIER, L. 2018: „Time-to-death approach to reveal chronic and cumulative toxicity of a fungicide for honeybees not revealed with the standard ten-day test”, *Scientific reports* 8 (1), s. 7241.
- ŠÁLEK 2004: „Tornáda u nás – výkyv klimatu nebo lepší informovanost?” *Veronica* 18 (4), s. 6.
- ŠTYCH, P. - LAŠTOVIČKA, J. - PALUBA, D. 2019: Změny české krajiny okem drůžic. *Vesmír* 98 (4), s. 218–221.
- VAUDO, A. D. - ELLIS, J. D. - CAMBRAY, G. A. - HILL, M. 2012: „The effects of land use on honey bee (*Apis mellifera*) population density and colony strength parameters in the Eastern Cape, South Africa”, *Journal of Insect Conservation* 16 (4), s. 601–611.
- VENSELL, G. H. 1951: „Use of honey bees in alfalfa seed production”, *Circular – United States Department of Agriculture* 876, s. 1–11.
- VISSCHER, P. K. - SEELEY, T. D. 1982: „Foraging strategy of honeybee colonies in a temperate deciduous forest”, *Ecology* 63 (6), s. 1790–1801.
- VISSCHER, P. K. - SEELEY, T. D. 1989: „Bee-lining as a research technique in ecological studies of honey bees”, *American Bee Journal* 129 (8), s. 536–539.
- WALLNER, K. 2018: „Suche sauberes Wachs – Am Verbraucherschutz”, *bienen & natur* 1 (2), s. 16.
- WEAVER, N. 1956: „The pollination of hairy vetch by honey bees”, *Journal of Economic Entomology* 49 (5), s. 666–671.
- WHITE, J. W. - SUBERS, M. H. - SCHEPARTZ, A. I. 1963: „The identification of inhibine, the antibacterial factor in honey, as hydrogen peroxide and its origin in a honey glucose-oxidase system”, *Biochimica et Biophysica Acta (BBA)-Specialized Section on Enzymological Subjects* 73 (1), s. 57–70.
- WILLIAMS, I. H. - CORBET, S. A. - OSBORNE, J. L. 1991: „Beekeeping, wild bees and pollination in the European Community”, *Bee World* 72 (4), s. 170–180.

- WOODS, E. J. - COCHRANE, C. A. - PERCIVAL, S. L. 2009: „Prevalence of silver resistance genes in bacteria isolated from human and horse wounds“, *Veterinary Microbiology* 138 (3–4), s. 325.
- XU, M. - CHEN, L. - WONGSIRI, S. 2015: „Colony numbers around the world: changes in managed hives from 1961–2013“, *Bee World* 92 (1), s. 12–17.
- ZHU, Y. C. - ADAMCZYK, J. - RINDERER, T. - YAO, J. - DANKA, R. - LUTTRELL, R. - GORE, J. 2015: „Spray toxicity and risk potential of 42 commonly used formulations of row crop pesticides to adult honey bees (Hymenoptera: Apidae)“, *Journal of economic entomology* 108 (6), s. 2640–2647.

## Internetové zdroje

- ALLSOP, M. 2006: „Analysis of Varroa destructor infestation of southern African honeybee populations“ [02-09-2020]. <https://repository.up.ac.za/handle/2263/27094>
- BAJKO – web: „Principy přirozeného včelaření“ [2019-03-15]. <http://prirozenevcelareni.cz/prirozenecelareni>
- BRETTELL, L. - MARTIN, S. 2017: „Oldest *Varroa* tolerant honey bee population provides insight into the origins of the global decline of honey bees“ [02-09-2020]. <https://www.nature.com/articles/srep45953>
- COLLISON, C. 2015: „A Closer Look: Bee Health and Pesticides“ [02-09-2020]. <https://www.beeculture.com/a-closer-look-bee-health-and-pesticides/>
- „Cookeville Beekeepers Association: How to Make a Simple Robber Screen“ [02-09-2020]. <https://cookevillebeekeepers.com/how-to-make-a-simple-robber-screen/>
- ČESKÝ SVAZ VČELAŘŮ: „Výkaz o včelařství v ČR v roce 2015 (V.1)“ [2020-09-07]. <http://www.vcelarstvi.cz/files/ekonomicke/statistika-2015-cr-na-web.pdf>
- ELGON – web: <http://www.elgon.es/diary/?p=457>, <http://www.elgon.es/diary/?p=1101>, <http://elgon.es/naturalcellsize.html>
- Food and Agriculture Organization of the United Nations: „Live animals: beehives“ [2020-09-07]. <http://www.fao.org/faostat/en/#home>

- HEAF – web: „Warré beekeeping pages“ [2019-03-15]. <http://www.bee-friendly.co.uk>
- HEAF, D. J. 2009: „Towards Sustainable Beekeeping“ (převzato z *The beekeepers Quarterly*) [2020-09-15]. <http://www.bee-friendly.co.uk>
- CHANDLER – web: „The Barefoot Beekeeper“ [2019-03-15]. <http://www.biobees.com>
- CHAUZAT, M. - FAUCON, J.-P. 2007: „Pesticide residues in beeswax samples collected from honey bee colonies (*Apis mellifera* L.) in France“ [02-09-2020]. <https://pdfs.semanticscholar.org/f85e/76793de08aa968f72b37c63752e19b0f5c31.pdf>
- LOZANO, A. - HERNANDO, M. D. - UCLÉS, S. - HAKME, E. - FERNÁNDES-ALBA 2019: „Identification and measurement of veterinary drug residues in beehive products“ [02-09-2020]. <https://www.sciencedirect.com/science/article/pii/S0308814618314560>
- MALFROY – web: „Natural beekeeping in Australia“ [2019-03-15]. <http://www.malfroygold.com.au>
- MINISTERSTVO ZEMĚDĚLSTVÍ: „Situační a výhledová zpráva včely, listopad 2013“ [2020-09-07]. [http://eagri.cz/public/web/file/283622/Vcely\\_2013\\_SVZ\\_obsah.pdf](http://eagri.cz/public/web/file/283622/Vcely_2013_SVZ_obsah.pdf)
- OECD 1998: „Guideline for the Testing of Chemicals No. 213: Honey bee, Acute Oral Toxicity Test“, in: *OECD, OECD Guidelines for the Testing of Chemicals, Section 2*. Paris: OECD, [2019-2-10] <http://dx.doi.org/10.1787/9789264070165-en>.
- OECD 1998: „Test No. 214: Honeybees, Acute Contact Toxicity Test“, in: *OECD, OECD Guidelines for the Testing of Chemicals, Section 2*. Paris: OECD, [2019-2-10]. <https://doi.org/10.1787/9789264070189-en>.
- OECD 2013: „Guideline for the Testing of Chemicals No. 237: Honey Bees (*Apis mellifera*) Larval Toxicity Test, Single Exposure“, in: *OECD Guidelines for the Testing of Chemicals, Section 2*. Paris: OECD, [2019-2-18]. <http://dx.doi.org/10.1787/9789264203723-en>.
- OECD 2014: „Guidance Document on the Honey Bee (*Apis Mellifera* L.) Brood test Under Semi-field Conditions“, in: *OECD, OECD Series on Testing and Assessment*. Paris: OECD. [2019-2-18]. <https://doi.org/10.1787/9789264085510-en>.
- OECD 2016: „Test No. 237: Honey Bee (*Apis Mellifera*) Larval Toxicity Test, Single Exposure“, in: *OECD Guidelines for the Testing of Chemicals, Section 2*. Paris: OECD, [2019-2-10]. <https://doi.org/10.1787/9789264203723-en>

## Literatura

- OECD 2017: „Test No. 245: Honey Bee (*Apis Mellifera L.*), Chronic Oral Toxicity Test (10-Day Feeding)”, in: *OECD, OECD Guidelines for the Testing of Chemicals, Section 2*. Paris: OECD, [2019-2-10].  
<https://doi.org/10.1787/9789264284081-en>.
- RAMANUJAN, K. 2015: „Some honeybee colonies adapt in wake of deadly mites”, *Cornell Chronicle* [2020-09-07]. <http://news.cornell.edu/stories/2015/08/some-honeybee-colonies-adapt-wake-deadly-mites>
- SEELEY - web: Profil T. D. Seeleyho na Cornell University [2019-03-15].  
<https://nbb.cornell.edu/thomas-seeley>
- SPIVAK, M. - BROWNING, Z. - GOBLIRSCH, M. - LEE, K. - OTTO, C. - SMART, M. - WU-SMART, J. 2017: „Why Does Bee Health Matter? The Science Surrounding Honey Bee Health Concerns and What We Can Do About It”, *Council for Agricultural Science and Technology (CAST)* 1, s. 1-16 [2019-2-10]. [https://www.cast-science.org/wp-content/uploads/2018/12/QTA20171\\_Bee\\_Health\\_565CB839D149E.pdf](https://www.cast-science.org/wp-content/uploads/2018/12/QTA20171_Bee_Health_565CB839D149E.pdf)
- STRAUSS, U. - PIRK, C. W. W. - CREWE, R. M. - HUMAN, H. - DIETEMANN, V. 2015: „Impact of *Varroa destructor* on honeybee (*Apis mellifera scutellata*) colony development in South Africa” [02-09-2020]. <https://link.springer.com/article/10.1007/s10493-014-9842-7>
- VANDAME, R. - COLIN, M.-E. - MORAND, S. - OTERO-COLINA, G. 2000: „Levels of compatibility in a new host-parasite association: *Apis mellifera/Varroa jacobsoni*” [02-09-2020]. <http://www.nrcresearchpress.com/doi/10.1139/z00-109>