

## References

- Bai, Y., Kissoudis, C., Yan, Z., Visser, R.G., van der Linden, G., 2018. Plant behaviour under combined stress: tomato responses to combined salinity and pathogen stress. *Plant J.* 93 (4), 781–793.
- Becraft, P.W., 2002. Receptor kinase signaling in plant development. *Annu. Rev. Cell Dev. Biol.* 18 (1), 163–192. <https://doi.org/10.1146/annurev.cellbio.18.012502.083431>.
- Becraft, P.W., Stinard, P.S., McCarty, D.R., 1996. CRINKLY4: a TNFR-like receptor kinase involved in maize epidermal differentiation. *Science* 273 (5280), 1406–1409. <https://doi.org/10.1126/science.273.5280.1406>.
- Bhalerao, R., Keskitalo, J., Sterky, F., Erlandsson, R., Björkbacka, H., Birve, S.J., Karlsson, J., Gardeström, P., Gustafsson, P., Lundeberg, J., 2003. Gene expression in autumn leaves. *Plant Physiol.* 131 (2), 430–442.
- Bonaventure, G., 2011. The Nicotiana attenuata LECTIN RECEPTOR KINASE 1 is involved in the perception of insect feeding. *Plant Signal. Behav.* 6 (12), 2060–2063. <https://doi.org/10.4161/psb.6.12.18324>.
- Bourdais, G., Burdiak, P., Gauthier, A., Nitsch, L., Salojärvi, J., Rayapuram, C., Idänheimo, N., Hunter, K., Kimura, S., Merilo, E., 2015. Large-scale phenomics identifies primary and fine-tuning roles for CRKs in responses related to oxidative stress. *PLoS Genet.* 11 (7), e1005373.
- Bouwmeester, K., de Sain, M., Weide, R., Gouget, A., Klamer, S., Canut, H., Govers, F., 2011. The Lectin receptor kinase LecRK-I.9 is a novel Phytophthora resistance component and a potential host target for a RXLR effector. *PLoS Pathog.* 7 (3), e1001327. <https://doi.org/10.1371/journal.ppat.1001327>.
- Bouwmeester, K., Govers, F., 2009. Arabidopsis L-type lectin receptor kinases: phylogeny, classification, and expression profiles. *J. Exp. Bot.* 60 (15), 4383–4396. <https://doi.org/10.1093/jxb/erp277>.
- Chen, L.J., Wuriyanghan, H., Zhang, Y.Q., Duan, K.X., Chen, H.W., Li, Q.T., Lu, X., He, S.J., Ma, B., Zhang, W.K., Lin, Q., Chen, S.Y., Zhang, J.S., 2013. An S-domain receptor-like kinase, OsSIK2, confers abiotic stress tolerance and delays dark-induced leaf senescence in Rice. *Plant Physiol.* 163 (4), 1752–1765. <https://doi.org/10.1104/pp.113.224881>.
- Chen, X., Shang, J., Chen, D., Lei, C., Zou, Y., Zhai, W., Liu, G., Xu, J., Ling, Z., Cao, G., 2006. AB-lectin receptor kinase gene conferring rice blast resistance. *Plant J.* 46 (5), 794–804.
- Clark, S.E., Williams, R.W., Meyerowitz, E.M., 1997. The CLAVATA1Gene encodes a putative receptor kinase that controls shoot and floral meristem size in Arabidopsis. *Cell* 89 (4), 575–585. [https://doi.org/10.1016/s0092-8674\(00\)80239-1](https://doi.org/10.1016/s0092-8674(00)80239-1).
- Deeken, R., Kaldenhoff, R., 1997. Light-repressible receptor protein kinase: a novel photo-regulated gene from Arabidopsis thaliana. *Planta* 202 (4), 479–486.
- Engelsdorf, T., Hamann, T., 2014. An update on receptor-like kinase involvement in the maintenance of plant cell wall integrity. *Ann. Bot.* 114 (6), 1339–1347. <https://doi.org/10.1093/aob/mcu043>.
- Feng, L., Gao, Z., Xiao, G., Huang, R., Zhang, H., 2014. Leucine-rich repeat receptor-like kinase FON1 regulates drought stress and seed germination by activating the expression of ABA-responsive genes in Rice. *Plant Mol. Biol. Report.* 32 (6), 1158–1168. <https://doi.org/10.1007/s11105-014-0718-0>.
- Fu, S.-F., Chen, P.-Y., Nguyen, Q.T., Huang, L.-Y., Zeng, G.-R., Huang, T.-L., Lin, C.-Y., Huang, H.-J., 2014. Transcriptome profiling of genes and pathways associated with arsenic toxicity and tolerance in Arabidopsis. *BMC Plant Biol.* 14 (1), 94. <https://doi.org/10.1186/1471-2229-14-94>.
- Gepstein, S., Sabehi, G., Carp, M.J., Hajouj, T., Nesher, M.F.O., Yariv, I., Dor, C., Bassani, M., 2003. Large-scale identification of leaf senescence-associated genes. *Plant J.* 36 (5), 629–642.
- Gilardoni, P.A., Hettenhausen, C., Baldwin, I.T., Bonaventure, G., 2011. Nicotiana attenuata LECTIN RECEPTOR KINASE1 suppresses the insect-mediated inhibition of induced defense responses during Manduca sexta Herbivory. *Plant Cell* 23 (9), 3512–3532. <https://doi.org/10.1105/tpc.111.088229>.
- Gish, L.A., Clark, S.E., 2011. The RLK/Pelle family of kinases. *Plant J.* 66 (1), 117–127. <https://doi.org/10.1111/j.1365-313x.2011.04518.x>.
- Goff, K.E., Ramonell, K.M., 2007. The role and regulation of receptor-like kinases in plant defense. *Gene Regul. Syst. Biol.* 1, 167–175.
- Gouget, A., Senchou, V., Govers, F., Sanson, A., Barre, A., Rougé, P., Pont-Lezica, R., Canut, H., 2006. Lectin receptor kinases participate in protein–protein interactions to mediate plasma membrane-cell wall adhesions in Arabidopsis. *Plant Physiol.* 140, 81–90.
- Greeff, C., Roux, M., Mundy, J., Petersen, M., 2012. Erratum: receptor-like kinase complexes in plant innate immunity. *Front. Plant Sci.* 3. <https://doi.org/10.3389/fpls.2012.00264>.
- Guo, H., Li, L., Ye, H., Yu, X., Algreen, A., Yin, Y., 2009. Three related receptor-like kinases are required for optimal cell elongation in Arabidopsis thaliana. *Proc. Natl. Acad. Sci.* 106 (18), 7648–7653. <https://doi.org/10.1073/pnas.0812346106>.

- Guo, P., Wei, H., Zhang, W., Yang, B., Bao, Y., 2016. The dehydration-induced ERECTA gene, MsSIK1, from alfalfa improved water use efficiency in transgenic Arabidopsis. *Acta Physiol. Plant.* 38 (2). <https://doi.org/10.1007/s11738-016-2064-3>.
- Guo, Y., Gan, S., 2005. Leaf senescence: signals, execution, and regulation. *Curr. Top. Dev. Biol.* 71, 83–112.
- Haffner, E., Konietzki, S., Diederichsen, E., 2015. Keeping control: the role of senescence and development in plant pathogenesis and defense. *Plants* 4 (3), 449–488. <https://doi.org/10.3390/plants4030449>.
- Hajouj, T., Michelis, R., Gepstein, S., 2000. Cloning and characterization of a receptor-like protein kinase gene associated with senescence. *Plant Physiol.* 124 (3), 1305–1314.
- Hall, J.L., 2002. Cellular mechanisms for heavy metal detoxification and tolerance. *J. Exp. Bot.* 53 (366), 1–11. <https://doi.org/10.1093/jxb/53.366.1>.
- Higashiyama, T., 2018. Plant reproduction: autocrine machinery for the long journey of the pollen tube. *Curr. Biol.* 28 (6), R266–R269. <https://doi.org/10.1016/j.cub.2018.01.067>.
- Higashiyama, T., Yang, W.C., 2017. Gametophytic pollen tube guidance: attractant peptides, Gametic controls, and receptors. *Plant Physiol.* 173 (1), 112–121. <https://doi.org/10.1104/pp.16.01571>.
- Hou, X., Tong, H., Selby, J., DeWitt, J., Peng, X., He, Z.-H., 2005. Involvement of a cell wall-associated kinase, WAKL4, in Arabidopsis mineral responses. *Plant Physiol.* 139 (4), 1704–1716.
- Hu, W., Lv, Y., Lei, W., Li, X., Chen, Y., Zheng, L., Xia, Y., Shen, Z., 2014. Cloning and characterization of the *Oryza sativa* wall-associated kinase gene OsWAK11 and its transcriptional response to abiotic stresses. *Plant Soil* 384 (1–2), 335–346.
- Hughes, K.A., Reynolds, R.M., 2005. Evolutionary and mechanistic theories of aging. *Annu. Rev. Entomol.* 50, 421–445.
- Janská, A., Maršík, P., Zelenková, S., Ovesná, J., 2010. Cold stress and acclimation—what is important for metabolic adjustment? *Plant Biol.* 12 (3), 395–405. <https://doi.org/10.1111/j.1438-8677.2009.00299.x>.
- Jung, C.G., Hwang, S.-G., Park, Y.C., Park, H.M., Kim, D.S., Park, D.H., Jang, C.S., 2015a. Molecular characterization of the cold- and heat-induced Arabidopsis PXL1 gene and its potential role in transduction pathways under temperature fluctuations. *J. Plant Physiol.* 176, 138–146. <https://doi.org/10.1016/j.jplph.2015.01.001>.
- Jung, C.G., Hwang, S.-G., Park, Y.C., Park, H.M., Kim, D.S., Park, D.H., Jang, C.S., 2015b. Molecular characterization of the cold-and heat-induced Arabidopsis PXL1 gene and its potential role in transduction pathways under temperature fluctuations. *J. Plant Physiol.* 176, 138–146.
- Kang, J., Li, J., Gao, S., Tian, C., Zha, X., 2017. Overexpression of the leucine-rich receptor-like kinase gene LRK2 increases drought tolerance and tiller number in rice. *Plant Biotechnol. J.* 15 (9), 1175–1185. <https://doi.org/10.1111/pbi.12707>.
- Kanzaki, H., Saitoh, H., Takahashi, Y., Berberich, T., Ito, A., Kamoun, S., Terauchi, R., 2008. NbLRK1, a lectin-like receptor kinase protein of *Nicotiana benthamiana*, interacts with *Phytophthora infestans* INF1 elicitor and mediates INF1-induced cell death. *Planta* 228 (6), 977–987. <https://doi.org/10.1007/s00425-008-0797-y>.
- Kimura, S., Waszczak, C., Hunter, K., Wrzaczek, M., 2017. Bound by fate: the role of reactive oxygen species in receptor-like kinase signaling. *Plant Cell* 29 (4), 638–654.
- Langridge, P., Paltridge, N., Fincher, G., 2006. Functional genomics of abiotic stress tolerance in cereals. *Brief. Funct. Genomic Proteomic* 4 (4), 343–354. <https://doi.org/10.1093/bfgp/eli005>.
- Latif, F., Ullah, F., Mehmood, S., Khattak, A., Khan, A.U., Khan, S., Husain, I., 2015. Effects of salicylic acid on growth and accumulation of phenolics in *Zea mays* L. under drought stress. *Acta Agric. Scand. B Soil Plant Sci.* 66 (4), 325–332. <https://doi.org/10.1080/09064710.2015.1117133>.
- Li, C.-H., Wang, G., Zhao, J.-L., Zhang, L.-Q., Ai, L.-F., Han, Y.-F., Sun, D.-Y., Zhang, S.-W., Sun, Y., 2014. The receptor-like kinase SIT1 mediates salt sensitivity by activating MAPK3/6 and regulating ethylene homeostasis in rice. *Plant Cell* 26 (6), 2538–2553.
- Li, C., Wu, H.M., Cheung, A.Y., 2016. FERONIA and her pals: Functions and mechanisms. *Plant Physiol.* 171 (4), 2379–2392. <https://doi.org/10.1104/pp.16.00667>.
- Li, J., Chory, J., 1997. A putative Leucine-rich repeat receptor kinase involved in Brassinosteroid signal transduction. *Cell* 90 (5), 929–938. [https://doi.org/10.1016/s0092-8674\(00\)80357-8](https://doi.org/10.1016/s0092-8674(00)80357-8).
- Li, X.-P., Gan, R., Li, P.-L., Ma, Y.-Y., Zhang, L.-W., Zhang, R., Wang, Y., Wang, N.N., 2006. Identification and functional characterization of a leucine-rich repeat receptor-like kinase gene that is involved in regulation of soybean leaf senescence. *Plant Mol. Biol.* 61 (6), 829–844.
- Lim, C.W., Yang, S.H., Shin, K.H., Lee, S.C., Kim, S.H., 2014. The AtLRK10L1.2, Arabidopsis ortholog of wheat LRK10, is involved in ABA-mediated signaling and drought resistance. *Plant Cell Rep.* 34 (3), 447–455. <https://doi.org/10.1007/s00299-014-1724-2>.

- Love, A.J., Milner, J.J., Sadanandom, A., 2008. Timing is everything: regulatory overlap in plant cell death. *Trends Plant Sci.* 13 (11), 589–595.
- Ma, X.L., Cui, W.N., Zhao, Q., Zhao, J., Hou, X.N., Li, D.Y., Chen, Z.L., Shen, Y.Z., Huang, Z.J., 2016. Functional study of a salt-inducible TaSR gene in *Triticum aestivum*. *Physiol. Plant.* 156 (1), 40–53.
- Matsubayashi, Y., 2002. An LRR receptor kinase involved in perception of a peptide plant hormone, Phytosulfokine. *Science* 296 (5572), 1470–1472. <https://doi.org/10.1126/science.1069607>.
- Niba, C., Cheung, A., 2011. New insights into the functional roles of CrRLKs in the control of plant cell growth and development. *Plant Signal. Behav.* 6 (5), 655–659.
- Ouyang, S.-Q., Liu, Y.-F., Liu, P., Lei, G., He, S.-J., Ma, B., Zhang, W.-K., Zhang, J.-S., Chen, S.-Y., 2010. Receptor-like kinase OsSIK1 improves drought and salt stress tolerance in rice (*Oryza sativa*) plants. *Plant J.* 62 (2), 316–329. <https://doi.org/10.1111/j.1365-313x.2010.04146.x>.
- Pu, C.-X., Han, Y.-F., Zhu, S., Song, F.-Y., Zhao, Y., Wang, C.-Y., Zhang, Y.-C., Yang, Q., Wang, J., Bu, S.-L., Sun, L.-J., Zhang, S.-W., Zhang, S.-Q., Sun, D.-Y., Sun, Y., 2017. The Rice receptor-like kinases DWARF AND RUNTISH SPIKELET1 and 2 repress cell death and affect sugar utilization during reproductive development. *Plant Cell* 29 (1), 70–89. <https://doi.org/10.1105/tpc.16.00218>.
- Ringli, C., 2010. Monitoring the outside: cell wall-sensing mechanisms. *Plant Physiol.* 153 (4), 1445–1452. <https://doi.org/10.1104/pp.110.154518>.
- Riou, C., Hervé, C., Pacquit, V., Dabos, P., Lescure, B., 2002. Expression of an *Arabidopsis* lectin kinase receptor gene, lecRK-a1, is induced during senescence, wounding and in response to oligogalacturonic acids. *Plant Physiol. Biochem.* 40 (5), 431–438. [https://doi.org/10.1016/s0981-9428\(02\)01390-6](https://doi.org/10.1016/s0981-9428(02)01390-6).
- Robatzek, S., Somssich, I.E., 2002. Targets of AtWRKY6 regulation during plant senescence and pathogen defense. *Genes Dev.* 16 (9), 1139–1149.
- Schmidt, E., Guzzo, F., Toonen, M., De Vries, S., 1997. A leucine-rich repeat containing receptor-like kinase marks somatic plant cells competent to form embryos. *Development* 124 (10), 2049–2062.
- Seifert, G.J., Blaukopf, C., 2010. Irritable walls: the plant extracellular matrix and signaling. *Plant Physiol.* 153 (2), 467–478. <https://doi.org/10.1104/pp.110.153940>.
- Serra, T.S., Figueiredo, D.D., Cordeiro, A.M., Almeida, D.M., Lourenço, T., Abreu, I.A., Sebastián, A., Fernandes, L., Contreras-Moreira, B., Oliveira, M.M., Saibo, N.J.M., 2013. OsRMC, a negative regulator of salt stress response in rice, is regulated by two AP2/ERF transcription factors. *Plant Mol. Biol.* 82 (4–5), 439–455. <https://doi.org/10.1007/s11103-013-0073-9>.
- Shelden, M.C., Roessner, U., 2013. Advances in functional genomics for investigating salinity stress tolerance mechanisms in cereals. *Front. Plant Sci.* 4, 123. <https://doi.org/10.3389/fpls.2013.00123>.
- Shiu, S.-H., Karlowski, W.M., Pan, R., Tzeng, Y.-H., Mayer, K.F.X., Li, W.-H., 2004. Comparative analysis of the receptor-like kinase family in *Arabidopsis* and Rice. *Plant Cell* 16 (5), 1220–1234. <https://doi.org/10.1105/tpc.020834>.
- Shiu, S.H., Bleecker, A.B., 2001a. Plant receptor-like kinase gene family: diversity, function, and signaling. *Sci. Signal.* 2001 (113). <https://doi.org/10.1126/scisignal.1132001re22>. re22-re22.
- Shiu, S.H., Bleecker, A.B., 2001b. Receptor-like kinases from *Arabidopsis* form a monophyletic gene family related to animal receptor kinases. *Proc. Natl. Acad. Sci.* 98 (19), 10763–10768. <https://doi.org/10.1073/pnas.181141598>.
- Shumayla, S.S., Pandey, A.K., Singh, K., Upadhyay, S.K., 2016. Molecular characterization and global expression analysis of Lectin receptor kinases in bread wheat (*Triticum aestivum*). *PLoS One* 11 (4), e0153925. <https://doi.org/10.1371/journal.pone.0153925>.
- Silva, N.F., Goring, D.R., 2002. The proline-rich, extensin-like receptor kinase-1 (PERK1) gene is rapidly induced by wounding. *Plant Mol. Biol.* 50 (4–5), 667–685.
- Singh, P., Kuo, Y.C., Mishra, S., Tsai, C.H., Chien, C.C., Chen, C.W., Desclos-Theveniau, M., Chu, P.W., Schulze, B., Chinchilla, D., Boller, T., Zimmerli, L., 2012. The Lectin receptor kinase-VI.2 is required for priming and positively regulates *Arabidopsis* pattern-triggered immunity. *Plant Cell* 24 (3), 1256–1270. <https://doi.org/10.1105/tpc.112.095778>.
- Sivaguru, M., Ezaki, B., He, Z.-H., Tong, H., Osawa, H., Baluška, F., Volkmann, D., Matsumoto, H., 2003. Aluminum-induced gene expression and protein localization of a cell wall-associated receptor kinase in *Arabidopsis*. *Plant Physiol.* 132 (4), 2256–2266.
- Srivastava, A.K., Penna, S., Nguyen, D.V., Tran, L.-S.P., 2014. Multifaceted roles of aquaporins as molecular conduits in plant responses to abiotic stresses. *Crit. Rev. Biotechnol.*, 1–10. <https://doi.org/10.3109/07388551.2014.973367>.
- Steinwand, B.J., Kieber, J.J., 2010. The role of receptor-like kinases in regulating cell wall function. *Plant Physiol.* 153 (2), 479–484. <https://doi.org/10.1104/pp.110.155887>.

- Tang, D., Wang, G., Zhou, J.M., 2017. Receptor kinases in plant-pathogen interactions: more than pattern recognition. *Plant Cell* 29 (4), 618–637. <https://doi.org/10.1105/tpc.16.00891>.
- Torii, K.U., Mitsukawa, N., Oosumi, T., Matsuura, Y., Yokoyama, R., Whittier, R.F., Komeda, Y., 1996. The Arabidopsis ERECTA gene encodes a putative receptor protein kinase with extracellular Leucine-rich repeats. *Plant Cell* 8 (4), 735. <https://doi.org/10.2307/3870348>.
- Vaid, N., Macovei, A., Tuteja, N., 2013. Knights in action: Lectin receptor-like kinases in plant development and stress responses. *Mol. Plant* 6 (5), 1405–1418. <https://doi.org/10.1093/mp/sst033>.
- Vaid, N., Pandey, P., Srivastava, V.K., Tuteja, N., 2015. Pea lectin receptor-like kinase functions in salinity adaptation without yield penalty, by alleviating osmotic and ionic stresses and upregulating stress-responsive genes. *Plant Mol. Biol.* 88 (1–2), 193–206. <https://doi.org/10.1007/s11103-015-0319-9>.
- Walker, J.C., Zhang, R., 1990. Relationship of a putative receptor protein kinase from maize to the S-locus glycoproteins of brassica. *Nature* 345 (6277), 743–746. <https://doi.org/10.1038/345743a0>.
- Wolf, S., Hématy, K., Höfte, H., 2012. Growth control and Cell Wall signaling in plants. *Annu. Rev. Plant Biol.* 63 (1), 381–407. <https://doi.org/10.1146/annurev-arplant-042811-105449>.
- Wu, F., Sheng, P., Tan, J., Chen, X., Lu, G., Ma, W., Heng, Y., Lin, Q., Zhu, S., Wang, J., Wang, J., Guo, X., Zhang, X., Lei, C., Wan, J., 2014. Plasma membrane receptor-like kinase leaf panicle 2 acts downstream of the DROUGHT AND SALT TOLERANCE transcription factor to regulate drought sensitivity in rice. *J. Exp. Bot.* 66 (1), 271–281. <https://doi.org/10.1093/jxb/eru417>.
- Wu, Y., Xun, Q., Guo, Y., Zhang, J., Cheng, K., Shi, T., He, K., Hou, S., Gou, X., Li, J., 2016. Genome-wide expression pattern analyses of the Arabidopsis Leucine-rich repeat receptor-like kinases. *Mol. Plant* 9 (2), 289–300. <https://doi.org/10.1016/j.molp.2015.12.011>.
- Yang, A., Li, Y., Xu, Y., Zhang, W.-H., 2013. A receptor-like protein RMC is involved in regulation of iron acquisition in rice. *J. Exp. Bot.* 64 (16), 5009–5020. <https://doi.org/10.1093/jxb/ert290>.
- Yang, L., Wu, K., Gao, P., Liu, X., Li, G., Wu, Z., 2014. GsLRPK, a novel cold-activated leucine-rich repeat receptor-like protein kinase from Glycine soja, is a positive regulator to cold stress tolerance. *Plant Sci.* 215–216, 19–28. <https://doi.org/10.1016/j.plantsci.2013.10.009>.
- Zhang, P., Zhang, Z., Wang, J., Cong, B., Chen, K., Liu, S., 2014. A novel receptor-like kinase (PnRLK-1) from the Antarctic Moss *Pohlia nutans* enhances salt and oxidative stress tolerance. *Plant Mol. Biol. Report.* 33 (4), 1156–1170. <https://doi.org/10.1007/s11105-014-0823-0>.
- Zhao, J., Gao, Y., Zhang, Z., Chen, T., Guo, W., Zhang, T., 2013. A receptor-like kinase gene (GbRLK) from *Gossypium barbadense* enhances salinity and drought-stress tolerance in *Arabidopsis*. *BMC Plant Biol.* 13 (1), 110.