

Literature

- [1] MICHALÍKOVÁ F., FLOREKOVÁ L., BENKOVÁ M.: Vlastnosti energetického odpadu - popola, ISBN 80-8073-054-7
- [2] JANDERKA P., ŠKVARLA J. : Studium, pokrčilá analýza a mapování povrchu metodou XPS/ESCA s XPS spektrometry [online]. THERMO SCIENTIFIC, CHEMAGAZÍN, Číslo 4 Ročník XX (2010). [cit.2013-03-28] dostupné na internete:
<http://www.chemagazin.cz/userdata/chemagazin_2010/file/CHXX_4_cl8.pdf>
- [3] VLADIMIR Matolin: Metody přípravy povrchů pro fyzikální elektroniku, vysokoškolská učebnice, dostupné na internete: <http://physics.mff.cuni.cz/kevf/skripta/evf075/index.html>
- [4] SIEGBAHN, K.; EEDVARSON, K. I. AI (1956). "β-Ray spectroscopy in the precision range of 1 : 1e6". Nuclear Physics 1 (8):137 159. Bibcode:1956NucPh...1..137S. doi:10.1016/S0029-5582(56)80022-9.
- [5] Electron Spectroscopy for Atoms, Molecules and Condensed Matter, Nobel Lecture, December 8, 1981
- [6] TURNER, D. W.; JOBORY, M. I. AI (1962). "Determination of Ionization Potentials by Photoelectron Energy Measurement". The Journal of Chemical Physics 37 (12): 3007. Bibcode:1962JChPh..37.3007T. doi:10.1063/1.1733134.
- [7] MAŠEK K., BÁBOR P.: Metody Povrchové a tenkovrstvové analýzy prvkového složení (XPS, AES, SIMS), difrakce fotoelektronu [online]. Matematickofyzikální fakulta, Univerzita Karlova, Praha, Fakulta strojního inženýrství, Vysoké učení technické v Brně, CEITEC – Středoevropský technologický institut, Vysoké učení technické v Brně, Materials Structure, vol. 18, no. 4 (2011), [cit. 2013-04-14]
dostupné na internete: < <http://www.xray.cz/ms/bul2011-4/masek.pdf>>
- [8] SPECS Company
- [9] WAGNER J.M. : X-RAY Photoelectron spectroscopy, ISBN 978-1-61668-915-5 (2011)
- [10] BASTL Z., Chemické listy 103, 373–380 (2009)
- [11] WOODRUFF D.P, DELCHAR T.A. in Modern Techniques of Surface Science, second edition, Cambridge University Press 1994.
- [12] BRIGGS D., GRANT J.T., SEAH M., TOUGAARD S., KOVER L. in Surface Analysis by Auger and X-Ray photoelectron Spectroscopy edited by David Briggs and John T. Grant, IM Publications and Surface Spectra Limited 2003 .

- [13] BRIGGS D. and RIVIERE J.C. in Practical Surface Analysis, second edition, Volume 1 – Auger and X-ray Photoelectron Spectroscopy edited by D. Briggs and M.P. Seah, John Wiley & Sons 1990.
- [14] BARDEEN J., COOPER L., SCHRIFFER J. R. (December 1, 1957). "Theory of Superconductivity". *Physical Review* **8** (5): 1178. doi:10.1103/physrev.108.1175. Retrieved June 6, 2014. reprinted in Nikolaj Nikolaevich Bogoliubov (1963) *The Theory of Superconductivity*, Vol. 4, CRC Press, ISBN 0677000804, p. 73
- [15] DAINTITH J., (2009). *The Facts on File Dictionary of Physics* (4 ed.). Infobase Publishing. p. 238. ISBN 1438109490.
- [16] The Nobel prize in physics 1973, accessed 8-18-11
- [17] GALLOP J.C.(1990) *SQUIDS, the Josephson Effects and Superconducting Electronics*. CRC Press. pp. 3, 20. ISBN 0-7503-0051-5.
- [18] KRATOCHVÍL B., ŠVORČÍK V., VOJTĚCH D. *Úvod do studia materiálů*. 1. vydání. ISBN 80-7080-568-4. 2005
- [19] CHEN G. F., XIA T-L, YANG H. X., LI J. Q., ZHENG P., LUP J. L. and WANG N. L., 2009, Possible high temperature superconductivity in a Ti-doped A-Sc-Fe-As-O (A = Ca, Sr) system, *Superconductor Science & Technology*, **22**, DOI: 10.1088/0953-2048/22/7/072001
- [20] CHEN N., QU S.P., LI Y., LIU Y., ZHANG R. and ZHA, H.L., 2010, Synthesis of LiFeAs superconductor by electrochemistry at room temperature, *Journal of Applied Physics*, vol. 107, Article Number 09E123
- [21] GOCH M., LV B., SASMAL K., TAPP J. H., TANG Z. J., GULOY A. M., LOREMZ B. and CHU C. W., 2010, Superconductivity in ternary iron pnictides: AFe_2As_2 (A= alkali metal) and LiFeAs, *Physica C* **470**, S276–S279.
- [22] KANUCHOVA M., MAJOROS M., KANUCH J., DING Z., SUSNER, M.A., SUMPTION M., COLLINGS, E.W. , LiFeAs pnictide superconductor - A simple electrochemical method of preparation, *Applied Superconductivity, IEEE Transactions on* Year: 2013, Volume: 23, Issue: 3, Article : 7300204, DOI: 10.1109/TASC.2012.2232953
- [23] MAJOROS M., KANUCHOVA M., SUMPTION M., COLLINGS, E.W. patent
- [24] TAPP J. H., TANG Z., LV B., SASMAL K., LORENTZ B., CHU P. C. W., and GULOY A. M. "LiFeAs: An intrinsic FeAs-based superconductor with $T_c = 18$ K," *Phys. Rev. B*, vol. 78, p. 060505, 2008
- [25] KANUCHOVA M., KOZAKOVA L.: The synthesis and characterization of LiFeAs superconductor by XPS method. *CHEMICAL ENGINEERING TRANSACTIONS* VOL. 32, 2013 32, pp. 2263-2268
- [26] YAMASHITA T., HAYES P., 2008, Analysis of XPS spectra of Fe^{2+} and Fe^{3+} ions in oxide materials, *J. Appl. Surf.Sci.* **254**, 2441-2449.

- [27] KANUCHOVA M., ANTAL V., SEFCIKOVA M., KOVAC J., DIKO P.: Critical current density of Ag doped YBCO TSMG bulk superconductors (2008) 16th Conference of Czech and Slovak Physicists, Proceedings pp. 232-238
- [28] DIKO P. *Supercond. Sci. Technol.* 17 R45 (2004) doi:10.1088/0953-2048/17/11/R01
- [29] PIOVARČI S., DIKO P., KANUCHOVA M., RADUSOVSKA M.: Changes in YBCO single grain bulk superconductor exposed to air moisture, *Acta Physica Polonica A126* (1), pp. 364-365
- [30] BAKHAREV T., Resistance of geopolymer materials to acid attack. *Cement and Concrete Research* 2005,35,658-670
- [31] FERNÁNDEZ-JIMÉNEZ A., DE LA TORRE AG., LÓPEZ -OLMO G., ALONSO MM., ARANDA MAG: Quantitative determination of phases in the alkaline activation of fly ash. Part I. Potential ash reactivity. *Fuel* 2006,85/5-6:625-634.
- [32] FERNÁNDEZ-JIMÉNEZ A., DE LA TORRE AG., LÓPEZ -OLMO G., ALONSO MM., ARANDA MAG: Quantitative determination of phases in the alkaline activation of fly ash. Part II. Degree of reaction. *Fuel* 2006,85/14-15:1960-1969.
- [33] LUTZE D., BERG W.: Príručka. Popolček v betóne. Základy výroby a použitia. Bratislava. Betón racio s.r.o. 2009
- [34] The Economic Impacts of Prohibiting Coal Fly Ash Use in Transportation Infrastructure Construction. Transportation Development Foundation, September 2011.[online]. Dostupné na internete:
<<http://webcache.googleusercontent.com/search?q=cache:rEKsJOedvp8J:www.artba.org/mediafiles/study2011flyash.pdf+&cd=1&hl=sk&ct=clnk&gl=sk&client=opera>>.
- [35] SIČÁKOVÁ, A., ŽELINKOVÁ, M.: Stručný pohľad na geopolyméry ako perspektívne stavebné materiály. [online]. TU v Košiciach, Stavebná fakulta. Aktualizované 22.6.2011. [cit. 2.3.2013]. Dostupné na internete:
<<http://www.tzbportal.sk/stavebnictvo/strucnypohladnageopolymeryakoperspektivne-stavebne-materialy.html>>.
- [36] MEZENCEVOVÁ, A.: Možnosti zužitkovania energetických popolčekov, *Acta Montanistica Slovaca Ročník 8, číslo 2-3, 2003*
- [37] PAVEL MEC: Studium vlastností metakaolínů, vyrobených z alternativních surovin, VŠB - Technická univerzita Ostrava Fakulta stavební 2010
- [38] IVAN KRAUS: Nové trendy a možnosti využívania nerudných surovín na Slovensku *Mineralia Slovaca, 40* (2008), 175–182 ISSN 0369-2086
- [39] XU H., VAN DEVENTER JSJ: The geopolymerisation of alumina silicate materials. *Int. J. Miner. Process* 2000,59,257-266

- [40] XU H., VAN DEVENTER JSJ: Geopolymerisation of multiple minerals. *Minerals Engineering* 2002,15,1131-1139
- [41] DUXSON P., PROVIS JL., LUKEY GC., MALLICOAT SW., KRIVEN WM., VAN DEVENTER JSJ: Understanding the relationship between geopolymer composition, microstructure and mechanical properties. *Colloids and Surfaces A: Physicochem. Eng. Aspects* 2005,269,47-58
- [42] HARDJITO, D., WALLAH, S.E., SUMAJOUW, D.M.J., RANGAN B.V.: Fly Ash-Based Geopolymer Concrete, Construction Material for Sustainable Development, *Concrete World: Engineering & Materials*, American Concrete Institute, India 2004
- [43] SLAVÍK, R., BEDNAŘIK, V., VONDRUŠKA, M.: Geopolymery a jejich použití pro nakládání s odpady. [online]. Aktualizované 24.4.2006. [cit. 2.3.2013]. Dostupné na internete: <<http://www.enviweb.cz/clanek/archiv/58403/geopolymeryajejichpouziti-pro-nakladani-s-odpady>>.
- [44] HARANDZA, Juraj, HRONCOVÁ, Emília: Charakteristika geopolymérov a ich možné aplikácie v stavebnom priemysle, Katedra environmentálneho inžinierstva, Fakulta ekológie a environmentalistiky Technická univerzita vo Zvolene, SR
- [45] Zajímavé alternativní stavební materiály. [online]. Aktualizované 6.2.2013. [cit. 2.4.2013]. Dostupné na internete: <<http://www.chytre-bydleni.cz/zajimave-alternativni-stavebni-materialy>>.
- [46] DAVIDOVITS J., Geopolymers: Inorganic polymeric new materials. *Journal of thermal analysis* 1991,37,1633-1656
- [47] BARBOSA, V., F., F., MACKENZIE, K., J., D., THAUMATURGO, C. : Synthesis and characterisation of materials based on inorganic polymers of alumina and silica : sodium polysialate polymers. *International Journal of Inorganic Materials* 2 (2000), str. 309-317
- [48] ŠKVÁRA, František: Alkali activated materials or geopolymers. Vysoká škola chemicko – technologická, Praha 2007
- [49] HORČÍK, J.: Geopolymerní materiály – nová technologie pro stavebnictví. [online]. Aktualizované 5.10.2011. [cit. 2.3.2013]. Dostupné na internete: <<http://www.ekobydleni.eu/architektura/geopolymerni-materialy-nova-technologie-pro-stavebnictvi>>.
- [50] DAVIDOVITS, J.: Geopolymerizácia. [online]. [cit. 14.4.2013]. Dostupné na : <<http://www.geopolymery.eu/aitom/upload/documents/geopolymerizace-podle-davidovitse.pdf>>.

- [51] ROY DM .Alkali activated cements. Opportunities and challenges.Cement and Concrete Research 1999,29,249-254
- [52] DAVIDOVITS, J.: Geopolymer: Chemistry and applications, 2nd edition, 2008, ISBN 9782951482012
- [53] FERNANDEZ-JIMÉNEZ A., PALOMO A.: Composition and microstructure of alkali activated fly ash binder: Effect of the activator, Cement and Concrete Research 2005,35:1984-1992.)
- [54] LEE WKW, VAN DEVENTER JSJ.: Structural reorganisation of class F fly ash in alkaline silicate solutions.Collids and Surfaces A: Physicochemical and Engineering Aspects 2002, 211/1:49-66
- [55] XU, H., VAN DEVENTER JSJ , Effect of source materials on geopolymerization. In: Industrial & Engineering Chemistry Research, vol. 42, 2003
- [56] BARR TL., SEAL S.:X -ray photoelectron spectroscopic studies of kaolinite and montmorillonite Vacuum 1995,46(12),1391-1395
- [57] KANUCHOVA M., KOZAKOVA L., DRABOVA M., SISOL M.,ESTOKOVA A.,KANUCH J., and SKVARLA: Monitoring and Characterization of Creation of Geopolymers Prepared From Fly Ash and Metakaolin by X-Ray Photoelectron Spectroscopy Method, Environmental Progress & Sustainable Energy vol 34 Issue: 3 Pages: 841-849
- [58] LI, CH., WAN, J., SUN, H., & LI, L. Investigation on the activation of coal gangue by a new compound method, Journal of Hazardous Materials, (2010). 179, 515–520.
- [59] MIYAJI F., IWAI M., KOKUBO T., & NAKAMURA T. Chemical surface treatment of silicone for inducing its bioactivity, Journal of Materials Science-Materials in Medicine, (1998) 9, 61–65.
- [60] BARR TL., SEAL S., WOZNIAK K.,KLINOWSKI J.: ESCA studies of the coordination state of aluminum in oxide environments.J.Chem.Soc. Faraday Trans. 1997,93(1) 181-186
- [61] DRELICH J., PAYNE T.,. KIM J. H, and MILLER J. D.: Selective Froth Flotation of PVC From PVC/PET Mixtures for the Plastics Recycling Industry, POLYMER ENGINEERING AND SCIENCE, SEPTEMBER 1998, Vol. 38, No. 9:1378-1386
- [62] SOMSAK SAISINCHAI: Separation of PVC from PET/PVC Mixtures Using Flotation by Calcium Lignosulfonate Depressant, ENGINEERING JOURNAL Volume 18 Issue 1, ISSN 0125-8281 (<http://www.ej.eng.chula.ac.th/eng/>)

- [63] YOSHIHISA K, et al: Hydrophilic Modification of Plastic Surface by Using Microwave Plasma Irradiation. *Engineering Review*, Vol. 46, No. 1 2013, 29-33,
- [64] NAGY M., SKVARLA J., SISOL M.: A Possibility of using the flotation process to separate plastics, *Tome IX (Year 2011). Fascicule 3. ISSN 1584 – 2673*
- [65] PET-Recycling Forum;"Current Technological Trends in Polyester Recycling"; 9th International Polyester Recycling Forum Washington, 2006; São Paulo; ISBN 3-00-019765-6
- [66] Vyhláška č. 91/2011 Z. z. Ministerstva životného prostredia Slovenskej republiky zo 14. Marca 2011 o vykonaní niektorých ustanovení zákona o obaloch.
- [67] GUPTA V.B. and BASHIR Z. Chapter 7, p. 320 in Stoyko Fakirov (ed.) *Handbook of Thermoplastic Polyesters*, Wiley-VCH, Weinheim, (2002) ISBN 3-527-30113-5.
- [68] RUNGCHANG, S., NUMTHUAM, S., QIU, X., LI, Y., SATAKE, T.: Diffusion coefficient of antimony leaching from polyethylene terephthalate bottles into beverages, [on-line]. 2012. [cit. 2014-04-10]. Dostupné na internete:
<<http://www.sciencedirect.com/science/article/pii/S026087741200489X>>.
- [69] CHENG X et al. "Assessment of metal contaminations leaching out from recycling plastic bottles upon treatments". *Environmental science and pollution research international* 17 (7) (2010): 1323–30. doi:10.1007/s11356-010-0312-4. PMID 20309737
- [70] SHOTYK W. et al. Contamination of Canadian and European bottled waters with antimony from PET containers (FREE ACCESS). *Journal of Environmental Monitoring* 8 (2) (2006): 288–92. doi:10.1039/b517844b. PMID 16470261. Retrieved 16 September 2013
- [71] HANSEN C et al.. "Elevated antimony concentrations in commercial juices". *Journal of Environmental Monitoring* 12 (4) (2010): 822–4. doi:10.1039/b926551a. PMID 20383361.
- [72] SHARON CHETNA, SHARON MADHURI : Studies on Biodegradation of Polyethylene terephthalate: A synthetic polymer, *Journal of Microbiology and Biotechnology Research* (2012). pp. 248–257.
- [73] TUKUR AMINU :PET bottle use patterns and antimony migration into bottled water and soft drinks: the case of British and Nigerian bottles, *Journal of Environmental Monitoring* 14 (4) (2012): 1236–1246. doi:10.1039/C2EM10917D.
- [74] BUXBAUM G., PFAFF G.: *Industrial Inorganic Pigments*, [online] [cit 2013-12-14], ISBN-10 3-527-30363-2, 2005 Printed in the Federal Republic of German
- [75] The Pigment [online] [cit 2013-11-14] Dostupné na internete:
<http://en.wikipedia.org/wiki/Pigment>
- [76] LANDMAN A. A. - De WAAL D.: Fly ash as potential starting reagent for the synthesis of ultramarine blue. *Materials Research Bulletin* 39 (2004), s: 655-667 [cit 2013-11-13]

- [77] KOLOUŠKOVÁ, M.. Výroba ultramarínové modři s využitím tuhých zbytku po spalování uhlí. Disertační práce doktorského studia, Ostrava 2007: VŠB-TU, 2007. 100 p.
- [78] REINEN, D. – LINDNER, G-G. The nature of the chalcogen colour centres in ultramarine-type solids. In: Chem. Soc. Rev. 1999, vol. 28, 1999, p. 75 - 84.
- [79] FLEET, M. E. – LIU, X.: X-ray absorption spectroscopy of ultramarine pigments: A new analytical method for the polysulfide radical anion S₃ – chromophore. In: Spectrochimica Acta Part B: Atomic Spectroscopy, vol. 65, 2010, no. 1, p. 75 - 79.
- [80] (z angl.) (Gobeltz-Hautecoeur, 2002).
- [81] KOWALAK, S. – JANKOWSKA, A. – MIKOLAJSKA, E. Using of zeolite LOS for preparation of sulfur pigments. In: Microporous and Mesoporous Materials, vol. 127, 2010, p. 126 – 132.
- [82] LELIEUR, J-P. V. et al. Ultramarine pigment synthesis process. United States Patent. US 7, 2009.,632,347 B2. Dec. 15,
- [83] SANCHO, J. P. et al. Ultramarine blue from Asturian “hard” kaolins. In: Applied Clay Science, vol. 41, 2008, p. 133 – 142.
- [84] HOFFMANN, S.K. et al. Electron spin resonance (ESR) and electron spin echo envelope modulation (ESEEM) studies on the ultramarine analogs obtained from zeolite A with various alkaline cations at different temperatures. In: Microporous and Mesoporous Materials, vol. 127, 2010, p. 205 – 212.
- [85]] BUXBAUM, G. – PFAFF, G. Industrial inorganic pigments. 3rd edition. Wiley-VCH Verlag GmbH & Co. KGaA, 2005, 315 p. ISBN-10 3-527-30363-4.
- [86] BOOTH, D. G. – DANN, S. E. – WELLER, M. T. 2003. The effect of the cation composition on the synthesis and properties of ultramarine blue. In: Dyes and Pigments, vol. 58, 2003, p. 73– 82.
- [87] CLIMENT-PASCUAL, E. et al. . Synthesis and Characterization of the Ultramarine-Type Analog Na_{8-x}[Si₆Al₆O₂₄] 3 (S₂,S₃,CO₃)₁₋₂. In: Inorg. Chem., vol. 48, 2009, p. 6526 – 6533.
- [88] TARLING, S. E. – BARNES, P. – MACKAY, A. L. Simulation of industrial furnacing with powder X-ray diffraction. In: J. Appl. Crystallogr., vol. 17, 1984, p. 96–99.
- [89] BEARDSLEY, A. P. – WHITING, S. H. 1948/a. Manufacture of ultramarine. United States Patent. US 2,441,951. May 25, 1948.

- [90] SIMSIKOVA M., ANTALIK M.,KANUCHOVA M.,SKVARLA J.: Anionic 11-mercaptopundecanoic acid capped ZnO nanoparticles, *Applied Surface Science* , 282, pp. 342-347
- [91]ZHENG L.R., ZHENG Y.H.,CHEN C.Q.,ZHAN Y.Y.,LIN X.Y.,ZHENG Q. ,WEI K.M. , ZHU J.F.Network structured SnO₂/ZnO heterojunction nanocatalyst with high photocatalytic activity, *Inorganic Chemistry*, 48 (2009), pp. 1819–1825
- [92] SIMSIKOVA M., ANTALIK M.,KANUCHOVA M.,SKVARLA J :Cytochrome c conjugated to ZnO-MAA nanoparticles: The study of interaction and influence on protein structure *International Journal of Biological Macromolecules*, 59, 2013, 235-241
- [93] ACHIMOVICOVA M., GOCK E.,TURIANICOVA E., KANUCHOVA M.,BALAZ P. Study of the mechanochemical reduction of ilmenite concentrate by addition of aluminum *Acta Physica Polonica A*126 (4), pp. 867-870
- [94] CARLEY A.F., CHALKER P.R., RIVIERET J.C.,WYN M., ROBERTS J.: *Chem. Soc. Faraday Trans.* (1987) 1, 83, 351
- [95] POUILLEAU J.,DEVILLIERS D. , GROULT H., MARCUS P. :*J. Mater. Sci.* 32 (1997), 5645
- [96] McINTYRE N.S.,ZETARUK D.G. : *Anal. Chem.* 49, (1977), 1521
- [97] SENNA M., TURIANICOVA E.,ŠEPELAK V, BRUNS M., SCHOLZ G, LEBEDKIN S.,KUBEL CH., WANG D., KANUCHOVA M., KAUS M., HAHN H. : Fluorine incorporation into SnO₂ nanoparticles by co-milling with polyvinylidene fluoride,*Solid State Sciences*30(2014), pp. 36-43
- [98] AN N.,LIU H. , DING Y. ,LU B. ,ZHANG M. , *Appl. Surf. Sci.*, 258 (2012), 5052–5055
- [99] WANG H. , FU F. , ZHANG F. WANG H.-E., KERSHAW S.V. , XU J. SUN S.-G.,ROGACH A.L. :*J. Mater. Chem.*, 22 (2012), 2140–2148
- [100] CLOCHARD M.C. , BETZ N.,GONCALVES M. , BITTENCOURT C., PIREAUX J J., GIONNET K., DELERIS G. ,Le MOEL A. : *J. Nucl. Instrum. Methods Phys. Res.*, 236 (2005), 208–215
- [101] MAGURA J., ZELENKOVA A., ZELENAK V., KANUCHOVA M.. Thiol-modified gold nanoparticles deposited on silica support using dip coating, (2014) *Applied Surface Science*, 315 (1), 392-399