


References

- Almeida, S., D. Trone, et al. 1999. Gender differences in musculoskeletal injury rates: A function of symptom reporting. *Med Sci Sports Exerc* 31(12): 1807-1812.
- Almosnino, S., T. Kajaks, et al. 2009. The free moment in walking and its change with foot rotation angle. *Sports Med Arthrosc Rehabil Ther Technol* 1(1): 19.
- Anderson, F.C., and M.G. Pandy. 2003. Individual muscle contributions to support in normal walking. *Gait Posture* 17(2): 159-169.
- Areblad, M., B. Nigg, et al. 1990. Three-dimensional measurement of rearfoot motion during running. *J Biomech* 23(9): 933-940.
- Arnold, A.S., F.C. Anderson, et al. 2005. Muscular contributions to hip and knee extension during the single limb stance phase of normal gait: A framework for investigating the causes of crouch gait. *J Biomech* 38(11): 2181-2189.
- Bailon-Plaza, A., and M.C. van der Meulen. 2003. Beneficial effects of moderate, early loading and adverse effects of delayed or excessive loading on bone healing. *J Biomech* 36(8): 1069-1077.
- Baitch, S.P., R.L. Blake, et al. 1991. Biomechanical analysis of running with 25 degrees inverted orthotic devices. *J Am Podiatr Med Assoc* 81(12): 647-652.
- Barrios, J., K. Crossley, et al. 2010. Gait retraining to reduce the knee adduction moment through real-time visual feedback of dynamic knee alignment. *J Biomech* 43(11): 2208-2213.
- Bates, B.T., L.R. Osternig, et al. 1979. Foot orthotic devices to modify selected aspects of lower extremity mechanics. *Am J Sports Med* 7(6): 338-342.
- Birnbaum, K., C.H. Siebert, et al. 2004. Anatomical and biomechanical investigations of the iliotibial tract. *Surg Radiol Anat* 26(6): 433-446.
- Blair, S., H. Kohl, et al. 1987. Rates and risks for running and exercise injuries: Studies in three populations. *Res Q Exerc Sport* 58: 221-228.
- Blake, R., and J. Denton. 1985. Functional foot orthoses for athletic injuries: A retrospective study. *J Am Podiatr Med Assoc* 75(7): 359-362.
- Blake, R.L. 1986. Inverted functional orthosis. *J Am Podiatr Med Assoc* 76(5): 275-276.
- Bolgia, L., T. Malone, et al. 2008. Hip strength and hip and knee kinematics during stair descent in females with and without patellofemoral pain syndrome. *J Orthop Sports Phys Ther* 38(1): 12-18.
- Brody, L., and J. Thein. 1998. Nonoperative treatment for patellofemoral pain. *J Orthop Sports Phys Ther* 28(5): 336-344.
- Brouwer, A., A. van Tol, et al. 2007. Association between valgus and varus alignment and the development and progression of radiographic osteoarthritis of the knee. *Arthritis & Rheumatism* 56(4): 1204-1211.
- Brown, G.P., R. Donatelli, et al. 1995. The effect of two types of foot orthoses on rearfoot mechanics. *J Orthop Sports Phys Ther* 21(5): 258-267.
- Buchanan, K., and I. Davis. 2005. The relationship between forefoot, midfoot, and rear-foot static alignment in pain-free individuals. *J Orthop Sports Phys Ther* 35(9): 559-566.



- Buchbinder, M.R., N.J. Napora, et al. 1979. The relationship of abnormal pronation to chondromalacia of the patella in distance runners. *J Am Podiatr Med Assoc* 69(2): 159-162.
- Burnside, I., H. Tobias, et al. 1982. Electromyographic feedback in the remobilization of stroke patients: A controlled trial. *Arch Phys Med Rehabil* 63(5): 217-222.
- Butler, R.J., I.S. Davis, et al. 2006. Interaction of arch type and footwear on running mechanics. *Am J Sports Med* 34(12): 1998-2005.
- Byl, T., J. Cole, et al. 2000. What determines the magnitude of the Q-angle? A preliminary study of selected skeletal and muscular measures. *J Sports Rehabil* 9(1): 26-34.
- Caspersen, C., K. Powell, et al. 1984. The incidence of injuries and hazards in recreational and fitness runners. *Med Sci Sports Exerc* 16: 113-114.
- Cheung R.T., M.Y. Wong, and G.Y. Ng. Effects of motion control footwear on running: a systematic review. *J Sports Sci*. 2011 Sep;29(12):1311-9.
- Cheung, R., and G. Ng. 2010. Motion control shoe delays fatigue of shank muscles in runners with overpronating feet. *Am J Sport Med* 38(3): 486-491.
- Chumanov, E., B. Heiderscheit, et al. 2011. Hamstring musculotendon dynamics during stance and swing phases of high-speed running. *Med Sci Sports Exerc* 43(3): 525-532.
- Cibulka, M., and J. Threlkeld-Watkins. 2005. Patellofemoral pain and asymmetrical hip rotation. *Phys Ther* 85(11): 1201-1207.
- Cichanowski, H., J. Schmitt, et al. 2007. Hip strength in collegiate female athletes with patellofemoral pain. *Med Sci Sports Exerc* 39(8): 1227-1232.
- Clarke, T., E. Frederick, et al. 1983. The effects of shoe design parameters on rearfoot control in running. *Med Sci Sports Exerc* 15(5): 376-381.
- Clement, D.B., and J. Taunton. 1981. A guide to the prevention of running injuries. *Aust Fam Physician* 10(3): 156-161, 163-154.
- Clement, D., J. Taunton, et al. 1981. A survey of overuse running injuries. *Physician Sports Med* 9(5): 47-58.
- Colborne, G., S. Olney, et al. 1993. Feedback of ankle joint angle and soleus electromyography in the rehabilitation of hemiplegic gait. *Arch Phys Med Rehabil* 74(10): 1100-1106.
- Colborne, G., F. Wright, et al. 1994. Feedback of triceps surae EMG in gait of children with cerebral palsy: A controlled study. *Arch Phys Med Rehabil* 75(1): 40-45.
- Corkery, M., H. Briscoe, et al. 2007. Establishing normal values for lower extremity muscle length in college-age students. *Phys Ther Sport* 8(2): 66-74.
- Cormack, S., K. Kendall, et al. 2011. Validation of 2D Measures of Hip and Knee Frontal Plane Biomechanics During Running. *J Athl Train* 46(3): s163.
- Cornwall, M.W., and T.G. McPoil. 2004. Influence of rearfoot postural alignment on rearfoot motion during walking. *The Foot* 14(3): 133-138.
- Cowan, D.N., B.H. Jones, et al. 1996. Lower limb morphology and risk of overuse injury among male infantry trainees. *Med Sci Sports Exerc* 28(8): 945-952.
- Crenshaw, S.J., F.E. Pollo, et al. 2000. Effects of lateral-wedged insoles on kinetics at the knee. *Clin Orthop Relat Res* (375): 185-192.
- Crowell, H., and I. Davis. 2011. Gait retraining to reduce lower extremity loading in runners. *Clin Biomech (Bristol, Avon)* 26(1): 78-83.

- De Wit, B., and D. De Clercq. 2000. Timing of lower extremity motions during barefoot and shod running at three velocities. *J Appl Biomech* 16(2): 169-179.
- De Wit, B., D. De Clercq, et al. 2000. Biomechanical analysis of the stance phase during barefoot and shod running. *J Biomech* 33(3): 269-278.
- De Wit, B., D. De Clercq, et al. 1995. The effect of varying midsole hardness on impact forces and foot motion during foot contact in running. *J Appl Biomech* 11(4): 395-406.
- DeHaven, K.E., and D.M. Lintner. 1986. Athletic injuries: Comparison by age, sport, and gender. *Am J Sports Med* 14(3): 218-224.
- Derrick, T., G. Caldwell, et al. 2000. Modeling the stiffness characteristics of the human body while running with various stride lengths. *J Appl Biomech* 16(1): 36-51.
- Dierks, T., and I. Davis. 2007. Discrete and continuous joint coupling relationships in uninjured recreational runners. *Clin Biomech (Bristol, Avon)* 22(5): 581-591.
- Dierks, T., K. Manal, et al. 2008. Proximal and distal influences on hip and knee kinematics in runners with patellofemoral pain during a prolonged run. *J Orthop Sport Phys Ther* 38(8): 448-456.
- Donatelli, R.A., C. Hurlburt, et al. 1988. Biomechanical foot orthotics: A retrospective study. *J Orthop Sport Phys Ther* 10(6): 205-212.
- Donatelli, R., M. Wooden, et al. 1999. Relationship between static and dynamic foot postures in professional baseball players. *J Orthop Sport Phys Ther* 29(6): 316-325.
- Duffey, M.J., D.F. Martin, et al. 2000. Etiologic factors associated with anterior knee pain in distance runners. *Med Sci Sports Exerc* 32(11): 1825-1832.
- Dugan, S.A., and K.P. Bhat. 2005. Biomechanics and analysis of running gait. *Phys Med Rehabil Clin N Am* 16(3): 603-621.
- Dye, S. 2001. Patellofemoral pain current concepts: An overview. *Sports Med Arthrosc Rev* 9: 264-272.
- Dye, S., H. Staubli, et al. 1999. The mosaic of pathophysiology causing patellofemoral pain: Therapeutic implications. *Operative Tech Sports Med* 7: 46-54.
- Earl, J., and A. Hoch. 2011. A proximal strengthening program improves pain, function, and biomechanics in women with patellofemoral pain syndrome. *Am J Sports Med* 39(1):154-63.
- Eggold, J. 1981. Orthotics in the prevention of runners' overuse injuries. *Physician Sports Med* 9: 125-131.
- Elliott, B. 1990. Adolescent overuse sporting injuries: A biomechanical review. *Australian Sports Commission Program*. 23: 1-9.
- Eng, J.J., and M.R. Pierrynowski. 1993. Evaluation of soft foot orthotics in the treatment of patellofemoral pain syndrome. *Phys Ther* 73(2): 62-68; discussion 68-70.
- Ferber, R. 2007. The influence of custom foot orthoses on lower extremity running mechanics. *Int SportMed J* 8(3): 97-103.
- Ferber, R. and B. Benson. 2011. Changes in multi-segment foot biomechanics with a heat-mouldable semi-custom foot orthotic device. *J Foot Ankle Res* 4(1): 18.
- Ferber, R., L. Bolgla, et al. 2011. Variability of hip and knee joint biomechanics during running for patients with patellofemoral pain syndrome. *J Athl Train* 46(3): S28.

- Ferber, R., I.M. Davis, et al. 2003. Gender differences in lower extremity mechanics during running. *Clin Biomech (Bristol, Avon)* 18(4): 350-357.
- Ferber, R., I.M. Davis, et al. 2005. Effect of foot orthotics on rearfoot and tibia joint coupling patterns and variability. *J Biomech* 38(3): 477-483.
- Ferber, R., K. Kendall, et al. 2011. Changes in knee biomechanics following a hip abductor strengthening protocol for runners with patellofemoral pain syndrome. *Journal of Athletic Training* 46(2): 142-149.
- Ferber R., K.D. Kendall, and L. McElroy. 2010. Normative and critical criteria for ilio-tibial band and iliopsoas muscle flexibility. *J Athl Train.* 45(4):344-348.
- Ferber, R., B. Noehren, et al. 2010. Competitive female runners with a history of iliotibial band syndrome demonstrate atypical hip and knee kinematics. *J Orthop Sports Phys Ther* 40(2): 52-58.
- Ferber, R., L.R. Osternig, et al. 2002a. Gait mechanics in chronic ACL deficiency and subsequent repair. *Clin Biomech (Bristol, Avon)* 17(4): 274-285.
- Ferber, R., L.R. Osternig, et al. 2002b. Reactive balance adjustments to unexpected perturbations during human walking. *Gait Posture* 16(3): 238-248.
- Ferber, R., L.R. Osternig, et al. 2003. Gait perturbation response in chronic anterior cruciate ligament deficiency and repair. *Clin Biomech (Bristol, Avon)* 18(2): 132-141.
- Ferber, R., and M. Pohl. 2011. Changes in joint coupling and variability during walking following tibialis posterior muscle fatigue. *J Foot Ankle Res* 4(6): 1-8.
- Ferber, R., K. Sheerin, et al. 2009. Measurement error of rearfoot kinematics during running between a 100Hz and 30Hz camera. *Int SportMed J* 10(3): 152-162.
- Fields, K., J. Sykes, et al. 2010. Prevention of running injuries. *Current Sports Medicine Reports* 9(3): 176-182.
- Finestone, A., V. Novack, et al. 2004. A prospective study of the effect of foot orthoses composition and fabrication on comfort and the incidence of overuse injuries. *Foot Ankle Int* 25(7): 462-466.
- Fredericson, M., C.L. Cookingham, et al. 2000. Hip abductor weakness in distance runners with iliotibial band syndrome. *Clin J Sport Med* 10(3): 169-175.
- Fulkerson, J.P. 2002. Diagnosis and treatment of patients with patellofemoral pain. *Am J Sports Med* 30(3): 447-456.
- Garbalosa, J., M. McClure, et al. 1994. The frontal plane relationship of the forefoot to the rearfoot in an asymptomatic population. *J Orthop Sports Phys Ther* 20(4): 200-206.
- Goonetilleke, R.S. and A. Luximon. 1999. Foot Flare and Foot Axis. *Human factors: The Journal of the Human Factors and Ergonomics Society* 41: 596.
- Gross, M.L., L.B. Davlin, et al. 1991. Effectiveness of orthotic shoe inserts in the long-distance runner. *Am J Sports Med* 19(4): 409-412.
- Hamill, J., B. Bates, et al. 1982. Comparisons between selected ground reaction force parameters at different running speeds. *Med Sci Sports Exerc* 14(2): 143.
- Hamill, J., R.E. van Emmerik, et al. 1999. A dynamical systems approach to lower extremity running injuries. *Clin Biomech (Bristol, Avon)* 14(5): 297-308.
- Hardin, E., A. Van Den Bogert, et al. 2004. Kinematic adaptations during running: Effects of footwear, surface, and duration. *Med Sci Sports Exerc* 36(5), 838-844.

- Hart, L., S. Walter, et al. 1989. The effect of stretching and warmup on the development of musculoskeletal injuries (MSI) in distance runners. *Med Sci Sports Exerc* 21(Suppl): s59.
- Harvey, D. 1998. Assessment of the flexibility of elite athletes using the modified Thomas test. *Br J Sports Med* 32(1): 68-70.
- Heiderscheit, B., J. Hamill, et al. 1999. Q-angle influences on the variability of lower extremity coordination during running. *Med Sci Sports Exerc* 31(9): 1313-1319.
- Heiderscheit, B., J. Hamill, et al. 2000. Influence of Q-angle on lower-extremity running kinematics. *J Orthop Sports Phys Ther* 30(5): 271-278.
- Herrington, L., and C. Nester. 2004. Q-angle undervalued? The relationship between Q-angle and medio-lateral position of the patella. *Clin Biomech (Bristol, Avon)* 19(10): 1070-1073.
- Hogue, R., and S. McCandless. 1983. Genu recurvatum: Auditory biofeedback treatment for adult patients with stroke or head injuries. *Arch Phys Med Rehabil* 64(8): 368-370.
- Holden, J., and P. Cavanagh. 1991. The free moment of ground reaction in distance running and its changes with pronation. *J Biomech* 24(10): 887-897.
- Horton, M.G., and T.L. Hall. 1989. Quadriceps femoris muscle angle: Normal values and relationships with gender and selected skeletal measures. *Phys Ther* 69(11): 897-901.
- Hreljac, A. 2004. Impact and overuse injuries in runners. *Med Sci Sports Exerc* 36(5): 845-849.
- Hreljac, A., R.N. Marshall, et al. 2000. Evaluation of lower extremity overuse injury potential in runners. *Med Sci Sports Exerc* 32(9): 1635-1641.
- Hudson, Z., and E. Darthuy. 2009. Iliotibial band tightness and patellofemoral pain syndrome: A case-control study. *Man Ther* 14(2): 147-151.
- Hung, Y.J., and M.T. Gross. 1999. Effect of foot position on electromyographic activity of the vastus medialis oblique and vastus lateralis during lower-extremity weight-bearing activities. *J Orthop Sports Phys Ther* 29(2): 93-102; discussion 103-105.
- Hunt, A., R. Smith, et al. 2001. Inter-segment foot motion and ground reaction forces over the stance phase of walking. *Clin Biomech* 16(7): 592-600.
- Inman, V. 1976. *The Joints of the Ankle*. Baltimore: Williams and Wilkins.
- Intiso, D., V. Santilli, et al. 1994. Rehabilitation of walking with electromyographic biofeedback in foot-drop after stroke. *Stroke* 25(6): 1189-1192.
- Ireland, M., J. Willson, et al. 2003. Hip strength in females with and without patellofemoral pain. *J Orthop Sports Phys Ther* 33(11): 671-676.
- Jacobs, S.J., and B.L. Berson. 1986. Injuries to runners: A study of entrants to a 10,000 meter race. *Am J Sports Med* 14(2): 151-155.
- James, S. 1998. Running injuries of the knee. *AAOS Instr Course Lect* 47:407-417.
- James, S.L., B.T. Bates, et al. 1978. Injuries to runners. *Am J Sports Med* 6(2): 40-50.
- James, S., and D. Jones. 1990. Biomechanical aspects of distance running injuries. *Biomechanics of Distance Running*. ed. P. Cavanagh. Champaign, IL: Human Kinetics: 249-269.
- Kannus, P., L. Josza, et al. 1997. The effects of training, immobilization and remobilization on musculoskeletal tissues. *Scand J Med Sci Sports* 7(2): 67-71.
- Kendall, K., K. Sheerin, et al. 2008. Normative database of common anatomical measures related to running injuries. *J Athl Train* 43(123).