

References

- [1] Adelson, E. Web page on checkersshadow illusion. Available at: <http://persci.mit.edu/gallery/checkersshadow>.
- [2] Akenine-Moller, T., and Haines, E. *Real-Time Rendering*. AK Peters Ltd., 2002.
- [3] Arvo, J. *Analytic Methods for Simulated Light Transport*. Ph.D. thesis, Yale University, 1995.
- [4] Baraff, D. Physically based modeling: Rigid body simulation. *SIGGRAPH Course Notes*. ACM SIGGRAPH, 2001.
- [5] Blinn, J. *Jim Blinn's Corner: A Trip Down the Graphics Pipeline*. Morgan Kaufmann, 1996.
- [6] Blinn, J. *Jim Blinn's Corner: Dirty Pixels*. Morgan Kaufmann, 1998.
- [7] Botsch, M., Kobbelt, L., Pauly, M., Alliez, P., and Lévy, B. *Polygon Mesh Processing*. AK Peters Ltd., 2010.
- [8] Botsch, M., Steinberg, S., Bischoff, S., and Kobbelt, L. Openmesh: A generic and efficient polygon mesh data structure. In *OpenSG Symposium 2002*, 2002.
- [9] Bridson, R. *Fluid Simulation for Computer Graphics*. AK Peters Ltd., 2008.
- [10] Buss, S., and Fillmore, J. Spherical averages and applications to spherical splines and interpolation. *ACM Transactions on Graphics (TOG)* 20, 2 (2001), 95–126.
- [11] Cohen-Or, D., Chrysanthou, Y., Silva, C., and Durand, F. A survey of visibility for walkthrough applications. *IEEE Transactions on Visualization and Computer Graphics* 9, 3 (2003), 412–431.
- [12] Cook, R. Stochastic sampling in computer graphics. *ACM Transactions on Graphics (TOG)* 5, 1 (1986), 51–72.
- [13] Cook, R., Porter, T., and Carpenter, L. Distributed ray tracing. *ACM SIGGRAPH Computer Graphics* 18, 3 (August 1984), 137–145.
- [14] Cook, R. L., and Torrance, K. E. A reflectance model for computer graphics. *ACM SIGGRAPH Computer Graphics* 15, 3 (August 1981), 307–316.
- [15] Debevec, P. E., Taylor, C. J., and Malik, J. Modeling and rendering architecture from photographs: A hybrid geometry- and image-based approach. In *Proceedings of the 23rd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1996, pp. 11–20.
- [16] DeRose, T. *Three-Dimensional Computer Graphics: A Coordinate-Free Approach*. Unpublished manuscript, 1992.
- [17] Dorsey, J., Rushmeier, H., and Sillion, F. *Digital Modeling of Material Appearance*. Morgan Kaufmann, 2008.
- [18] Fattal, R., Carroll, R., and Agrawala, M. Edge-based image coarsening. *ACM Transactions on Graphics (TOG)* 29, 1 (2009), 1–11.
- [19] Fernando, R., and Kilgard, M. *The CG Tutorial: The Definitive Guide to Programmable Real-Time Graphics*. Addison-Wesley Longman, 2003.
- [20] Feynman, R. *The Feynman Lectures on Physics: Volume 1*, vol. 3 of *The Feynman Lectures on Physics*. Addison-Wesley, 1963.

- [21] Gallier, J. *Geometric Methods and Applications: For Computer Science and Engineering*. Springer-Verlag, 2001.
- [22] Ge, Q. J., and Ravani, B. Computer aided geometric design of motion interpolants. *Journal of Mechanical Design* 116, 3 (1994), 756–762.
- [23] Glassner, A. *An Introduction to Ray Tracing*. Academic Press, 1991.
- [24] Goldenthal, R., Harmon, D., Fattal, R., Bercovier, M., and Grinspun, E. Efficient simulation of inextensible cloth. *ACM Transactions on Graphics (TOG)* 26, 3 (2007).
- [25] Greene, N. Environment mapping and other applications of world projections. *IEEE Computer Graphics and Applications* 6 (1986), 21–29.
- [26] Grinspun, P. How to photograph architecture. Available at: <http://photo.net/learn/architectural/exterior>.
- [27] Guendelman, E., Bridson, R., and Fedkiw, R. Nonconvex rigid bodies with stacking. *ACM Transactions on Graphics (TOG)* 22, 3 (2003), 871–878.
- [28] Heckbert, P. S. Fundamentals of Texture Mapping and Image Warping. Tech. Rep. UCB/CSD-89-516, EECS Department, University of California, Berkeley, June 1989.
- [29] Jensen, H. Global illumination using photon maps. In *Proceedings of the eurographics Workshop on Rendering Techniques*, Springer-Verlag, 1996, pp. 21–30.
- [30] Jensen, H. *Realistic Image Synthesis Using Photon Mapping*. AK Peters, Ltd., 2009.
- [31] Jensen, H., Marschner, S., Levoy, M., and Hanrahan, P. A practical model for subsurface light transport. In *Proceedings of the 28th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 2001, pp. 511–518.
- [32] Ju, T., Losasso, F., Schaefer, S., and Warren, J. Dual contouring of hermite data. *ACM Transactions on Graphics (TOG)* 21, 3 (2002), 339–346.
- [33] Kajiya, J. T., and Kay, T. L. Rendering fur with three dimensional textures. *ACM SIGGRAPH Computer Graphics* 23, 3 (July 1989), 271–280.
- [34] Kanamori, Y., Szego, Z., and Nishita, T. Gpu-based fast ray casting for a large number of metaballs. *Computer Graphics Forum* 27, 2 (2008), 351–360.
- [35] Kavan, L., Collins, S., Žára, J., and O’Sullivan, C. Geometric skinning with approximate dual quaternion blending. *ACM Transactions on Graphics (TOG)* 27, 4 (2008), 1–23.
- [36] Kilgard, M. The opengl utility toolkit. Available at: <http://www.opengl.org/resources/libraries/glut/spec3/spec3.html>.
- [37] Kipfer, P., Segal, M., and Westermann, R. Uberflow: A GPU-based particle engine. In *Proceedings of the ACM SIGGRAPH/EUROGRAPHICS Conference on Graphics Hardware*, ACM, 2004, pp. 115–122.
- [38] Kolb, C., Mitchell, D., and Hanrahan, P. A realistic camera model for computer graphics. In *Proceedings of the 22nd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1995, pp. 317–324.
- [39] Landis, H. Production-ready global illumination. *SIGGRAPH Course Notes*, ACM SIGGRAPH, 2002.
- [40] Lang, S. *Linear Algebra*. Springer-Verlag, 1989.
- [41] Lawson. Web page on equine mocap. Available at: http://research.ncl.ac.uk/crest/projects_equinebiomechanics.html.
- [42] Lengyel, J., Praun, E., Finkelstein, A., and Hoppe, H. Real-time fur over arbitrary surfaces. In *Proceedings of the 2001 Symposium on Interactive 3D Graphics*, ACM, 2001, pp. 227–232.
- [43] Levin, A., Lischinski, D., and Weiss, Y. A closed-form solution to natural image matting. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 30, 2 (2007), 228–242.
- [44] Levoy, M., Pulli, K., Curless, B., Rusinkiewicz, S., Koller, D., Pereira, L., Ginzton, M., Anderson, S., Davis, J., Ginsberg, J., Shade, J., and Fulk, D. The digital Michelangelo project: 3d scanning of large statues. In *Proceedings of the 27th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 2000, pp. 131–144.
- [45] Lorensen, W., and Cline, H. Marching cubes: A high resolution 3D surface construction algorithm. In *Proceedings of the 14th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1987, pp. 163–169.

- [46] Losasso, F., Talton, J., Kwatra, N., and Fedkiw, R. Two-way coupled SPH and particle level set fluid simulation. *IEEE Transactions on Visualization and Computer Graphics* 14, 4 (2008), 797–804.
- [47] Matusik, W., Pfister, H., Brand, M., and McMillan, L. A data-driven reflectance model. *ACM Transactions on Graphics (TOG)* 22, 3 (2003), 759–769.
- [48] McNamara, R., McCormack, J., and Jouppe, N. Prefiltered antialiased lines using half-plane distance functions. In *Proceedings of the ACM SIGGRAPH/EUROGRAPHICS Workshop on Graphics Hardware*, ACM, 2000, pp. 77–85.
- [49] Mitchell, D. Consequences of stratified sampling in graphics. In *Proceedings of the 23rd Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1996, pp. 277–280.
- [50] Mitchell, D., and Netravali, A. Reconstruction filters in computer-graphics. *ACM SIGGRAPH Computer Graphics* 22, 4 (1988), 221–228.
- [51] Ngan, A., Durand, F., and Matusik, W. Experimental analysis of BRDF models. In *Proceedings of the Eurographics Symposium on Rendering*, Eurographics Association, 2005, pp. 117–126.
- [52] Olano, M., and Greer, T. Triangle scan conversion using 2d homogeneous coordinates. In *Proceedings of the ACM SIGGRAPH/EUROGRAPHICS Workshop on Graphics Hardware*, ACM, 1997, pp. 89–95.
- [53] OpenGL.org. Web page on fbos. Available at: http://www.opengl.org/wiki/GL_EXT_framebuffer_object.
- [54] Parilov, E., and Zorin, D. Real-time rendering of textures with feature curves. *ACM Transactions on Graphics (TOG)* 27, 1 (2008), 3:1–3:15.
- [55] Peters, J., and Reif, U. Shape characterization of subdivision surfaces—basic principles. *Computer Aided Geometric Design* 21, 6 (2004), 585–599.
- [56] Pharr, M., and Humphreys, G. *Physically Based Rendering: From Theory to Implementation*. Morgan Kaufmann, 2004.
- [57] Porcher Nedel, L., and Thalmann, D. Anatomic modeling of deformable human bodies. *The Visual Computer* 16, 6 (2000), 306–321.
- [58] Poynton, C. Charles Poynton's color FAQ. *Electronic Preprint* (1995). Available at: <http://www.poynton.com/colorFAQ.html>.
- [59] Ramshaw, L. *Blossoming: A Connect-the-Dots Approach to Splines*. Digital Systems Research Center, 1987.
- [60] Reif, U. A unified approach to subdivision algorithms near extraordinary vertices. *Computer Aided Geometric Design* 12, 2 (1995), 153–174.
- [61] Reis, G., Zeilfelder, F., Hering-Bertram, M., Farin, G., and Hagen, H. High-quality rendering of quartic spline surfaces on the GPU. *IEEE Transactions Visualization Computer Graphics* 14, 5 (2008), 1126–1139.
- [62] Rost, R. *OpenGL (R) Shading Language*, 3rd ed. Addison Wesley Longman, 2009.
- [63] RTWH. Openmesh web page. Available at: <http://www.openmesh.org>.
- [64] Sander, P., Gortler, S., Snyder, J., and Hoppe, H. Signal-specialized parametrization. In *Proceedings of the 13th Eurographics workshop on Rendering Techniques*, 2002 Eurographics, pp. 87–98.
- [65] Sander, P., Snyder, J., Gortler, S., and Hoppe, H. Texture mapping progressive meshes. In *Proceedings of the 28th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 2001, pp. 409–416.
- [66] Schlag, J. Using geometric constructions to interpolate orientation with quaternions. In *GRAPHICS GEMS II* (J. Arvo, ed.). Morgan Kaufmann, 1991, p. 377.
- [67] Selle, A., Lentine, M., and Fedkiw, R. A mass spring model for hair simulation. *ACM Transactions on Graphics (TOG)* 27, 3 (2008), 1–11.
- [68] Shoemake, K. Animating rotation with quaternion curves. *ACM SIGGRAPH Computer Graphics* 19, 3 (1985), 245–254.
- [69] Soler, C., and Sillion, F. Fast calculation of soft shadow textures using convolution. In *Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1998, pp. 321–332.
- [70] Stam, J. Stable fluids. In *Proceedings of the 26th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1999, pp. 121–128.
- [71] Veach, E. *Robust Monte Carlo Methods for Light Transport Simulation*. Ph.D. thesis, Stanford University, 1997.

- [72] Veach, E., and Guibas, L. Metropolis light transport. In *Proceedings of the 24th Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1997, pp. 65–76.
- [73] Wald, I., Boulos, S., and Shirley, P. Ray tracing deformable scenes using dynamic bounding volume hierarchies. *ACM Transactions on Graphics (TOG)* 26, 1 (2007), 6.
- [74] Wang, X., and Phillips, C. Multi-weight enveloping: Least-squares approximation techniques for skin animation. In *Proceedings of the 2002 ACM SIGGRAPH/Eurographics Symposium on Computer Animation*, ACM, 2002, pp. 129–138.
- [75] Ward, G. The RADIANCE lighting simulation and rendering system. In *Proceedings of the 21st Annual Conference on Computer Graphics and Interactive Techniques*, ACM, 1994, pp. 459–472.
- [76] Warren, J., and Weimer, H. *Subdivision Methods for Geometric Design: A Constructive Approach*. Morgan Kaufmann, 2002.
- [77] Whitted, T. An improved illumination model for shaded display. *Communications of the ACM* 23, 6 (1980), 343–349.
- [78] Williams, D. Aliasing in human foveal vision. *Vision Research* 25, 2 (1985), 195–205.
- [79] Wright, R., and Lipchak, B. *OpenGL Superbible, 4th ed.* Addison-Wesley Professional, 2007.