

- Aaron, D.J., Kriska, A.M., Dearwater, S.R., Anderson, R.L., Olsen, T.L., Cauley, J.A., & LaPorte, R.E. (1993). The epidemiology of leisure physical activity in an adolescent population. *Medicine and Science in Sports and Exercise*, 25(7), 847-853.
- Allensworth, D.D., & Kolbe, L.J. (1987). The comprehensive school health program: Exploring an expanded concept. *Journal of School Health*, 57(10), 409-412.
- Allensworth, D.D., Lawson, E., Nicholson, L., & Wyche, J. (1997). Building the infrastructure for comprehensive school health programs in grades K-12. In: D.D. Allensworth, E. Lawson, L. Nicholson, & J. Wyche (Eds.), *Schools and health: Our nation's investment* (pp. 237-270). Washington, DC: National Academy Press.
- Bandura, A. (1986). *Social foundations of thought and action*. New York: Prentice Hall.
- Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: Freeman.
- Baranowski, T., Baranowski, J.C., Cullen, K.W., Thompson, D.I., Nicklas, T., Zakeri, I.F., & Rochon, J. (2003). The Fun, Food and Fitness Project (FFFP): The Baylor GEMS pilot study. *Ethnicity and Disease*, 13(Suppl. 1), 30-39.
- Baranowski, T., Hooks, P., Tsong, Y., Cieslik, C., & Nader, P.R. (1987). Aerobic physical activity among third- to sixth-grade children. *Journal of Developmental and Behavioral Pediatrics*, 8, 203-206.
- Baranowski, T., & Stables, G. (2000). Process evaluations of the 5-a-day projects. *Health Education and Behavior*, 27(2), 157-166.
- Bartholomew, L.K., Parcel, G.S., Kok, G., & Gottlieb, N.H. (2001). *Intervention mapping: Designing theory- and evidence-based health promotion programs*. New York: McGraw-Hill.
- Beech, B., Klesges, R.C., Kumanyika, S.K., Murray, D.M., Klesges, L., McClanahan, B., Slawson, D., Nunnally, C., Rochon, J., McLain-Allen, B., & Pree-Cary, J. (2003). Child- and parent-targeted interventions: The Memphis GEMS pilot study. *Ethnicity and Disease*, 13(Suppl. 1), 40-53.
- Bell, C., & Darnell, J. (1994). Curricular examples of sport education. In D. Siedentop (Ed.), *Sport education*. Champaign, IL: Human Kinetics.
- Bricker, S.K., Kanny, D., Mellinger-Birdsong, A., Powell, K.E., & Shisler, J.L. (2002). School transportation modes—Georgia, 2000. *Morbidity and Mortality Weekly Report*, 51(32), 704-705.
- Brown, W.H., Pfeiffer, K.A., McIver, K.L., Dowda, M., Almeida, J., & Pate, R.R. (2006). Assessing preschool children's physical activity: The Observational System for Recording Physical Activity in Children—Preschool Version. *Research Quarterly for Exercise and Sport* 77, 167-176.
- Caballero, B., Clay, T., Davis, S.M., Ethelbah, B., Holy Rock, B., Lohman, T., Norman, J., Story, M., Stone, E.J., Stephenson, L., & Stevens, J. (2003).

References

- Pathways: A school-based, randomized controlled trial for the prevention of obesity in American Indian schoolchildren. *American Journal of Clinical Nutrition*, 78(5), 1030-1038.
- Cavill, N., Biddle, S., & Sallis, J.F. (2001). Health enhancing physical activity for young people: Statement of the United Kingdom Expert Consensus Conference. *Pediatric Exercise Science*, 13(1), 12-25.
- Centers for Disease Control and Prevention. (1997). Guidelines for school and community programs to promote lifelong physical activity among young people. *MMWR Recommendations and Reports*, 46(RR-6), 1-36.
- Centers for Disease Control and Prevention. (1999). Framework for program evaluation in public health. *MMWR Recommendations and Reports*, 48 (No. RR-11) 1-40.
- Centers for Disease Control and Prevention. (2000). *CDC growth charts: United States*. Report No. 314. Hyattsville, MD: National Center for Health Statistics.
- Centers for Disease Control and Prevention. (2001). Increasing physical activity. A report on recommendations of the Task Force on Community Preventive Services. *MMWR Recommendations and Reports*, 50(RR-18), 1-14.
- Centers for Disease Control and Prevention. (2004). Surveillance summaries. *MMWR Recommendations and Reports*, 53(SS-2), 1-96.
- Centers for Disease Control and Prevention. (2005). Barriers to children walking to or from school—United States, 2004. *Morbidity and Mortality Weekly Report*, 54(38), 949-952.
- Cooper Institute for Aerobics Research. (1999). *FITNESSGRAM test administration manual* (2nd ed.). Champaign, IL: Human Kinetics.
- Davison, K.K., Cutting, T.M., & Birch, L.L. (2003). Parents' activity-related parenting practices predict girls' physical activity. *Medicine and Science in Sports and Exercise*, 35(9), 1589-1595.
- Dellinger, A.M., & Staunton, C.E. (2002). Barriers to children walking and biking to school—United States, 1999. *Morbidity and Mortality Weekly Report*, 51(32), 701-704.
- Dollman, J., Norton, K., & Norton, L. (2005). Evidence for secular trends in children's physical activity behaviour. *British Journal of Sports Medicine*, 39, 892-897.
- Doolittle, T.L., & Bigbee, R. (1968). The twelve-minute run-walk: A test of cardio-respiratory fitness of adolescent boys. *Research Quarterly*, 39(3), 491-495.
- Dowda, M., Pate, R.R., Trost, S.G., Almeida, M.J.C.A., & Sirard, J. (2004). Influences of preschool policies and practices on children's physical activity. *Journal of Community Health*, 29(3), 183-195.
- DuRant, R.H., Baranowski, T., Puhl, J., Rhodes, T., Davis, H., Greaves, K.A., & Thompson, W.O. (1993). Evaluation of the Children's Activity Rating Scale (CARS) in young children. *Medicine and Science in Sports and Exercise*, 25(12), 1415-1421.

References

- Dwyer, T., Coonan, W.E., Leitch, D.R., Hetzel, B.S., & Baghurst, R.A. (1983). An investigation of the effects of daily physical activity on the health of primary school students in South Australia. *International Journal of Epidemiology*, 12(3), 308-313.
- Engh, F. (2002). *Why Johnny hates sports*. New York: Square One.
- Epstein, L.H. (1998). Integrating theoretical approaches to promote physical activity. *American Journal of Preventive Medicine*, 14, 257-265.
- Epstein, L.H., Roemmich, J.N., Paluch, R.A., & Raynor, H.A. (2005). Physical activity as a substitute for sedentary behavior in youth. *Annals of Behavioral Medicine*, 29(3), 200-209.
- Ernst, M.P., & Pangrazi, R.P. (1999). Effects of a physical activity program on children's activity levels and attraction to physical activity. *Pediatric Exercise Science*, 11, 393-405.
- Evenson, K.R., Hutson, S.L., McMillen, B.J., Bors, P., & Ward, D.S. (2003). State-wide prevalence and correlates of walking and bicycling to school. *Archives of Pediatric and Adolescent Medicine*, 157(9), 887-892.
- Faith, M.S., Berman, N., Heo, M., Pietrobelli, A., Gallagher, D., Epstein, L.H., Eiden, M.T., & Allison, D.B. (2001). Effects of contingent television on physical activity and television viewing in obese children. *Pediatrics*, 107(5), 1043-1048.
- Federal Interagency Forum on Child and Family Statistics. (2005). America's children: Key national indicators of well-being. Retrieved March 29, 2006, from www.childstats.gov/americaschildren/pop6.asp.
- Fetro, J.V. (1998). Implementing coordinated school health programs in local schools. In: E. Marx, S.F. Wooley, & D. Northrop (Eds.), *Health is academic. A guide to coordinated school health programs* (pp. 15-42). New York: Teachers College Press.
- Fink, A. (1993). *Evaluation fundamentals. Guiding health programs, research, and policy*. Newbury Park, CA: Sage.
- Fitzgibbon, M.L., Stolley, M.R., Dyer, A.R., Van Horn, L., & KauferChristoffel, K. (2002). A community-based obesity prevention program for minority children: Rationale and study design for Hip-Hop to Health Jr. *Preventive Medicine*, 34(2), 289-297.
- Fitzgibbon, M.L., Stolley, M.R., Schiffer, L., Van Horn, L., KauferChristoffel, K., & Dyer, A. (2005). Two-year follow-up results for Hip Hop to Health, Jr.: A randomized controlled trial for overweight prevention in preschool minority children. *Journal of Pediatrics*, 146(5), 618-625.
- Fogelholm, M., Nuutinen, M., Pasanen, M., Myöhänen, E., & Säätelä, T. (1999). Parent-child relationship of physical activity patterns and obesity. *International Journal of Obesity*, 23(12), 1262-1268.
- Ford, B.S., McDonald, T.E., Owens, A.S., & Robinson, T.N. (2002). Primary care interventions to reduce television viewing in African-American children. *American Journal of Preventive Medicine*, 22(2), 106-109.

References

- Fulton, J.E., Garg, M., Galuska, D.A., Rattay, K.T., & Caspersen, C.J. (2004). Public health and clinical recommendations for physical activity and physical fitness: Special focus on overweight youth. *Sports Medicine*, 34(9), 581-599.
- Gittelsohn, J., Steckler, A., Johnson, C.C., Pratt, C., Grieser, M., Pickrel, J., Stone, E.J., Conway, T., Coombs, D., & Staten, L.K. (2006). Formative research in school and community-based health programs and studies: "State of the art" and the TAAG approach. *Health Education and Behavior*, 33(1), 25-39.
- Glanz, K., Rimer, B.K., & Lewis, F.M. (2002). Theory, research, and practice in health behavior and health education. In: K. Glanz, B.K. Rimer, & F.M. Lewis (Eds.), *Health behavior and health education: Theory, research, and practice* (3rd ed., pp. 22-39). San Francisco: Jossey-Bass.
- Goldfield, G.S., Kalakanis, L.E., Ernst, M.M., & Epstein, L.H. (2000). Open-loop feedback to increase physical activity in obese children. *International Journal of Obesity*, 24(7), 888-892.
- Gordon-Larsen, P., Griffiths, P., Bentley, M.E., Ward, D.S., Kelsey, K., Shields, K., & Ammerman, A. (2004). Barriers to physical activity: Qualitative data on caregiver-daughter perceptions and practices. *American Journal of Preventive Medicine*, 27(3), 218-223.
- Gordon-Larsen, P., McMurray, R.G., & Popkin, B.M. (2000). Determinants of adolescent physical activity and inactivity patterns. *Pediatrics*, 105(6), E83-90.
- Gordon-Larsen, P., Nelson, M.C., Page, P., & Popkin, B.M. (2006). Inequality in the built environment underlies key health disparities in physical activity and obesity. *Pediatrics*, 117(2), 417-424.
- Gortmaker, S.L., Chueng, L.W., Peterson, K.E., Chomitz, G., Cradle, J.H., Dart, H., Fox, M.K., Bullock, R.B., Sobol, A.M., Colditz, G., Field, A.E., & Laird, N. (1999). Impact of a school-based interdisciplinary intervention on diet and physical activity among urban primary school children: Eat Well and Keep Moving. *Archives of Pediatric and Adolescent Medicine*, 153(9), 975-983.
- Gortmaker, S.L., Peterson, K., Wiecha, J., Sobol, A.M., Dixit, S., Fox, M.K., & Laird, N. (1999). Reducing obesity via a school-based interdisciplinary intervention among youth: Planet Health. *Archives of Pediatric and Adolescent Medicine*, 153(4), 409-418.
- Green, L.W., & Kreuter, M.W. (1999). *Health promotion planning: An educational and environmental approach* (3rd ed.). Mountain View, CA: Mayfield.
- Gustafson, S.L., & Rhodes, R.E. (2006). Parental correlates of physical activity in children and adolescents. *Sports Medicine*, 36(1), 79-97.
- Harrell, J.S., McMurray, R.G., Bangdiwala, S.I., Frauman, A.C., Gansky, S.A., & Bradley, C.B. (1996). The effects of a school-based intervention to reduce cardiovascular risk factors in elementary school children: The Cardiovascular Health in Children (CHIC) Study. *Journal of Pediatrics*, 128(6), 797-804.
- Hastie, P.A. (1998). Skill and tactical development during sport education season. *Research Quarterly for Exercise and Sport*, 69(4), 368-379.

References

- Health Communication Unit. (1997). *Evaluating health promotion programs*. Toronto: Centre for Health Promotion, University of Toronto.
- Heitzler, C.D., Martin, S.L., Duke, J., & Huhman, M. (2006). Correlates of physical activity in a national sample of children aged 9-13 years. *Preventive Medicine*, 42(4), 254-260.
- Hoefer, W.R., McKenzie, T.L., Sallis, J.F., Marshall, S.J., & Conway, T.L. (2001). Parental provision of transportation for adolescent physical activity. *American Journal of Preventive Medicine*, 21(1), 48-51.
- Jackson, A.S., & Coleman, A.E. (1976). Validation of distance run tests for elementary school children. *Research Quarterly*, 47(1), 86-94.
- Kahn, E.B., Ramsey, L.T., Brownson, R.C., Heath, G.W., Howze, E.H., Powell, K.E., Stone, E.J., Rajab, M.W., Corso, P., & Task Force on Community Preventive Services. (2002). The effectiveness of interventions to increase physical activity: A systematic review. *American Journal of Preventive Medicine*, 22(4S1), 73-107.
- Kann, L., Warren, C.W., Harris, W.A., Collins, J.L., Douglas, K.A., Collins, M.E., Williams, B.I., Ross, J.G., & Kolbe, L.J. (1995). Youth risk behavior surveillance—United States, 1993. *Morbidity and Mortality Weekly Report*, 44(1), 1-56.
- Kelder, S., Hoelscher, D.M., Barroso, C.S., Walker, J.L., Cribb, P., & Hu, S. (2005). The CATCH Kids Club: A pilot after-school study for improving elementary students' nutrition and physical activity. *Public Health Nutrition*, 8(2), 133-140.
- Kohl, H.W. III, & Hobbs, K.E. (1998). Development of physical activity behaviors among children and adolescents. *Pediatrics*, 101(3, Pt. 2), 549-554.
- Liu, N.Y., Plowman, S.A., & Looney, M.A. (1992). The reliability and validity of the 20-meter shuttle test in American students 12 to 15 years old. *Research Quarterly for Exercise and Sport*, 63(4), 360-365.
- Lowry, R., Wechsler, H., Kann, L., & Collins, J.L. (2001). Recent trends in participation in physical education among US high school students. *Journal of School Health*, 71(4), 145-152.
- Luepker, R.V., Perry, C.L., McKinlay, S.M., Nader, P.R., Parcel, G.S., Stone, E.J., Webber, L.S., Elder, J.P., Feldman, H.A., & Johnson, C.C. (1996). Outcomes of a field trial to improve children's dietary patterns and physical activity: The Child and Adolescent Trial for Cardiovascular Health. *Journal of the American Medical Association*, 275(10), 768-776.
- Maksud, M.G., & Coutts, K.G. (1971). Application of the Cooper twelve-minute run-walk test to young males. *Research Quarterly*, 42(1), 54-59.
- Manios, Y., Kafatos, A., & Markakis, G. (1998). Physical activity of 6-year-old children: Validation of two proxy reports. *Pediatric Exercise Science*, 10(2), 176-188.
- McKenzie, T.L., Cohen, D.A., Sehgal, A., Williamson, S., & Golinelli, D. (2006). System for observing play and recreation in communities (SOPARC): Reliability and feasibility measures. *Journal of Physical Activity and Health*, 3(Suppl. 1), S208-222.

References

- McKenzie, T.L., Marshall, S.J., Sallis, J.F., & Conway, T.L. (2000). Leisure-time physical activity in school environments: An observational study using SOPLAY. *Preventive Medicine, 30*(1), 70-77.
- McKenzie, T.L., Marshall, S.J., Sallis, J.F., & Conway, T.L. (2000). Student activity levels, lesson context and teacher behavior during middle school physical education. *Research Quarterly for Exercise and Sport, 71*(3), 249-259.
- McKenzie, T.L., Nader, P.R., Strikmiller, P.K., Yang, M., Stone, E.J., Perry, C.L., Taylor, W.C., Epping, J.N., Feldman, H.A., Luepker, R.V., & Kelder, S.H. (1996). School physical education: Effect of the Child and Adolescent Trial for Cardiovascular Health. *Preventive Medicine, 25*(4), 423-431.
- McKenzie, T.L., Sallis, J.F., & Nader, P.R. (1991). SOFIT: System for observing fitness instruction time. *Journal of Teaching Physical Education, 11*, 195-205.
- McKenzie, T.L., Sallis, J.F., Patterson, T., Elder, J.P., Berry, C.C., Rupp, J.W., Atkins, C.J., Buono, M.J., & Nader, P.R. (1991). BEACHES: An observational system for assessing children's eating and physical activity behaviors and associated events. *Journal of Applied Behavior Analysis, 24*(1), 141-151.
- McKenzie, R.L., Sallis, J.F., Prochaska, J.J., Conway, T.L., Marshall, S.J., & Rosen-gard, P. (2004). Evaluation of a two-year middle school physical education intervention: M-SPAN. *Medicine and Science in Sports and Exercise, 36*(8), 1382-1388.
- McKenzie, T.L., Stone, E.J., Feldon, H.A., Epping, J.N., Yang, M., Strikmiller, P., Lytle, L.A., & Parcel, G.S. (2001). Effects of the CATCH physical education instruction: Teacher type and lesson location. *American Journal of Preventive Medicine, 21*(2), 101-109.
- McLeroy, K.R., Bibeau, D., Steckler, A., & Glanz, K. (1988). An ecological perspective on health promotion programs. *Health Education Quarterly, 15*(4), 351-377.
- Metz, K.F., & Alexander, J.F. (1970). An investigation of the relationship between maximum aerobic work capacity and physical fitness in twelve- to fifteen-year-old boys. *Research Quarterly, 41*(1), 75-81.
- Minkler, M., & Wallerstein, N.B. (2002). Improving health through community organization and community building. In: K. Glanz, B.K. Rimer, & F.M. Lewis (Eds.), *Health behavior and health education: Theory, research, and practice* (3rd ed.). New York: Wiley.
- Mischel, W. (1973). Toward a cognitive social learning reconceptualization of personality. *Psychological Review, 80*(4), 252-283.
- Morgan, D.W., Tseh, W., Caputo, J.L., Keefer, D.J., Craig, I.S., Griffith, K.B., Akins, M., Griffith, G.E., Krahenbuhl, G.S., & Martin, P.E. (2002). Prediction of the aerobic demand of walking in children. *Medicine and Science in Sports and Exercise, 34*(12), 2097-2102.
- Motl, R.W., Dishman, R.K., Saunders, R., Dowda, M., Felton, G., & Pate, R.R. (2001). Measuring enjoyment of physical activity in adolescent girls. *American Journal of Preventive Medicine, 21*(2), 110-117.

References

- Motl, R.W., Dishman, R.K., Trost, S.G., Saunders, R.P., Dowda, M., Felton, G., Ward, D.S., & Pate, R.R. (2000). Factorial validity and invariance of questionnaires measuring social-cognitive determinants of physical activity among adolescent girls. *Preventive Medicine, 31*(5), 584-594.
- Murphy, J.K., Alpert, B.S., Christman, J.V., & Willey, E.S. (1988). Physical fitness in children: A survey method based on parental report. *American Journal of Public Health, 78*(6), 708-710.
- Myers, L., Strikmiller, P.K., Webber, L.S., & Berenson, G.S. (1996). Physical and sedentary activity in school children grades 5-8: The Bogalusa Heart Study. *Medicine and Science in Sports and Exercise, 28*, 852-859.
- Nader, P.R. (2003). Frequency and intensity of activity of third grade children in physical education. *Archives of Pediatric and Adolescent Medicine, 157*(2), 185-190.
- National Association for Sport and Physical Education (NASPE). (1995). *Moving into the future: National standards for physical education. A guide to content and assessment*. Boston: McGraw-Hill. Portions available at www.aahperd.org/naspe/.
- National Center for Chronic Disease Prevention and Health Promotion. (2004). BMI for children and teens. Atlanta, GA: Centers for Disease Control and Prevention. Retrieved September 29, 2006, from <http://www.cdc.gov/nccdphp/dnpa/bmi/bmi-for-age.htm>.
- National Center for Health Statistics. (2004). Prevalence of overweight among children and adolescents: United States, 1999-2000. Retrieved September 29, 2006, from www.cdc.gov/nchs/products/pubs/pubd/hestats/overwght99.htm.
- National Institute of Child Health and Human Development Study of Early Child Care and Youth Development. (2003). Frequency and intensity of activity of third-grade children in physical education. *Archives of Pediatric and Adolescent Medicine, 157*(2), 185-190.
- Neumark-Sztainer, D., Story, M., Hannan, P., & Rex, J. (2003). New Moves: A school-based obesity prevention program for adolescent girls. *Preventive Medicine, 37*(1), 41-51.
- Noland, M., Danner, F., DeWalt, K., McFadden, M., & Kotchen, J.M. (1990). The measurement of physical activity in young children. *Research Quarterly for Exercise and Sport, 61*(2), 146-153.
- Nutrition and Physical Activity Work Group. (2002). *Guidelines for a comprehensive program to promote healthy eating and physical activity*. Champaign, IL: Human Kinetics.
- Parcel, G.S., Simons-Morton, B., O'Hara, N.M., Baranowski, T., & Wilson, B. (1989). School promotion of healthful diet and physical activity: Impact on learning outcomes and self-reported behavior. *Health Education Quarterly, 16*(2), 181-199.
- Pate, R.R. (1988). The evolving definition of fitness. *Quest, 40*(3), 174-179.

References

- Pate, R.R., Pratt, M., Blair, S.N., Haskell, W.L., Macera, C.A., Bouchard, C., Buchner, D., Ettinger, W., Heath, G.W., & King, A.C. (1995). Physical activity and public health. A recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *Journal of the American Medical Association*, 273(5), 402-407.
- Pate, R.R., Ross, R., Dowda, M., Trost, S.G., & Sirard, J. (2003). Validation of a three-day physical activity recall instrument in female youth. *Pediatric Exercise Science*, 15(3), 257-265.
- Pate, R.R., & Sirard, J.S. (2000). Physical activity in young people. *Topics in Nutrition*, 8(1), 1-18.
- Pate, R.R., Trost, S.G., Mullis, R., Sallis, J.F., Wechsler, H., & Brown, D.R. (2000). Community interventions to promote proper nutrition and physical activity among youth. *Preventive Medicine*, 31(Suppl. 1), 138-149.
- Pate, R.R., Ward, D.S., Saunders, R.P., Felton, G., Dishman, R.K., & Dowda, M. (2005). Promotion of physical activity among high-school girls: A randomized controlled trial. *American Journal of Public Health*, 95(9), 1582-1587.
- Patrick, K., Calfas, K.J., Norman, G.J., Zabinski, M.F., Sallis, J.F., Rupp, J., Covin, J., & Cella, J. (2006). Randomized controlled trial of a primary care and home-based intervention for physical activity and nutrition behaviors. *Archives of Pediatric Adolescent Medicine*, 160, 128-136.
- Patrick, K., Sallis, J.F., Lydston, D., Prochaska, J.J., Calfas, K.J., Zabinski, M., Wilfley, D., & Saelens, B. (2001). Preliminary evaluation of a multi-component program for nutrition and physical activity change in primary care: PACE+ for adolescents. *Archives of Pediatrics and Adolescent Medicine*, 155(8), 940-946.
- Perry, C.L., Sellers, D.E., Johnson, C., Pedersen, S., Bachman, K.J., Parcel, G.S., Stone, E.J., Luepker, R.V., Wu, M., Nader, P.R., & Cook, K. (1997). The Child and Adolescent Trial for Cardiovascular Health (CATCH): Intervention, implementation, and feasibility for elementary schools in the United States. *Health Education and Behavior*, 24(6), 716-735.
- Plescica, M., Young, S., & Ritzman, R.L. (2005). Statewide Community-based Health Promotion: A North Carolina Model to Build Local Capacity for Chronic Disease Prevention. *Preventing Chronic Disease: Public Health Research, Practice and Policy*. Vol 2. Special Issue: November 2005. Retrieved September 29, 2006, from http://www.cdc.gov/pcd/issues/2005/nov/pdf/05_0058.pdf.
- Prochaska, J.J., Zabinski, M.F., Calfas, K.J., Sallis, J.F., & Patrick, K. (2000). PACE+: Interactive communication technology for behavior change in clinical settings. *American Journal of Preventive Medicine*, 19(2), 127-131.
- Puhl, J., Greaves, K., Hoyt, M., & Baranowski, T. (1990). Children's Activity Rating Scale (CARS): Description and calibration. *Research Quarterly for Exercise and Sport*, 61(1), 26-36.
- Pucher, J., & Dijkstra, L. (2003). Making walking and cycling safer: Lessons from the Netherlands and Germany. *American Journal of Public Health*, 93(9), 1509-1516.

References

- Ransdell, L.B., Detling, N., Hildebrand, K., Lau, P., Moyer-Mileur, L., & Shultz, B. (2005). Daughters and Mothers Exercising Together (DAMET): Effects of home- and university-based physical activity interventions on perceived benefits and barriers related to exercise. *American Journal of Health Studies*, 19(5), 195-204.
- Ransdell, L.B., Detling, N., Taylor, A., Reel, J., & Shultz, B. (2004). Daughters and Mothers Exercising Together (DAMET): Effects of home- and university-based physical activity interventions on physical self-perception. *Women and Health*, 39(2), 63-82.
- Ransdell, L.B., Taylor, A., Oakland, D., Schmidt, J., Moyer-Mileur, L., & Shultz, B. (2003). Daughters and Mothers Exercising Together: Effects of home- and community-based programs. *Medicine and Science in Sports and Exercise*, 35(2), 286-296.
- Rekers, G.A., Sanders, J.A., Strauss, C.C., Rasbury, W.C., & Morey, S.M. (1989). Differentiation of adolescent activity participation. *Journal of Genetic Psychology*, 150(3), 323-335.
- Resnicow, K., Yaroch, A.L., Davis, A., Wang, D.T., Carter, S., Slaughter, L., Coleman, D., & Baranowski, T. (2000). GO GIRLS!: Results from a nutrition and physical activity program for low-income, overweight African American adolescent females. *Health Education and Behavior*, 27(5), 616-631.
- Roberts, D.R., Foehr, U.G., & Rideout, V. (2005). *Generation M: Media in the lives of 8-18 year-olds*. Menlo Park, CA: Kaiser Family Foundation. Retrieved September 29, 2006, from www.kff.org/entmedia/entmedia030905pkg.cfm.
- Roberts, D.F., Foehr, U.G., Rideout, V.J., & Brodie, M. (1999). *Kids & media @ the new millennium*. Menlo Park, CA: Kaiser Family Foundation. Retrieved September 29, 2006, from www.kff.org/entmedia/1535-index.cfm.
- Robinson, R.N. (1999). Reducing children's television viewing to prevent obesity. *Journal of the American Medical Association*, 282(16), 1561-1567.
- Robinson, T.N., Kraemer, H.C., Matheson, D.M., Pruitt, L.A., Owens, A.S., Flint-Moore, N.M., Davis, G.J., Emig, K.A., Brown, R.T., Rochon, J., Green, S., & Varady, A. (2003). Dance and reducing television watching to prevent weight gain in African American girls: Stanford GEMS pilot study. *Ethnicity and Disease*, 13(Suppl. 1), 65-77.
- Rubenstein, H., Sternbach, M.R., & Pollack, S.H. (1999). Protecting the health and safety of working teenagers. *American Family Physician*, 60, 575-587.
- Safrit, M.J. (1973). *Evaluation in physical education. Assessing motor behavior*. Englewood Cliffs, NJ: Prentice Hall.
- Sallis, J., Alcaraz, J., McKenzie, T., Hovell, M., Kolody, B., & Nader, P. (1992). Parental behavior in relation to physical activity and fitness in 9-year-old children. *American Journal of Diseases of Children*, 146, 1383-1388.
- Sallis, J.F., Buono, M.J., Roby, J., Micale, F.G., & Nelson, J.A. (1993). Seven-day recall and other physical activity self-reports in children and adolescents. *Medicine and Science in Sports and Exercise*, 25(1), 99-108.

References

- Sallis, J.F., & Glanz, K. (2006). The role of built environments in physical activity, eating, and obesity in childhood. *Future Child*, 16(1), 89-108.
- Sallis, J.F., McKenzie, T.L., Alcaraz, J.E., Kolody, B., Faucette, N., & Howell, M.F. (1997). Effects of a 2-year health-related physical education program (SPARK) on physical activity and fitness in elementary school students. *Sports, Play, and Active Recreation for Kids. American Journal of Public Health*, 87(8), 1328-1334.
- Sallis, J.F., McKenzie, T.L., Conway, T.L., Elder, J.P., Prochaska, J.J., Brown, M., Zive, M.M., Marshall, S.J., & Alcaraz, J.E. (2003). Environmental interventions for eating and physical activity: A randomized controlled trial in middle schools. *American Journal of Preventive Medicine*, 24(3), 209-217.
- Sallis, J.F., McKenzie, T.L., Kolody, B., & Curtis, P. (1996). Assessing district administrators' perceptions of elementary school physical education. *Journal of Physical Education, Recreation and Dance*, 67(8), 25-29.
- Sallis, J.F., & Owen, N. (2002). Ecological models of health behavior. In: K. Glanz, B.K. Rimer, & F.M. Lewis (Eds.), *Health behavior and health education: Theory, research, and practice* (3rd ed., pp. 462-484). San Francisco: Jossey-Bass.
- Sallis, J.F., & Patrick, K. (1994). Physical activity guidelines for adolescents: Consensus statement. *Pediatric Exercise Science*, 302(6), 314.
- Sallis, J.F., Pinski, R.B., Grossman, R.M., Patterson, T.L., & Nader, P.R. (1988). The development of self-efficacy scales for health-related diet and exercise behaviors. *Health Education Research*, 3(3), 283-292.
- Sallis, J.F., Prochaska, J.J., & Taylor, W.C. (2000). A review of correlates of physical activity of children and adolescents. *Medicine and Science in Sports and Exercise*, 32(5), 963-975.
- Sallis, J.F., & Saelens, B.E. (2000). Assessment of physical activity by self-report. Status, limitations, and future directions. *Research Quarterly for Exercise and Sport*, 71(Suppl. 2), S1-14.
- Sallis, J.F., Strikmiller, P.K., Harsha, D.W., Feldman, H.A., Ehlinger, S., Stone, E.J., Williston, J., & Woods, S. (1996). Validation of interviewer- and self-administered physical activity checklists for fifth grade students. *Medicine and Science in Sports and Exercise*, 28(7), 840-851.
- Sallis, J.F., Taylor, W.C., Dowda, M., Freedson, P.S., & Pate, R.R. (2002). Correlates of vigorous physical activity for children in grades 1 through 12: Comparing parent-reported and objectively measured physical activity. *Pediatric Exercise Science*, 14(1), 30-44.
- Sammann, P. (1998). *Active youth: Ideas for implementing CDC physical activity promotion guidelines*. Champaign IL: Human Kinetics.
- Saunders, R.P., Evans, M.H., & Joshi, P. (2005). Developing a process evaluation plan for assessing health promotion program implementation: A how-to guide. *Health Promotion Practice* 6, 134-147.

References

- Shadish, W.R., Cook, T.D., & Campbell, D.T. (2002). *Experimental and quasi-experimental designs for generalized causal inference*. Boston: Houghton Mifflin.
- Siedentop, D. (1994). *Sport education: Quality PE through positive sport experiences*. Champaign, IL: Human Kinetics.
- Siedentop, D., Hastie, P.A., & Vander Mars, H. (2002). *Complete guide to sport education*. Champaign, IL: Human Kinetics.
- Sindelar, R. (2002). The Clearinghouse on Early Education and Parenting (CEEP). Recess: Is it needed in the 21st century? Retrieved March 29, 2006, from <http://ceep.crc.uiuc.edu/poptopics/recess.html>.
- Sirard, J.R., Ainsworth, B.E., McIver, K.L., & Pate, R.R. (2005). Prevalence of active commuting at urban and suburban elementary schools in Columbia, SC. *American Journal of Public Health*, 95(2), 236-237.
- Sirard, J., & Pate, R.R. (2001). Physical activity assessment in children and adolescents. *Sports Medicine*, 31(6), 439-454.
- Steckler, A., & Linnan, L., Eds. (2002). *Process evaluation for public health interventions and research*. San Francisco: Jossey-Bass.
- Stevens, J., Murray, D.M., Catellier, D.J., Hannon, P.J., Lytle, L.A., Elder, J.P., Young, D.R., Simons-Morton, D.G., & Webber, L.S. (2005). Design of the Trial of Activity in Adolescent Girls. *Contemporary Clinical Trials*, 26(2), 223-233.
- Stewart, J.A., Dennison, D.A., Kohl, H.W. III, & Doyle, J.A. (2004). Exercise level and energy expenditure in the Take 10! in-class physical activity program. *Journal of School Health*, 74(10), 397-400.
- Stolley, M.R., & Fitzgibbon, M.L. (1997). Effects of an obesity prevention program on the eating behavior of African American mothers and daughters. *Health Education and Behavior*, 24(2), 152-164.
- Stone, E.J., McKenzie, T.L., Welk, G.J., & Booth, M.L. (1998). Effects of physical activity interventions in youth: Review and synthesis. *American Journal of Preventive Medicine*, 15(4), 298-315.
- Story, M., Kaphingst, K.M., & French, S. (2006). The role of child care settings in obesity prevention. *Future Child*, 16(1), 43-68.
- Story, M., Sherwood, N.E., Himes, J.H., Davis, M., Jacobs, D.R., Cartwright, Y., Smyth, M., & Rochon, J. (2003). An after school obesity prevention program for African American Girls: The Minnesota GEMS pilot study. *Ethnicity and Disease*, 13(Suppl. 1), 54-64.
- Stratton, R.K. (1996, November/December). Maintaining a positive team environment. *Coaching Youth Sports*, 2. Retrieved September 29, 2006, from <https://courseware.vt.edu/users/rstratto/CYS/>.
- Strong, W.B., Malina, R.M., Blimkie, C.J., Daniels, S.R., Dishman, R.K., Gutin, B., Hergenroeder, A.C., Must, A., Nixon, P.A., Pivarnik, J.M., Rowland, T., Trost, S., & Trudeau, F. (2005). Evidence based physical activity for school-age youth. *Journal of Pediatrics*, 146(6), 719-720.
- Sturm, R. (2005). Childhood obesity—what we can learn from existing data on societal trends, part 1. *Preventing Chronic Disease*, 2(1).

References

- Taggart, A.C., Taggart, J., & Siedentop, D. (1986). Effects of a home-based activity program. A study with low fitness elementary school children. *Behavior Modification, 10*(4), 487-507.
- Trost, S., Kerr, L., Ward, D.S., & Pate, R.R. (2001). Physical activity and determinants of physical activity in obese and non-obese children. *International Journal of Obesity, 25*(6), 822-829.
- Trost, S.G., Pate, R.R., Sallis, J.F., Freedson, P.S., Taylor, W.C., Dowda, M., & Sirard, J. (2002). Age and gender differences in objectively measured physical activity in youth. *Medicine and Science in Sports and Exercise, 34*(2), 350-355.
- Trost, S.G., Sirard, J.R., Dowda, M., Pfeiffer, K.A., & Pate, R.R. (2003). Physical activity in overweight and non-overweight preschool children. *International Journal of Obesity, 27*(7), 834-839.
- Tudor-Locke, C., & Bassett, D.R., Jr. (2004). How many steps/day are enough? Preliminary pedometer indices for public health. *Sports Medicine, 34*(1), 1-8.
- Tudor-Locke, C., Pangrazi, R.P., Corbin, C.B., Rutherford, W.J., Vincent, S.D., Raustorp, A., Tomson, L.M., & Cuddihy, T.F. (2004). BMI-referenced standards for recommended pedometer-determined steps/day in children. *Preventive Medicine, 38*(6), 857-864.
- Tudor-Locke, C., Williams, J.E., Reis, J.P., & Pluto, D. (2002). Utility of pedometers for assessing physical activity: Convergent validity. *Sports Medicine, 32*(12), 795-808.
- U.S. Department of Education. (2005). Contexts of elementary and secondary education. Institute of Educational Science. National Center for Educational Statistics. Retrieved March 29, 2006, from <http://nces.ed.gov/programs/coe/2005/section4/table.asp?tableID=283>.
- U.S. Department of Health and Human Services. (1996). *Physical activity and health: A report of the Surgeon General*. Atlanta: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- U.S. Department of Health and Human Services. (2000). *Healthy people 2010* (2nd ed.). Washington, DC: U.S. Government Printing Office. Retrieved September 29, 2006, from www.healthypeople.gov.
- U.S. Department of Health and Human Services. (2002). *Physical activity evaluation handbook*. Atlanta: Centers for Disease Control and Prevention. Retrieved September 29, 2006, from www.cdc.gov/nccdphp/dnpa/physical/handbook/.
- U.S. Department of Health and Human Services. (2004). Participation in high school physical education—United States, 1991-2003. *Mortality and Morbidity Weekly Report, 53*(36), 844-847.
- U.S. Department of Health and Human Services, & U.S. Department of Education. (2000). Promoting better health for young people through physical activity and sports. Silver Spring, MD: Centers for Disease Control and Prevention. Retrieved September 29, 2006, from www.cdc.gov/HealthyYouth/physicalactivity/promoting_health/index.htm.

References

- Ward, D.S., Evenson, K.R., Vaughn, A., Rodgers, A.B., & Troiano, R.P. (2005). Accelerometer use in physical activity: Best practices and research recommendations. *Medicine and Science in Sports and Exercise*, 37(11), S582-S588.
- Welk, G.J. (1999a). Promoting physical activity in children: Parental influences. Washington, DC: ERIC Clearinghouse on Teaching and Teacher Education (ERIC Digest EDO-SP-1999-1). Retrieved September 29, 2006, from www.ericdigests.org/2000-3/activity.htm.
- Welk, G.J. (1999b). The youth physical activity promotion model: A conceptual bridge between theory and practice. *Quest*, 51(1), 5-23.
- Welk, G.J., Wood, K., & Morss, G. (2003). Parental influences on physical activity in children: An exploration of potential mechanisms. *Pediatric Exercise Science*, 15(1), 19-33.
- Weston, A.T., Petosa, R., & Pate, R.R. (1997). Validity of an instrument for measurement of physical activity in youth. *Medicine and Science in Sports and Exercise*, 29(1), 138-143.
- Wetzstein, C. (2000, April 13). Latchkey children statistics unlocked. *Washington Times*. Retrieved March 19, 2006, from National Center for Policy Analysis Web site: www.ncpa.org/pi/edu/pd041300c.html.
- Wiley, J.F., & Shaver, L.G. (1972). Prediction of maximum oxygen intake from running performances of untrained young men. *Research Quarterly*, 43(1), 89-93.
- Young, D.R., Johnson, C.C., Steckler, A., Gittelsohn, J., Saunders, R.P., Saksvig, B.I., Ribisl, K.M., Lytle, L.A., & McKenzie, T.L. (2006). Data to action: Using formative research to develop intervention programs to increase physical activity in adolescent girls. *Health Education and Behavior*, 33(1), 97-111.
- Youth Risk Behavior Surveillance System. (2004). Youth online—comprehensive results. Centers for Disease Control and Prevention. Retrieved September 29, 2006, from <http://apps.nccd.cdc.gov/yrbss/>.