

References

- [1] W. ACKERMANN, Zum Hilbertschen Aufbau der reellen Zahlen, *Math. Annalen*, 99 (1928), pp. 118–133.
- [2] A.V. AHO AND J.D. ULLMAN, *The Theory of Parsing, Translation, and Compiling, Vol. I: Parsing*, Prentice Hall, Englewood Cliffs, NJ, 1972.
- [3] ———, *The Theory of Parsing, Translation, and Compiling, Vol. II: Compiling*, Prentice Hall, Englewood Cliffs, NJ, 1973.
- [4] ———, *Principles of Compiler Design*, Addison-Wesley, Reading, MA, 1977.
- [5] M.A. ARBIB AND Y. GIVE'ON, Algebra automata I: Parallel programming as a prolegomenon to the categorical approach, *Information and Control*, 12 (1968), pp. 331–345.
- [6] R.C. BACKHOUSE, *Closure Algorithms and the Star-Height Problem of Regular Languages*, Ph.D. thesis, Imperial College, London, 1975.
- [7] J.W. BACKUS, The syntax and semantics of the proposed international algebraic language of the Zürich ACM-GAMM conference, in *Proc. Intl. Conf. Information Processing*, UNESCO, 1959, pp. 125–132.
- [8] Y. BAR-HILLEL, M. PERLES, AND E. SHAMIR, On formal properties of simple phrase structure grammars, *Z. Phonetik. Sprachwiss. Kommunikationsforsch.*, 14 (1961), pp. 143–172.
- [9] H.P. BARENDREGT, *The Lambda Calculus*, North-Holland, Amsterdam, 1984.
- [10] S.L. BLOOM AND Z. ÉSIK, Equational axioms for regular sets, *Mathematical Structures in Computer Science*, 3 (1993), pp. 1–24.
- [11] M. BOFFA, Une remarque sur les systèmes complets d'identités rationnelles, *Informatique Théorique et Applications/Theoretical Informatics and Applications*, 24 (1990), pp. 419–423.

- [12] ———, Une condition impliquant toutes les identités rationnelles, *Informatique Théorique et Applications/Theoretical Informatics and Applications*, 29 (1995), pp. 515–518.
- [13] W.S. BRAINERD, *Tree Generating Systems and Tree Automata*, Ph.D. thesis, Purdue University, Indiana, 1967.
- [14] ———, The minimalization of tree automata, *Information and Control*, 13 (1968), pp. 484–491.
- [15] W.S. BRAINERD AND L.H. LANDWEBER, *Theory of Computation*, John Wiley, New York, 1974.
- [16] G. CANTOR, Über eine Eigenschaft des Inbegriffes aller reellen algebraischen Zahlen, *J. für die reine und angewandte Mathematik*, 77 (1874), pp. 258–262. Reprinted in *Georg Cantor Gesammelte Abhandlungen*, Berlin, Springer-Verlag, 1932, pp. 115–118.
- [17] N. CHOMSKY, Three models for the description of languages, *IRE Trans. Information Theory*, 2 (1956), pp. 113–124.
- [18] ———, On certain formal properties of grammars, *Information and Control*, 2 (1959), pp. 137–167.
- [19] ———, Context-free grammars and pushdown storage, Tech. Rep., MIT Research Lab. in Electronics, Cambridge, MA, 1962.
- [20] ———, Formal properties of grammars, *Handbook of Math. Psych.*, 2 (1963), pp. 323–418.
- [21] N. CHOMSKY AND G.A. MILLER, Finite state languages, *Information and Control*, 1 (1958), pp. 91–112.
- [22] N. CHOMSKY AND M.P. SCHÜTZENBERGER, The algebraic theory of context free languages, in *Computer Programming and Formal Systems*, P. Braffort and D. Hirschberg, eds., North-Holland, Amsterdam, 1963, pp. 118–161.
- [23] A. CHURCH, A set of postulates for the foundation of logic, *Ann. Math.*, 33–34 (1933), pp. 346–366, 839–864.
- [24] ———, A note on the Entscheidungsproblem, *J. Symbolic Logic*, 58 (1936), pp. 345–363.
- [25] ———, An unsolvable problem of elementary number theory, *Amer. J. Math.*, 58 (1936), pp. 345–363.
- [26] ———, The calculi of lambda-conversion, *Ann. Math. Studies*, 6 (1941).
- [27] J.H. CONWAY, *Regular Algebra and Finite Machines*, Chapman and Hall, London, 1971.
- [28] S.A. COOK, The complexity of theorem proving procedures, in *Proc. Third Symp. Theory of Computing*, Assoc. Comput. Mach., New York, 1971, pp. 151–158.
- [29] H.B. CURRY, An analysis of logical substitution, *Amer. J. Math.*, 51 (1929), pp. 363–384.
- [30] N.J. CUTLAND, *Computability*, Cambridge University, Cambridge, 1980.

- [31] M. DAVIS, *Computability and Unsolvability*, McGraw-Hill, New York, 1958.
- [32] ———, *The Undecidable*, Raven Press, Hewlett, NY, 1965.
- [33] A. EHRENFEUCHT, R. PARIKH, AND G. ROZENBERG, Pumping lemmas and regular sets, *SIAM J. Computing*, 10 (1981), pp. 536–541.
- [34] S. EILENBERG AND J.B. WRIGHT, Automata in general algebra, *Information and Control*, 11 (1967), pp. 452–470.
- [35] J. ENGELFRIET, Tree automata and tree grammars, Tech. Rep. DAIMI FN-10, Aarhus University, Aarhus, Denmark, 1975.
- [36] J. EVEY, Application of pushdown store machines, in *Proc. Fall Joint Computer Conf.*, AFIPS Press, Montvale, NJ, 1963, pp. 215–227.
- [37] P.C. FISCHER, On computability by certain classes of restricted Turing machines, in *Proc. Fourth Symp. Switching Circuit Theory and Logical Design*, 1963, pp. 23–32.
- [38] ———, Turing machines with restricted memory access, *Information and Control*, 9 (1966), pp. 364–379.
- [39] P.C. FISCHER, A.R. MEYER, AND A.L. ROSENBERG, Counter machines and counter languages, *Math. Systems Theory*, 2 (1968), pp. 265–283.
- [40] M.R. GAREY AND D.S. JOHNSON, *Computers and Intractability: A Guide to the Theory of NP-Completeness*, W.H. Freeman, New York, 1979.
- [41] F. GÉCSEG AND I. PEÁK, *Algebraic Theory of Automata*, Akadémiai Kiadó, Budapest, 1972.
- [42] F. GÉCSEG AND M. STEINBY, *Tree Automata*, Akadémiai Kiadó, Budapest, 1984.
- [43] S. GINSBURG, *The Mathematical Theory of Context-Free Languages*, McGraw-Hill, New York, 1966.
- [44] S. GINSBURG AND S.A. GREIBACH, Deterministic context-free languages, *Information and Control*, 9 (1966), pp. 563–582.
- [45] S. GINSBURG AND H.G. RICE, Two families of languages related to ALGOL, *J. Assoc. Comput. Mach.*, 9 (1962), pp. 350–371.
- [46] S. GINSBURG AND G.F. ROSE, Operations which preserve definability in languages, *J. Assoc. Comput. Mach.*, 10 (1963), pp. 175–195.
- [47] ———, Some recursively unsolvable problems in ALGOL-like languages, *J. Assoc. Comput. Mach.*, 10 (1963), pp. 29–47.
- [48] ———, Preservation of languages by transducers, *Information and Control*, 9 (1966), pp. 153–176.
- [49] S. GINSBURG AND E.H. SPANIER, Quotients of context-free languages, *J. Assoc. Comput. Mach.*, 10 (1963), pp. 487–492.
- [50] K. GÖDEL, Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I, *Monatshefte für Mathematik und Physik*, 38 (1931), pp. 173–198.

- [51] ———, On undecidable propositions of formal mathematical systems, in *The Undecidable*, M. Davis, ed., Raven Press, Hewlett, NY, 1965, pp. 5–38.
- [52] J. GOLDSTINE, A simplified proof of Parikh's theorem, *Discrete Math.*, 19 (1977), pp. 235–240.
- [53] S.A. GREIBACH, A new normal form theorem for context-free phrase structure grammars, *J. Assoc. Comput. Mach.*, 12 (1965), pp. 42–52.
- [54] L. HAINES, *Generation and recognition of formal languages*, Ph.D. thesis, MIT, Cambridge, MA, 1965.
- [55] M.A. HARRISON, *Introduction to Formal Language Theory*, Addison-Wesley, Reading, MA, 1978.
- [56] J. HARTMANIS AND J.E. HOPCROFT, Structure of undecidable problems in automata theory, in *Proc. Ninth Symp. Switching and Automata Theory*, IEEE, 1968, pp. 327–333.
- [57] J. HARTMANIS AND R.E. STEARNS, On the complexity of algorithms, *Trans. Amer. Math. Soc.*, 117 (1965), pp. 285–306.
- [58] F.C. HENNIE, *Introduction to Computability*, Addison-Wesley, Reading, MA, 1977.
- [59] J.E. HOPCROFT, An $n \log n$ algorithm for minimizing the states in a finite automaton, in *The Theory of Machines and Computation*, Z. Kohavi, ed., Academic Press, New York, 1971, pp. 189–196.
- [60] J.E. HOPCROFT AND J.D. ULLMAN, *Introduction to Automata Theory, Languages, and Computation*, Addison-Wesley, Reading, MA, 1979.
- [61] D.A. HUFFMAN, The synthesis of sequential switching circuits, *J. Franklin Institute*, 257 (1954), pp. 161–190, 275–303.
- [62] J. JAFFE, A necessary and sufficient pumping lemma for regular languages, *SIGACT News*, 10 (1978), pp. 48–49.
- [63] N.D. JONES, *Computability Theory: An Introduction*, Academic Press, New York, 1973.
- [64] R.M. KARP, Reducibility among combinatorial problems, in *Complexity of Computer Computations*, R.E. Miller and J.W. Thatcher, eds., Plenum Press, New York, 1972, pp. 85–103.
- [65] T. KASAMI, An efficient recognition and syntax algorithm for context-free languages, Tech. Rep. AFCRL-65-758, Air Force Cambridge Research Lab, Bedford, MA, 1965.
- [66] S.C. KLEENE, A theory of positive integers in formal logic, *Amer. J. Math.*, 57 (1935), pp. 153–173, 219–244.
- [67] ———, General recursive functions of natural numbers, *Math. Annalen*, 112 (1936), pp. 727–742.
- [68] ———, Recursive predicates and quantifiers, *Trans. Amer. Math. Soc.*, 53 (1943), pp. 41–74.

- [69] ———, *Introduction to Metamathematics*, D. van Nostrand, Princeton, NJ, 1952.
- [70] ———, Representation of events in nerve nets and finite automata, in *Automata Studies*, C.E. Shannon and J. McCarthy, eds., Princeton University Press, Princeton, NJ, 1956, pp. 3–41.
- [71] D.E. KNUTH, On the translation of languages from left to right, *Information and Control*, 8 (1965), pp. 607–639.
- [72] D.C. KOZEN, *The Design and Analysis of Algorithms*, Springer-Verlag, New York, 1991.
- [73] ———, A completeness theorem for Kleene algebras and the algebra of regular events, *Infor. and Comput.*, 110 (1994), pp. 366–390.
- [74] D. KROB, A complete system of B -rational identities, *Theoretical Computer Science*, 89 (1991), pp. 207–343.
- [75] W. KUICH, The Kleene and Parikh theorem in complete semirings, in *Proc. 14th Colloq. Automata, Languages, and Programming*, T. Ottmann, ed., vol. 267 of *Lect. Notes in Comput. Sci.*, EATCS, Springer-Verlag, New York, 1987, pp. 212–225.
- [76] W. KUICH AND A. SALOMAA, *Semirings, Automata, and Languages*, Springer-Verlag, Berlin, 1986.
- [77] S.Y. KURODA, Classes of languages and linear bounded automata, *Information and Control*, 7 (1964), pp. 207–223.
- [78] P.S. LANDWEBER, Three theorems on phrase structure grammars of type 1, *Information and Control*, 6 (1963), pp. 131–136.
- [79] H.R. LEWIS AND C.H. PAPADIMITRIOU, *Elements of the Theory of Computation*, Prentice Hall, Englewood Cliffs, NJ, 1981.
- [80] P.M. LEWIS, D.J. ROSENKRANTZ, AND R.E. STEARNS, *Compiler Design Theory*, Addison-Wesley, Reading, MA, 1976.
- [81] M. MACHTEY AND P. YOUNG, *An Introduction to the General Theory of Algorithms*, North-Holland, Amsterdam, 1978.
- [82] Z. MANNA, *Mathematical Theory of Computation*, McGraw-Hill, New York, 1974.
- [83] A.A. MARKOV, *The Theory of Algorithms*, vol. 42, Trudy Math. Steklov Inst., 1954. English translation, National Science Foundation, Washington, DC, 1961.
- [84] W.S. MCCULLOCH AND W. PITTS, A logical calculus of the ideas immanent in nervous activity, *Bull. Math. Biophysics*, 5 (1943), pp. 115–143.
- [85] R. MCNAUGHTON AND H. YAMADA, Regular expressions and state graphs for automata, *IEEE Trans. Electronic Computers*, 9 (1960), pp. 39–47.
- [86] A.R. MEYER AND D.M. RITCHIE, The complexity of loop programs, in *Proc. ACM Natl. Meeting*, 1967, pp. 465–469.

- [87] R. MILNER, Operational and algebraic semantics of concurrent processes, in *Handbook of Theoretical Computer Science*, J. van Leeuwen, ed., vol. B, North-Holland, Amsterdam, 1990, pp. 1201–1242.
- [88] M.L. MINSKY, Recursive unsolvability of Post's problem of 'tag' and other topics in the theory of Turing machines, *Ann. Math.*, 74 (1961), pp. 437–455.
- [89] M.L. MINSKY AND S. PAPERT, Unrecognizable sets of numbers, *J. Assoc. Comput. Mach.*, 13 (1966), pp. 281–286.
- [90] E.F. MOORE, Gedanken experiments on sequential machines, *Automata Studies*, (1956), pp. 129–153.
- [91] J. MYHILL, Finite automata and the representation of events, Technical Note WADD 57-624, Wright Patterson AFB, Dayton, Ohio, 1957.
- [92] ———, Linear bounded automata, Technical Note WADD 60-165, Wright Patterson AFB, Dayton, Ohio, 1960.
- [93] P. NAUR, Revised report on the algorithmic language ALGOL 60, *Comm. Assoc. Comput. Mach.*, 6 (1963), pp. 1–17.
- [94] A. NERODE, Linear automaton transformations, *Proc. Amer. Math. Soc.*, 9 (1958), pp. 541–544.
- [95] A.G. OETTINGER, Automatic syntactic analysis and the pushdown store, *Proc. Symposia on Applied Math.*, 12 (1961).
- [96] W. OGDEN, A helpful result for proving inherent ambiguity, *Math. Systems Theory*, 2 (1968), pp. 191–194.
- [97] C.H. PAPADIMITRIOU, *Computational Complexity*, Addison-Wesley, Reading, MA, 1994.
- [98] R. PARIKH, On context-free languages, *J. Assoc. Comput. Mach.*, 13 (1966), pp. 570–581.
- [99] E. POST, Finite combinatory processes-formulation, I, *J. Symbolic Logic*, 1 (1936), pp. 103–105.
- [100] ———, Formal reductions of the general combinatorial decision problem, *Amer. J. Math.*, 65 (1943), pp. 197–215.
- [101] ———, Recursively enumerable sets of positive natural numbers and their decision problems, *Bull. Amer. Math. Soc.*, 50 (1944), pp. 284–316.
- [102] M.O. RABIN AND D.S. SCOTT, Finite automata and their decision problems, *IBM J. Res. Develop.*, 3 (1959), pp. 115–125.
- [103] V.N. REDKO, On defining relations for the algebra of regular events, *Ukrain. Mat. Z.*, 16 (1964), pp. 120–126. In Russian.
- [104] H.G. RICE, Classes of recursively enumerable sets and their decision problems, *Trans. Amer. Math. Soc.*, 89 (1953), pp. 25–59.
- [105] ———, On completely recursively enumerable classes and their key arrays, *J. Symbolic Logic*, 21 (1956), pp. 304–341.
- [106] H. ROGERS, JR., *Theory of Recursive Functions and Effective Computability*, McGraw-Hill, New York, 1967.

- [107] J.B. ROSSER, A mathematical logic without variables, *Ann. Math.*, 36 (1935), pp. 127–150.
- [108] A. SALOMAA, Two complete axiom systems for the algebra of regular events, *J. Assoc. Comput. Mach.*, 13 (1966), pp. 158–169.
- [109] A. SALOMAA AND M. SOITTOLA, *Automata Theoretic Aspects of Formal Power Series*, Springer-Verlag, New York, 1978.
- [110] S. SCHEINBERG, Note on the Boolean properties of context-free languages, *Information and Control*, 3 (1960), pp. 372–375.
- [111] M. SCHÖNFINKEL, Über die Bausteine der mathematischen Logik, *Math. Annalen*, 92 (1924), pp. 305–316.
- [112] M.P. SCHÜTZENBERGER, On context-free languages and pushdown automata, *Information and Control*, 6 (1963), pp. 246–264.
- [113] J.I. SEIFERAS AND R. MCNAUGHTON, Regularity-preserving relations, *Theor. Comput. Sci.*, 2 (1976), pp. 147–154.
- [114] J.C. SHEPHERDSON, The reduction of two-way automata to one-way automata, *IBM J. Res. Develop.*, 3 (1959), pp. 198–200.
- [115] J.R. SHOENFIELD, *Degrees of Unsolvability*, North-Holland, Amsterdam, 1971.
- [116] R.I. SOARE, *Recursively Enumerable Sets and Degrees*, Springer-Verlag, Berlin, 1987.
- [117] D. STANAT AND S. WEISS, A pumping theorem for regular languages, *SIGACT News*, 14 (1982), pp. 36–37.
- [118] L.J. STOCKMEYER, The polynomial-time hierarchy, *Theor. Comput. Sci.*, 3 (1976), pp. 1–22.
- [119] J.W. THATCHER AND J.B. WRIGHT, Generalized finite automata theory with an application to a decision problem of second order logic, *Math. Syst. Theory*, 2 (1968), pp. 57–81.
- [120] A.M. TURING, On computable numbers with an application to the Entscheidungsproblem, *Proc. London Math. Soc.*, 42 (1936), pp. 230–265. Erratum: *Ibid.*, 43 (1937), pp. 544–546.
- [121] ———, Systems of logic based on ordinals, *Proc. London Math. Soc.*, 42 (1939), pp. 230–265.
- [122] M.Y. VARDI, A note on the reduction of two-way automata to one-way automata, *Information Processing Letters*, 30 (1989), pp. 261–264.
- [123] A.N. WHITEHEAD AND B. RUSSELL, *Principia Mathematica*, Cambridge University Press, Cambridge, 1910–1913. Three volumes.
- [124] A. YASUHARA, *Recursive Function Theory and Logic*, Academic Press, New York, 1971.
- [125] D.H. YOUNGER, Recognition and parsing of context-free languages in time n^3 , *Information and Control*, 10 (1967), pp. 189–208.