

15. POUŽITÁ LITERATÚRA

- Abourashed E.A., El-Alfy A.T., Khan I.A., Walker L.: Ephedra in Perspective – A Current Review. *Phytother. Res.* 17, 703–712 (2003).
- Agerbirk N.s., De Vos M., Kim J.H., Jander G.: Indole glucosinolate breakdown and its biological effects. *Phytochem. Rev.* 8, 101–120 (2009).
- Andersen Øyvind M., Markham K.R. (eds.): *Flavonoids. Chemistry, Biochemistry and Applications*. CRC Press, Taylor & Francis Group, 2006.
- Aniszewski T.: *Alkaloids – Secrets of life. Alkaloid chemistry, biological significance, applications and ecological role*. Elsevier B.V. 2007.
- Ashihara H., Sano H., Crozier A.: Caffeine and related purine alkaloids: Biosynthesis, catabolism, function and genetic engineering. *Phytochemistry* 69, 841–856 (2008).
- Bade R., Chan H.-F., Reynisson J.: Characteristics of known drug space. Natural products, their derivatives and synthetic drugs. *Eur. J. Med. Chem.* 45, 5646–5652 (2010).
- Bagrov A.Y., Shapiro J.I., Fedorova O.V.: Endogenous Cardiotonic Steroids: Physiology, Pharmacology, and Novel Therapeutic Targets. *Pharmacol. Rev.* 61, 9–38 (2009).
- Bentinger M., Tekle M., Dallner G.: Coenzyme Q – Biosynthesis and functions. *Biochem. Biophys. Res. Commun.* 396, 74–79 (2010).
- Berkov S., Codina C., Viladomat F., Bastida J.: Alkaloids from *Galanthus nivalis*. *Phytochemistry* 68, 1791–1798 (2007).
- Berlinck R.G.S.: Natural guanidine derivatives. *Nat. Prod. Rep.*, 19, 617–649 (2002).
- Berlinck R.G.S., Burtoloso A.C.B., Kossuga M.H.: The chemistry and biology of organic guanidine derivatives. *Nat. Prod. Rep.* 25, 919–954 (2008).
- Berlinck R.G.S., Burtoloso A.C.B., Trindade-Silva A.E., Romminger S., Morais R.P., Bandeira K., Mizuno C. M.: The chemistry and biology of organic guanidine derivatives. *Nat. Prod. Rep.* 27, 1871–1907 (2010).
- Berlinck R.G.S., Kossuga M.H.: Natural guanidine derivatives. *Nat. Prod. Rep.* 22, 516–550 (2005).
- Biastoff S., Brandt W., Dräger B.: Putrescine N-methyltransferase – The start for alkaloids. *Phytochemistry* 70, 1708–1718 (2009).
- Bjarnholt N., Møller B.M.: Hydroxynitrile glucosides. *Phytochemistry* 69, 1947–1961 (2008).
- Blondeau S., Do Q.T., Scior T., Bernard P., Morin-Allory L.: Reverse Pharmacognosy: Another Way to Harness the Generosity of Nature. *Curr. Pharm. Design* 16, 1682–1696 (2010).
- Breitmaier E.: *Terpene. Aromen, Dufte, Pharmaka, Pheromone*. 2., vollständig überarbeitete und erweiterte Auflage. WILEY-VCH Verlag GmbH & Co. KGaA Weinheim, 2005.
- Bringmann G., Irmer A., Feineis D., Gulder T.A.M., Fiedler H.-P.: Convergence in the biosynthesis of acetogenic natural products from plants, fungi, and bacteria. *Phytochemistry* 70, 1776–1786 (2009).
- Buckingham J. (ed.): *Dictionary of Natural Products*, Version 16.2, Chapman and Hall, Oxfordshire 2008.
- Cartea M.E., Velasco P.: Glucosinolates in Brassica foods: bioavailability in food and significance for human health. *Phytochem. Rev.* 7, 213–229 (2008).
- Chen J.C., Chiu M.H., Nie R.L., Cordell G.A., Qiu S.X.: Cucurbitacins and cucurbitane glycosides: structures and biological activities. *Nat. Prod. Rep.* 22, 386–399 (2005).

- Culvenor C.C., Edgar J.A., Smith L.W., Hirono I.: The occurrence of senkirkine in *Tussilago farfara*. Aust. J. Chem. 29, 229–230 (1976).
- Cordell G.A. (ed.): The alkaloids. Chemistry and Biology. Vol.68. First edition. Elsevier Inc. 2010.
- Couet C.E., Crews C., Hanley A.B.: Analysis, separation, and bioassay of pyrrolizidine alkaloids from comfrey (*Symphytum officinale*). Nat. Toxins; 4, 163–167 (1996).
- Couzinet-Mossion A., Balayssac S., Gilard V., Malet-Martino M., Potin-Gautier M., Behra P.: Interaction mechanisms between caffeine and polyphenols in infusions of *Camellia sinensis* leaves. Food Chem. 119, 173–181 (2010).
- Croteau R., Ketchum R.E.B., Long R.M., Kaspera R., Wildung M.R.: Taxol biosynthesis and molecular genetics. Phytochem. Rev. 5, 75–97 (2006).
- Crozier A., Clifford M.N., Ashihara H. (eds.): Plant Secondary Metabolites: Occurrence, Structure and Role in the Human Diet. Blackwell Publishing Ltd. 2006.
- Das U.N.: Essential Fatty Acids - A Review. Curr. Pharm. Biotechnol. 7, 467–482 (2006).
- Devkota K.P., Lenta B.N., Fokou P.A., Sewald N.: Terpenoid alkaloids of the Buxaceae family with potential biological importance. Nat. Prod. Rep. 25, 612–630 (2008).
- Dewick P.M.: Medicinal Natural Products. A Biosynthetic Approach. 3rd Edition. John Wiley & Sons Ltd. 2009.
- Dimise E.J., Bruner S.D.: Unmasking morphine. Nature Chem. Biol. 6, 251–252 (2010).
- Eich E.: Solanaceae and Convolvulaceae: Secondary Metabolites Biosynthesis, Chemotaxonomy, Biological and Economic Significance (A Handbook), Springer 2008.
- El-Sayed M., Verpoorte R.: Catharanthus terpenoid indole alkaloids: biosynthesis and regulation. Phytochem. Rev. 6, 277–305 (2007).
- Evans W.Ch.: Trease and Evans Pharmacognosy, Fifteenth edition, W.B. Saunders, Edinburgh, Toronto (2002).
- Facchini P.J., Hagel J.M., Liscombe D.K., Loukanina N., MacLeod B.P., Samanani N., Zulak K.G.: Opium poppy: blueprint for an alkaloid factory. Phytochem. Rev. 6, 97–124 (2007).
- Fahey J.W., Zalcman A.T., Talalay P.: The chemical diversity and distribution of glucosinolates and isothiocyanates among plants. Phytochemistry 56, 5–51 (2001).
- Fattorusso E., Tagliapietra Scafati O. (eds.): Modern Alkaloids: Structure, Isolation, Synthesis and Biology. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim 2008.
- Fritsch R.M., Keusgen M.: Occurrence and taxonomic significance of cysteine sulfoxides in the genus *Allium* L. (Alliaceae). Phytochemistry 67, 1127–1135 (2006).
- Fu G., Pang H., Wong Y.H.: Naturally Occurring Phenylethanoid Glycosides: Potential Leads for New Therapeutics. Curr. Med. Chem. 15, 2592–2613 (2008).
- Fu P.P., Xia Q., Lin G., Chou M.W.: Pyrrolizidine Alkaloids—Genotoxicity, Metabolism, Enzymes, Metabolic Activation, and Mechanisms. Drug Metab. Rev. 36, 1–55 (2004).
- Fuell C., Elliott K.A., Hanfrey C.C., Franceschetti M., Michael A.J.: Polyamine biosynthetic diversity in plants and algae. Plant Physiol. Biochem. 48, 513–520 (2010).
- Ganjewala D., Kumar S., Asha D.S., Ambika K.: Advances in cyanogenic glycosides biosynthesis and analyses in plants: A review. Acta Biol. Szegediensis 54, 1–14, (2010).
- Garbett N.C., Graves D.E.: Extending Nature's Leads: The Anticancer Agent Ellipticine. Curr. Med. Chem. - Anti-Cancer Agents 4, 149–172 (2004).
- Grubb C.D., Abel S.: Glucosinolate metabolism and its control. Trends in Plant Sci. 11, 89–100 (2006).
- Guo M., Song F., Liu Z., Liu S.: Characterization of triterpenoidic saponin mixture in crude extracts from leaves of *Acanthopanax senticosus* Harms by saponin structural correlation and mass spectrometry. Anal. Chim. Acta 557, 198–203 (2006).
- Haarmann T., Machado C., Lübke Y., Correia T., Schardl C.L., Panaccione D.G., Tudzynski P.: The ergot alkaloid gene cluster in *Claviceps purpurea*: Extension of the cluster sequence and intra species evolution. Phytochemistry 66, 1312–1320 (2005).
- Halkier B.A., Gershenzon J.: Biology and Biochemistry of Glucosinolates. Annu. Rev. Plant Biol. 57, 303–333 (2006).

- Han Y.-S., van der Heijden R., Lefeber A.W.M., Erkelens C., Verpoorte R.: Biosynthesis of anthraquinones in cell cultures of *Cinchona* 'Robusta' proceeds via the methylerythritol 4-phosphate pathway. *Phytochemistry* 59, 45–55 (2002).
- Han X., Lämshöft M., Grobe N., Ren X., Fist A.J., Kutchan T.M., Spiteller M., Zenk M.H.: The biosynthesis of papaverine proceeds via (S)-reticuline. *Phytochemistry* 71, 1305–1312 (2010).
- Haralampidis K., Trojanowska M., Osbourn A.E.: Biosynthesis of triterpenoid saponins in plants. *Adv. Bioch. Eng./Biotechnol.* 75, 31–49 (2002).
- Harmatha J.: Strukturní bohatství a biologický význam lignanu a jim příbuzných rostlinných fenylpropanoidu. *Chem. Listy* 99, 622–632 (2005).
- Hertweck C.: The Biosynthetic Logic of Polyketide Diversity. *Angew. Chem. Int. Ed.* 48, 4688 – 4716 (2009).
- Higuchi K., Kawasaki T.: Simple indole alkaloids and those with a nonrearranged monoterpenoid unit. *Nat. Prod. Rep.* 24, 843–868 (2007).
- Hirschberg J.: Carotenoid biosynthesis in flowering plants. *Curr. Opinion Plant Biol.* 4, 210–218 (2001).
- HMPC Monographs.
- http://www.ema.europa.eu/ema/index.jsp?curl=%2Fpages%2Fmedicines%2Flanding%2Fherbal_search.jsp&murl=menus%2Fmedicines%2Fmedicines.jsp&mid=WC0b01ac058001fa1d&searchkwByEnter=false&alreadyLoaded=true&startLetter=View+all&keyword=&searchType=Latin+name+of+the+genus&taxonomyPath=&treeNumber= (4.3.2011)
- Itoh A., Kumashiro T., Yamaguchi M., Nagakura N., Mizushima Y., Nishi T., Tanahashi T.: Indole Alkaloids and Other Constituents of *Rauwolfia serpentina*. *J. Nat. Prod.* 68, 848–852 (2005).
- Jones M.G., Hughes J., Tregova A., Milne J., Tomsett A.B., Collin H.A.: Biosynthesis of the flavour precursors of onion and garlic. *J. Exp. Botany* 55, Sulphur Metabolism in Plants Special Issue, 1903–1918 (2004).
- Kajimoto T., Aoki N., Ohta E., Ohta S.: Locustoside A - A new purine alkaloid glucoside from seeds of *Gleditsia japonica*. *Phytochem. Lett.* 3, 198–200 (2010).
- Kinghorn A.D., Soejarto D.D.: Discovery of terpenoid and phenolic sweeteners from plants. *Pure Appl. Chem.* 74, 1169–1179 (2002).
- Komarova E. L., Tolkachev O. N.: The chemistry of peptide ergot alkaloids. Part 1. Classification and chemistry of ergot peptides. *Pharm. Chem. J.* 35, 504–513 (2001).
- Kretschmar J.A., Baumann, T.W. : Caffeine in Citrus flowers. *Phytochemistry* 52, 19–23 (1999).
- Kunst L., Samuels A.L.: Biosynthesis and secretion of plant cuticular wax. *Progr. Lipid Res.* 42, 51–80 (2003).
- Lanzotti V.: The analysis of onion and garlic. *J. Chromatogr A*, 1112, 3–22 (2006).
- Larsson S., Backlund A., Bohlin L.: Reappraising a decade old explanatory model for pharmacognosy. *Phytochem. Lett* 1, 131–134 (2008).
- Li H.-J., Jiang Y., Li P.: Chemistry, bioactivity and geographical diversity of steroidal alkaloids from the Liliaceae family. *Nat. Prod. Rep.* 23, 735–752 (2006).
- Liang Z.-X.: Complexity and simplicity in the biosynthesis of enediyne natural products. *Nat. Prod. Rep.* 27, 499–528 (2010).
- Luo X.-J., Peng J., Li Y.-J.: Recent advances in the study on capsaicinoids and capsinoids. *Eur. J. Pharmacol.* 650, 1–7 (2011).
- Ma X., Gang D.R.: The Lycopodium alkaloids. *Nat. Prod. Rep.* 21, 752–772 (2004).
- Meepagala K.M., Schrader K.K., Wedge D.E., Duke S. O.: Algicidal and antifungal compounds from the roots of *Ruta graveolens* and synthesis of their analogs. *Phytochemistry* 66, 2689–2695 (2005).
- Moreno D.A., Garcia-Viguera C., Gil J.I., Gil-Izquierdo A.: Betalains in the era of global agri-food science, technology and nutritional health. *Phytochem. Rev.* 7, 261–280 (2008).

- Møller B.L.: Functional diversifications of cyanogenic glucosides. *Curr. Opin. Plant Biol.* 13, 338–347 (2010).
- Mösli Waldhauser S.S., Baumann T.W.: Compartmentation of caffeine and related purine alkaloids depends exclusively on physical chemistry of their vacuolar complex formation with chlorogenic acids. *Phytochemistry* 42, 985–996 (1996).
- Negishi O., Sugiura K., Negishi Y.: Biosynthesis of Vanillin via Ferulic Acid in *Vanilla planifolia*. *J. Agric. Food Chem.* 57, 9956–9961 (2009).
- Newman D.J., Cragg G.M.: Natural Products as Sources of New Drugs over the Last 25 Years. *J. Nat. Prod.* 70, 461–477 (2007).
- Newman D.J., Cragg G.M.: Natural Products as Drugs and Leads to Drugs: The Historical Perspective. In: *Biomolecular Sciences No.18, Natural Product Chemistry for Drug Discovery*, Edited by Antony D. Buss and Mark S. Butler, Royal Society of Chemistry 2010.
- Ng R.: *Drugs: From Discovery to Approval*, Second Edition, John Wiley & Sons, Inc. 2009.
- Nyiredy Sz., Samu Zs., Szücs Z., Gulácsi K., Kurtán T., Antus S.: New Insight into the Biosynthesis of Flavanolignans in the White-Flowered Variant of *Silybum marianum*. *J. Chromatogr. Sci.* 46, 93–96 (2008).
- Ober D., Kaltenegger E.: Pyrrolizidine alkaloid biosynthesis, evolution of a pathway in plant secondary metabolism. *Phytochemistry* 70, 1687–1695 (2009).
- O'Connor S.E., Maresh J.J.: Chemistry and biology of monoterpene indole alkaloid biosynthesis. *Nat. Prod. Rep.* 23, 532–547 (2006).
- Pellati F., Benvenuti S.: Chromatographic and electrophoretic methods for the analysis of phenethylamine alkaloids in *Citrus aurantium*. *J. Chromatography A* 1161, 71–88 (2007).
- Petersen F., Amstutz R. (eds.): *Progress in Drug Research*, Vol. 65: Natural Compounds As Drug. Vol. 1. Birkhäuser Verlag 2008.
- Philippe G., Angenot L., Tits M., Frédérick M.: About the toxicity of some *Strychnos* species and their alkaloids. *Toxicon* 44, 405–416 (2004).
- Posmyk M.M., Janas K.M.: Melatonin in plants. *Acta Physiol. Plant* 31, 1–11 (2009).
- Reigosa M.J., Pedrol N., González L. (eds.): *Allelopathy: A Physiological Process with Ecological Implications*. Springer 2006.
- Reynolds T.: Hemlock alkaloids from Socrates to poison aloe. *Phytochemistry* 66, 1399–1406 (2005).
- Roberfroid M.B.: Introducing inulin-type fructans. *Br. J. Nutr.* 93, Suppl. 1, S13–S25 (2005).
- Rohmer M.: The discovery of a mevalonate-independent pathway for isoprenoid biosynthesis in bacteria, algae and higher plants. *Nat. Prod. Rep.* 16, 565–574 (1999).
- Rosemeyer H.: The Chemodiversity of Purine as a Constituent of Natural Products. *Chemistry & Biodiversity* 1, 361–401 (2004).
- Röder E., Wiedenfeld H., Hille T., Britz-Kirstgen R.: Pyrrolizidine in *Echinacea angustifolia* DC und *Echinacea purpurea* M. *Arzneimittelforsch./Drug Res.* 124, 2316–2317 (1984).
- Ryan K.S., Drennan C.L.: Divergent Pathways in the Biosynthesis of Bisindole Natural Products. *Chemistry & Biology* 16, 351–364 (2009).
- Santos A.P., Moreno P.R.H.: *Pilocarpus* spp.: A survey of its chemical constituents and biological activities. *Rev. Brasil. Ciênc. Farm.* 40, 115–137 (2004).
- Sautour M., Mitaine-Offer A.-C., Lacaille-Dubois M.A.: The *Dioscorea* genus: a review of bioactive steroid saponins. *J. Nat. Med.* 61, 91–101 (2007).
- Shah B.A., Qazi G.N., Taneja, S.C.: Boswellic acids: a group of medicinally important compounds. *Nat. Prod. Rep.* 26, 72–89 (2009).
- Sharkey T.D., Wiberley A.E., Donohue A.R.: Isoprene Emission from Plants: Why and How? *Ann. Botany* 101, 5–18 (2008).
- Shen T., Wang X.-N., Lou H.-X.: Natural stilbenes: an overview. *Nat. Prod. Rep.* 26, 916–935 (2009).

- Sinz A.: Die Bedeutung der Mutterkorn-Alkaloide als Arzneistoffe. *Pharm. Unserer Zeit*, 4, 306–309 (2008).
- Sneader W.: *Drug Discovery. A History*. John Wiley & Sons Ltd 2005.
- Song L., Thornalley P.J.: Effect of storage, processing and cooking on glucosinolate content of Brassica vegetables. *Food Chem. Toxicol.* 45, 216–224 (2007).
- Staunton J., Weissman K.J.: Polyketide biosynthesis: a millennium review. *Nat. Prod. Rep.* 18, 380–416 (2001).
- Strack D., Vogt T., Schliemann W.: Recent advances in betalain research. *Phytochemistry* 62, 247–269 (2003).
- Tanaka Y., Hosokawa M., Miwa T., Watanabe T., Yazawa S.: Novel Loss-of-Function putative aminotransferase Alleles Cause Biosynthesis of Capsinoids, Nonpungent Capsaicinoid Analogues, in Mildly Pungent Chili Peppers (*Capsicum chinense*). *J. Agric. Food Chem.* 58, 11762–11767 (2010).
- Traka M., Mithen R.: Glucosinolates, isothiocyanates and human health. *Phytochem. Rev.* 8, 269–282 (2009).
- Tsuchiya H., Hayashi H., Sato M., Shimizu H., Iinuma M.: Quantitative analysis of all types of β -carboline alkaloids in medicinal plants and dried edible plants by high performance liquid chromatography with selective fluorometric detection. *Phytochem. Anal.* 10, 247–53 (1999).
- Tsuchiya H., Shimizu H., Iinuma M.: Beta-carboline alkaloids in crude drugs. *Chem. Pharm. Bull.* 47, 440–443 (1999).
- Umezawa T.: The cinnamate/monolignol pathway. *Phytochem. Rev.* 9, 1–17 (2010).
- van der Heijden R., Jacobs D.I., Snoeijs W., Hallard D., Verpoorte R.: The *Catharanthus* Alkaloids: Pharmacognosy and Biotechnology. *Curr. Med. Chem.* 11, 607–628 (2004).
- Vetter J.: Plant cyanogenic glycosides. *Toxicon* 38, 11–36 (2000).
- Vincken J.P., Heng L., de Groot A., Gruppen H.: Saponins, classification and occurrence in the plant kingdom. *Phytochemistry* 68, 275–297 (2007).
- Wang F.-P., Chen Q.-H., Liu X.-Y.: Diterpenoid alkaloids. *Nat. Prod. Rep.* 27, 529–570 (2010).
- Wang F.P., Liang X.T.: C₂₀ diterpenoid alkaloids. In: *The Alkaloids: Chemistry and Biology* Vol. 59, ed. G. A. Cordell, Elsevier Science, New York, 2002.
- Yazawa S., Suetome N., Okamoto K., Namiki, T.: Content of capsaicinoids and capsaicinoid-like substances in fruit of pepper (*Capsicum annuum* L.) hybrid made with 'CH-19 Sweet' as a parent. *J. Jpn. Soc. Hortic. Sci.* 58, 601–607 (1989).
- Zhan Z.-J., Ying Y.-M., Ma L.-F., Shan W.-G.: Natural disesquiterpenoids. *Nat. Prod. Rep.* 28, 594–629 (2011).
- Ziegler J., Facchini P.J.: Alkaloid Biosynthesis: Metabolism and Trafficking. *Annu. Rev. Plant Biol.* 59, 735–769 (2008).
- Ziegler J., Facchini P.J., Geißler R., Schmidt J., Ammer C., Kramell R., Voigtländer S., Gesell A., Pienkny S., Brandt W.: Evolution of morphine biosynthesis in opium poppy. *Phytochemistry* 70, 1696–1707 (2009).