

References

- Auta, H. S., Emenike, C. U. & Fauziah, S. H. (2017). Distribution and importance of microplastics in the marine environment: a review of the sources, fate, effects, and potential solutions. *Environment International*, 102, 165–176.
- Baldwin, A. K., Corsi, S. R., De Cicco, L. A., et al. (2016). Organic contaminants in Great Lakes tributaries: prevalence and potential aquatic toxicity. *Science of the Total Environment*, 554, 42–52.
- Besseling, E., Wegner, A., Foekema, E. M., van den Heuvel-Greve, M. J. & Koelmans, A. A. (2013). Effects of microplastic on fitness and PCB bioaccumulation by the lugworm *Arenicola marina* (L.). *Environmental Science & Technology*, 47, 593–600.
- Bhattacharya, P., Lin, S. J., Turner, J. P. & Ke, P. C. (2010). Physical adsorption of charged plastic nanoparticles affects algal photosynthesis. *Journal of Physical Chemistry C*, 114, 16556–16561.
- Box, J. E., Colgan, W. T., Christensen, T. R., et al. (2019). Key indicators of Arctic climate change: 1971–2017. *Environmental Research Letters*, 14, e045010.
- Brady, S. P., Monosson, E., Matson, C. W. & Bickham, J. W. (2017). Evolutionary toxicology: toward a unified understanding of life's response to toxic chemicals. *Evolutionary Applications*, 10, 745–751.
- Brown, A., Wright, R., Mevenkamp, L. & Hauton, C. (2017). A comparative experimental approach to ecotoxicology in shallow-water and deep-sea holothurians suggests similar behavioural responses. *Aquatic Toxicology*, 191, 10–16.
- Browne, M. A., Dissanayake, A., Galloway, T. S., Lowe, D. M. & Thompson, R. C. (2008). Ingested microscopic plastic translocates to the circulatory system of the mussel, *Mytilus edulis* (L.). *Environmental Science & Technology*, 42, 5026–5031.
- Cairns, J., Heath, A. G. & Parker, B. C. (1975). Effects of temperature upon toxicity of chemicals to aquatic organisms. *Hydrobiologia*, 47, 135–171.
- Capkin, E., Altinok, I. & Karahan, S. (2006). Water quality and fish size affect toxicity of endosulfan, an organochlorine pesticide, to rainbow trout. *Chemosphere*, 64, 1793–1800.
- Chae, Y. & An, Y. J. (2017). Effects of micro- and nanoplastics on aquatic ecosystems: current research trends and perspectives. *Marine Pollution Bulletin*, 124, 624–632.
- Cobelo-García, A., Filella, M., Croot, P., et al. (2015). COST action TD1407: network on technology-critical elements (NOTICE) – from environmental processes to human health threats. *Environmental Science and Pollution Research*, 22, 15188–15194.
- Corsi, S. R., De Cicco, L. A., Villeneuve, D. L., et al. (2019). Prioritizing chemicals of ecological concern in Great Lakes tributaries using high-throughput screening data and adverse outcome pathways. *Science of the Total Environment*, 686, 995–1009.
- Cuyvers, L., Berry, W., Gjerde, K., Thiele, T. & Wilhem, C. (2018). *Deep Seabed Mining: A Rising Environmental Challenge*. Gland, Switzerland: International Union for Conservation of Nature (IUCN), Gallifrey Foundation.
- DeLorenzo, M. E., Wallace, S. C., Danese, L. E. & Baird, T. D. (2009). Temperature and salinity effects on the toxicity of common pesticides to the grass shrimp, *Palaemonetes pugio*. *Journal of Environmental Science and Health Part B: Pesticides Food Contaminants and Agricultural Wastes*, 44, 455–460.
- Dulvy, N. K., Rogers, S. I., Jennings, S., et al. (2008). Climate change and deepening of the North Sea fish assemblage: a biotic indicator of warming seas. *Journal of Applied Ecology*, 45, 1029–1039.
- ECHA. (2020). *ECHA Information on Chemicals – Registered Substances* [Online]. Helsinki, Finland: European Chemicals Agency. Available at <https://echa.europa.eu/information-on-chemicals/registered-substances> [Accessed 17 Nov 2020].
- European Commission (2020). Directive 2020/1161 of the European Parliament and of the Council, establishing a watch list of substances for Union-wide monitoring in the field of water policy pursuant to Directive 2008/105/EC of the European Parliament and of the Council.
- Fortin, M. G., Couillard, C. M., Pellerin, J. & Lebeuf, M. (2008). Effects of salinity on sublethal toxicity of atrazine to mummichog (*Fundulus heteroclitus*) larvae. *Marine Environmental Research*, 65, 158–170.

- Fries, E. & Zarfl, C. (2012). Sorption of polycyclic aromatic hydrocarbons (PAHs) to low and high density polyethylene (PE). *Environmental Science and Pollution Research*, 19, 1296–1304.
- Gollner, S., Kaiser, S., Menzel, L., et al. (2017). Resilience of benthic deep-sea fauna to mining activities. *Marine Environmental Research*, 129, 76–101.
- Gosetti, F., Mazzucco, E., Gennaro, M. C. & Marengo, E. (2016). Contaminants in water: non-target UHPLC/MS analysis. *Environmental Chemistry Letters*, 14, 51–65.
- Gulley, A. L., Nassar, N. T. & Xun, S. (2018). China, the United States, and competition for resources that enable emerging technologies. *Proceedings of the National Academy of Sciences USA*, 115, 4111–4115.
- Gunnarsson, L., Jauhiainen, A., Kristiansson, E., Nerman, O. & Larsson, D. G. J. (2008). Evolutionary conservation of human drug targets in organisms used for environmental risk assessments. *Environmental Science & Technology*, 42, 5807–5813.
- Heim, B. E. (1990). Exploring the last frontiers for mineral resources: a comparison of international law regarding the deep seabed, outer space, and Antarctica. *Vanderbilt Journal of Transnational Law*, 23, 819–850.
- Honkanen, J. O., Rees, C. B., Kukkonen, J. V. K. & Hodson, P. V. (2020). Temperature determines the rate at which retene affects trout embryos, not the concentration that is toxic. *Aquatic Toxicology*, 222, e105471.
- Hooper, M. J., Ankley, G. T., Cristol, D. A., et al. (2013). Interactions between chemical and climate stressors: a role for mechanistic toxicology in assessing climate change risks. *Environmental Toxicology and Chemistry*, 32, 32–48.
- Huang, J. P., Yu, H. P., Guan, X. D., Wang, G. Y. & Guo, R. X. (2016). Accelerated dryland expansion under climate change. *Nature Climate Change*, 6, 166–171.
- Huggett, R. J. & Bender, M. E. (1980). Kepone in the James River. *Environmental Science & Technology*, 14, 918–923.
- Hylton, A., Chiari, Y., Capellini, I., Barron, M. G. & Glaberman, S. (2018). Mixed phylogenetic signal in fish toxicity data across chemical classes. *Ecological Applications*, 28, 605–611.
- IPCC (2007). *Climate Change 2007: Impacts, Adaptation, and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, UK: Intergovernmental Panel on Climate Change.
- IPCC (2021). *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, UK and New York, NY: Intergovernmental Panel on Climate Change.
- ISA (2017). *Report of ISA Workshop on the Design of "Impact Reference Zones" and "Preservation Reference Zones" in Deep-Sea Mining Contract Areas*. Kingston, Jamaica: International Seabed Authority.
- Jambeck, J. R., Geyer, R., Wilcox, C., et al. (2015). Plastic waste inputs from land into the ocean. *Science*, 347, 768–771.
- Jensen, S., Johnels, A. G., Olsson, M. & Otterlind, G. (1969). DDT and PCB in marine animals from Swedish waters. *Nature*, 224, 247–250.
- Kamel, N., Attig, H., Dagnino, A., Boussetta, H. & Banni, M. (2012). Increased temperatures affect oxidative stress markers and detoxification response to benzo[a]pyrene exposure in mussel *Mytilus galloprovincialis*. *Archives of Environmental Contamination and Toxicology*, 63, 534–543.
- Kavlock, R., Chandler, K., Houck, K., et al. (2012). Update on EPA's ToxCast program: providing high throughput decision support tools for chemical risk management. *Chemical Research in Toxicology*, 25, 1287–1302.
- Khan, M. A. Q., Ahmed, S. A., Catalin, B., et al. (2006). Effect of temperature on heavy metal toxicity to juvenile crayfish, *Orconectes immunis* (Hagen). *Environmental Toxicology*, 21, 513–520.
- Koelmans, A. A., Bakir, A., Burton, G. A. & Janssen, C. R. (2016). Microplastic as a vector for chemicals in the aquatic environment: critical review and model-supported reinterpretation of empirical studies. *Environmental Science & Technology*, 50, 3315–3326.
- Kwong, Y. T. J., Apte, S. C., Asmund, G., Haywood, M. D. E. & Morello, E. B. (2019). Comparison of environmental impacts of deep-sea tailings placement versus on-land disposal. *Water Air and Soil Pollution*, 230, e287.
- Lambert, S., Sinclair, C. & Boxall, A. (2014). Occurrence, degradation, and effect of polymer-based materials in the environment. *Reviews of Environmental Contamination and Toxicology*, 227, 1–53.

- Lannig, G., Flores, J. F. & Sokolova, I. M. (2006). Temperature-dependent stress response in oysters, *Crassostrea virginica*: pollution reduces temperature tolerance in oysters. *Aquatic Toxicology*, 79, 278–287.
- Larras, F., Lambert, A. S., Pesce, S., et al. (2013). The effect of temperature and a herbicide periphytic algae mixture on freshwater. *Ecotoxicology and Environmental Safety*, 98, 162–170.
- Levin, L. A., Mengerink, K., Gjerde, K. M., et al. (2016). Defining “serious harm” to the marine environment in the context of deep-seabed mining. *Marine Policy*, 74, 245–259.
- Lodge, M., Johnson, D., Le Gurun, G., et al. (2014). Seabed mining: International Seabed Authority environmental management plan for the Clarion-Clipperton Zone. A partnership approach. *Marine Policy*, 49, 66–72.
- McKinney, M. A., Letcher, R. J., Aars, J., et al. (2011). Regional contamination versus regional dietary differences: understanding geographic variation in brominated and chlorinated contaminant levels in polar bears. *Environmental Science & Technology*, 45, 896–902.
- Miljutin, D. M., Miljutina, M. A., Arbizu, P. M. & Galéron, J. (2011). Deep-sea nematode assemblage has not recovered 26 years after experimental mining of polymetallic nodules (Clarion-Clipperton Fracture Zone, Tropical Eastern Pacific). *Deep Sea Research Part I: Oceanographic Research Papers*, 58, 885–897.
- Niinemets, U., Kahru, A., Noges, P., et al. (2017). Environmental feedbacks in temperate aquatic ecosystems under global change: why do we need to consider chemical stressors? *Regional Environmental Change*, 17, 2079–2096.
- Oehlmann, J., Schulte-Oehlmann, U., Kloas, W., et al. (2009). A critical analysis of the biological impacts of plasticizers on wildlife. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 364, 2047–2062.
- Paerl, H. W., Havens, K. E., Hall, N. S., et al. (2020). Mitigating a global expansion of toxic cyanobacterial blooms: confounding effects and challenges posed by climate change. *Marine and Freshwater Research*, 71, 579–592.
- Paul-Pont, I., Lacroix, C., Fernandez, C. G., et al. (2016). Exposure of marine mussels *Mytilus* spp. to polystyrene microplastics: toxicity and influence on fluoranthene bioaccumulation. *Environmental Pollution*, 216, 724–737.
- Pech, G. T., Araujo, M. B., Bell, J. D., et al. (2017). Biodiversity redistribution under climate change: impacts on ecosystems and human well-being. *Science*, 355, eaai9214.
- Poloczanska, E. S., Brown, C. J., Sydeman, W. J., et al. (2013). Global imprint of climate change on marine life. *Nature Climate Change*, 3, 919–925.
- Pörtner, H. O., Bock, C. & Mark, F. C. (2017). Oxygen- and capacity-limited thermal tolerance: bridging ecology and physiology. *Journal of Experimental Biology*, 220, 2685–2696.
- Ratushnyak, A. A., Andreeva, M. G. & Trushin, M. V. (2005). Effects of type II pyrethroids on *Daphnia magna*: dose and temperature dependences. *Rivista Di Biologia Biology Forum*, 98, 349–357.
- Reichl, C. & Schatz, M. (2021). *World Mining Data 2021*. Vienna, Austria: Federal Ministry of Agriculture, Regions and Tourism.
- Roman, L., Butcher, R. G., Stewart, D., et al. (2020). Plastic ingestion is an underestimated cause of death for southern hemisphere albatrosses. *Conservation Letters*, e12785.
- Rosenzweig, C., Karoly, D., Vicarelli, M., et al. (2008). Attributing physical and biological impacts to anthropogenic climate change. *Nature*, 453, 353–U20.
- Seiwert, B., Klockner, P., Wagner, S. & Reemtsma, T. (2020). Source-related smart suspect screening in the aqueous environment: search for tire-derived persistent and mobile trace organic contaminants in surface waters. *Analytical and Bioanalytical Chemistry*, 412, 4909–4919.
- Shah, A. A., Hasan, F., Hameed, A. & Ahmed, S. (2008). Biological degradation of plastics: a comprehensive review. *Biotechnology Advances*, 26, 246–265.
- Sokolova, I. M. & Lannig, G. (2008). Interactive effects of metal pollution and temperature on metabolism in aquatic ectotherms: implications of global climate change. *Climate Research*, 37, 181–201.
- Soulier, C., Coureau, C. & Togola, A. (2016). Environmental forensics in groundwater coupling passive sampling and high resolution mass spectrometry for screening. *Science of the Total Environment*, 563, 845–854.
- Spurgeon, D., Lahive, E., Robinson, A., Short, S. & Kille, P. (2020). Species sensitivity to toxic substances: evolution, ecology and applications. *Frontiers in Environmental Science*, 8, e588380.

- Talent, L. G. (2005). Effect of temperature on toxicity of a natural pyrethrin pesticide to green anole lizards (*Anolis carolinensis*). *Environmental Toxicology and Chemistry*, 24, 3113–3116.
- Tian, Z., Peter, K. T., Gipe, A. D., et al. (2020). Suspect and nontarget screening for contaminants of emerging concern in an urban estuary. *Environmental Science & Technology*, 54, 889–901.
- Tian, Z., Zhao, H., Peter, K. T., et al. (2021). A ubiquitous tire rubber-derived chemical induces acute mortality in coho salmon. *Science*, 371, 185–189.
- US EPA (2020). ECOTOX User Guide: ECOTOXicology Knowledgebase System. Version 5.3 (available at <https://cfpub.epa.gov/ecotox/>). Washington, DC: US Environmental Protection Agency.
- Van de Perre, D., Janssen, C. R. & De Schamphelaere, K. A. C. (2018). Combined effects of interspecies interaction, temperature, and zinc on *Daphnia longispina* population dynamics. *Environmental Toxicology and Chemistry*, 37, 1668–1678.
- Verbruggen, B., Gunnarsson, L., Kristiansson, E., et al. (2018). ECOdrug: a database connecting drugs and conservation of their targets across species. *Nucleic Acids Research*, 46, D930–D936.
- Verheyen, J., Delnat, V. & Stoks, R. (2019). Increased daily temperature fluctuations overrule the ability of gradual thermal evolution to offset the increased pesticide toxicity under global warming. *Environmental Science & Technology*, 53, 4600–4608.
- Von Moos, N., Burkhardt-Holm, P. & Kohler, A. (2012). Uptake and effects of microplastics on cells and tissue of the blue mussel *Mytilus edulis* L. after an experimental exposure. *Environmental Science & Technology*, 46, 11327–11335.
- Walker, J. D., Newman, M. C. & Enache, M. (2013). *Fundamental QSARS for Metal Ions*, Boca Raton, FL: CRC Press, Taylor & Francis Group.
- Wang, Z., Kwok, K. W. H. & Leung, K. M. Y. (2019). Comparison of temperate and tropical freshwater species' acute sensitivities to chemicals: an update. *Integrated Environmental Assessment and Management*, 15, 352–363.
- Wright, S. L., Thompson, R. C. & Galloway, T. S. (2013). The physical impacts of microplastics on marine organisms: a review. *Environmental Pollution*, 178, 483–492.