

References

Author's publications

- [P1] P. Řehák, J. Vítovec, q -Karamata functions and second order q -difference equations, submitted (2010).
- [P2] P. Řehák, J. Vítovec, q -regular variation and q -difference equations, *J. Phys. A: Math. Theor.* **41** (2008) 495203, 1 – 10.
- [P3] P. Řehák, J. Vítovec, Regular variation on measure chains, *Nonlinear Analysis TMA*, **72** (2010), 439 – 448.
- [P4] P. Řehák, J. Vítovec, Regularly varying decreasing solutions of half-linear dynamic equations, *Proceedings of the 12th ICDEA, Lisbon*, accepted (2008).
- [P5] J. Vítovec, Theory of rapid variation on time scales with applications to dynamic equations, *Archivum Mathematicum*, **46** (2010), 263 – 284.

Other references

- [1] R. P. Agarwal, *Difference Equations and Inequalities*, 2nd edition, Pure Appl. Math. 228, Dekker, New York, 2000.
- [2] E. Akin-Bohner, Positive decreasing solutions of quasilinear dynamic equations, *Math. Comput. Modelling* **43** (2006), 283 – 293.
- [3] G. Bangerezako, *An Introduction to q -difference equations*, Bujumbura, 2007.
- [4] N. H. Bingham, C.M. Goldie, J.L. Teugels, *Regular Variation*, Encyclopedia of Mathematics and its Applications, Vol. 27, Cambridge Univ. Press, 1987.
- [5] M. Bohner, T. Hudson Euler-type boundary value problems in quantum calculus *Int. J. Appl. Math. Stat.* **9** (2007), 19 - 23.
- [6] M. Bohner, A. C. Peterson. *Dynamic Equations on Time Scales: An Introduction with Applications*. Birkhäuser, Boston, 2001.
- [7] M. Bohner, M. Ünal, Kneser's theorem in q -calculus, *J. Phys. A: Math. Gen.* **38** (2005), 6729 – 6739.
- [8] R. Bojanić, E. Seneta, A unified theory of regularly varying sequences, *Math. Z.* **134** (1973), 91 – 106.
- [9] P. Cheung, V. Kac *Quantum Calculus*, Springer-Verlag, Berlin-Heidelberg-New York, 2002.

- [10] D. Djurčić, L.D.R Kočinac, M.R. Žižović, Some properties of rapidly varying sequences, *J. Math. Anal. Appl.* **327** (2007), 1297–1306.
- [11] D. Djurčić, A. Torgašev, On the Seneta sequences, *Acta Math. Sinica* **22** (2006), 689–692.
- [12] O. Došlý, Qualitative theory of half-linear second order differential equations, In *Proceedings of EQUADIFF 10*, Prague (2001), *Math. Bohem.* **127** (2002), 181–195.
- [13] O. Došlý, P. Řehák, Nonoscillation criteria for second order half-linear difference equations, *Comput. Math. Appl.* **42** (2001), 453–464.
- [14] O. Došlý, P. Řehák, *Half-linear Differential Equations*, Elsevier - North Holland Mathematics Studies Series, 2005.
- [15] J. Galambos, E. Seneta, Regularly varying sequences, *Proc. Amer. Math. Soc.* **41** (1973), 110–116.
- [16] J. L. Geluk, L. de Haan, *Regular Variation, Extensions and Tauberian Theorems*, CWI Tract 40, Amsterdam, 1987.
- [17] P. Hartman, *Ordinary Differential Equations*, John Wiley, New York, 1973.
- [18] S. Hilger, Ein Maßkettenkalkül mit Anwendung auf Zentrumsmannigfaltigkeiten. Ph.D. dissertation, Universität of Würzburg, 1988.
- [19] J. Jaroš, T. Kusano, T. Tanigawa, Nonoscillation theory for second order half-linear differential equations in the framework of regular variation, *Result. Math.* **43** (2003), 129–149.
- [20] J. Karamata, Sur certain “Tauberian theorems” de M. M. Hardy et Littlewood, *Mathematica Cluj* **3** (1930), 33–48.
- [21] J. Karamata, Sur un mode de croissance régulière. Théorèmes fondamentaux, *Bull. Soc. Math. France* **61** (1933), 55–62.
- [22] E. E. Kohlbecker, Weak asymptotic properties of partitions, *Trans. Amer. Math. Soc.* **88** (1958), 346–365.
- [23] V. Marić, *Regular Variation and Differential Equations*, Lecture Notes in Mathematics 1726, Springer-Verlag, Berlin-Heidelberg-New York, 2000.
- [24] V. Marić, M. Tomić, A classification of solutions of second order linear differential equations by means of regularly varying functions, *Publ. Inst. Math.* **48** (1990), 199–207.
- [25] S. Matucci, P. Řehák, Rapidly varying decreasing solutions of half-linear difference equations *Comput. Modelling* **49** (2009), 1692–1699.
- [26] S. Matucci, P. Řehák, Regularly varying sequences and second-order difference equations, *J. Difference Equ. Appl.* **14** (2008), 17–30.
- [27] S. Matucci, P. Řehák, Second order linear difference equations and Karamata sequences, *Int. J. Difference Equ.* **3** (2008), 277–288.
- [28] P. Řehák, A role of the coefficient of the differential term in qualitative theory of half-linear equations, *Math. Bohem.*, to appear.
- [29] P. Řehák, Comparison theorems and strong oscillation in the half-linear discrete

- oscillation theory, *Rocky Mountain J. Math.* **33** (2003), 333–352.
- [30] P. Řehák, Half-linear dynamic equations on time scales: IVP and oscillatory properties, *J. Nonl. Funct. Anal. Appl.* **7** (2002), 361–404.
- [31] P. Řehák, Hardy inequality on time scales and its application to half-linear dynamic equations, *J. Inequal. Appl.* **5** (2005), 495–507.
- [32] P. Řehák, Oscillation criteria for second order half-linear difference equations, *J. Difference Equations Appl.* **7** (2001), 483–505.
- [33] P. Řehák, Regular variation on time scales and dynamic equations, *Aust. J. Math. Anal. Appl.* **5** (2008), 1–10.
- [34] E. Seneta, *Regularly Varying Functions*, Lecture Notes in Mathematics 508, Springer-Verlag, Berlin-Heidelberg-New York, 1976.
- [35] J. C. F. Sturm, Mémoire sur le équations différentielles linéaires du second ordre, *Journal de Mathématiques Pures et Appliquées* **1** (1836), 106–186.
- [36] C. A. Swanson, *Comparison and Oscillation Theory of Linear Differential Equations*, Academic Press, New York, 1968.
- [37] I. Weissman, A note on Bojanic-Seneta theory of regularly varying sequences, *Math. Z.* **151** (1976), 29–30.



Theory of regularly and rapidly varying functions
on time scales and its application to dynamic equations

Mgr. Jiří Vitovec, Ph.D.

Published by Masaryk University in 2011

1st edition

Printed by Comprint s. r. o., Rybkova 19, 602 00 Brno

ISBN 978-80-210-5426-4