

Literatúra

- ABDELAZIZ, M. N.; AYOUB, G.; COLIN, X.; BENHASSINE, M.; MOUWAKEH, M. New developments in fracture of rubbers: Predictive tools and influence of thermal aging. *The International Journal of Solids and Structures*, 2019, 165, pp. 127–136.
- AMBRIŠKO, L.; FRYDRÝŠEK, K.; JELISAVAC ERDELJAN, D.; MARASOVÁ JR., D. Experimental research of a new generation of support systems for the transport of mineral raw materials. *Acta Montanistica Slovaca*, 2017, 22(4), pp. 377–385.
- AMBRIŠKO, L.; et al. Mechanical properties and chemical composition of rubber gaskets. *Przemysł chemiczny*, 2020, 99, pp. 598–601.
- AMBRIŠKO, L.; MARASOVÁ JR., D. Investigation of the ageing influence on the hardness of essential belt component. In *SGEM 2018 Conference Proceedings*, Bulgaria, 2018, pp. 529–536.
- AMBRIŠKO, L.; MARASOVÁ JR., D.; KLAPKO, P. Energy balance of the dynamic impact stressing of conveyor belts. *Applied Sciences*, 2023, 13, pp. 1–14.
- AMBRIŠKO, L.; ŠADEROVÁ, J.; MARASOVÁ, D. Determination of mechanical properties of rubber intended for use at high temperatures. In *SGEM 2019 Conference Proceedings*, Bulgaria, 2019, pp. 193–200.
- AMZA, G.; DOBROTĂ, D.; SEMENESCU, A.; IANCULUI, D. Researches concerning the ultrasonic energy's influence over the resistance at extraction of the metallic insertion from the rubber matrix. *Materiale Plastice*, 2008, 45, pp. 377–380.
- ANDREJIOVA, M.; GRINČOVÁ, A. Classification of impact damage on a rubber-textile conveyor belt using Naive-Bayes methodology. *Wear*, 2018, 414, pp. 59–67.
- ANDREJIOVÁ, M.; GRINČOVÁ, A. The experimental research of the conveyor belts damage used in mining industry. *Acta Montanistica Slovaca*, 2016, 21, pp. 180–190.
- ANDREJIOVÁ, M.; GRINČOVÁ, A.; KIMAKOVÁ, Z. Analysis of the selected factors on the conveyor belt quality using the design of experiment. *Quality - Access to Success*, 2019, 20, pp. 47–52.
- ANDREJIOVÁ, M.; GRINČOVÁ, A.; KIMAKOVÁ, Z. Quality assessment of the rubber-textile conveyor belts at the dynamic impact loading. *Quality - Access to Success*, 2019, 20, pp. 28–32.
- ANDREJIOVÁ, M.; GRINČOVÁ, A.; MARASOVÁ, D. Measurement and simulation of impact wear damage to industrial conveyor belts. *Wear*, 2016, 368–369, pp. 400–407.
- ANDREJIOVÁ, M.; LUKÁČOVÁ, K. Comparison the result of two laboratory measurements by selected statistical method. *Fyzikálne faktory prostredia 1 (Special Issue 1)*, 2011, pp. 21–28.
- ANDREJIOVÁ, M.; PAVLISKOVÁ, A. Analysis of regression model of functional dependency in impact force from height and weight of ram for conveyor belt. *Annals of Faculty Engineering Hunedoara*, 2010, 8, pp. 267–270.
- ANDREJIOVÁ, M.; PAVLISKOVÁ, A.; MARASOVÁ JR., D.; HUSÁKOVÁ, N. The design an experiment the stress of the conveyor belts. *Transport & Logistics: The International Journal, (Special Issue 10)*, 2012, 12, pp. 242–248.

- ANDREJIOVÁ, M.; PAVLISKOVÁ, A.; MARASOVÁ, D.; HUSÁKOVÁ, N. Application of design of experiment method in the belt transport. *Transport & Logistics: The International Journal*, 2012, 12, pp. 1–7.
- ANSYS Release 9.0 Documentation:
http://ansys.net/old_undocumented/Hlp_E_HYPER56.htm.
- ANTONIAK, J. *Belt conveyors in underground and open-pit mining energy-saving*. Gliwice: Wydawnictwo Politechniki Śląskiej, 2010.
- BAJDA, M.; BLAZEJ, R.; JURDZIAK, L. Partial replacements of conveyor belt loop analysis with regard to its reliability. In *17th International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management SGEM 2017*, Albena, Bulgaria, 29 June 2017 - 5 July 2017, 17, pp. 645–652.
- BAJDA, M.; BLAZEJ, R.; JURDZIAK, L.; KIRJANOW, A. Condition monitoring of textile belts in the light of research results of their resistance to punctures investigations. In *16th International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management SGEM 2016*, Albena, Bulgaria, 30 June 2016 - 6 July 2016, pp. 165–172.
- BELJIČ, Č.; LAZOVIČ, M. Risk assesment in underground mine plant. *Transport & Logistics: The International Journal*, 2001, 1, pp. 123–127.
- BENJAMIN, C.; DONECKER, P.; HUQUE, S.; ROZENTALS, J. *The transfer chute design manual for conveyor belt systems*. Hong Kong: Conveyor Transfer Design Pty Ltd., 2010.
- BEREŽNÝ, Š.; GRINČOVÁ, A. Regression analysis of specific mathematical models obtained in the breakdown tests of conveyor belts. *Transport & Logistics: The International Journal, (Special Issue 7)*, 2010, 10, pp. 296–308.
- BIGOŠ, P.; KUBÍN, K.; KULKA, J.; MANTIČ, M.; BURÁK, J.; PUŠKÁR, M.; TANYASI, O.; FALTINOVÁ, E. *Computational and experimental methods for increasing the performance and lifetime assessment of structures selected drives and transport equipment*. Košice: TUKE, 2010.
- BINDZÁR, P. Conveyor belt modelling by finite element method. *Transport & Logistics: The International Journal*, 2006, 6, p. 5.
- BLAŽEJ, R.; HARDYGORA, M. Modeling of shear stresses in multiply belt splices. *Bulk Solids Handling*, 2003, 4, pp. 234–241.
- BOCKO, P.; MARADA, O.; BOUDA, T. Material and component testing of conveyor belts and its numerical analyses. In *Lecture Notes in Mechanical Engineering, Modern Methods of Construction Design: Proceedings of ICMD 2013*, 2014, pp. 565–571.
- BOHÁČ, L. *Instructions for using the transfer set B 1200 mm 0968–000–000*. Opava: DvB-AF, 2010.
- BOROŠKA, J.; MARASOVÁ, D. *Dopravné systémy*. Košice: TUKE, 2000.
- BOŠNJAK, S. M.; PETKOVIĆ, Z. D.; SIMONOVIĆ, A. M.; ZRNIĆ, N. D.; GNJATOVIĆ, N. B. ‘Designing-in’ failures and redesign of bucketwheel excavator undercarriage. *Engineering Failure Analysis*, 2013, 35, pp. 95–103.
- CABAN, L.; MARASOVÁ, D.; AMBRIŠKO L. Methodology of the impact process applying the finite element method. *TEM Journal - Technology, Education, Management, Informatics*, 2019, 8(3), pp. 775–781.

- CERNY, J.; KYAS, K.; KRUMAL, M.; MARTIN, M.; MANAS, D.; MANAS, M.; MICHAL, M. *Wear process of tires. Proceedings of the 21st International DAAAM Symposium*, 2010, pp. 1189–1190.
- CONDUCTIVITY. Retrieved from: http://213.151.86.106/sipvz/ze/tema/5.resistance_vodivost/5.resistance_vodivost_html.html [accessed: 22 September 2022].
- CORDERO, M. J.; PUGNALONI, L. A. Dynamic transition in conveyor belt driven granular flow. *Powder Technology*, 2015, 272, pp. 290–294.
- CZUBA, W.; FURMANIK, K. Analysis of a grain motion in the transfer area of the belt conveyor. *Eksploatacja i Niezawodnosc – Maintenance and Reliability*, 2013, 15, pp. 390–396.
- DIANI, J.; BRIEU, M.; GILORMINI, P. Observation and modeling of the anisotropic visco-hyperelastic behavior of a rubberlike material. *International Journal of Solids and Structures*, 2006, 43, pp. 3044–3056.
- DIN 53 508 Accelerated ageing of rubber 2000.
- DOBROTĀ, D. Vulcanization of rubber conveyor belts with metallic insertion using ultrasounds. *Procedia Engineering*, 2015, 100, pp. 1160–1166.
- DROTTBOOM, M. A rising global trend: New technological developments increase range of IPCC applications. *Bulk Solids Handling*, 2013, 33, pp. 22–26.
- DU D. M.; LI, H.; ZHU, C. S.; HE, Q. Virtual prototype modeling and starting method of belt conveyor. *Applied Mechanics and Materials*, 2011, 148–149, pp. 879–882.
- EDGEA, M.; ALLEN, N. S.; GONZALES-SANCHEZ, R.; LIAUWA, C. M.; READA, S. J.; WHITEHOUSE, R. B. The influence of cure and carbon black on the high temperature oxidation of natural rubber, I. Correlation of physico-chemical changes. *Polymer Degradation and Stability*, 1999, 64, pp. 197–205.
- ELECTRONICA. Retrieved from: <https://langl.webnode.sk/electrotechnika-electronika/electricala-vodivost/> [accessed: 22 September 2022].
- EN 873 Light conveyor belts. Principal characteristics and applications 1996.
- EN 1637 Light conveyor belts. Test methods for the measurement of the electrical resistances 1999.
- FEDORKO, G. *Simulačné jazyky II*. Košice: TUKE, 2005.
- FEDORKO, G.; MOLNAR, V.; MARASOVA, D.; GRINCOVA, A.; DOVICA, M.; ZIVCAK, J.; TOTH, T.; HUSAKOVA, N. Failure analysis of belt conveyor damage caused by the falling material, part I: Experimental measurements and regression models. *Engineering Failure Analysis*, 2014, 36, pp. 30–38.
- FEDORKO, G.; MOLNAR, V.; MARASOVA, D.; GRINCOVA, A.; DOVICA, M.; ZIVCAK, J.; TOTH, T.; HUSAKOVA, N. Failure analysis of belt conveyor damage caused by the falling material, part II: Application of computer metrotomography. *Engineering Failure Analysis*, 2013, 34, pp. 431–442.
- FEYZULLAHOGLU, E.; ARSLAN, E. *KGK-kautschuk gummi kunststoffe*. Springer-Verlag, Berlin, 2014.
- FISSET, M.; DUSSAULT, D. Laboratory simulation of the wear process of belt conveyor rollers. *Wear*, 1993, 164, pp. 1012–1015.

- GONDEK, H. Modeling of conveyor belts in system I-DEAS. In *IV. Scientific and technical conference of Giant mining equipment and transport routes*. Teplice: PRODECO, 2005, pp. 11–19.
- GONDEK, H.; FRYDRÝŠEK, K. *Determination of remaining life for bucket wheel excavator K 10 000 – Calculation report*. Ostrava: VŠB TU, 2013.
- GONDEK, H.; NERUDA, J.; POKORNY, J. The dynamics of impacts tools the loading boom bucket wheel excavators. *Applied Mechanics and Materials*, 2014, 683, pp. 213–218.
- GONDEK, H.; NOGA, L. *Modeling of the conveyor belt by FEM*, Bezpieczeństwo pracy urządzeń transportowych w górnictwie: monografia: praca zbiorowa, Centrum badań i dozoru górnictwa podziemnego Sp.z o. o. w Ledzinach, 2011.
- GRINČOVÁ, A.; ANDREJIOVÁ, M.; MARASOVÁ, D. Failure analysis of conveyor belt in terms of impact loading by means of the damping coefficient. *Engineering Failure Analysis*, 2016, 68, pp. 210–221.
- GRINČOVÁ, A.; ANDREJIOVÁ, M.; MARASOVÁ, D. Measuring and comparative analysis of the interaction between the dynamic impact loading of the conveyor belt and the supporting system. *Measurement*, 2015, 59, pp. 184–191.
- GRINČOVÁ, A.; HLÚBIKOVÁ, A.; KREŠÁK, J. Metodika skúšania dopravných pásov pri prieraze. *Transport & Logistics: The International Journal, (Special Issue 5)*, 2008, 8, pp. 209–213.
- GRINČOVÁ, A.; KOČIŠÍK, S. Skúšobné zariadenia na prierazy dopravných pásov. *Transport & Logistics: The International Journal, (Special Issue 6)*, 2006, 6, pp. 1–5.
- GRINČOVÁ, A.; MARASOVÁ, D. Experimental research and mathematical modelling as an effective tool of assessing failure of conveyor belts. *Eksploatacja i Niezawodność – Maintenance and Reliability*, 2014, 16, pp. 229–235.
- GRENDL, P.; MARASOVÁ JR., D.; LECO, M. Specifications the legislative framework for the operation of belt conveyors. In *Proceeding of The Conference on Research, Production and Use of Steel Ropes, Conveyors and Hoisting Machines (VVaPOL 2014), September 23.–26. 2014, High Tatras, Podbanské: TUKE*, 2014, pp. 89–93.
- GRUJIC, M.; ANDREJIOVÁ, M.; MARASOVÁ, D.; GRENDL, P. Using the DOE method by experimental research of conveyor belts quality. *Technics Technologies Education Management (TTEM)*, 2013, 8, pp. 558–564.
- GRUJIC, M.; MALINDZAK, D.; MARASOVA, D. Possibilities for reducing the negative impact of the number of conveyors in a coal transportation system. *Tehnicky vjesnik-Technical Gazette*, 2011, 18(3), pp. 453–458.
- GUPTA, A. Safety measures for reduction of failure safety measures for reduction of failure in belt conveyor for thermal power plant. *International Journal of Mechanical Engineering and Robotics Research*, 2013, 2, pp. 214–220.
- HAPLA, T.; GABRHELOVÁ, L.; FRIES, J. Innovation of transfer stations for elimination disorders of conveyor belt. *Transfer inovácií*, 2013, 25, pp. 67–70.
- HARDYGORA, M. Trends in conveyor belt research. *Transport & Logistics: The International Journal*, 2002, 2, pp. 1–12.
- HARDYGORA, M.; KOMANDER, H.; BAJDA, M.; KOMANDER, G. Conveyor belt with increased operational wear resistance. *Transport & Logistics: The International Journal*, 2010, 10, pp. 26–32.

- HARTLIEB VON WALLTHOR, A. Karl Reichsfreiherr vom Stein und die innere Staatsordnung Deutschlands. *Nassauische Annalen*, 1982, 93, pp. 75–84.
- HONUS, S.; BOCKO, P.; BOUDA, T.; RISTOVIĆ, I.; VULIĆ, M. The effect of the number of conveyor belt carrying idlers on the failure of an impact place: A failure analysis. *Engineering Failure Analysis*, 2017, 77, pp. 93–101.
- HORNÍKOVÁ, A. *Design and evaluation of experiments with applications*. Bratislava: Iura Edition, 2009.
- HOU, Y.; MEN, Q. Dynamic characteristics of conveyor belts. *Journal of China University of Mining and Technology*, 2008, 18, pp. 629–633.
- HUSÁKOVÁ, N.; MARASOVÁ, D. Simulation – comparison of simulation programs. In *Logistics in theory and practise*. Uherské Hradiště – Zlín: Univerzita Tomáše Bati, 2010, pp. 76–81.
- ISO 18573 Conveyor belts. Test atmospheres and conditioning periods 2013.
- JONES, D. R. H. Fatigue failures of welded conveyor drums. *Engineering Failure Analysis* 2, 1995, p. 59.
- KANGMEI, Z.; YUN, W.; TONGZHU, J.; XIGUI, C.; GUANGQIAN, L. State-of-the-art in impact bar with high performance. In *GCMM 2016, 13th Global Congress on Manufacturing and Management, Procedia Engineering*, 2017, 174, pp. 543–549.
- KIM, K.-H.; et al. A study on the triboelectric charging of display glass during the roller transfer process-modeling and characterization. *Journal of Electrostatics*, 2017, 86, pp. 24–33.
- KOMANDER, H.; HARDYGÓRA, M.; BAJDA, M.; KOMANDER, G.; LEWANDOWICZ, P. Assessment methods of conveyor belts impact resistance to the dynamic action of a concentrated load. *Eksploatacja i Niezawodność – Maintenance and Reliability*, 2014, 16, pp. 579–584.
- KOŠČÁK, P.; AMBRIŠKO, Ľ.; SEMRÁD, K.; MARASOVÁ JR., D.; MITRIK, V. Numerical and experimental stress-strain analysis of a rubber carousel. *TEM Journal - Technology, Education, Management, Informatics*, 2021, 10(4), pp. 1662–1667.
- KUČEROVÁ, M. Determination of the levels of input factors in the process of wire ease by the DOE method. *Transfer inovácií*, 2012, 14, pp. 159–163.
- KULINOWSKI, P. Simulation studies as the part of an integrated design process dealing with belt conveyor operation. *Eksploatacja i Niezawodność – Maintenance and Reliability*, 2013, 15, pp. 83–88.
- LACHMANN, H. P. Fördergurte, Aufwand und Verfügbarkeit. *Braunkohle*, 1981, 33, pp. 178–184.
- LENG, Y.F.; LIU, J.; ZU, F. Parametric design on belt conveyor drums based on VBA. *Advanced Materials Research*, 2010, 156–157, pp. 1243–1246.
- LIU, X.; PANG, Y.; LODDEWIJKS, G. A stress discontinuity approach to model the stress profile on a loaded conveyor belt. *Powder Technology*, 2015, 273, pp. 102–110.
- LIU, X.; PANG, Y.; LODDEWIJKS, G. Theoretical and experimental determination of the pressure distribution on a loaded conveyor belt. *Measurement*, 2016, 77, pp. 307–316.
- LOVELY, M.; JOSEPH, K. U.; RANI, J. Swelling behaviour of isora/natural rubber composites in oils used in automobiles. *Bulletin of Materials Science*, 2006, 9, pp. 91–99.

- LUO, X.; LI, T.; HU, B.; ZHENG, M.; PENG, Q. J. The modeling and simulating of conveyor belt based on ADAMS. *Advanced Materials Research*, 2012, 562–564, pp. 1451–1455.
- MALINDŽÁK, D.; STRAKA, M. *Distribučná logistika*. Košice: TUKE, 2005.
- MANAS, D.; STANEK, M.; MANAS, M.; OVSIK, M.; PATA, V.; CERNY, J. Visualization of tire tread behaviour at wear process. In *Proceedings of the 22nd International DAAAM Symposium*, 2011, 22, pp. 415–416. ✓
- MANESKI, T.; JOVANČIĆ, P.; IGNJATOVIĆ, D.; MILOŠEVIĆ-MITIĆ, V.; MANESKI, M. Condition and behaviour diagnostics of drive groups on belt conveyors. *Engineering Failure Analysis*, 2012, 22, pp. 28–37.
- MARASOVÁ, D. Experimental determination of some parameters of conveyor belts. *Acta Montanistica Slovaca*, 2001, 6, pp. 275–281.
- MARASOVÁ, D. *Mathematical and experimental support for belt conveyors*. Ostrava: VŠB TU, 2013.
- MARASOVÁ, D. *Matematické modelovanie odolnosti dopravných pásov proti prierazu*. Český Těšín: AD Servis, 2001.
- MARASOVÁ, D.; AMBRIŠKO, Ľ.; GRINČOVÁ, A.; ANDREJIOVÁ, M.; KREŠÁK, J. *Experimental measurement the impact resistance of impact rubber bars*. Košice: TUKE, 2014.
- MARASOVÁ, D.; MARAS, M. Mathematical modelling of resistance of conveyor belts against puncture. *Transactions of the Technical University of Košice*, 1998, 4, pp. 22–32.
- MARASOVÁ, D.; TARABA, V.; GRUJIČ, M.; FEDORKO, G.; BINDZÁR, P.; HUSÁKOVÁ, N. *Pásová doprava*. Košice: TUKE, 2006.
- MARTINS, P. A. L. S.; JORGE, R. M. N.; FERREIRA, A. J. M. A comparative study of several material models for prediction of hyperelastic properties: Application to silicone-rubber and soft tissues. *Strain*, 2006, 42, pp. 135–147.
- MAZURKIEWICZ, D. Problems of numerical simulation of stress and strain in the area of the adhesive-bonded joint of a conveyor belt. *Archives of Civil and Mechanical Engineering*, 2009, 9, pp. 75–91.
- MAZURKIEWICZ, D. Maintenance of belt conveyors using an expert system based on fuzzy logic. *Archives of Civil and Mechanical Engineering*, 2015, 15, pp. 412–418.
- MEDELIA, B.; AVROM, I. *Rubber chemistry and technology*. Academic Press, Cambridge, 1986.
- MILLER, I. DOE – Design and analysis of an experiment using MINITAB®. *Interquality*, Praha, 2010.
- MINKIN, A.; JUNGK, A.; HONTSCHA, T.; DRÖTTBOOM, M. Replacing the conveyor belt of a long distance pipe conveyor at the skyline mine, 2018, <https://www.process-worldwide.com/replacing-the-conveyor-belt-of-a-long-distance-pipe-conveyor-at-the-skyline-mine-a-385719/>.
- MOLNAR, W.; NUGENT, S.; LINDROOS, M.; APOSTOL, M.; VARGA, M. Ballistic and numerical simulation of impacting goods on conveyor belt rubber. *Polymer Testing*, 2015, 42, pp. 1–7.

- MOLNAR, W.; VARGA, M.; BRAUN, P.; ADAM, K.; BADISCH, E. Correlation of rubber based conveyor belt properties and abrasive wear rates under 2- and 3-body conditions. *Wear*, 2014, 320, 1–6.
- MONTGOMERY, D. C. *Design and analysis of experiments*. New York: J. Wiley, 2002.
- NEDBAL, J.; NEUBERT, M.; VELYCHKO, V.; VALENTOVÁ, H. Conveyor belt rubber ageing measured by dielectric spectroscopy. In *SGEM 2011 Conference Proceedings, Bulgaria*, 2011, pp. 751–757.
- NORMAN, R. H. Gummi, Fasern, Kunststoffe. *Springer-Verlag*, Luxemburg, 1983.
- NUTTALL, A. J. G.; LODEWIJKS, G.; BRETELER KLEIN, A. J. Modelling rolling contact phenomena in a pouch belt conveyor system. *Wear*, 2006, 260, pp. 1081–1089.
- ONDRÁČEK, E.; JANÍČEK, P. *Computational models in technical practice*. Praha: Státní nakladatelství technické literatury, 1990.
- PAČAIOVÁ, H.; ANDREJIOVÁ, M.; BALÁŽIKOVÁ, M.; TOMAŠKOVÁ, M.; GAZDA, T.; CHOMOVÁ, K.; HIJJ, J.; SALAJ, L. Methodology for complex efficiency evaluation of machinery safety measures in a production organization. *Applied Sciences*, 2021, 11, pp. 1–16.
- PANG, Y.; LODEWIJKS, G. An intelligent agent-based information integrated platform for hinterland container transport. In *Proceedings of 9th IEEE International Conference on Networking, Sensing and Control*, 2012, pp. 79–84.
- PETITEAU, J.-CH.; OTHMAN, R.; GUÉGAN, P.; LE SOURNE, H.; VERRON, E. Dynamic uniaxial extension of elastomers at constant true strain rate. *Polymer Testing*, 2013, 32, pp. 394–401.
- PRICE, D. M.; JARRATT, M. Thermal conductivity of PTFE and PTFE composites. *Thermochimica Acta*, 2002, 392–393, pp. 231–236.
- ROBERTS, A. W. Chute performance and design for rapid flow conditions. *Chemical Engineering Technology*, 2003, 26, pp. 163–170.
- RODRIGUEZ, N.; DOROGIN, L.; CHEW, K. T.; PERSSON, B. N. J. Adhesion, friction and viscoelastic properties for non-aged and aged Styrene Butadiene rubber. *Tribology International*, 2018, 121, pp. 78–83.
- RÖTHEMEYER, F.; SOMMER, F. *Kautschuk Technologie*. Wien: Carl Hanser Verlag GmbH & Co. KG, 2006.
- SAVA TRADE. Retrieved <http://savatrade.cz/dopravni-pasy/katalog-dopravnich-pasu> [accessed: 1 July 2020].
- SPAANS, C. The calculation of the main resistance of belt conveyor. *Bulk Solids Handling*, 1991, 11, pp. 809–826.
- SHI, J. G.; MAO, J.; LIU, K. M. Research on dynamic modeling and simulation of belt conveyor. *Coal Mine Machinery*, 2009, 5.
- SONG, W. G.; LIU, H. Y.; WANG, Y. Research on dynamic and computer simulation of the belt conveyor. *Chinese Journal of Mechanical Engineering*, 2003, 9.
- STN EN ISO 283 Textilné dopravné pásy. Pevnosť v ťahu v celej hrúbke dopravného pása, predĺženie pri pretrhnutí (ťažnosť) a predĺženie pri referenčnom zaťažení. Skúšobná metóda 2023.
- STN EN ISO 284 Dopravné pásy. Elektrická vodivosť. Špecifikácia a skúšobná metóda 2012.

- STN EN ISO 21183-1 Ľahké dopravné pásy. Časť 1: Základné vlastnosti a použitie 2005.
- STN ISO 5048 Zariadenia na plynulú dopravu nákladov. Pásové dopravníky s nosnými valčekmi. Výpočet výkonu a ťahových síl 1995.
- STN 26 0370 Dopravné pásy s textilnou kostrou. Metódy skúšania základných vlastností 1987.
- STRAKA, M. *Simulation of discrete systems and simulation languages*. Košice: TUKE, 2005.
- ŠADEROVÁ, J. Laboratory research of a conveyor belts with a textile carcass for mine conveying. In *International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology SGEM 2018*, Albena, Bulgaria, 2 July - 8 July 2018, pp. 537–544.
- ŠADEROVÁ, J.; RISTOVIC, I. Application of the model approach for the process of bulk material loading. In *SGEM 2018 Conference Proceedings*, Bulgaria, 2018, pp. 127–134.
- ŠKVAREKOVÁ, E.; TOMAŠKOVÁ, M.; SABADKA, D.; ŠOFRANKO, M.; ZELENĀK, Š. Evaluation and risk factors of roadheaders in coal mines. *Management Systems in Production Engineering*, 2021, 29, pp. 242–250.
- TARABA, V. Logistický a technologický reinžiniering kombinovanej štvorvalcovej linky na výrobu dopravných pásov. *Acta Montanistica Slovaca 15 (Special issue 1)*, 2010, pp. 4–8.
- TARABA, V.; MARASOVÁ JR., D.; KUBALA, D.; SEMJON, V. Mathematical modelling of the process of conveyor belt damage caused by impact stress. *Applied Mechanics and Materials*, 2014, 663, pp. 153–158.
- TARABA, V. The methods of conveyor belt basic characteristics testing and special tests. *Transport & Logistics: The International Journal*, 2004, 4, pp. 59–68.
- TEREK, M.; HRNČIAROVÁ, L. *Statistical quality management*. Bratislava: Edícia Ekonómia, 2004.
- TURNBULL, A. Polymer degradation. *Materials World*, 1995, 3, pp. 182–183.
- TURNBULL, D. A game changer in Mining, IPCC and continuous mining solution are set to gain more Ground. *Bulk Solids Handling*, 2013, 33, pp. 16–18.
- VALENTOVA, H.; SKRBĚK, B.; NEUBERT, M.; HANA, P.; NEDBAL, J. Mechanical and ultrasound properties of conveyor belt rubbers. In *SGEM 2011 Conference Proceedings, Bulgaria*, 2011, pp. 839–844.
- VELES, P. *Mechanické vlastnosti a skúšanie kovov*. Bratislava: Alfa, 1989.
- VOŠTOVÁ, V.; JEŘÁBEK, K. Impaktné panely. *Transport & Logistics: The International Journal, (Special Issue 7)*, 2010, 10, pp. 276–280.
- WANG, F. S. Indentation rolling resistance of conveyor belts based on Maxwell model. *Advanced Material Research*, 2012, 479–481, pp. 1526–1529.
- WANG, J.; MENG, G. Y.; SHI, L. Dynamics simulation of variable load starting in belt conveyors. *Hoisting Conveying Mach*, 2008, 12.
- WANG, S.; LI, J. The electrical surface resistance of highly conductive belts. *Journal of Electrical*, 2017, 14, pp. 80–90.
- WESTPHAL, H. Optimierung von Fördergurten mit Textil-Einlagen. *Hebezeuge Fördermittel*, 1985, 25, pp. 81–85.
- ZENG, F.; WU, Q.; CHU, X.; YUE, Z. Measurement of bulk material flow based on laser scanning technology for the energy efficiency improvement of belt conveyors. *Measurement*, 2015, 75, p. 230.

ZHANG, Y.; et al. *Macro-electrical properties and microscopic structures of belts*. Zhongyuan University of Technology, Zhengzhou, 2008.

ZHI-WEI, Y.; XIAO-LEI, X.; XIN, M. Failure investigation on the cracked crawler pad link. *Engineering Failure Analysis*, 2010, 17, pp. 1102–1109.

ZIMROZ, R.; KROL, R. Failure analysis of belt conveyor systems for condition monitoring purposes. *Mining Science*, 2009, 128, pp. 255–270.

ZWICK MATERIALS TESTING MACHINES. Retrieved <http://www.zwick.com/en/products/static-materials-testing-machines.html> [accessed: 12 March 2023].