

7. Seznam použitých zdrojů

- [1] OROSA, José A. a Armando C. OLIVEIRA. A field study on building inertia and its effects on indoor thermal environment. *Renewable Energy* [online]. 2012, **37**(1), 89–96. ISSN 09601481. Dostupné z: doi:10.1016/j.renene.2011.06.009
- [2] ASTE, Niccolò, Adriana ANGELOTTI a Michela BUZZETTI. The influence of the external walls thermal inertia on the energy performance of well insulated buildings. *Energy and Buildings* [online]. 2009, **41**(11), 1181–1187. ISSN 03787788. Dostupné z: doi:10.1016/j.enbuild.2009.06.005
- [3] OSTRÝ, Milan. Akumulace tepla pro snížení spotřeby energie v nízkoenergetických budovách. *TZB-info* [online]. 2008. Dostupné z: <https://www.tzb-info.cz/4643-akumulace-tepla-pro-snizeni-spotreby-energie-v-nizkoenergetickych-budovach>
- [4] *DesignBuilder* [online]. Verze 6.1.6.011. Dostupné z: <https://designbuilder.co.uk/>
- [5] BAETENS, Ruben, Bjørn Petter JELLE a Arild GUSTAVSEN. Phase change materials for building applications: A state-of-the-art review. *Energy and Buildings* [online]. 2010, **42**(9), 1361–1368. ISSN 03787788. Dostupné z: doi:10.1016/j.enbuild.2010.03.026
- [6] SHARMA, Atul, V.V. TYAGI, C.R. CHEN a D. BUDDHI. Review on thermal energy storage with phase change materials and applications. *Renewable and Sustainable Energy Reviews* [online]. 2009, **13**(2), 318–345. ISSN 13640321. Dostupné z: doi:10.1016/j.rser.2007.10.005
- [7] MEHLING, Harald, Luisa F. CABEZA, F. MAYINGER a D. MEWES. *Heat and cold storage with PCM: an up to date introduction into basics and applications*. Berlin, Heidelberg: Springer-Verlag Berlin Heidelberg Springer e-books, 2008. Heat and mass transfer. ISBN 978-3-540-68557-9.
- [8] KONUKLU, Yeliz, Milan OSTRÝ, Halime O. PAKSOY a Pavel CHARVAT. Review on using microencapsulated phase change materials (PCM) in building applications. *Energy and Buildings* [online]. 2015, **106**, 134–155. ISSN 03787788. Dostupné z: doi:10.1016/j.enbuild.2015.07.019
- [9] LANE, George Ashel, ed. *Solar heat storage: latent heat materials*. Boca Baton, Fla: CRC Press, 1983. ISBN 978-0-8493-6585-0.
- [10] KUZNIK, Frédéric, Damien DAVID, Kevyn JOHANNES a Jean-Jacques ROUX. A review on phase change materials integrated in building walls. *Renewable and Sustainable Energy Reviews* [online]. 2011, **15**(1), 379–391. ISSN 13640321. Dostupné z: doi:10.1016/j.rser.2010.08.019
- [11] PAVLÍK, Zbyšek, Oldrich ZMESKAL, Milena PAVLÍKOVÁ a Robert ČERNÝ. Effect of Heating and Cooling Mode on Temperature and Enthalpy

- of Phase Changes in PCM Modified Plaster. *Applied Mechanics and Materials* [online]. 2014, **595**, 149–154. ISSN 1662-7482. Dostupné z: doi:10.4028/www.scientific.net/AMM.595.149
- [12] OSTRÝ, Milan, Darina DOSTÁLOVÁ a Tomáš KLUBAL ... Micro-encapsulated phase-change materials for latent-heat storage: thermal characteristics. *Materiali in tehnologije* [online]. 2015, **49**(5), 813–816. ISSN 15802949, 15803414. Dostupné z: doi:10.17222/mit.2013.210
- [13] KUSAMA, Yuka a Yuji ISHIDOYA. Thermal effects of a novel phase change material (PCM) plaster under different insulation and heating scenarios. *Energy and Buildings* [online]. 2017, **141**, 226–237. ISSN 03787788. Dostupné z: doi:10.1016/j.enbuild.2017.02.033
- [14] FOŘT, Jan, Anton TRNÍK a Zbyšek PAVLÍK. Cement-Lime Plaster with PCM Addition – A Perspective Material for Moderation of Interior Climate. *Key Engineering Materials* [online]. 2016, **707**, 43–50. ISSN 1662-9795. Dostupné z: doi:10.4028/www.scientific.net/KEM.707.43
- [15] FOŘT, Jan, Anton TRNÍK a Zbyšek PAVLÍK. Influence of PCM Admixture on Thermal Behavior of Composite Plaster. *Advanced Materials Research* [online]. 2014, **1054**, 209–214. ISSN 1662-8985. Dostupné z: doi:10.4028/www.scientific.net/AMR.1054.209
- [16] FOŘT, Jan, Anton TRNÍK a Zbyšek PAVLÍK. Utilization of the PCM latent heat for energy savings in buildings. In: *INTERNATIONAL CONFERENCE OF NUMERICAL ANALYSIS AND APPLIED MATHEMATICS (ICNAAM 2016)* [online]. 2017, s. 150002 [vid. 2023-04-30]. Dostupné z: doi:10.1063/1.4992324
- [17] FOŘT, Jan, Anton TRNÍK a Zbyšek PAVLÍK. Influence of the Heating and Cooling Rate on Thermal Performance of Cement-Lime Plaster with PCM Admixture. *Key Engineering Materials* [online]. 2016, **677**, 150–154. ISSN 1662-9795. Dostupné z: doi:10.4028/www.scientific.net/KEM.677.150
- [18] BAJARE, Diana, Janis KAZJONOVŠ a Aleksandrs KORJAKINS. Development of Latent Heat Storage Phase Change Material Containing Plaster. *Materials Science* [online]. 2016, **22**(1), 94–97. ISSN 2029-7289, 1392-1320. Dostupné z: doi:10.5755/j01.ms.22.1.7745
- [19] PAVLÍK, Zbyšek, Jan FOŘT, Milena PAVLÍKOVÁ, Jaroslav POKORNÝ, Anton TRNÍK a Robert ČERNÝ. Modified lime-cement plasters with enhanced thermal and hygric storage capacity for moderation of interior climate. *Energy and Buildings* [online]. 2016, **126**, 113–127. ISSN 03787788. Dostupné z: doi:10.1016/j.enbuild.2016.05.004
- [20] FOŘT, Jan, Anton TRNÍK a Zbyšek PAVLÍK. Latent Heat Storage in Plasters with Incorporated PCM Water Dispersion. *Materials Science Forum* [online]. 2015, **824**, 1–6. ISSN 1662-9752. Dostupné

z: doi:10.4028/www.scientific.net/MSF.824.1

- [21] FOŘT, Jan, Radimír NOVOTNÝ, Anton TRNÍK a Robert ČERNÝ. Preparation and Characterization of Novel Plaster with Improved Thermal Energy Storage Performance. *Energies* [online]. 2019, **12**(17), 3318. ISSN 1996-1073. Dostupné z: doi:10.3390/en12173318
- [22] GNANACHELVAM, Sayilacksha, Anthony ARIYANAYAGAM a Mahen MAHENDRAN. Fire resistance of light gauge steel framed wall systems lined with PCM-plasterboards. *Fire Safety Journal* [online]. 2019, **108**, 102838. ISSN 03797112. Dostupné z: doi:10.1016/j.firesaf.2019.102838
- [23] KOLAITIS, Dionysios I., Eleni K. ASIMAKOPOULOU a Maria A. FOUNTI. Gypsum plasterboards enhanced with phase change materials: A fire safety assessment using experimental and computational techniques. *MATEC Web of Conferences* [online]. 2013, **9**, 06002. ISSN 2261-236X. Dostupné z: doi:10.1051/mateconf/20130906002
- [24] HAURIE, Laia, Susana SERRANO, Montserrat BOSCH, Ana I. FERNANDEZ a Luisa F. CABEZA. Single layer mortars with microencapsulated PCM: Study of physical and thermal properties, and fire behaviour. *Energy and Buildings* [online]. 2016, **111**, 393–400. ISSN 03787788. Dostupné z: doi:10.1016/j.enbuild.2015.11.028
- [25] KONTOGEORGOS, Dimos A., Georgios K. SEMITELOS, Ioannis D. MANDILARAS a Maria A. FOUNTI. Experimental investigation of the fire resistance of multi-layer drywall systems incorporating Vacuum Insulation Panels and Phase Change Materials. *Fire Safety Journal* [online]. 2016, **81**, 8–16. ISSN 03797112. Dostupné z: doi:10.1016/j.firesaf.2016.01.012
- [26] CAGGIANO, Antonio, Christoph MANKEL a Eddie KOENDERS. Reviewing Theoretical and Numerical Models for PCM-embedded Cementitious Composites. *Buildings* [online]. 2018, **9**(1), 3. ISSN 2075-5309. Dostupné z: doi:10.3390/buildings9010003
- [27] KLIMEŠ, Lubomír, Pavel CHARVÁT a Milan OSTRÝ. An optimization study into thermally activated wall system with latent heat thermal energy storage. *IOP Conference Series: Earth and Environmental Science* [online]. 2019, **238**, 012016. ISSN 1755-1315. Dostupné z: doi:10.1088/1755-1315/238/1/012016
- [28] 3-LITER HOME. *BASF Neopor* [online]. 2023. Dostupné z: <https://neopor.basf.us/resources/case-studies/3-liter-home>
- [29] CSU BUILDING A „WORLD LEADER“. *CSU News* [online]. 2009. Dostupné z: https://news.csu.edu.au/latest-news/charles-sturt-university/csu-building-a-world-leader/_nocache?SQ_DESIGN_NAME=print
- [30] KOŠNY, Jan. *PCM-Enhanced Building Components: An Application of Phase Change Materials in Building Envelopes and Internal Structures*

- [online]. Cham: Springer International Publishing, 2015 [vid. 2023-05-26]. Engineering Materials and Processes. ISBN 978-3-319-14285-2. Dostupné z: doi:10.1007/978-3-319-14286-9
- [31] FARAJ, Khaireldin, Mahmoud KHALED, Jalal FARAJ, Farouk HACHEM a Cathy CASTELAIN. A Summary Review on Experimental Studies for PCM Building Applications: Towards Advanced Modular Prototype. *Energies* [online]. 2022, 15(4), 1459. ISSN 1996-1073. Dostupné z: doi:10.3390/en15041459
- [32] STEJSKALOVÁ, Kateřina, David BUJDOŠ, Lukáš PROCHÁZKA, Bedřich SMETANA, Simona ZLÁ a Jiří TESLÍK. Mechanical, Thermal, and Fire Properties of Composite Materials Based on Gypsum and PCM. *Materials* [online]. 2022, 15(3), 1253. ISSN 1996-1944. Dostupné z: doi:10.3390/ma15031253
- [33] STEJSKALOVA, Katerina a Milan OSTRY. INFLUENCE OF PHASE CHANGE MATERIALS ON THERMAL STABILITY IN ATTIC ROOMS. In: *19th SGEM International Multidisciplinary Scientific GeoConference EXPO Proceedings* [online]. 2019 [vid. 2023-04-30]. Dostupné z: doi:10.5593/sgem2019/6.2/S26.024
- [34] ČSN 72 2301: *Sádrová pojiva. Klasifikace. Všeobecné technické požadavky. Zkušební metody*. ÚNM. 1980.
- [35] RIMANO UNI. *Rigips SAINT-GOBAIN* [online]. Dostupné z: <https://www.rigips.cz/produkty/rimano-uni/>
- [36] ČSN EN ISO 11925-2: *Zkoušení reakce na oheň - Zápalnost stavebních výrobků vystavených přímému působení plamene - Část 2: Zkouška malým zdrojem plamene*. CEN. 2020.
- [37] ČSN EN 13279-2: *Sádrová pojiva a sádrové malty pro vnitřní omítky - Část 2: Zkušební metody*. CEN. 2014.
- [38] OSTRÝ, Milan. *Využití akumulace tepla při změnách skupenství v budovách*. Brno, 2012. Habilitační práce. VUT, ÚPS.
- [39] KLUBAL, Tomáš. *Integrace materiálů s fázovou změnou ve stavebních konstrukcích*. Brno, 2017. Disertační práce. VUT, ÚPS.
- [40] PHASE CHANGE MATERIALS. *DesignBuilder Help* [online]. Dostupné z: <https://designbuilder.co.uk/helpv6.0/>
- [41] ČSN EN 13501-1: *Požární klasifikace stavebních výrobků a konstrukcí staveb - Část 1: Klasifikace podle výsledků zkoušek reakce na oheň*. CEN. 2019.
- [42] ČSN 73 0802: *Požární bezpečnost staveb - Nevýrobní objekty*. ÚNMZ. 2009.
- [43] ČSN EN 13279-1: *Sádrová pojiva a sádrové malty pro vnitřní omítky - Část 1: Definice a požadavky*. CEN. 2009.