

REFERENCES

Preface

- Ainsworth, B.E., Irwin, M.L., Addy, C.L., Whitt, M.C., & Stolarczyk, L.M. (1999). Moderate physical activity patterns of minority women: The cross-cultural activity participation survey. *Journal of Women's Health & Gender-Based Medicine*, 8 (6), 805-813.
- Allender, S. (2006). Understanding participation in sport and physical activity among children and adults: A review of qualitative studies. *Health Education Research*, 21 (6), 826-835.
- Caspersen, C.J., Powell, K.E., & Christenson, G.M. (1985). Physical activity, exercise, and physical fitness: Definitions and distinctions for health-related research. *Public Health Reports*, 100 (2), 126-131.
- U.S. Department of Health and Human Services (USDHHS). *Healthy People 2010: A midcourse review* (2005). Retrieved March 27, 2007, from www.healthypeople.gov/data/midcourse/pdf/fa22.pdf
- Ransdell, L.B., Vener, J., & Sell, K. (2004). Gender and physical activity: International perspectives. *Journal of the Royal Society for Health*, 124 (1), 12-14.

Introduction

- Bock, B.C., Marcus, B.H., Pinto, B.M., & Forsyth, L.H. (2001). Maintenance of physical activity following an individualized motivationally tailored intervention. *Annals of Behavioral Medicine*, 23 (2), 79-87.
- Cox, K.L. (2003). Exercise behaviour change in 40- to 65-year-old women: The SWEAT Study (Sedentary Women Exercise Adherence Trial). *British Journal of Health Psychology*, 8 (4), 477-495.
- Dishman, R.K., & Buckworth, J. (1996). Increasing physical activity: A quantitative synthesis. *Medicine & Science in Sports & Exercise*, 28 (6), 706-719.
- Gittlesohn, J., Steckler, A., Johnson, C.C., Pratt, C., Grieser, M., Pickrel, J., Stone, E., Conway, T., Coombs, D., & Staten, L. (2006). Formative research in school and community-based health programs and studies: "State of the art" and the TAAG approach. *Health Education & Behavior*, 33 (1), 25-39.
- Glanz, K., Rimer, B.K., & Lewis, F.M. (Eds.). (2002). *Health behavior and health education* (3rd ed.). San Francisco: Jossey-Bass.
- Pinto, B.M., Friedman, R., Marcus, B.H., Kelley, H., Tennstedt, S., & Gillman, M.W. (2002). Effects of a computer-based, telephone counseling system on physical activity. *American Journal of Preventive Medicine*, 23 (2), 113-120.
- Ransdell, L.B., Oakland, D., & Taylor, A. (2003). Increasing physical activity in girls and women: Lessons learned from the DAMET project. *Journal of Physical Education, Recreation, and Dance*, 74 (1), 37-44, 55.

Chapter 1

- Alcazar, O., Ho, R.C., & Goodyear, L.J. (2007). Physical activity, fitness, and diabetes mellitus. In C. Bouchard, S.N. Blair, & W.L. Haskell (Eds.), *Physical activity and health* (pp. 191-204). Champaign, IL: Human Kinetics.
- American College of Sports Medicine. (2006). *ACSM's guidelines for exercise testing and prescription* (7th ed.). Baltimore, MD: Lippincott Williams & Wilkins.
- Blair, S.N., & LaMonte, M.J. (2007). Physical activity, fitness, and mortality rates. In C. Bouchard, S.N. Blair, & W.L. Haskell, (2007). *Physical activity and health*. Champaign, IL: Human Kinetics.

- Dunn, A.L., Trivedi, M.H., & O'Neal, H.A. (2001). Physical activity dose-response effects on outcomes of depression and anxiety. *Medicine & Science in Sports & Exercise*, 33 (6 Suppl.), S587-597.
- Haskell, W.L., Lee, I.M., Pate, R.R., Powell, K.E., Blair, S.N., Franklin, B.A., et al. (2007). Physical activity and public health: Updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine & Science in Sports & Exercise*, 38 (8), 1423-1434.
- Hootman, J. (2007). Physical activity, fitness, and joint and bone health. In C. Bouchard, S.N. Blair & W.L. Haskell (Eds.), *Physical activity and health* (pp. 219-230). Champaign, IL: Human Kinetics.
- Institute of Medicine. (2005). *Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein, and amino acids (macronutrients)*. Washington, DC: National Academy Press.
- Institute of Medicine. (2007). *Adequacy of evidence for physical activity guidelines development: Workshop summary*. Washington, DC: National Academies Press.
- Janssen, I. (2007). Physical activity, fitness, and cardiac, vascular, and pulmonary morbidities. In C. Bouchard, S.N. Blair & W.L. Haskell (Eds.), *Physical activity and health* (pp. 161-171). Champaign, IL: Human Kinetics.
- Kelley, D.E., & Goodpaster, B.H. (2001). Effects of exercise on glucose homeostasis in type 2 diabetes mellitus. *Medicine & Science in Sports & Exercise*, 33 (6 Suppl.), S495-S501.
- Kesaniemi, Y.A., Danforth, E., Jensen, M.D., Kopelman, P.G., Lefebvre, P., & Reeder, B.A. (2001). Dose-response issues concerning physical activity and health: An evidence-based symposium. *Medicine & Science in Sports & Exercise*, 33 (6), S345-S641.
- Kohl, H.W. (2001). Physical activity and cardiovascular disease: Evidence for a dose response. *Medicine & Science in Sports & Exercise*, 33 (6 Suppl.), S472-S483.
- Kriska, A.M., & Caspersen, C.J. (1997). A collection of physical activity questionnaires for health-related research. *Medicine & Science in Sports & Exercise*, 29 (6 Suppl.), S1-205.
- Lee, I.M. (2007). Physical activity, fitness, and cancer. In C. Bouchard, S.N. Blair, & W.L. Haskell (Eds.), *Physical activity and health* (pp. 205-218). Champaign, IL: Human Kinetics.
- Lee, I.M., & Skerrett, P.J. (2001). Physical activity and all-cause mortality: What is the dose-response relation? *Medicine & Science in Sports & Exercise*, 33 (6 Suppl.), S459-S471.
- Minino, A.M., Heron, M.P., Murphy, S.L., & Kochanek, K.D. (2007). *Deaths: Final data for 2004. National vital statistics reports*. Hyattsville, MD: National Center for Health Statistics.
- Pate, R., Pratt, M., Blair, S., Haskell, W., Macera, C., Bouchard, C., et al. (1995). Physical activity and public health: A recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *Journal of the American Medical Association*, 273 (5), 402-407.
- Raglin, J.S., Wilson, G.S., & Galper, D. (2007). Exercise and its effects on mental health. In C. Bouchard, S.N. Blair, & W.L. Haskell (Eds.), *Physical activity and health* (pp. 247-257). Champaign, IL: Human Kinetics.
- Thune, I., & Furberg, A. (2001). Physical activity and cancer risk: Dose-response and cancer, all sites and site-specific. *Medicine & Science in Sports & Exercise*, 33 (6 Suppl.), S530-S550.
- U.S. Department of Health and Human Services. (1996). *Physical activity and health: A report of the surgeon general*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- U.S. Department of Health and Human Services. (2008). *2008 Physical Activity Guidelines for Americans*. Retrieved December 19, 2008, from www.health.gov/paguidelines.
- U.S. Department of Health and Human Services & U.S. Department of Agriculture. (2005). *Dietary guidelines for Americans* (6th ed.). Washington, DC: U.S. Government Printing Office.
- Vuori, I.M. (2001). Dose-response of physical activity and low back pain, osteoarthritis, and osteoporosis. *Medicine & Science in Sports & Exercise*, 33 (6 Suppl.), S551-S586.

Chapter 2

- Anspaugh, D.J., Dignan, M.B., & Anspaugh, S.L. (2006). *Developing health promotion programs* (2nd ed.). Long Grove, IL: Waveland Press.

- Centers for Disease Control and Prevention. (2001). Increasing physical activity: A report on recommendations of the Task Force on Community Preventive Services. *Morbidity and Mortality Weekly Report*, 50 (RR-18), 1-14.
- Centers for Disease Control and Prevention. (2006). Increasing physical activity: Guide to Community Preventive Services Web site. Retrieved September 19, 2007, from www.thecommunityguide.org/pa/
- Centers for Disease Control and Prevention. (2007a, July 16, 2007). Behavioral Risk Factor Surveillance System. Retrieved September 21, 2007, from www.cdc.gov/brfss/
- Centers for Disease Control and Prevention. (2007b, August 22). National Health and Nutrition Examination Survey. Retrieved September 21, 2007, from www.cdc.gov/nchs/nhanes.htm
- Green, L.W., & Kreuter, M.W. (2005). *Health program planning: An educational and ecological approach* (4th ed.). Boston: McGraw-Hill.
- Green, L.W., & Lewis, F.M. (1986). *Measurement and evaluation in health education and health promotion*. Palo Alto, CA: Mayfield.
- McKenzie, J.F., Neiger, B.L., & Smeltzer, J.L. (2005). *Planning, implementing & evaluating health promotion programs* (4th ed.). San Francisco, CA: Pearson Benjamin Cummings.
- Task Force on Community Preventive Services. (2005). *The guide to community preventive services: What works to promote health?* New York: Oxford University Press.
- U.S. Department of Health and Human Services. (1999). *Promoting physical activity: A guide for community action*. Champaign, IL: Human Kinetics.
- U.S. Department of Health and Human Services. (2000). *Healthy People 2010* (2nd ed.). Washington, DC: U.S. Government Printing Office.
- U.S. Department of Health and Human Services. (2002). *Physical activity evaluation handbook*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.

Chapter 3

- Ainsworth, B.E. (2000a). Challenges in measuring physical activity in women. *Exercise and Sport Sciences Reviews*, 28 (2), 93-96.
- Ainsworth, B.E. (2000b). Practical assessment of physical activity. In K.A. Tritschler (Ed.), *Barrow & McGee's practical measurement and assessment* (pp. 475-492). Baltimore, MD: Lippincott Williams & Wilkins.
- Ainsworth, B.E., Bassett, D.R., Strath, S.J., Swartz, A.M., O'Brien, W.L., Thompson, R.W., et al. (2000). Comparison of three methods for measuring the time spent in physical activity. *Medicine & Science in Sports & Exercise*, 32 (9), S457-S464.
- Ainsworth, B.E., Haskell, W.L., Whitt, M.C., Irwin, M.L., Swartz, A.M., Strath, S.J., et al. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine & Science in Sports & Exercise*, 32 (9 Suppl.), S498-S516.
- Ainsworth, B.E., Jacobs, Jr., D.R., & Leon, A.S. (1993). Validity and reliability of self-reported physical activity status: the Lipid Research Clinics questionnaire. *Medicine & Science in Sports & Exercise*, 25 (1), 92-98.
- Baecke, J.A.H., Burema, J., & Frijters, J.E.R. (1982). A short questionnaire for the measurement of habitual physical activity in epidemiological studies. *American Journal of Clinical Nutrition*, 36, 936-942.
- Bassett, D.R. (2000). Validity and reliability issues in objective monitoring of physical activity. *Research Quarterly for Exercise and Sport*, 71 (2), 30-36.
- Bassett, D.R., Schneider, P.L., & Huntington, G.E. (2004). Physical activity in an old order Amish community. *Medicine & Science in Sports & Exercise*, 36 (1), 79-85.
- Behrens, T.K., & Dinger, M.K. (2007). Motion sensor reactivity in physically active young adults. *Research Quarterly for Exercise and Sport*, 78 (1), 1-8.
- Buchowski, M.S., Acra, S., Majchrzak, K.M., Sun, M., & Chen, K.Y. (2004). Patterns of physical activity in free-living adults in the Southern United States. *European Journal of Clinical Nutrition*, 58 (5), 828-837.

- Caspersen, C.J., Powell, K.E., & Christenson, G.M. (1985). Physical activity, exercise, and physical fitness: Definitions and distinctions for health-related research. *Public Health Reports*, 100 (2), 127-131.
- Craig, C.L., Marshall, A.L., Sjoström, M., Bauman, A.E., Booth, M.L., Ainsworth, B.E., et al. (2003). International Physical Activity Questionnaire: 12-country reliability and validity. *Medicine & Science in Sports & Exercise*, 35 (8), 1381-1395.
- Crouter, S.E., Clowers, K.G., & Bassett, D.R. (2006). A novel method for using accelerometer data to predict energy expenditure. *Journal of Applied Physiology*, 100, 1324-1331.
- Crouter, S.E., Schneider, P.L., Karabulut, M., & Bassett, D.R. (2003). Validity of 10 electronic pedometers for measuring steps, distance, and energy cost. *Medicine & Science in Sports & Exercise*, 35 (8), 1455-1460.
- Dinger, M.K., & Behrens, T.K. (2006). Accelerometer-determined physical activity of free-living college students. *Medicine & Science in Sports & Exercise*, 38 (4), 774-779.
- Dinger, M.K., Heesch, K.C., & McClary, K.R. (2005). Feasibility of a minimal contact intervention to promote walking among insufficiently active women. *American Journal of Health Promotion*, 20 (1), 2-6.
- DuVall, C., Dinger, M.K., Taylor, E.L., & Bembien, D. (2004). Minimal-contact physical activity interventions in women: A pilot study. *American Journal of Health Behavior*, 28 (3), 280-286.
- Godin, G., & Shephard, R.J. (1985). A simple method to assess exercise behavior in the community. *Canadian Journal of Applied Sport Sciences*, 10 (3), 141-146.
- Jacobs, D.R., Hahn, L.P., Haskell, W.L., Pirie, P., & Sidney, S. (1989). Reliability and validity of a short physical activity history: CARDIA and the Minnesota Health Program. *Journal of Cardiopulmonary Rehabilitation*, 9, 448-459.
- Kriska, A.M., & Caspersen, C.J. (1997). A collection of physical activity questionnaires for health-related research. *Medicine & Science in Sports & Exercise*, 29 (6 Suppl.), S1-205.
- Kriska, A.M., Knowler, W.C., LaPorte, R.E., Drash, A.L., Wing, R.R., Blair, S.N., et al. (1990). Development of questionnaire to examine relationship of physical activity and diabetes in Pima Indians. *Diabetes Care*, 13 (4), 401-411.
- Matevey, C., Rogers, L.Q., Dawson, E., & Tudor-Locke, C. (2006). Lack of reactivity during pedometer self-monitoring in adults. *Measurement in Physical Education and Exercise Science*, 10 (1), 1-11.
- Matthews, C.E., Ainsworth, B., Thompson, R.W., & Bassett, D.R. (2002). Sources of variance in daily physical activity levels as measured by an accelerometer. *Medicine & Science in Sports & Exercise*, 34 (8), 1376-1381.
- Montoye, H.J. (1971). Estimation of habitual physical activity by questionnaire and interview. *American Journal of Clinical Nutrition*, 24, 1113-1118.
- Pate, R., Pratt, M., Blair, S., Haskell, W., Macera, C., Bouchard, C., et al. (1995). Physical activity and public health: A recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *Journal of the American Medical Association*, 273 (5), 402-407.
- Sallis, J.F., Haskell, W.L., Wood, P.D., Fortmann, S.P., Rogers, T., Blair, S.N., et al. (1985). Physical activity assessment in the five-city project. *American Journal of Epidemiology*, 121 (1), 91-106.
- Sallis, J.F., & Saelens, B.E. (2000). Assessment of physical activity by self-report: Status, limitations, and future directions. *Research Quarterly for Exercise and Sport*, 71 (2), 1-14.
- Schneider, P.L., Crouter, S.E., & Bassett, D.R. (2004). Pedometer measures of free-living physical activity: Comparison of 13 models. *Medicine & Science in Sports & Exercise*, 36 (2), 331-335.
- Sequeira, M.M., Rickenbach, M., Wietlisbach, V., Tullen, B., & Schutz, Y. (1995). Physical activity assessment using a pedometer and its comparison with a questionnaire in a large population survey. *American Journal of Epidemiology*, 142, 989-999.
- Shapiro, S., Weinblatt, E., Frank, C.W., & Sager, R.V. (1969). Incidence of coronary heart disease in a population insured for medical care (HIP). *American Journal of Public Health and the Nation's Health*, 59 (6 Suppl.), 1-101.
- Taylor, H.L., Jacobs, D.R., Shucker, B., Knudsen, J., Leon, A.S., & DeBacker, G. (1978). A questionnaire for the assessment of leisure-time physical activities. *Journal of Chronic Diseases*, 31, 741-755.

- Troiano, R.P. (2005). A timely meeting: Objective measurement of physical activity. *Medicine & Science in Sports & Exercise*, 37 (11 Suppl.), S487-S489.
- Trost, S.G., McIver, K.L., & Pate, R.R. (2005). Conducting accelerometer-based activity assessments in field-based research. *Medicine & Science in Sports & Exercise*, 37 (11 Suppl.), S531-543.
- Tudor-Locke, C., & Bassett, D.R. (2004). How many steps/day are enough? *Sports Medicine*, 34 (1), 1-8.
- Tudor-Locke, C., Bassett, D.R., Swartz, A.M., Strath, S.J., Parr, B.B., & Reis, J.P. (2004). A preliminary study of one year of pedometer self-monitoring. *Annals of Behavioral Medicine*, 28, 158-162.
- Tudor-Locke, C., Bell, R.C., Myers, A.M., Harris, S.B., Lauzon, N., & Rodger, N.W. (2002). Pedometer-determined ambulatory activity in individuals with type 2 diabetes. *Diabetes Research and Clinical Practice*, 55, 191-199.
- Tudor-Locke, C., & Myers, A.M. (2001). Methodological considerations for researchers and practitioners using pedometers to measure physical (ambulatory) activity. *Research Quarterly for Exercise and Sport*, 72 (1), 1-12.
- Ward, D.S., Evenson, K.R., Vaughn, A., Rodgers, A.B., & Troiano, R.P. (2005). Accelerometer use in physical activity: Best practices and research recommendations. *Medicine & Science in Sports & Exercise*, 37 (11 Suppl.), S582-588.
- Washburn, R.A., Smith, K.W., Jette, A.M., & Janney, C.A. (1993). The Physical Activity Scale for the Elderly (PASE): Development and evaluation. *Journal of Clinical Epidemiology*, 46 (2), 153-162.
- Wilde, B.E., Sidman, C.L., & Corbin, C.B. (2001). A 10,000-step count as a physical activity target for sedentary women. *Research Quarterly for Exercise and Sport*, 72 (4), 411-414.

Chapter 4

- Albright, C.L., Pruitt, L., Castro, C., Gonzalez, A., Woo, S., & King, A.C. (2005). Modifying physical activity in a multiethnic sample of low-income women: One-year results from the impACT (Increasing Motivation for Physical ACTivity) project. *Annals of Behavioral Medicine*, 30 (3), 191-200.
- Anton, S.D., Perri, M.G., Riley, J., Kanasky, W.F., Rodrigue, J.R., Sears, S.F., & Martin, A.D. (2005). Differential predictors of adherence in exercise programs with moderate versus higher levels of intensity and frequency. *Journal of Sport and Exercise Psychology*, 27 (2), 171-187.
- Benn, T. (2006). Incompatible? Compulsory mixed-sex physical education initial teacher training and the inclusion of Muslim women: A case study on seeking solutions. *European Physical Education Review*, 12 (2), 181-200.
- Brassington, G.S., Atienza, A.A., Perczek, R.E., Diloranzo, T.M., & King, A.C. (2002). Intervention-related cognitive versus social mediators of exercise adherence in the elderly. *American Journal of Preventive Medicine*, 23 (2S), 80-86.
- Courneya, K.S., & McAuley, E. (1995). Cognitive mediators of the social influence-exercise adherence relationship: A test of the theory of planned behavior. *Journal of Behavioral Medicine*, 18 (5), 499-515.
- Cox, K.L., Burke, V., Gorely, T.J., Beilin, L.J., & Puddey, I.B. (2003). Controlled comparison of retention and adherence in home- vs. center-initiated exercise interventions in women ages 40-65 years: The SWEAT Study (Sedentary Women Exercise Adherence Trial). *Preventive Medicine*, 36 (1), 17-29.
- Cramp, A.G. & Brawley, L.R. (2006). Moms in Motion: A community based cognitive behavioral physical activity intervention. *International Journal of Behavioral Nutrition and Physical Activity*, 3 (23), 1-9.
- Dacey, M., Baltzell, A., & Zaichkowsky, L. (2003). Factors in women's maintenance of vigorous or moderate physical activity. *Women in Sport and Physical Activity Journal*, 12 (1), 87-111.
- Derry, J.A. (2002). Single-sex and coeducational physical education: Perspectives of adolescent girls and female physical education teachers. *Melpomene Journal*, 21 (3), 21-28.
- Duncan, G.E. (2006). Exercise, fitness, and cardiovascular disease risk in type 2 diabetes and the metabolic syndrome. *Current Diabetes Reports*, 6 (1), 29-35.
- Ekkekakis, P., & Lind, E. (2006). Exercise does not feel the same when you are overweight: The impact of self-selected and imposed intensity on affect and exertion. *International Journal of Obesity*, 30 (4), 652-660.

- Eyler, A.E., Wilcox, S., Matson-Koffman, D., Evenson, K.R., Sanderson, B., Thompson, J., Wilbur, J., & Rohm-Young, D. (2002). Correlates of physical activity among women from diverse racial/ethnic groups. *Journal of Women's Health & Gender-Based Medicine*, 11 (3), 239-253.
- Farris, R.P., Haney, D.M., & Dunet, D.O. (2004). Expanding the evidence for health promotion: Developing best practices for WISEWOMAN. *Journal of Women's Health*, 13 (5), 634-643.
- Finkenberg, M.E., Dinucci, J., McCune, S.L., Chenette, T., & McCoy, P. (1998). Commitment to physical activity and anxiety about physique among college women. *Perceptual and Motor Skills*, 87 (3, pt. 2), 1393-1394.
- Huberty, J.L., Ransdell, L.B., Sidman, C., Flohr, J.A., Shultz, B., Grosshans, O., & Durrant, L. (2008). Explaining long-term exercise adherence in women who complete a structured exercise program. *Research Quarterly for Exercise and Sport*, 79 (3), 374-384.
- Jakicic, J.M., Winters, C., Lang, W., & Wing, R.R. (1999). Effects of intermittent exercise and use of home exercise equipment on adherence, weight loss, and fitness in overweight women. *Journal of the American Medical Association*, 282 (16), 1554-1560.
- Jeon, C.Y., Lokken, R.P., Hu, F.B., & van Dam, R.M. (2007). Physical activity of moderate intensity and risk of type 2 diabetes: A systematic review. *Diabetes Care*, 30 (3), 744-752.
- Kugler, J., Seelbach, H., & Kruskemper, G.M. (1994). Effects of rehabilitation exercise programs on anxiety and depression in coronary patients: A meta-analysis. *The British Journal of Clinical Psychology*, 33 (pt. 3), 401-410.
- Lemmon, C.R., Ludwig, D.A., Howe, C.A., Ferguson-Smith, A., & Barbeau, P. (2007). Correlates of adherence to a physical activity program in young African-American girls. *Obesity*, 15 (3), 695-703.
- Marcus, B.H., Napolitano, M.A., King, A.C., Lewis, B.A., Whiteley, J.A., Albrecht, A.E., Parisi, A.F., Bock, B.C., Pinto, B.M., Sciamanna, C.A., Jakicic, J.M., & Papandonatos, G.D. (2007). Telephone versus print delivery of an individualized motivationally tailored physical activity intervention: Project STRIDE. *Health Psychology*, 26 (4), 401-409.
- Martyn-St. James, M., & Carroll, S. (2006). High-intensity resistance training and postmenopausal bone loss: A meta-analysis. *Osteoporosis International*, 17 (8), 1225-1240.
- McAuley, E., Jerome, G.J., Marquez, D.X., Elavsky, S., & Blissmer, B. (2003). Exercise self-efficacy in older adults: Social, affective, and behavioral influences. *Annals of Behavioral Medicine*, 25 (1), 1-7.
- McKenzie, T.L., Prochaska, J.J., Sallis, J.F., & LaMaster, K.J. (2004). Coeducational and single-sex physical education in middle schools: Impact on physical activity. *Research Quarterly for Exercise & Sport*, 75 (4), 446-449.
- Napolitano, M.A., Papandonatos, G.D., Lewis, B.A., Whiteley, J.A., Williams, D.M., King, A.C., Bock, B.C., Pinto, B., & Marcus, B.H. (2008). Mediators of physical activity behavior change: A multivariate approach. *Health Psychology*, 27 (4), 409-418.
- Nies, M., Vollman, M., & Cook, T. (1999). American women's experiences with physical activity in their daily lives. *Public Health & Nursing*, 16, 23-31.
- Oka, R.K., King, A.C., & Young, D.R. (1995). Sources of social support as predictors of exercise adherence in women and men ages 50 to 65 years. *Women's Health: Research on Gender, Behavior, and Policy*, 2, 161-175.
- Oman, R.F., & King, A.C. (1998). Predicting the adoption and maintenance of exercise participation using self-efficacy and previous exercise participation rates. *American Journal of Health Promotion*, 12 (3), 154-161.
- Osuji, T., Lovegreen, S., Elliott, M., & Brownson, R.C. (2006). Barriers to physical activity among women in the rural Midwest. *Women & Health*, 44 (1), 41-55.
- Pate, R.R., Ward, D.S., Saunders, R.P., Felton, G., Dishman, R.K., & Dowda, M. (2005). Promotion of physical activity among high school girls: A randomized controlled trial. *American Journal of Public Health*, 95 (9), 1582-1587.
- Ransdell, L.B., Oakland, D., & Taylor, A. (2003a). Increasing physical activity in girls and women: Lessons learned from the DAMET project. *Journal of Physical Education, Recreation, and Dance*, 74 (1), 37-44, 55.

- Ransdell, L.B., Robertson, L., Ornes, L., & Moyer-Mileur, L. (2004). Generations exercising together to improve fitness (GET FIT): A pilot study designed to increase physical activity and improve health-related fitness in three generations of women. *Women & Health, 40* (3), 79-96.
- Ransdell, L.B., Taylor, A., Oakland, D., Schmidt, J., Moyer-Mileur, L., & Shultz, B. (2003b). Daughters and mothers exercising together: Effects of home- and community-based programs. *Medicine & Science in Sports & Exercise, 35* (2), 286-296.
- Ransdell, L.B., Vener, J., & Sell, K. (2004). Gender and physical activity: International perspectives. *Journal of the Royal Society for Health, 124* (1), 12-14.
- Sallis, J., Hovell, M., & Hofstetter, C. (1992). Predictors of adoption and maintenance of vigorous physical activity in men and women. *Preventive Medicine, 21*, 237-251.
- Scharff, D., Homan, S., Krueter, M., & Brennan, L. (1999). Factors associated with physical activity in women across the lifespan: Implications for program development. *Women & Health, 29*, 115-134.
- Stoddard, A.M., Palombo, R., Troped, P.J., Sorensen, G., & Will, J.C. (2004). Cardiovascular disease risk reduction: The Massachusetts WISEWOMAN project. *Journal of Women's Health, 13* (5), 539-546.
- U.S. Department of Health and Human Services (USDHHS). *Healthy People 2010: A midcourse review* (2005). Retrieved March 27, 2007, from www.healthypeople.gov/data/midcourse/pdf/fa22.pdf
- White, J.L., Ransdell, L.B., Vener, J., & Flohr, J.A. (2005). Factors related to physical activity adherence in women: Review and suggestions for future research. *Women & Health, 41* (4), 123-148.
- Wilbur, J., Miller, A.M., Chandler, P., & McDewitt, J. (2003). Determinants of physical activity and adherence to a 24-week home based walking program in African American and Caucasian women. *Research in Nursing & Health, 26*, 213-224.
- Will, J.C., Farris, R.P., Sanders, C.G., Stockmyer, C.K., & Finkelstein, E.A. (2004). Health promotion interventions for disadvantaged women: Overview of the WISEWOMAN projects. *Journal of Women's Health, 13* (3), 484-502.
- Yancy, A.K., McCarthy, W.J., Harrison, G.G., Wong, W.K., Siegel, J.M., & Leslie, J. (2006). Challenges in improving fitness: Results of a community-based, randomized, controlled lifestyle change intervention. *Journal of Women's Health, 15* (4), 412-429.

Chapter 5

- Ainsworth, B.E., Haskell, W.L., Leon, A.S., Jacobs, D.R., Montoye, H.J., Sallis, J.F., & Paffenbarger, R.S. (1993). Compendium of physical activities: Classification of energy costs of human physical activities. *Medicine & Science in Sports & Exercise, 25* (1), 71-80.
- American College of Sports Medicine (ACSM). (2006). *ACSM's guidelines for exercise testing and prescription* (7th ed.). Baltimore, MD: Lippincott Williams & Wilkins.
- Anderson, J.W., Konz, E.C., Frederich, R.C., & Wood, C.L. (2001). Long-term weight loss maintenance: A meta-analysis of US studies. *American Journal of Clinical Nutrition, 74* (5), 579-584.
- Andreyeva, T., Michaud, P.C., & van Soest, A. (2007). Obesity and health in Europeans aged 50 years and older. *Public Health, 121*, 497-509.
- Ash, S., Reeves, M., Bauer, J., Dover, T., Vivanti, A., Leong, C., O'Moore-Sullivan, T., & Capra, S., (2006). A randomized control trial comparing lifestyle groups, individual counseling, and written information in the management of weight and health outcomes over 12 months. *International Journal of Obesity, 30*, 1557-1564.
- Baum, C.G., & Forehand, R. (1984). Social factors associated with adolescent obesity. *Journal of Pediatric Psychology, 9* (3), 293-302.
- Bellizzi, M.C., & Dietz, W.H. (1998). Workshop on childhood obesity: Summary of the discussion. *American Journal of Clinical Nutrition, 70* (1 pt. 2), 173S-175S.
- Berger, B.G., Motl, R.W., Martin, D.T., Wilkinson, J.G., & Owen, D.R. (1999). Mood and cycling performance in response to three weeks of high intensity, short duration overtraining and a two week taper. *Sport Psychologist, 13*, 466-479.
- Byrne, N.M., Meerkkin, J.D., Laukkanen, R., Ross, R., Fogelholm, M., & Hills, A.P. (2006). Weight loss strategies for obese adults: Personalized weight management program vs. standard care. *Obesity, 14*, 1777-1788.