

L I T E R A T U R A

- Abeles F. B. (1967): Mechanism of action of abscission accelerators. *Physiol. Plant.* 20: 442—454.
- Abeles F. B., Rubinstein B. (1964): Regulation of ethylene evolution and leaf abscission by auxin. *Plant Physiol.* 39: 963—969.
- Addicott F. T., Lynch R. S. (1955): Physiology of abscission. *Annu. Rev. Plant Physiol.* 6: 211—238.
- Aksenova N. P., Konstantinova T. N., Nikitina A. A. (1968): Vlijaniye sveta, temnoty i dliny dña na soprjažennost' okislenija i fosforilirovanija v listjach dlinnodnevnyh i korotkodnevnyh rastenij. *Fiziol. rast.* 15: 859—864.
- Allen P. J. (1953): Toxins and tissue respiration. *Phytopathology* 43: 221—229.
- Aloni R., Poljakoff-Mayber A. (1962): Adenosine triphosphatase activity in germinating lettuce seeds. *Plant Cell Physiol.* 3: 105—110.
- Andreeva I. N., Kurkova E. V. (1965): Okislitelnoje fosforilirovanije mitochondrij kornej kukuruzy. *Fiziol. rast.* 12: 584—589.
- Bandurski R. S. (1960): The group potentials and the role of phosphates in energy transfer. In: Ruhland W.: *Handbuch der Pflanzenphysiologie*, Bd. XII, T. 1: 132—157, Berlin—Göttingen—Heidelberg.
- Baur A. H., Yang S. F., Pratt H. K., Biale J. B. (1971): Ethylene biosynthesis in fruit tissues. *Plant Physiol.* 47: 696—699.
- Bässler F. A. (1938): Der Einfluss von Duftstoffen auf die Keimung von *Lathyrus odoratus*. *Madaus Jber.* 2: 133—137.
- Becker Y., Guyot L., Massenot M., Montegut J. (1950): Sur la présence d'excrétats racinaires toxiques dans le sol de certains groupements végétaux spontanés. *C. R. Acad. Agric. France*, 36: 689—697.
- Beevers H. (1953): 2,4-dinitrophenol and plant respiration. *Amer. J. Bot.* 40: 91—96.
- Betz A. (1955): Zur Atmung wachsender Wurzelspitzen. *Planta* 46: 381—402.
- (1960): Die aerobe Gärung in aktiven Meristemen höherer Pflanzen. In: Ruhland W.: *Handbuch der Pflanzenphysiologie*, Bd. XII, T. 2: 88—113. Berlin—Göttingen—Heidelberg.
- Bhagvat K., Hill R. (1951): Cytochrome oxidase in higher plants. *New Phytologist* 50: 112—120.
- Biale J. B. (1940): Effect of emanations from several species of fungi on respiration and color development of citrus fruits. *Science* 91: 458—459.
- (1950): Postharvest physiology and biochemistry of fruits. *Annu. Rev. Plant Physiol.* 1: 183—206.
- (1960): The postharvest biochemistry of tropical and subtropical fruit. *Advances Food Res.* 10: 293—354.
- Biale J. B., Shepherd A. D. (1941): Respiration of citrus fruits in relation to metabolism of fungi. *Amer. J. Bot.* 28: 263—270.
- Biale J. B., Young R. E., Olmstead A. J. (1954): Fruit respiration and ethylene production. *Plant Physiol.* 29: 168—174.
- Blažek Z., Kučera M., Hubík J. (1956): *Léčivé rostliny ve sběru a v kultuře*. Praha.
- Bode H. R. (1939—1940): Ueber die Blattausscheidungen des Wermuts und ihre Wirkung auf andere Pflanzen. *Planta* 30: 567—589.
- Bonner J. (1950): The role of toxic substances in the interaction of higher plants. *Bot. Rev.* 16: 51—65.

- Bonner J., Bandurski R. S. (1952): Studies of the physiology, pharmacology and biochemistry of the auxins. *Annu. Rev. Plant Physiol.* 3: 59–86.
- Bonner J., Galston A. W. (1945): Toxic substances from the culture media of guayule which may inhibit growth. *Bot. Gaz.* 106: 185–198.
- Borris H. (1944): Über das Wesen der wachstumshemmenden Wirkung des Äthylens. *Jb. wiss. Bot.* 91: 83–119.
- Börner H. (1960): Liberation of organic substances from higher plants and their role in the soil sickness problem. *Bot. Rev.* 26: 393–424.
- Bournot K. (1949): Über die Einwirkung von Duftstoffen auf den lebendigen Organismus, insbesondere den der Pflanzen. *Die Pharmazie* 4: 81–86.
- Burg S. P. (1962): The physiology of ethylene formation. *Annu. Rev. Plant Physiol.* 13: 265–302.
- (1968): Ethylene, plant senescence and abscission. *Plant Physiol.* 43: 1503–1511.
- Burg S. P., Burg E. A. (1961): Ethylene evolution and sub-cellular particles. *Nature* 191: 967–969.
- (1962): The role of ethylene in fruit ripening. *Plant Physiol.* 37: 179–189.
- (1966): The interaction between auxin and ethylene and its role in plant growth. *Proc. Natl. Acad. Sci.* 55: 262–266.
- (1968): Auxin stimulated ethylene formation: Its relationship to auxin inhibited growth, root geotropism and other plant processes. In: Wightman F., Setterfield G.: *Biochemistry and physiology of plant growth substances*. Ottawa.
- Burg S. P., Thimann K. V. (1959): The physiology of ethylene formation in apples. *Proc. Natl. Acad. Sci.* 45: 335–344.
- (1960): Studies on the ethylene production of apple tissue. *Plant Physiol.* 35: 24–35.
- (1961): The conversion of glucose-C¹⁴ to ethylene by apple tissue. *Arch. Biochem. Biophys.* 95: 450–457.
- De Candolle A. P. (1832): *Physiologie végétale* III. Paris.
- Cavallito C. J., Buck J. S., Suter C. M. (1944): Allicin, the antibacterial principle of *Allium sativum*. II. Determination of the chemical structure. *Jour. Am. Chem. Soc.* 66: 1952–1954.
- Cavallito C. J., Bailey J. H., Buck J. S. (1945): The antibacterial principle of *Allium sativum*. III. Its precursor and „essential oil“ of garlic. *Jour. Am. Chem. Soc.* 67: 1991–1994.
- Cedik-Tomašević Z. F. (1951): Rezultaty opytov s mezvidovymi smesjami zernovych kultur. *Agrobiologija* (1): 109–121.
- Clapham A. R., Tutin T. G. (1958): *Flora of the British isles*. Cambridge.
- Coupin H. (1911): La toxicité comparée des essences végétales. *C. R. Acad. Sci. Paris* 152: 529–531.
- Crocker W. (1948): *The growth of plants*. New York.
- Crocker W., Zimmerman P. W., Hitchcock H. E. (1932): Ethylene induced epinasty of leaves and the relation of gravity to it. *Contr. Boyce Thompson Inst.* 4: 177–218.
- Crocker W., Hitchcock A. E., Zimmerman P. W. (1935): Similarities in the effects of ethylene and the plant auxins. *Contr. Boyce Thompson Inst.* 7: 231–248.
- Dadáková V., Skurský L. (1958): O antibakteriálním účinku agropyrenu. *Publ. Fac. Sci. Univ. Brno* 369: 289–294.
- Dadáková V. (1965): Přirozené kumariny jako inhibitory metabolických pochodů. *Habil. dis. Univ. Brno*.
- Davidson O. W. (1949): Effects of ethylene on orchid flowers. *Am. Soc. Hort. Sci. Proc.* 53: 440–446.
- Deleuil G. (1950): Mise en évidence de substances toxiques pour les thérophytes dans les associations du Rosmarino-Ericion. *C. R. Acad. Sci. Paris* 230: 1362–1364.
- (1951): Origine des substances toxiques du sol des associations sans thérophytes du Rosmarino-Ericion. *C. R. Acad. Sci. Paris* 232: 2038–2039.
- Denny F. E. (1924a): Effect of ethylene upon respiration of lemons. *Bot. Gaz.* 77: 322–329.
- (1924b): Hastening the coloration of lemons. *J. Agric. Res.* 27: 757–769.
- (1935): Testing plant tissue for emanations causing leaf epinasty. *Contr. Boyce Thompson Inst.* 7: 341–347.

- (1937–38): Leaf epinasty test with volatile products from seedlings. *Contr. Boyce Thompson Inst.* 9: 431–438.
- Denny F. E., Miller L. P. (1935): Production of ethylene by plant tissue as indicated by epinastic response of leaves. *Contr. Boyce Thompson Inst.* 7: 97–102.
- Diamond A. E., Waggoner P. E. (1953): The cause of epinastic symptoms in *Fusarium* wilt of tomatoes. *Phytopathology* 43: 663–668.
- Dočeva-Popova R. (1967): Über den Einfluss flüchtiger Phytonzide auf die Keimung von Weizen- und Leinsamen. In: Borris H.: *Physiologie, Ökologie und Biochemie der Keimung*. T. I.: 293–300. Greifswald.
- Dostál R. (1942): Untersuchungen zur Analyse der Wirkung der Laboratoriumsluft und anderer Gase auf die Keimlinge von *Pisum sativum* unter Berücksichtigung der Wuchsstofftheorie. *Jb. wiss. Bot.* 90: 199–232.
- Dostál J. (1954): *Klíč k úplné květeně ČSR*. Praha.
- Doubt S. L. (1917): The response of plants to illuminating gas. *Bot. Gaz.* 63: 209–224.
- Eberhardt F. (1955): Der Atmungsverlauf alternder Blätter und reifender Früchte. *Planta* 45: 57–67.
- Elmer O. H. (1932): Growth inhibition of potato sprouts by the volatile products of apples. *Science* 75: 193.
- Epštejn M. M., Ščiglov M. B. (1957): K mechanismu dejství nekotorych fitoncídov. *Fitoncidy, ich rol v prirode*. Leningrad.
- Euler H. (1934): *Chemie der Enzym*. München.
- Evenari M. (1949): Germination inhibitors. *Bot. Rev.* 15: 153–194.
- (1961): Chemical influences of other plants (allelopathy). In: Ruhland W.: *Handbuch der Pflanzenphysiologie*, Bd. XVI: 691–736. Berlin–Göttingen–Heidelberg.
- Forti G. (1957): Adenosinetriphosphatase activity of pea mitochondria. *Physiol. Plant.* 10: 898–909.
- French R. C., Beevers H. (1953): Respiratory and growth responses induced by growth regulators and allied compounds. *Amer. J. Bot.* 40: 660–666.
- Funke G. L. (1943): The influence of *Artemisia absinthium* on neighbouring plants. *Blumea* 5: 281–293.
- Gane R. (1934): Production of ethylene by some ripening fruits. *Nature* 134: 1008.
- (1935): Identification of ethylene among the volatile products of ripe apples. *Gr. Britain Dept. Sci. Ind. Res., Foot Invest. Board Rept.* 1934: 122–123.
- Gardini C. E., Leloir L. (1957): General procedure for isolating and analyzing tissue organic phosphates. In: Colowick S. P., Kaplan N. O.: *Methods in enzymology*, Tom. III: 835–850. New York.
- Gibson M. S., Crane F. L. (1963): Paper chromatography method for identification of ethylene. *Plant Physiol.* 38: 729–730.
- Goeschl J. D., Pratt H. K. (1968): Regulatory roles of ethylene in the etiolated growth habit of *Pisum sativum*. In: Wightman F., Setterfield G.: *Biochemistry and physiology of plant growth substances*. Ottawa.
- Gray R., Bonner J. (1948): An inhibitor of plant growth from the leaves of *Encelia farinosa*. *Amer. J. Bot.* 35: 52–57.
- Grodzinskij A. M. (1965): *Allelopatija v žizni rastenij i ich soobščestv*. Kijev.
- Grümmer G. (1955): Die gegenseitige Beeinflussung höherer Pflanzen – Allelopathie. Jena.
- (1958): Die Beeinflussung des Leinertrags durch *Camelina*-Arten. *Flora* 146: 158–177.
- Grümmer G., Beyer H. (1959): The influence exerted by species of *Camelina* on flax by means of toxic substances. *Brit. Ecol. Soc. Symp.* 1: 153–157.
- Guyot L. (1950): Les excréments racinaires toxiques chez les végétaux. *Bull. Technique d'Information* 59: 1–15.
- Hafez M. G. A. (1939): An analysis of the influence of ethereal oils on transpiration. M. Sc. thesis, Cairo Univ.
- (1957): Effects of some essential oil vapour on transpiration and absorption by *Eupatorium* and *Mentha*. *Proc. Sci. Arab. Congr.* 3.
- (1958a): Effects of some essential oil vapours on the stomata of *Eupatorium* and *Mentha*. *Plant Physiol.* 33: 177–181.
- (1958b): Effects of rosemary and thyme oil vapours on the stomata of cherry laurel. *Plant Physiol.* 33: 181–185.
- Hall W. C. (1952a): Studies on the origin of ethylene from plant tissues. *Bot. Gaz.* 113: 55–65.

- (1952b): Evidence on the auxin-ethylene balance hypothesis of foliar abscission. Bot. Gaz. 113: 310—323.
- Hall W. C., Truchelut G. B., Leinweber C. L., Herrero F. A. (1957): Ethylene production by the cotton plant and its effects under experimental and field conditions. Physiol. Plant. 10: 306—317.
- Hansen E. (1942): Quantitative study of ethylene production in relation to respiration of pears. Bot. Gaz. 103: 543—558.
- (1943): Relation of ethylene production to respiration and ripening of pears. Proc. Amer. Soc. Hort. Sci. 43: 69—72.
- Hansen E., Christensen B. E. (1939): Chemical determination of ethylene in the emanations from apples and pears. Bot. Gaz. 101: 403—409.
- Hefendehl F. W. (1965): Leichtflüchtige Terpene und Terpengemische (ätherische Öle) als Träger allelopathischer Wirkungen. Einfluss auf das Wurzelwachstum von *Lepidium sativum* L. Flora Abt. A 156: 20—32.
- Heilbronn A. (1950): Über die ökologische Bedeutung der ätherischen Öle. Proc. 7th Intern. Bot. Congr. Stockholm.
- Hejtmánek M., Dadák V. (1959): Die antibiotische Wirkung des Agropyrens auf die Hautpilze. Naturwissenschaften 46: 1—2.
- Heller A. (1904): Über die Wirkung ätherischer Öle und einiger verwandter Körper auf die Pflanze. Flora 93: 1—31.
- Herrero F. A., Hall W. C. (1960): General effects of ethylene on enzyme systems in the cotton leaf. Physiol. Plant. 13: 736—750.
- Honda S. I. (1955): Ascorbic acid oxidase in barley roots. Plant Physiol. 30: 174—181.
- Hooker W. J., Walker I. C., Smith F. G. (1943): Toxicity of beta-phenethylisothiocyanate to certain fungi. Amer. J. Bot. 30: 632—637.
- Hooker W. J., Walker I. C., Link K. P. (1945): Effects of two mustard oils on *Plasmodiophora brassicae* and their relation to resistance to clubroot. J. Agric. Res. 70: 63—78.
- Höhn K., Elfert A. (1957): Die Wirkung ätherischer Öle auf Transpiration, Guttation und Wachstum von Hafer. Beitr. Biol. Pfl. 33: 1—16.
- Hrubý K., Konvička O. (1954): Polní pokusy, jejich zakládání a hodnocení. Olomouc.
- Hrušková H., Plhák F. (1969): Study of the interactions between cereals with respect to the soil nitrate nitrogen. Biol. Plant. 11: 347—355.
- Huelin F. E., Barker J. (1939): The effect of ethylene on the respiration and carbohydrate metabolism of potatoes. New Phytol. 38: 85—104.
- Chace E. M., Denny F. E. (1924): Use of ethylene in the coloring of citrus fruit. Ind. Chem. Engineering 16: 339—340.
- Chadwick A. V., Burg S. P. (1967): An explanation of the inhibition of root growth caused by indole-3-acetic acid. Plant Physiol. 42: 415—420.
- (1970): Regulation of root growth by auxin-ethylene interaction. Plant Physiol. 45: 192—200.
- Chapell J. B., Perry S. V. (1954): Biochemical and osmotic properties of skeletal muscle mitochondria. Nature 173: 1094—1095.
- Ikuma H., Bonner W. D. Jr. (1967a): Properties of higher plant mitochondria. II. Effects of DNP, m-Cl-CCP, and oligomycin on respiration of mung bean mitochondria. Plant. Physiol. 42: 1400—1406.
- (1967b): Properties of higher plant mitochondria. III. Effects of respiratory inhibitors. Plant Physiol. 42: 1535—1544.
- Jaffe M. J., Galston A. W. (1967): Physiological studies on pea tendrils. III. ATP-ase activity and contractility associated with coiling. Plant Physiol. 42: 845—847.
- James W. O. (1953a): The use of respiratory inhibitors. Annu. Rev. Plant Physiol. 4: 59—90.
- (1953b): Plant respiration. Oxford.
- Kalačeva V. JA., Sisakjan N. M. (1965): O razobščenii okislenija i fosforilirovanija v mitochondrijach zelenych rastenij pri rentgenovskom obluchenii. Biochimija 30: 858—863.
- Kamiya N. (1959): Protoplasmic streaming. Wien.
- Keilin F. R. S., Hartree E. F. (1936): Coupled oxidation of alcohol. Proc. roy. Soc. London 119: 141—159.

- Kivilaan A., Beaman T. C., Bandurski R. S. (1961): Enzymatic activities associated with cell wall preparations from corn coleoptiles. *Plant Physiol.* 36: 605–616.
- Klein R. M. (1952): Nitrogen and phosphorus fractions, respiration, and structure of normal and crown gall tissues of tomato. *Plant Physiol.* 27: 335–354.
- Kleinzeller A. (1955): Mechanismus biologických oxydací. Praha.
- Kleinzeller A. a spol. (1964): Manometrické metody a jejich použití v biologii a biochemii. Praha.
- Klosa J. (1948): Über einige die Keimung von Samen und das Wachstum von Bakterien hemmende Substanzen aus Vegetabilien. *Pharmazie* 3: 410–413.
- (1949): Über einige die Keimung von Samen und das Wachstum von Bakterien hemmenden Substanzen aus Vegetabilien. 2. Mitt. *Pharmazie* 4: 574–578.
- Knapp R. (1954): Experimentelle Soziologie der höheren Pflanzen. Stuttgart.
- Knapp R., Thyssen P. (1952): Untersuchungen über die gegenseitige Beeinflussung von Heilpflanzen in Mischkulturen. *Ber. dtsh. bot. Ges.* 65: 60–70.
- Kny L. (1871): Einfluss des Leucht-gases auf die Baumvegetation. *Bot. Ztg.* 29: 852–854.
- Kommedahl T., Kotheimer J. B., Bernardini J. V. (1959): The effects of quackgrass on germination and seedling development of certain crop plants. *Weeds* 7: 1–12.
- Köckemann A. (1936): Zur Frage der Keimungshemmenden Substanzen in fleischigen Früchten. *Beih. Bot. Zbl. Abt. A* 55: 191–196.
- Krassinsky N., Andrejewa E. D. (1935): Über die Wirkung des Äthylens und des Acetylens auf die Bildung der Wurzeln. *Gartenbauwiss.* 9: 479–488.
- Krupka L. R. (1958): Increased ascorbic oxidase activity induced by the fungal toxin, victorin. *Science* 128: 477–478.
- Ku H. S., Yang S. F., Pratt H. K. (1967): Enzym evolution of ethylene from methional by a pea seedling extract. *Arch. Biochem. Biophys.* 118: 756–758.
- Laštůvka Z. (1955a): Vliv extraktu a kořenových výměšků pýru na klíčení pšenice a žita. *Čs. biol.* 4: 103–108.
- (1955b): Vliv pýru na růst pšenice a žita. *Čs. biol.* 4: 165–175.
- (1958): Růst a metabolismus pšenice a žita ve směsných kulturách. *Čs. biol.* 7: 141–152.
- (1961): Vliv účinných látek z pýru plazivého na anatomii klíčnicích rostlinek pšenice. *Publ. Fac. Sci. Univ. J. E. Purkyně, Brno, Tchécoslovaquie*, 426: 373–392.
- Lee T. T. (1967): Inhibition of oxidative phosphorylation and respiration by ozone in tobacco mitochondria. *Plant Physiol.* 42: 691–696.
- Lehninger A. L. (1965): The mitochondrion. Molecular basis of structure and function. New York–Amsterdam.
- Lieberman M., Kunishi A., Mapson L. W., Wardale D. A. (1966): Stimulation of ethylene production in apple tissue slices by methionine. *Plant Physiol.* 41: 376–382.
- Livne A., Levin N. (1967): Tissue respiration and mitochondrial oxidative phosphorylation of NaCl-treated pea seedlings. *Plant Physiol.* 42: 407–414.
- Ljubimova M. N., Demjanovskaja N. S., Frajn F. S. (1966): Mn²⁺ – ATP-aza i ADF-aza v listjach vyšších rastenij. *Biochimija* 31: 1053–1056.
- Lowry P. H., Rosenbrough J. N., Farr L. A., Randall R. J. (1951): Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* 193: 265–275.
- Lund H. A., Vatter A. E., Hanson J. B. (1958): Biochemical and cytological changes accompanying growth and differentiation in the roots of *Zea mays*. *Biophys. Biochem. Cytol.* 4: 87–98.
- Manojlov S. E., Vovsi V. A., Polosova R. G., Sidorova N. D. (1966): Vlijanie katalazy na processy soprjažennogo okislitelnogo fosforilirovanija i na so-stojanije adenilovoj sistemy v pečeni belych kryš. *Biochimija* 31: 613–618.
- Mapson L. W. (1970): Biosynthesis of ethylene and the ripening of fruit. *Endeavour* 29: 29–33.
- Mapson L. W., Wardale D. A. (1967): Formation of ethylene from methional by a cell-free system from cauliflower florets. *Biochem. J.* 102: 574–585.
- Marré E., Forti G. (1958): Metabolic responses to auxins. II. The effects of auxin on ATP level as related to the auxin induced respiration increase. *Physiol. Plant.* 11: 36–41.

- Martinec Th. (1959): Fytoncidy v rostlinách Moravy. Dokt. dis. Univ. Brno.
- Maštakov S. M., Vojnilo V. A., Deeva V. P. (1969): Izmenenije okislitelnogo fosforilirovanija i struktury dychatelnoj cepi mitochondrij gorocha pod vozdejstvijem različnych fyziologičeski aktivnych sojedinenij. Fiziol. rast. 16: 111–119.
- Meight D. F. (1959): Nature of the olefines produced by apples. Nature 184: 1072–1073.
- Michlin D. M. (1960): Biochimija kletočnogo dychanija. Moskva.
- Miller E. V., Winston J. R., Fisher D. F. (1940): Production of epinasty by emanations from normal and decaying citrus fruits and from *Penicillium digitatum*. J. Agric. Res. 60: 269–277.
- Millerd A., Bonner J., Biale J. B. (1953): The climacteric rise in fruit respiration as controlled by phosphorylative coupling. Plant Physiol. 28: 521–531.
- Minář J. (1961): Vliv účinných látek z pýru plazivého na klíčení pšenice a žita ve vztahu k některým půdním houbám. Publ. Fac. Sci. Univ. J. E. Purkyně, Brno, Tchecoslovaquie, 436: 349–362.
- Molisch H. (1937): Der Einfluss einer Pflanze auf die andere. Allelopathie. Jena.
- Morris R. O. (1966): Change in pea root proteins associated with tissue differentiation: The effect of 2,4-dichlorophenoxyacetic acid. Biochem. Biophys. Acta 127: 273–276.
- Muller C. H. (1965): Inhibitory terpenes volatilized from *Salvia* shrubs. Bull. Torrey Bot. Club 92: 38–45.
- (1966): The role of chemical inhibition (allelopathy) in vegetational composition. Bull. Torrey Bot. Club 93: 332–351.
- Muller C. H., Moral R. (1966): Soil toxicity induced by terpenes from *Salvia leucophylla*. Bull. Torrey Bot. Club 93: 130–137.
- Muller C. H., Muller W. H., Haines B. L. (1964): Volatile growth inhibitors produced by aromatic shrubs. Science 143: 471–473.
- Muller W. H. (1965): Volatile materials produced by *Salvia leucophylla*: Effect on seedling growth and soil bacteria. Bot. Gaz. 126: 195–200.
- Muller W. H., Muller C. H. (1964): Volatile growth inhibitors produced by *Salvia* species. Bull. Torrey Bot. Club 91: 327–330.
- (1965): Association patterns involving desert plants that contain toxic products. Amer. J. Bot. 43: 354–361.
- Neljubov D. (1911): Geotropismus in der Laboratoriumsluft. Ber. Dtsch. Bot. Ges. 29: 97–112.
- Nelson R. C., Harvey R. B. (1935): The presence in self-blanching celery of unsaturated compounds with physiological action similar to ethylene. Science 82: 133–134.
- Němec A., Straňák F. (1920): Contribution à l'étude de l'influence toxique des terpènes à l'égard de quelques végétaux supérieurs. Rev. gén. Bot. 32: 241–246.
- Olson A. O., Spencer M. (1968): Some investigations on the effect of ethylene on mitochondrial systems. In: Wightman F., Setterfield G.: Biochemistry and physiology of plant growth substances. Ottawa.
- Osvald H. (1950): On antagonism between plants. Proc. VII. Intern. Bot. Congress Stockholm, 167–171.
- Paech K. (1950): Biochemie und Physiologie der sekundären Pflanzenstoffe. Berlin–Göttingen–Heidelberg.
- Paech K., Tracey M. V. (1955): Moderne Methoden der Pflanzenanalyse. Bd. IV. Berlin–Göttingen–Heidelberg.
- Parker J. D., Ruliffson W. S. (1967): A mass spectrometric procedure for rapid identification of trace volatile metabolites. Analyt. Biochem. 19: 418–425.
- Phan-Chon-Ton M. (1956): Observations sur la production d'éthylène par les fleurs et les fruits. C. R. Acad. Sci. Paris 243: 171–173.
- (1957): Modification de la méthode de Young, Pratt et Biale en vue de la amélioration du dosage de l'éthylène émis par les végétaux. C. R. Acad. Sci. Paris 245: 1019–1021.
- Plhák F. (1962): Vliv hustoty výsevu na vztah pšenice a žita. Publ. Fac. Sci. Univ. J. E. Purkyně, Brno, Tchecoslovaquie 436: 349–362.
- (1965): Respirační metabolismus rostlin cukrovky při společném růstu s pýrem. Folia Fac. Sci. nat. Univ. Purkynianae Brunensis VI (7).
- (1967): The effect of quackgrass on succeeding plants. Plant and Soil 27: 273–284.

- Plhák F., Helan J. (1965): Action of volatile substances liberated from couch grass. *Biol. Plant.* 7: 368–373.
- Plhák F., Laštůvka Z. (1959): Změny v růstu a v obsahu chlorofylu pšenice a žita pěstovaných ve směsi v raném období jejich vývoje. *Publ. Fac. Sci. Univ. Brno* 401: 75–88.
- Plhák F., Urbánková V. (1969): Study of the effect of volatile substances from cereal roots. *Biol. Plant.* 11: 226–235.
- Plhák F., Vicherková M. (1965): Untersuchungen über die allelopathischen Eigenschaften der Getreidearten bei deren Nachkultivierung. *Biol. Plant.* 7: 169–179.
- Plhák F., Vicherková M., Minář J. (1965): Vztah mezi ječmenem a ovsem při společném růstu ve směsi. *Rostlinná výroba* (6): 657–668.
- Poruckij G. V., Lučko A. S., Matkovskij K. I. (1962): O soderžanii etilenvych uglevodorodov v letučich vydelenijach rastenij. *Fiziol. rast.* 9: 482–485.
- Pratt H. K. (1954): Direct chemical proof of ethylene production by detached leaves. *Plant Physiol.* 29: 16–18.
- Pratt H. K., Biale J. B. (1944): Relation of the production of an active emanation to respiration in the avocado fruit. *Plant Physiol.* 19: 519–528.
- Pratt H. K., Goeschl J. D. (1968): The role of ethylene in fruit ripening. In: Wightman F., Setterfield G.: *Biochemistry and physiology of plant growth substances*. Ottawa.
- (1969): Physiological roles of ethylene in plants. *Annu. Rev. Plant Physiol.* 20: 540–584.
- Rademacher B. (1959): Gegenseitige Beeinflussung höherer Pflanzen. In: Ruhland W.: *Handbuch der Pflanzenphysiologie*, Bd. XI: 655–706. Berlin–Göttingen–Heidelberg.
- Ram Chandra G., Spencer M. (1962): Ethylene production by subcellular particles from tomatoes. *Nature* 194: 361–364.
- Ramshorn K. (1957): Zur partiellen „aeroben“ Gärung in der Wurzel von *Vicia faba*. *Flora* 145: 1–36.
- Regaimbal L. O., Vacha A. A., Harvey R. B. (1927): The effect of ethylene on the respiration of bananas during ripening. *Plant Physiol.* 2: 357–359.
- Ridley V. W. (1923): Some principles involved in the handling of fruits. *Fruit Dispatch* 8: 523–525.
- Richter O. (1903): Pflanzenwachstum und Laboratoriumsluft. *Ber. Dtsch. Bot. Ges.* 21, 180–194.
- Roberts D. W. A. (1951): Some effects of ethylene on germinating wheat. *Can. J. Bot.* 29: 10–25.
- Rohrbaugh P. W. (1943): Measurement of small concentrations of ethylene and automobile exhausts gases and their relation to lemon storage. *Plant Physiol.* 18: 79–89.
- Ross A. F., Williamson C. E. (1951): Physiologically active emanations from virus infected plants. *Phytopathology* 41: 431–438.
- Ruge U. (1947): Untersuchungen über keimungsfördernde Wirkstoffe. *Planta* 35: 297–318.
- Salamatova T. S., Balajan E. N. (1966): Adenozintrifosfataza kletočnych frakcij zon rosta kornej ljupina. *Fiziol. rast.* 13: 76–81.
- Sanadze G. A. (1961): Vydelenije rastenijami letučich organičeskich veščestv. *Izd-vo AN Gruz. SSR, Tbilisi*.
- (1964): Ob uslovijach vydelenija diena C_5H_8 (izoprena) iz listjev. *Fiziol. rast.* 11: 49–52.
- Sanadze G. A., Kursanov A. L. (1966): O nekotorych uslovijach vydelenija diena C_5H_8 iz listjev topolja. *Fiziol. rast.* 13: 201–207.
- Schwär Ch. (1962): Die Wirkung von Wermutextrakt auf den Stoffwechsel des Fenchels (*Foeniculum vulgare* Mill.). *Biol. Zbl.* 81: 597–605.
- Schwertner H. A., Morgan P. W. (1966): Role of IAA-oxidase in abscission control in cotton. *Plant Physiol.* 41: 1513–1519.
- Schulz J., Hoffmann E. (1966): Wirkung von Oligomycin auf Atmung und Glykolyse von Ehrlich-Ascitestumorzellen. *Biochem. Z.* 344: 256–273.
- Schübler F. (1827): Untersuchungen über Einwirkung verschiedener Stoffe auf die Pflanzen. *Flora* 10: 753.
- Sigmund W. (1924): Über die Einwirkung von Stoffwechselendprodukten auf die

- Pflanzen, III. Mitt. Einwirkung N-freier pflanzlicher Stoffwechsel-Endprodukte auf die Keimung von Samen: Ätherische Öle, Terpene u. a. *Biochem. Z.* 146: 389–419.
- Singer M. (1903): Über den Einfluss der Laboratoriumsluft auf das Wachstum der Kartoffelsprosse. *Ber. Dtsch. Bot. Ges.* 21: 175–180.
- Skulačev V. P. (1962): Sootnošenije okislenija i fosforilirovanija v dychatelnoj cepi. Moskva.
- Späth J. L., Meyer L. (1873): Beobachtungen über den Einfluss des Leuchtgases auf die Vegetation von Bäumen. *Landw. Versuchsstat.* 16: 336–341.
- Steward F. C., Lyndon R. F., Barber J. T. (1965): Acrylamide gel electrophoresis of soluble proteins: A study on pea seedlings in relation to development. *Amer. J. Bot.* 52: 155–164.
- Stiles W. (1960): Respiration III. *Bot. Rev.* 26: 209–260.
- Střeštková E. (1968): Studium vzájemného vztahu mezi žitem a řepkou. Diplomová práce katedry fyziologie rostlin přír. fak. University J. E. Purkyně v Brně.
- Tageeva S. V., Kazancev E. N., Tairbekov M. G., Koršunova V. S. (1965): Elementy mehanizma podvižnosti citoplazmatičeskich struktur v rastitelnoj kletke. *Fiziol. rast.* 12: 854–865.
- Tairbekov M. G., Kazancev E. N., Tageeva S. V. (1965): Svjaz sinteza i raspada ATF s intensivnostju dviženija citoplazmy v rastitelnoj kletke. *Biochimija* 30: 1285–1291.
- Thompson J. E., Spencer M. (1966): Preparation and properties of an enzyme system for ethylene production. *Nature* 210: 595–597.
- Timašov N. D. (1968): Vlijanije bora na okislitelnoje fosforilirovanije i nekotoryje drugije biochimičeskije svojstva mitochondrij podsolnečnika i jačmenja. *Fiziol. rast.* 15: 597–603.
- Tokin B. P. (1952): *Fitoncidy*. Moskva.
- Treibs W. (1947): Über das Agropyren, einen natürlichen aromatischen En-in-Kohlenwasserstoff der Queckenwurzel. *Chem. Ber.* 80: 97–101.
- (1959): Das Agropyren aus dem ätherischen Öl der Queckenwurzel, ein Phenylhexadiin mit breiter antibiotischer Wirkung. *Parfümerie u. Kosmetik* 40: 451–452.
- Uritani I., Akazawa T., Uritani M. (1954): Increase of respiratory rate in sweet potato tissue infected with black rot. *Nature* 174: 1060.
- Vacha G. A., Harvey R. B. (1927): The use of ethylene, propylene and similar compounds in breaking the rest period of tumbers, bulbs, cuttings and seeds. *Plant Physiol.* 2: 187–194.
- Vaks Ch. (1936): The influence of extract from Robinia pseudoacacia on the growth of barley. *Spisy přír. fak. K. U. Praha*, 150: 84–85.
- Vigorov L. J. (1950): O vlijanii kornevych vydelenij travjanistych rastenij. Moskva.
- Vicherková M. (1961): Vodní provoz žita a pšenice ve smíšené kultuře. *Publ. Fak. Sci. Univ. J. E. Purkyně, Brno*, 424: 321–348.
- (1969): Vliv pýru na růst a vodní provoz lnu a slunečnice. *Folia Fac. Sci. nat. Univ. Purkynianae Brunensis, Biologia* 23 (4). Brno.
- Waggoner P. E., Diamond A. E. (1954): Nonspecificity of the triple response for ethylene. *Science* 119: 123–124.
- Wallace R. H. (1926): The production of intumescences upon apple twigs by ethylene gas. *Bull. Torrey Bot. Club* 53: 385–401.
- (1927): The production of intumescences in Transparent apple by ethylene gas as affected by external and internal conditions. *Bull. Torrey Bot. Club* 54: 499–542.
- Waygood E. R. (1950): Physiological and biological studies in plant metabolism. *Canad. J. Res.* 28 C: 7–62.
- Wedding R. T., Black M. K. (1961): Uncoupling of phosphorylation in Chlorella by 2,4-dichlorophenoxyacetic acid. *Plant and Soil* 14: 242–248.
- (1962): Response of oxidation and coupled phosphorylation in plant mitochondria to 2,4-dichlorophenoxyacetic acid. *Plant Physiol.* 37: 364–370.
- Wehmer C. (1900): Über einen Fall intensiver Schädigung einer Allee durch ausströmendes Leuchtgas. *Z. PflKrankh.* 10: 267–269.
- Went F. W. (1942): The dependence of certain annual plants on shrubs in southern California deserts. *Bull. Torrey Bot. Club* 69: 100–114.
- (1960): Organic matter in the atmosphere and its possible relation to petroleum formation. *Proc. Natl. Acad. Sci.* 46: 212–221.

- Wessels J. S. C., Baltscheffsky H. (1960): Adenosine triphosphatase activity in chloroplasts. *Acta chem. scand.* 14: 233—246.
- Wetmore R. H., Jacobs W. P. (1953): Studies on abscission: the inhibiting effect of auxin. *Amer. J. Bot.* 40: 272—276.
- Wheeler K. P., Whittam R. (1962): Some properties of a kidney adenosine triphosphatase relevant to active cation transport. *Biochem. J.* 85: 495—507.
- Williamson C. E. (1950): Ethylene, a metabolic product of diseased or injured plants. *Phytopathology* 40: 205—208.
- Wolf J. (1960): Pflanzenatmung einschliesslich Gärungen und Säurestoffwechsel. Einleitung und Übersicht. In: Ruhland W.: *Handbuch der Pflanzenphysiologie*, Bd. XII, T. 1: 63—280. Berlin—Göttingen—Heidelberg.
- Woods F. W. (1960): Biological antagonisms due to phytotoxic root exudates. *Bot. Rev.* 26: 546—569.
- Yang S. F. (1968): Biosynthesis of ethylene. In: Wightman F., Setterfield G.: *Biochemistry and physiology of plant growth substances*. Ottawa.
- Yang S. F., Ku H. S., Pratt H. K. (1966): Ethylene production from methionine as mediated by flavin mononucleotide and light. *Biochem. Biophys. Res. Comm.* 24: 739—743.
- (1967): Photochemical production of ethylene from methionine and its analogs in the presence of flavin mononucleotide. *J. Biol. Chem.* 242: 5274—5280.
- Young R. E., Pratt H. K., Biale J. B. (1951): Identification of ethylene as a volatile product of the fungus *Penicillium digitatum*. *Plant Physiol.* 26: 304—310.
- (1952): Manometric determination of low concentrations of ethylene. *Anal. Chem.* 24: 551—555.
- Zimmerman P. W., Crocker W., Hitchcock A. E. (1931): The effect of ethylene and illuminating gas on roses. *Contr. Boyce Th. Inst.* 3: 459—481.
- Zimmerman P. W., Hitchcock A. E. (1933): Initiation and stimulation of adventitious roots caused by unsaturated hydrocarbon gases. *Contr. Boyce Th. Inst.* 5: 351—369.