

Literatura

- Abbasi B, Goldenholz DM. Machine learning applications in epilepsy. *Epilepsia* 2019;60:2037–47.
- Abou-Khalil B, Misulis KE. *Atlas of EEG and Seizure Semiology*. Butterworth: Heinemann, MA, USA, 2005.
- Ajiboye PO, Abiodun OA, Ogbemor AI. An investigation of the patterns and outcomes of Electroencephalographic (EEG) recording requests in the management of neuropsychiatric disorders in a teaching Hospital in Nigeria. *Afr Health Sci* 2017;17:852–8.
- Ajmone-Marsan C, Zivin LS. Factors related to the occurrence of typical paroxysmal abnormalities in the EEG records of epileptic patients. *Epilepsia* 1970;11:361–81.
- Amin U, Benbadis SR. The role of EEG in the erroneous diagnosis of epilepsy. *J Clin Neurophysiol* 2019;36:294–7.
- Amin U, Benbadis SR, Frontera AT Jr. Outcome of prolonged video-EEG monitoring in a new VA monitoring unit. *Epilepsy Behav* 2020;102:106696.
- Asadi-Pooya AA, Homayoun M. Driving in patients with psychogenic nonepileptic seizures. *Epilepsy Behav* 2020;105:106991.
- Asadi-Pooya AA, Nicholson TR, Pick S, et al. Driving a motor vehicle and psychogenic nonepileptic seizures: ILAE Report by the Task Force on Psychogenic Nonepileptic Seizures. *Epilepsia Open* 2020;5:371–85.
- Asano E, Pawlak C, Shah A, et al. The diagnostic value of initial video-EEG monitoring in children – review of 1,000 cases. *Epilepsy Res* 2005;66:129–35.
- Azzam R, Bhatt AB. Mimickers of generalized spike and wave discharges. *Neurodiagn J* 2014;54:156–62.
- Bagheri E, Dauwels J, Dean BC, et al. Interictal epileptiform discharge characteristics underlying expert interrater agreement. *Clin Neurophysiol* 2017;128:1994–2005.
- Baumgartner C, Koren JP. Seizure detection using scalp-EEG. *Epilepsia* 2018;59 Suppl 1:14–22.
- Benbadis SR. „Just like EKGs!“ Should EEGs undergo a confirmatory interpretation by a clinical neurophysiologist? *Neurology* 2013;80(1 Suppl 1):S47–51.
- Benbadis SR. The tragedy of over-read EEGs and wrong diagnoses of epilepsy. *Expert Rev Neurother* 2010;10:343–6.
- Benbadis SR. No, we should not treat the EEG because most EEGs read as epileptiform are really normal. *Epilepsy Behav* 2010;17:134; author reply 135.
- Benbadis SR. Errors in EEGs and the misdiagnosis of epilepsy: importance, causes, consequences, and proposed remedies. *Epilepsy Behav* 2007;11:257–62.

- Benbadis SR. The EEG in nonepileptic seizures. *J Clin Neurophysiol* 2006;23:340–52.
- Benbadis SR. Introduction to EEG. In: *Sleep: a Comprehensive Handbook*. Lee Chiong T (ed.). Wiley & Sons: NJ, USA 2006;989–1024.
- Benbadis SR, Heriaud L, O'Neill E, et al. Outcome of prolonged EEG-video monitoring at a typical referral epilepsy center. *Epilepsia* 2004;45:1150–3.
- Benbadis SR, Kaplan PW. The dangers of over-reading an EEG. *J Clin Neurophysiol* 2019;36:249.
- Benbadis SR, Lin K. Errors in EEG interpretation and misdiagnosis of epilepsy. Which EEG patterns are overread? *Eur Neurol* 2008;59:267–71.
- Benbadis SR, Tatum WO. Overinterpretation of EEGs and misdiagnosis of epilepsy. *J Clin Neurophysiol* 2003;20:42–4.
- Bernard C. The Diathesis–Epilepsy Model: How Past Events Impact the Development of Epilepsy and Comorbidities. *Cold Spring Harb Perspect Med* 2016;6:a022418.
- Beun AM, van Emde Boas W, Dekker E. Sharp transients in the sleep EEG of healthy adults: a possible pitfall in the diagnostic assessment of seizure disorders. *Electroencephalogr Clin Neurophysiol* 1998;106:44–51.
- Binnie CD. EEG audit: increasing cost efficiency of investigations in epilepsy. *Electroencephalogr Clin Neurophysiol* 1990;76:29P.
- Binnie CD, Prior PF. Electroencephalography. *J Neurol Neurosurg Psychiatry* 1994;57:1308–19.
- Blachut B, Hoppe C, Surges R, et al. Subjective seizure counts by epilepsy clinical drug trial participants are not reliable. *Epilepsy Behav* 2017;67:122–7.
- Blume WT, Kaibara M, Young GB. *Atlas of Adult Electroencephalography*. Lippincott Williams & Wilkins, PA, USA, 2001.
- Bodde NM, Brooks JL, Baker GA, et al. Psychogenic non-epileptic seizures – diagnostic issues: a critical review. *Clin Neurol Neurosurg* 2009;111:1–9.
- Bridgers SL. Epileptiform abnormalities discovered on electroencephalographic screening of psychiatric in-patients. *Arch Neurol* 1987;44:312–16.
- Brinkmann BH, Karoly PJ, Nurse ES, et al. Seizure Diaries and Forecasting With Wearables: Epilepsy Monitoring Outside the Clinic. *Front Neurol* 2021;12:690404.
- Britton. *An Orderly Approach to EEG Analysis: Visual Inspection of the Background and Pattern Recognition*.
- Britton JW, Frey LC, Hopp JL, Korb P, Koubeissi MZ, Lievens WE, Pestana-Knight EM, St. Louis EK. *Electroencephalography (EEG): An Introductory Text and Atlas of Normal and Abnormal Findings in Adults, Children, and Infants [Internet]*. St. Louis EK, Frey LC, eds. Chicago: American Epilepsy Society 2016.
- Daniello KM, Weber DJ. Education Research: The current state of neurophysiology education in selected neurology residency programs. *Neurology* 2018;90:708–11.
- De Lucia M, Fritschy J, Dayan P, et al. A novel method for automated classification of epileptiform activity in the human electroencephalogram based on independent component analysis. *Med Biol Eng Comput* 2008;46:263–72.
- Drury I, Beydoun A. Pitfalls of EEG interpretation in epilepsy. *Neurol Clin* 1993;11:857–81.
- Duncan R. Psychogenic nonepileptic seizures: EEG and investigation. *Handb Clin Neurol* 2016;139:305–11.
- Eiris-Punal J, Rodriguez-Nunez A, Fernandez-Martinez N, et al. Usefulness of the head-upright tilt test for distinguishing syncope and epilepsy in children. *Epilepsia* 2001;42:709–13.
- Elger CE, Hoppe C. Diagnostic challenges in epilepsy: seizure under-reporting and seizure detection. *Lancet Neurol* 2018;17:279–88.
- Engel J Jr. A practical guide for routine EEG studies in epilepsy. *J Clin Neurophysiol* 1984;1:109–42.
- Ferrie CD. Preventing misdiagnosis of epilepsy. *Arch Dis Child* 2006;91:206–9.
- Fisher RS. Bad information in epilepsy care. *Epilepsy Behav* 2017;67:133–4.
- Fisher RS, Acevedo C, Arzimanoglou A, et al. ILAE official report: a practical clinical definition of epilepsy. *Epilepsia* 2014;55:475–82.
- Fountain NB, Freeman JM. EEG is an essential clinical tool: pro and con. *Epilepsia* 2006;47:23–5.
- Flanary J, Daly S, Bakker C, et al. Reliability of visual review of intracranial electroencephalogram in identifying the seizure onset zone: A systematic review and implications for the accuracy of automated methods. *Epilepsia* 2023;64:6–16.
- Gibbs J, Appleton RE. False diagnosis of epilepsy in children. *Seizure* 1992;1:15–8.
- Gilbert DL, Sethuraman G, Kotagal U, et al. Meta-analysis of EEG test performance shows wide variation among studies. *Neurology* 2003;60:564–70.
- Gloor P. The EEG in the differential diagnosis of epilepsy. In: Van Duyn H, Donker DNJ, Van Huffelen AC, eds. *Current Concepts in Clinical Neurophysiology*. The Hague: Drukker Trio, 1977;9–21.
- Gregory RP, Oates T, Merry RT. Electroencephalogram epileptiform abnormalities in candidates for aircrew training. *Electroencephalogr Clin Neurophysiol* 1993;86:75–7.
- Halford JJ. Computerized epileptiform transient detection in scalp EEG: obstacles to progress and the example of computerized ECG interpretation. *Clin Neurophysiol* 2009;120:1909–15.
- Halford JJ, Arain A, Kalamangalam GP, et al. Characteristics of EEG Interpreters Associated With Higher Interrater Agreement. *J Clin Neurophysiol* 2017; 34:168–73.

- Halford JJ, Westover MB, LaRoche SM, et al. Interictal Epileptiform Discharge Detection in EEG in Different Practice Settings. *J Clin Neurophysiol* 2018;35:375–80.
- Harid NM, Jing J, Hogan J, et al. Measuring expertise in identifying interictal epileptiform discharges. *Epileptic Disord* 2022;24:496–506.
- Hasan TF, Tatum WO. When should we obtain a routine EEG while managing people with epilepsy? *Epilepsy Behav Rep* 2021;16:100454.
- Hendriksen IJ, Elderson A. The use of EEG in aircrew selection. *Aviat Space Environ Med* 2001;72:1025–33.
- Hoppe C., Poepel A., Elger C. E. Epilepsy: accuracy of patient seizure counts. *Arch Neurol* 2007;64:1595–9.
- Hoppe M, Wennberg R, Tai P, et al. EEG in epilepsy. In: Lozano AM, Gildenberg PL, Tasker RR, eds. *Textbook of Stereotactic and Functional Neurosurgery*. Berlin Heidelberg: Springer 2009;2575–85.
- Chadwick D. Diagnosis of epilepsy. *Lancet* 1990;336:291–5.
- Chadwick D, Smith D. The misdiagnosis of epilepsy. *BMJ* 2002;324:495–6.
- Chapman M, Iddon P, Atkinson K, et al. The misdiagnosis of epilepsy in people with intellectual disabilities: a systematic review. *Seizure* 2011;20:101–6.
- Chowdhury FA, Nashef L, Elwes RDC. Misdiagnosis in epilepsy: a review and recognition of diagnostic uncertainty. *Eur J. Neurol* 2008;15:1034–42.
- Indiradevi KP, Elias E, Sathidevi PS, et al. A multilevel wavelet approach for automatic detection of epileptic spikes in the electroencephalogram. *Comput Biol Med* 2008;38:805–16.
- Ives JR, Mainwaring NR, Gruber LJ, et al. 128-Channel cable-telemetry EEG recording system for long-term invasive monitoring. *Electroencephalogr Clin Neurophysiol* 1991;79:69–72.
- Jing J, Herlopian A, Karakis I, et al. Interrater reliability of experts in identifying interictal epileptiform discharges in electroencephalograms. *JAMA Neurol* 2020;77:49.
- Juarez-Garcia A, Stokes T, Shaw B, et al. The costs of epilepsy misdiagnosis in England and Wales. *Seizure* 2006;15:598–605.
- Kane N, Acharya J, Beniczky S, et al. A revised glossary of terms most commonly used by clinical electroencephalographers and updated proposal for the report format of the EEG findings: revision 2017. *Clin Neurophysiol Pract* 2017;2:170–85.
- Kang JY, Krauss GL. Normal Variants Are Commonly Overread as Interictal Epileptiform Abnormalities. *J Clin Neurophysiol* 2019;36:257–63.
- Kemp B, Värri A, Rosa AC, et al. A simple format for exchange of digitized polygraphic recordings. *Electroencephalogr Clin Neurophysiol* 1992; 82:391–3.
- Kershman H, Hunter RS. Encephalosyncope or larval epilepsy; a follow-up. *Electroencephalogr Clin Neurophysiol* 1950;1:169–76.
- Klatt J, Feldwisch-Drentrup H, Ihle M, et al. The EPILEPSIAE database: an extensive electroencephalography database of epilepsy patients. *Epilepsia* 2012;53:1669–76.
- Kooi KA, Guevener AM, Tupper CJ, et al. Electroencephalographic patterns of the temporal region in normal adults. *Neurology* 1964;14: 1029–35.
- Krauss GL, Abdallah A, Lesser R, et al. Clinical and EEG features of patients with EEG wicket rhythms misdiagnosed with epilepsy. *Neurology* 2005;64:1879–83.
- Kural MA, Duez L, Sejer Hansen V, et al. Criteria for defining interictal epileptiform discharges in EEG: a clinical validation study. *Neurology* 2020;94: e2139–47.
- Lafrance WC Jr, Benbadis SR. Avoiding the costs of unrecognized psychological nonepileptic seizures. *Neurology* 2006;13:1620–1.
- Lee CH, Lim SN, Lien F, et al. Duration of electroencephalographic recordings in patients with epilepsy. *Seizure* 2013;22:438–42.
- Lourenço ES, Kowacs DP, Gavvala JR, et al. EEG education in Brazil: a national survey of adult neurology residents. *Arq Neuropsiquiatr* 2022;80:43–7.
- Loy CT, Irwig L. Accuracy of diagnostic tests read with and without clinical information: a systematic review. *JAMA* 2004;292:1602–9.
- Mahajan A, Cahill C, Scharf E, et al. Neurology residency training in 2017. A survey of preparation, perspectives, and plans. *Neurology* 2019;92:76–83.
- Maulsby RL. Some guidelines for assessment of spikes and sharp waves in EEG tracings. *Amer J EEG Technol* 1971;11:3–16.
- Mathias SV, Bensalem-Owen M. Artifacts That Can Be Misinterpreted as Interictal Discharges. *J Clin Neurophysiol* 2019;36:264–74.
- McBride AE, Shih TT, Hirsch LJ. Video-EEG monitoring in the elderly: a review of 94 patients. *Epilepsia* 2002;43:165–9.
- McKay JH, Tatum WO. Artifact Mimicking Ictal Epileptiform Activity in EEG. *J Clin Neurophysiol* 2019;36:275–88.
- Mizrahi EM. Avoiding the pitfalls of EEG interpretation in childhood epilepsy. *Epilepsia* 1996;37(Suppl. 1):S41–S51.
- Mostacci B, Bisulli F, Alvisi L, et al. Ictal characteristics of psychogenic nonepileptic seizures: what we have learned from video/EEG recordings—a literature review. *Epilepsy Behav* 2011;22:144–53.
- Narayanan JT, Labar DR, Schaul N. Latency to first spike in the EEG of epilepsy patients. *Seizure* 2008;17:34–41.
- Nascimento FA, Gavvala JR. Education Research: Neurology Resident EEG Education: A Survey of US Neurology Residency Program Directors. *Neurology* 2021;96:821–4.
- Nascimento FA, Gavvala JR, Tankisi H, et al. Neurology resident EEG training in Europe. *Clin Neurophysiol Pract* 2022;7:252–9.

- Nascimento FA, Jing J, Beniczky S, et al. One EEG, one read – A manifesto towards reducing interrater variability among experts. *Clin Neurophysiol* 2022;133:68–70.
- Natu M, Bachute M, Gite S, et al. Review on Epileptic Seizure Prediction: Machine Learning and Deep Learning Approaches. *Comput Math Methods Med* 2022;2022:7751263.
- Ng MC, Gaspard N, Cole AJ, et al. The standardization debate: A conflation trap in critical care electroencephalography. *Seizure* 2015;24:52–8.
- NICE: The epilepsies: Evidence Update February 2014: A summary of selected new evidence relevant to NICE clinical guideline 137 'The epilepsies: the diagnosis and management of the epilepsies in adults and children in primary and secondary care' (2012) [Internet]. London: National Institute for Health and Care Excellence (NICE); 2014.
- NICE: The epilepsies: the diagnosis and management of the epilepsies in adults and children in primary and secondary care. Clinical guideline, National Institute for Clinical Excellence, London;2004:201–73.
- Nicolaides P, Appleton RE, Beirne EM. EEG requests in paediatrics: an audit. *Arch Dis Child* 1995;72:522–3.
- Noachtar S, Binnie C, Ebersole J, et al. A glossary of terms most commonly used by clinical electroencephalographers and proposal for the report form for the EEG findings. The International Federation of Clinical Neurophysiology. *Electroencephalogr Clin Neurophysiol Suppl* 1999;52:21–41.
- Oh DA, Kim H, Bae EK. Electroencephalographic Abnormalities in the Screening for Pilot Applicants in Korea. *J Clin Neurol* 2018;14:212–14.
- Oto MM. The misdiagnosis of epilepsy: Appraising risks and managing uncertainty. *Seizure* 2017;44:143–6.
- Oto M, Russell AJ, McGonigal A, et al. Misdiagnosis of epilepsy in patients prescribed anticonvulsant drugs for other reasons. *BMJ* 2003;326:326–7.
- Palepu A, Premanathan S, Azhar F, et al. Automating Interictal Spike Detection: Revisiting A Simple Threshold Rule. *Annu Int Conf IEEE Eng Med Biol Soc* 2018;2018:299–302.
- Pearce KM, Cock HR. An audit of electroencephalography requests: use and misuse. *Seizure* 2006;15:184–9.
- Pedley TA. Interictal epileptiform discharges: discriminating characteristics and clinical correlations. *Am J EEG Technol* 1980;20:101–19.
- Petkar S, Jackson M, Fitzpatrick A. Management of blackouts and misdiagnosis of epilepsy and falls. *Clin Med (Lond)* 2005;5:514–20.
- Petrosian AA, Homan R, Prokhorov D, et al. Classification of epileptic EEG using neural network and wavelet transform; Proceedings of the Wavelet Applications in Signal and Image Processing IV; Denver, CO, USA;1996:834–43.
- Pillai J, Sperling MR. Interictal EEG and the diagnosis of epilepsy. *Epilepsia* 2006;47(Suppl. 1):14–22.
- Ramos-Maqueda J, Bermúdez-Jiménez F, Ruiz RM, et al. Prognostic impact of misdiagnosis of cardiac channelopathies as epilepsy. *PLoS One* 2020;15:e0231442.
- Rathore C, Prakash S, Rana K, et al. Prevalence of benign epileptiform variants from an EEG laboratory in India and frequency of their misinterpretation. *Epilepsy Res* 2021;170:106539.
- Reuber M, Fernandez G, Bauer J, et al. Diagnostic delay in psychogenic non-epileptic seizures. *Neurology* 2002;58:493–5.
- Riley TL. Normal variants in EEG that are mistaken as epileptic patterns. In: Gross M, editor. *Pseudoepilepsy*. Lexington KY: Heath; 1983:25–7.
- Rosenberg SD, Périn B, Michel V, et al. EEG in adults in the laboratory or at the patient's bedside. *Neurophysiol Clin* 2015;45:19–37.
- Roy S, Kiral I, Mirmomeni M, et al. Evaluation of artificial intelligence systems for assisting neurologists with fast and accurate annotations of scalp electroencephalography data. *EBioMedicine* 2021;66:103275.
- Salinski M, Kanter R, Dasheiff RM. Effectiveness of multiple EEGs in supporting the diagnosis of epilepsy: an operational curve. *Epilepsia* 1987;28:331–4.
- Santamaria J, Chiappa KH. The EEG of drowsiness in normal adults. *J Clin Neurophysiol* 1987;4:327–82.
- Saposnik G, Redelmeier D, Ruff CC, et al. Cognitive biases associated with medical decisions: a systematic review. *BMC Med Inform Decis Mak* 2016;16:138.
- Scottish Intercollegiate Guidelines Network. Diagnosis and management of epilepsy in adults. A national clinical guideline. Scottish Intercollegiate Guidelines Network, Edinburgh;2003:70.
- Seidel S, Pablik E, Aull-Watschinger S, et al. Incidental epileptiform discharges in patients of a tertiary centre. *Clin Neurophysiol* 2016;127:102–7.
- Shah U, Alzubaidi M, Mohsen F, et al. Role of Artificial Intelligence in Decoding Speech from EEG Signals: A Scoping Review. *Sensors (Basel)* 2022;22:6975.
- Shibasaki H, Nakamura M, Sugi T, et al. Automatic interpretation and writing report of the adult waking electroencephalogram. *Clin Neurophysiol* 2014;125:1081–94.
- Shinomiya S, Fukunaga T, Nagata K. Clinical aspects of the 'third rhythm' of the temporal lobe. *Clin Electroencephalogr* 1999;30:136–42.
- SIGN 143. diagnosis and management of epilepsy in adults. A national clinical guideline. Evidence May 2015. Revised 2018.
- Scheepers B, Clough P, Pickles C. The misdiagnosis of epilepsy: findings of a population study. *Seizure* 1998;7:403–6.

- Smith D, Bartolo R, Pickles RM, et al. Requests for electroencephalography in a district general hospital: retrospective and prospective audit. *BMJ* 2001;322:954–7.
- Smith D, Defalla B A, Chadwick D W. The misdiagnosis of epilepsy and the management of refractory epilepsy in a specialist clinic. *QJM* 1999;92:15–23.
- Smith SJM. EEG in neurological conditions other than epilepsy: when does it help, what does it add? *J Neurol Neurosurg Psychiatry* 2005;76(Suppl.2):ii8–ii12.
- Stone J, Smyth R, Carson A, et al. Systematic review of misdiagnosis of conversion symptoms and „hysteria“. *BMJ* 2005;331:989.
- Storm van Leeuwen W, Bickford R, Brazier M, et al. Proposal for an EEG terminology by the Terminology Committee of the International Federation for Electroencephalography and Clinical Neurophysiology. *Electroenceph Clin Neurophysiol* 1966;20:293–320.
- Suradi YM, Algreeshah FS, Rincon-Flores N, et al. Mystery case: sawtooth waves: another normal variant not to over-read as epileptiform discharges. *Epilepsia* 2015;84:e87–8.
- Tang J, El Atrache R, Yu S, et al. Seizure detection using wearable sensors and machine learning: Setting a benchmark. *Epilepsia* 2021;62:1807–19.
- Tatum WO. How not to read an EEG: Introductory statements. *Neurology* 2013;80(1 Suppl 1):S1–3.
- Tatum WO. Artifact-related epilepsy. *Neurology* 2013;80(1 Suppl 1):S12–25.
- Tatum WO. Normal „suspicious“ EEG. *Neurology* 2013;80(1 Suppl 1):S4–11.
- Tatum WO, Dworetzky BA, Freeman WD, et al. Artifact: recording EEG in special care units. *J Clin Neurophysiol* 2011;28:264–77.
- Tatum WO, Dworetzky BA, Schomer DL. Artifact and recording concepts in EEG. *J Clin Neurophysiol* 2011;28:252–63.
- Tatum WO, Husain AM, Benbadis SR, et al. Normal adult EEG and patterns of uncertain significance. *J Clin Neurophysiol* 2006;23:194–207.
- Tatum WO, Rubboli G, Kaplan PW, et al. Clinical utility of EEG in diagnosing and monitoring epilepsy in adults. *Clin Neurophysiol* 2018;129:1056–82.
- Tatum WO, Selioutski O, Ochoa JG, et al. American Clinical Neurophysiology Society Guideline 7: Guidelines for EEG reporting. *Neurodiagn J* 2016;56:285–93.
- Trojaborg W. EEG abnormalities in 5,893 jet pilot applicants registered in a 20-year period. *Clin Electroencephalogr* 1992;23:72–8.
- Uldall P, Alving J, Hansen LK, et al. The misdiagnosis of epilepsy in children admitted to a tertiary epilepsy centre with paroxysmal events. *Arch Dis Child* 2006;91:219–21.
- Vandecasteele K, De Cooman T, Dan J, et al. Visual seizure annotation and automated seizure detection using behind-the-ear electroencephalographic channels. *Epilepsia* 2020;61:766–75.
- Van Donselaar CA, Schimsheimer R, Geerts AT, et al. Value of the Electroencephalogram in Adult Patients With Untreated Idiopathic First Seizure. *Arch Neurol* 1992;49:231–7.
- Vinton A, Carino J, Vogrin S, et al. „Convulsive“ nonepileptic seizures have a characteristic pattern of rhythmic artifact distinguishing them from convulsive epileptic seizures. *Epilepsia* 2004;45:1344–50.
- Walczak TS, Scheuer ML, Resor S, et al. Prevalence and features of epilepsy without interictal epileptiform discharges. *Neurology* 1993;43(suppl):287–8.
- Walzl D, Carson AJ, Stone J. The misdiagnosis of functional disorders as other neurological conditions. *J Neurol* 2019;266:2018–26.
- Weisdorf S, Gangstad SW, Duun-Henriksen J, et al. High similarity between EEG from subcutaneous and proximate scalp electrodes in patients with temporal lobe epilepsy. *J Neurophysiol* 2018;120:1451–60.
- Weisdorf S, Zibrandtsen IC, Kjaer TW. Subcutaneous EEG Monitoring Reveals AED Response and Breakthrough Seizures. *Case Rep Neurol Med* 2020;2020:8756917.
- Williams GW, Lesser RP, Silvers JB, et al. Clinical diagnoses and EEG interpretation. *Cleve Clin J Med* 1990;57:437–40.
- Wirrell EC. Prognostic significance of interictal epileptiform discharges in newly diagnosed seizure disorders. *J Clin Neurophysiol* 2010;27:239–48.
- Worrell GA, Lagerlund TD, Buchhalter JR. Role and limitations of routine and ambulatory scalp electroencephalography in diagnosing and managing seizures. *Mayo Clin Proc* 2002;77:991–8.
- Ying Xu, Dennis Nguyen, Armin Mohamed, et al. Frequency of a false positive diagnosis of epilepsy: A systematic review of observational studies. *Seizure* 2016;41:167–74.
- Zaidi A, Clough P, Cooper P, et al. Misdiagnosis of epilepsy: many seizure-like attacks have a cardiovascular cause. *J Am Coll Cardiol* 2000;36:181–4.
- Zappa F & Mothers of Invention, One size fits all. *DiscReet DS* 2216, 1974.
- Zelano J. Poststroke epilepsy: update and future directions. *Ther Adv Neurol Disord* 2016;9:424–35.
- Zifkin G, Cracco RQ. An orderly approach to the abnormal electroencephalogram In: Ebersole JS, Pedley TA, eds. *Current practice of clinical electroencephalography*. Lippincott Williams & Wilkins: Philadelphia, 3rd eds.;2003:288–302.
- Zivin L, Marsan CA. Incidence and prognostic significance of ‘epileptiform’ activity in the EEG of non-epileptic subjects. *Brain* 1968;91:751–78.