

Literatura

- Abramowitz, J. S. a Arch, J. J. (2014). Strategies for improving long-term outcomes in cognitive behavioral therapy for obsessive-compulsive disorder: Insights from learning theory. *Cognitive and Behavioral Practice*, 21, 20-31.
- Abramowitz, J. S., Deacon, B. J. a Whiteside, S. P. H. (2011). *Exposure therapy for anxiety: Principles and practice*. New York, NY: Guilford Press.
- Abramowitz, J. S., Foa, E. B. a Franklin, M. E. (2003). Exposure and ritual prevention for obsessive-compulsive disorder: Effects of intensive versus twiceweekly sessions. *Journal of Consulting and Clinical Psychology*, 71, 394-398.
- Abramowitz, J. S., Schwartz, S. A. a Moore, M. K. (2003). Obsessional thoughts in postpartum females and their partners: Content, severity, and relationship with depression. *Journal of Clinical Psychology in Medical Settings*, 10, 157-164.
- Abramowitz, J. S., Nelson, C. A., Rygwall, R. a Khandker, M. (2007). The cognitive mediation of obsessive-compulsive symptoms: A longitudinal study. *Journal of Anxiety Disorders*, 21, 91-104.
- Abramowitz, J. S., Schwartz, S. A., Moore, K. M. a Luenzmann, K. R. (2003). Obsessive compulsive symptoms in pregnancy and the puerperium: A review of the literature. *Journal of Anxiety Disorders*, 17, 461-478.
- Abramowitz, J. S., Khandker, M., Nelson, C. A., Deacon, B. J. a Rygwall, R. (2006). The role of cognitive factors in obsessive compulsive symptoms: A prospective study. *Behaviour Research and Therapy*, 44, 1361-1374.
- Abramowitz, J., Moore, K., Carmin, C., Wiegartz, P. S. a Purdon, C. (2001). Acute onset of obsessive-compulsive disorder in males following childbirth. *Psychosomatics*, 42, 429-431.
- Addis, M. E. a Martell, C. R. (2004). *Overcoming depression one step at a time: The new behavioral activation approach to getting your life back*. Oakland, CA: New Harbinger.
- Adewuya, A. O., Ola, B. A. Aloba, O. O. a Mapayi, B. M. (2006). Anxiety disorders among Nigerian women in late pregnancy: A controlled study. *Archives of Women's Mental Health*, 9, 325-328.
- Altemus, M. (2001). Obsessive compulsive disorder during pregnancy and postpartum. In K. Yonkers a B. Little (eds.), *Management of psychiatric disorders in pregnancy* (s. 149-163). New York, NY: Oxford University Press.
- American Psychiatric Association (2013). *Diagnostic and statistical manual of mental disorders (5th ed.)*. Washington, DC: Author.
- Applby, L., Warner, R., Whitton, A. a Faragher, B. (1997). A controlled study of fluoxetine and cognitive-behavioural counselling in the treatment of postnatal depression. *British Medical Journal*, 314, 932-936.

- Arch, J. J. a Craske, M. G. (2011). Addressing relapse in cognitive behavioral therapy for panic disorder: Methods for optimizing long-term treatment options. *Cognitive and Behavioral Practice*, 19, 306-315.
- Arch, J. J., Dimidjian, S. a Chessick, C. (2012). Are exposure-based cognitive behavioral therapies safe during pregnancy? *Archives of Women's Mental Health*, 15, 445-457.
- Austin, M.-P., Frilingos, M., Lumley, J., Hadzi-Pavlovic, D., Roncolato, W. a Parker, G. (2008). Brief antenatal cognitive behaviour therapy group intervention for the prevention of postnatal depression and anxiety: A randomised controlled trial. *Journal of Affective Disorders*, 105, 35-44.
- Avan, B., Richter, L. M., Ramchandani, P. G., Norris, S. A. a Stein, A. (2010). Maternal postnatal depression and children's growth and behaviour during the early years of life: Exploring the interaction between physical and mental health. *Archives of Disease in Childhood*, 95, 690-695.
- Barlow, D. H. a Craske, M. G. (2007). *Mastery of your anxiety and panic (4th ed.)*. New York, NY: Oxford University Press.
- Battle, C. L. a Salisbury, A. L., Schofield, C. A. a Ortiz-Hernandez, S. (2013). Perinatal antidepressant use: Understanding women's preferences and concerns. *Journal of Psychiatric Practice*, 19, 443-453.
- Beck, A. T., Freeman, A., Davis, D. D. a Associates (2004). *Cognitive therapy of personality disorders (2nd ed.)*. New York, NY: Guilford Press.
- Beck, A. T., Rush, A. J., Shaw, B. F. a Emery, G. (1979). *Cognitive therapy of depression*. New York, NY: Guilford Press.
- Beck, C. T. (2001). Predictors of postpartum depression: An update. *Nursing Research*, 50, 275-285.
- Beck, C. T. a Driscoll, J. W. (2006). *Postpartum mood and anxiety disorders: A clinician's guide*. Boston, MA: Jones and Bartlett.
- Beck, J. S. (2011). *Cognitive behavior therapy: Basics and beyond (2nd ed.)*. New York, NY: Guilford Press.
- Becker, R. E., Heimberg, R. G. a Bellack, A. S. (1987). *Social skills training for depression*. New York, NY: Pergamon Press.
- Beebe, B., Jaffe, J., Buck, K., Chen, H., Cohen, P. a Andrews, H. (2008). Six week postpartum maternal depressive symptoms and 4-month mother-infant self- and interactive contingency. *Infant Mental Health Journal*, 29, 442-471.
- Bell, A. C. a D'Zurilla, T. J. (2009). Problem-solving therapy for depression: A meta-analysis. *Clinical Psychology Review*, 29, 348-353.
- Bellack, A. S., Mueser, K. T., Gingerich, S. a Agresta, J. (2004). *Social skills training for schizophrenia: A step-by-step guide (2nd ed.)*. New York, NY: Guilford Press.
- Bernstein, D. A., Borkovec, T. D. a Hazlett-Stevens, H. (2000). *New directions in progressive relaxation training: A guidebook for helping professionals*. Westport, CT: Praeger Press.
- Beydoun, H. A., Beydoun, M. A., Kaufman, J. S., Lo, B. a Zonderman, A. B. (2012). Intimate partner violence against adult women and its association with major depressive disorder, depressive symptoms, and postpartum depression: A systematic review and meta-analysis. *Social Science & Medicine*, 75, 959-975.
- Bisson, J. I., Ehlers, A., Matthews, R., Pilling, S., Richards, D. a Turner, S. (2007). Psychological treatments for chronic post-traumatic stress disorder: Systematic review and meta-analysis. *British Journal of Psychiatry*, 190, 97-104.
- Bjork, R. A. (2004). Memory and metaconsiderations in the training of human beings. In J. Metcalfe a A. Shimamura (eds.), *Metacognition: Knowing about knowing* (s. 185-205). Cambridge, MA: MIT Press.

- Bjork, R. A. a Bjork, E. L. (2006). Optimizing treatment and instruction: Implications of a new theory of disuse. In L.-G. Nilsson a N. Ohta (eds.), *Memory and society: Psychological perspectives* (s. 116-140). New York, NY: Psychology Press.
- Bloch, M., Schmidt, P. J., Danaceau, M., Murphy, J., Nieman, L. a Rubinow, D. R. (2000). Effects of gonadal steroids in women with a history of postpartum depression. *American Journal of Psychiatry*, 157, 924-930.
- Bohart, A. C., Elliott, R. E., Greenberg, L. S. a Watson, J. C. (2002). Empathy. In J. C. Norcross (ed.), *Psychotherapy relationships that work: Therapist contributions and responsiveness to patients* (s. 89-108). New York, NY: Oxford University Press.
- Bordin, E. S. (1979). The generalizability of the psychoanalytic concept of the working alliance. *Psychotherapy: Theory, Research, and Practice*, 16, 252-260.
- Bouton, M. E. (1993). Context, time, and memory retrieval in the interference paradigms of Pavlovian learning. *Psychological Bulletin*, 114, 90-99.
- Bradbury, T. N. a Fincham, F. D. (1992). Attributions and behavior in marital interaction. *Journal of Personality and Social Psychology*, 64, 618-628.
- Brockington, I. F. (1996). *Motherhood and mental health*. Oxford, UK: Oxford University Press.
- Brodsky, B. S. a Stanley, B. (2008). Adverse childhood experiences and suicidal behavior. *Psychiatric Clinics of North America*, 31, 223-235.
- Brown, G. K., Tenhave, T., Henriques, G. R., Xie, S. X., Hollander, J. E. a Beck, A. T. (2005). Cognitive therapy for the prevention of suicide attempts: A randomized controlled trial. *Journal of the American Medical Association*, 294, 563-570.
- Brozovich, F. a Heimberg, R. G. (2008). An analysis of post-event processing in social anxiety disorder. *Clinical Psychology Review*, 28, 891-903.
- Buckner, J. D. a Schmidt, N. B. (2009). A randomized pilot study of motivation enhancement therapy to increase utilization of cognitive-behavioral therapy for social anxiety. *Behaviour Research and Therapy*, 47, 710-715.
- Burns, A., O'Mahen, H., Baxter, H., Bennert, K., Wiles, N. a Evans, J. (2013). A pilot randomised controlled trial of cognitive behavioural therapy for antenatal depression. *BMC Psychiatry*, 13, 33.
- Burns, D. D. (1980). *Feeling good: The new mood therapy*. New York, NY: Avon Books.
- Butler, A. C., Chapman, J. E., Forman, E. M. a Beck, A. T. (2006). The empirical status of cognitive-behavioral therapy: A review of meta-analyses. *Clinical Psychology Review*, 26, 17-31.
- Buttner, M., O'Hara, M. W. a Watson, D. (2012). The structure of women's mood in the early postpartum. *Assessment*, 19, 247-256.
- Castonguay, L. G., Constantino, M. J. a Grosse Holtforth, M. (2006). The working alliance: Where are we and where should we go? *Psychotherapy: Theory, Research, Practice, and Training*, 43, 271-279.
- Castonguay, L. G., Goldfried, M. R., Wiser, S., Raue, P. J. a Hayes, A. M. (1996). Predicting the effect of cognitive therapy for depression: A study of unique and common factors. *Journal of Consulting and Clinical Psychology*, 64, 497-504.
- Chambless, D. L. a Gracely, E. J. (1989). Fear or fear and the anxiety disorders. *Cognitive Therapy and Research*, 13, 9-20.
- Chambless, D. L. a Ollendick, T. H. (2001). Empirically supported psychological interventions: Controversies and evidence. *Annual Review of Psychology*, 52, 685-716.
- Chang, J. C., Cluss, P. A., Ranieri, L., Hawker, L., Buranosky, R. a Scholle, S. H. (2005). Health care interventions for intimate partner violence: What women want. *Women's Health Issues*, 15, 21-30.

- Charbol, H., Teisseyre, F., Saint-Jean, M., Teisseyre, N., Rogé, B. a Mullet, E. (2002). Prevention and treatment of postpartum depression: A controlled randomized study on women at risk. *Psychological Medicine*, 32, 1039-1047.
- Cho, H. J., Kwon, J. J. a Lee, J. J. (2008). Antenatal cognitive-behavioral therapy for prevention of postpartum depression: A pilot study. *Yonsei Medical Journal*, 49, 553-562.
- Clark, D. M., Salkovskis, P. M., Öst, L.-G., Breitholtz, E., Koehler, K. A. a Gelder, M. (1997). Misinterpretation of body sensations in panic disorder. *Journal of Consulting and Clinical Psychology*, 65, 203-213.
- Clark, R., Tluczek, A. a Brown, R. (2008). A mother-infant group model for postpartum depression. *Infant Mental Health Journal*, 29, 514-536.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences (2nd ed.)*. Hillsdale, NJ: Erlbaum.
- Cohen, L. S., Rosenbaum, J. F. a Heller, V. L. (1989). Panic attack- associated placental abruption: A case report. *Journal of Clinical Psychiatry*, 50, 266-267.
- Cole, J. A., Ephoss, S. A., Cosmatos, I. S. a Walker, A.M. (2007). Paroxetine in the first trimester and the prevalence of congenital malformations. *Pharmacoepidemiology and Drug Safety*, 16, 1075-1085.
- Cooper, P. J., Murray, L. M. a Romaniuk, H. (2003). Controlled trial of the short- and long-term effect of psychological treatment of post-partum depression. 1. Impact on maternal mood. *British Journal of Psychiatry*, 182, 412-419.
- Cox, J. L., Holden, J. M. a Sagovsky, R. (1987). Detection of postnatal depression: Development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry*, 150, 782-786.
- Craske, M. G., Kircanski, K., Zelikowsky, M., Mystkowski, J., Chowdhury, N. a Baker, A. (2008). Optimizing inhibitory learning during exposure therapy. *Behaviour Research and Therapy*, 46, 5-27.
- Creedy, D. K., Shochet, I. M. a Horsfall, J. (2000). Childbirth and the development of acute trauma symptoms: Incidence and contributing factors. *Birth*, 27, 104-111.
- Cuijpers, P., Brännmärk, J. G. a van Straten, A. (2008). Psychological treatment of postpartum depression: A meta-analysis. *Journal of Clinical Psychology*, 64, 103-118.
- Cutrona, C. E. (1984). Social support and stress in the transition to parenthood. *Journal of Abnormal Psychology*, 93, 378-390.
- Czarnocka, J. a Slade, P. (2000). Prevalence and predictors of post-traumatic stress symptoms following childbirth. *British Journal of Clinical Psychology*, 39, 35-51.
- DeRubeis, R. J., Brotman, M. A. a Gibbons, C. J. (2005). A conceptual and methodological analysis of the nonspecific argument. *Clinical Psychology: Science and Practice*, 12, 174-183.
- DeRubeis, R. J. a Feeley, M. (1990). Determinants of change in cognitive therapy for depression. *Cognitive Therapy and Research*, 14, 469-482.
- DeRubeis, R. J., Hollon, S. D., Amsterdam, J. D., Shelton, R. C., Young, P. R. a Gallop, R. (2005). Cognitive therapy vs medications in the treatment of moderate to severe depression. *Archives of General Psychiatry*, 62, 409-416.
- Dimidjian, S., Hollon, S. D., Dobson, K. S., Schmaling, K. B., Kohlenberg, R. J. a Jacobson, N. S. (2006). Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *Journal of Consulting and Clinical Psychology*, 74, 658-670.
- Dobson, D. a Dobson, K. S. (2009). *Evidence-based practice of cognitive behavioral therapy*. New York, NY: Guilford Press.

- Doss, B. D., Rhoads, G. K., Stanley, S. M. a Markman, H. J. (2009). The effect of the transition to parenthood on relationship quality: An 8-year prospective study. *Journal of Personality and Social Psychology*, 96, 601-619.
- Dugas, M. J. a Robichaud, M. (2007). *Cognitive-behavioral treatment for generalized anxiety disorder: From science to practice*. New York, NY: Routledge.
- Dugas, M. J., Freeston, M. J. a Ladouceur, R. (1997). Intolerance of uncertainty and problem orientation in worry. *Cognitive Therapy and Research*, 21, 593-606.
- Dugas, M. J., Gagnon, F., Ladouceur, R. a Freeston, M. H. (1998). Generalized anxiety disorder: A preliminary test of a conceptual model. *Behaviour Research and Therapy*, 36, 215-226.
- Dugas, M. J., Brillon, P., Savard, P., Turcott, J., Gaudet, A. a Gervais, N. J. (2010). A randomized clinical trial of cognitive-behavioral therapy and applied relaxation for adults with generalized anxiety disorder. *Behavior Therapy*, 41, 46-58.
- D'Zurilla, T. J. a Nezu, A.M. (2007). *Problem-solving therapy: A positive approach to clinical intervention (3rd ed.)*. New York, NY: Spring Publishing Company.
- El-Mohandes, A. A., Kiely, M., Joseph, J. G., Subramanian, S., Johnson, A. A. a El-Khorazaty, M. N. (2008). An intervention to improve postpartum outcomes in African American mothers: A randomized controlled trial. *Obstetrics and Gynecology*, 112, 611-620.
- Fairbrother, N. a Abramowitz, J. S. (2007). New parenthood as a risk factor for the development of obsessional problems. *Behaviour Research and Therapy*, 45, 2155-2163.
- Farmer, R. F. a Chapman, A. L. (2008). *Behavioral interventions in cognitive behavior therapy: Practical guidance for putting theory into action*. Washington, DC: APA Books.
- Feeley, M., DeRubeis, R. J. a Gelfand, L. A. (1999). The temporal relation of adherence and alliance to symptom change in cognitive therapy for depression. *Journal of Consulting and Clinical Psychology*, 67, 578-582.
- Field, T. (2010). Postpartum depression effects on early interactions, parenting, and safety practices: A review. *Infant Behavior and Development*, 33, 1-6.
- Foa, E. B. a Kozak, M. J. (1986). Emotional processing of fear: Exposure to corrective information. *Psychological Bulletin*, 99, 20-35.
- Foa, E. B. a McNally, R. J. (1996). Mechanisms of change in exposure therapy. In R. M. Rapee (ed.), *Current controversies in the anxiety disorders* (s. 329-343). New York, NY: Guilford Press.
- Foa, E. B., Zoellner, L. A., Feeny, N. C., Hembree, E. A. a Alvarez-Conrad, J. (2002). Does imaginal exposure exacerbate PTSD symptoms? *Journal of Consulting and Clinical Psychology*, 70, 1022-1028.
- Forty, L., Jones, L., Macgregor, S., Caesar, S., Cooper, C. a Jones, I. (2006). Familiarity of postpartum depression in unipolar disorder: Results of a family study. *American Journal of Psychiatry*, 163, 1549-1553.
- Frisch, M. B. (2006). *Quality of life therapy: Applying a life satisfaction approach to positive psychology and cognitive therapy*. New York, NY: John Wiley and Sons.
- Gavin, N. I., Gaynes, B. N., Lohr, K. N., Meltzer-Brody, S., Gartlehner, F. a Swinson, T. (2005). Perinatal depression: A systematic review of prevalence and incidence. *Obstetrics and Gynecology*, 106, 1071-1083.
- Gilbert, P. a Leahy, R. L. (2007). Introduction and overview: Basic issues in the therapeutic relationship. In P. Gilbert a R. L. Leahy (eds.), *The therapeutic relationship in the cognitive behavioral psychotherapies* (s. 3-23). New York, NY: Routledge.
- Gloaguen, V., Cottraux, J., Cucherat, M. a Blackburn, I.-M. (1998). A metaanalysis of the effects of cognitive therapy in depressed patients. *Journal of Affective Disorders*, 49, 59-72.

- Glover, V. a Kammerer, M. (2004). The biology and pathophysiology of peripartum psychiatric disorders. *Primary Psychiatry*, 11, 37-41.
- Gold, K. J., Singh, V., Marcus, S. M. a Palladino, C. L. (2012). Mental health, substance use and intimate partner problems among pregnant and postpartum suicide victims in the National Violent Death Reporting System. *General Hospital Psychiatry*, 34, 139-145.
- Goldstein, R. B., Black, D. W., Nasrallah, A. a Winokur, G. (1991). The prediction of suicide: Sensitivity, specificity, and predictive value of a multivariate model applied to suicide among 1906 patients with affective disorders. *Archives of General Psychiatry*, 48, 418-422.
- Gottman, J., with Silver, N. (1994). *Why marriages succeed or fail: What you can learn from the breakthrough research to make your marriage last*. New York, NY: Simon a Schuster.
- Grace, S. L., Evindar, A. a Stewart, D. E. (2003). The effect of postpartum depression on child cognitive development and behavior: A review and critical analysis of the literature. *Archives of Women's Mental Health*, 6, 263-274.
- Grayson, J. B., Foa, E. B. a Steketee, G. (1982). Habituation during exposure treatment: Distraction vs. attention-focusing. *Behaviour Research and Therapy*, 20, 323-328.
- Greenberg, L. S., McWilliams, N. a Wenzel, A. (2014). *Exploring three approaches to psychotherapy*. Washington, DC: APA Books.
- Greil, A. L., Schmidt, L. a Peterson, B. D. (2015). Perinatal experiences associated with infertility. In A. Wenzel (ed.), *The Oxford handbook of perinatal psychology*. New York, NY: Oxford University Press.
- Griffiths, P. a Barker-Collo, S. (2008). Study of a group treatment program for postnatal adjustment difficulties. *Archives of Women's Mental Health*, 11, 33-41.
- Grote, N. K., Bledsoe, S. E., Swartz, H. A. a Frank, E. (2004). Feasibility of providing culturally relevant, brief interpersonal psychotherapy for antenatal depression in an obstetrics clinic: A pilot study. *Research on Social Work Practice*, 14, 397-407.
- Guler, O., Sahin, F. K., Emul, H. M., Ozbulut, O., Gecici, O. a Askin, R. (2008). The prevalence of panic disorder in pregnant women during the third trimester of pregnancy. *Comprehensive Psychiatry*, 49, 154-158.
- Hagan, R., Evans, S. F. a Pope, S. (2004). Preventing postnatal depression in mothers of very preterm infants: A randomized controlled trial. *British Journal of Obstetrics and Gynaecology*, 111, 641-647.
- Halbreich, U. a Karkun, S. (2006). Cross-cultural and social diversity of prevalence of postpartum depression and depressive symptoms. *Journal of Affective Disorders*, 91, 97-111.
- Hale, T. W. (2008). *Medications and mother's milk (13th ed.)*. Amarillo, TX: Hale Publishing.
- Hanrahan, F., Field, A. P., Jones, F. W. a Davey, G. C. L. (2013). A meta-analysis of cognitive therapy for worry in generalized anxiety disorder. *Clinical Psychology Review*, 33, 120-132.
- Hans, E. a Hiller, W. (2013a). Effectiveness of and dropout from outpatient cognitive behavioral therapy for adult unipolar depression: A meta-analysis of nonrandomized effectiveness studies. *Journal of Consulting and Clinical Psychology*, 81, 75-88.
- Hans, E. a Hiller, W. (2013b). A meta-analysis of nonrandomized effectiveness studies on outpatient cognitive-behavioral therapy for adult anxiety disorders. *Clinical Psychology Review*, 33, 954-964.
- Hardy, G., Cahill, J. a Barkham, M. (2007). Active ingredients of the therapeutic relationship that promote client change: A research perspective. In P. Gilbert a R. L.

- Leahy (eds.), *The therapeutic relationship in the cognitive behavioral psychotherapies* (s. 24-42). New York, NY: Routledge.
- Harris, E. C. a Barraclough, B. (1994). Suicide as an outcome for medical disorders. *Medicine Baltimore*, 73, 281-396.
- Harriss, L. a Hawton, K. (2005). Suicidal intent in deliberate self-harm and the risk of suicide: The predictive power of the Suicide Intent Scale. *Journal of Affective Disorders*, 86, 225-233.
- Harriss, L., Hawton, K. a Zahl, D. (2005). Value of measuring suicidal intent in the assessment of people attending hospital following self-poisoning or self-injury. *British Journal of Psychiatry*, 186, 60-66.
- Haugen, E. N. (2003). *Postpartum anxiety and depression: The contribution of social support*. Unpublished master's thesis, University of North Dakota, Grand Forks, ND.
- Hauri, P. a Linde, S. (1996). *No more sleepless nights - Revised edition*. New York, NY: John Wiley and Sons.
- Hendrick, V. Altshuler, L. a Strouse, T. (2000). Postpartum and nonpostpartum depression: Differences in presentation and response to pharmacologic treatment. *Depression and Anxiety*, 11, 66-72.
- Heron, J., Robertson Blackmore, E., McGuinness, M., Craddock, N. a Jones, I. (2007). No 'latent period' in the onset of Bipolar Affective Puerperal Psychosis. *Archives of Women's Mental Health*, 10, 79-81.
- Hewitt, P. L., Flett, G. L., Sherry, S. B. a Caelian, C. (2006). Trait perfectionism dimensions and suicidal behavior. In T. E. Ellis (ed.), *Cognition and suicide* (s. 215-235). Washington, DC: APA Books.
- Hirsch, C., Jolley, S. a Williams, R. (2000). A study of outcome in a clinical psychology service and preliminary evaluation of cognitive-behavioral therapy in real practice. *Journal of Mental Health*, 9, 537-549.
- Hofmann, S. G. (2004). Cognitive mediation of treatment change in social phobia. *Journal of Consulting and Clinical Psychology*, 72, 393-399.
- Hofmann, S. G. (2012). *An introduction to modern CBT: Psychological solutions to mental health problems*. Malden, MA: Wiley-Blackwell.
- Hofmann, S. G. a Smits, J. A. J. (2008). Cognitive-behavioral therapy for adult anxiety disorders: A meta-analysis of randomized placebo-controlled trials. *Journal of Clinical Psychiatry*, 69, 621-632.
- Hollon, S. D. (2011). Cognitive and behavior therapy in the treatment and prevention of depression. *Depression and Anxiety*, 28, 263-266.
- Hollon, S. D., Stewart, M. O. a Strunk, D. (2006). Enduring effects for cognitive behavior therapy in the treatment of depression and anxiety. *Annual Review of Psychology*, 57, 285-315.
- Hollon, S. D., DeRubeis, R. J., Shelton, R. C., Amsterdam, J. D., Saloman, R. M. a Gallop, R. (2005). Prevention of relapse following cognitive therapy vs medications in moderate to severe depression. *Archives of General Psychiatry*, 62, 417-422.
- Honey, K. L., Bennett, P. a Morgan, M. (2002). A brief psycho-educational group intervention for postnatal depression. *British Journal of Clinical Psychology*, 41, 405-409.
- Horvath, A. O. a Greenberg, L. S. (1989). Development and validation of the Working Alliance Inventory. *Journal of Consulting and Clinical Psychology*, 36, 223-233.
- Hughes, D. a Kleespies, P. (2001). Suicide in the medically ill. *Suicide and Life-Threatening Behavior*, 31, 48-59.
- Jacobi, F., Wittchen, H-U., Höltling, C., Höfler, M., Pfister, H. a Lieb, R. (2004). Prevalence, co-morbidity, and correlates of mental disorders in the general population:

- Results of the German Health Interview and Examination Survey (GHS). *Psychological Medicine*, 34, 597-611.
- Jacobson, N. S., Dobson, K. S., Truax, P. A., Addis, M. E., Koerner, K. a Prince, S. E. (1996). A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting and Clinical Psychology*, 64, 295-304.
- Janseen, H. J., Cusinier, M. C., Hoogduin, K. A. a de Graauw, K. P. (1996). Controlled prospective study on the mental health of women following pregnancy loss. *American Journal of Psychiatry*, 153, 226-230.
- Jesse, D. E., Blanchard, A., Bunch, S., Dolbier, C., Hodgson, J. a Swanson, M. S. (2010). A pilot study to reduce risk for antepartum depression among women in a public health prenatal clinic. *Issues in Mental Health Nursing*, 31, 355-364.
- Joiner, T. E. (2005). *Why people die by suicide*. Cambridge, MA: Harvard University Press.
- Joiner, T. E., Conwell, Y., Fitzpatrick, K. K., Witte, T. K., Schmidt, N. B. a Rudd, M. D. (2005). Four studies on how past and current suicidality relate even when „everything but the kitchen sink“ is covaried. *Journal of Abnormal Psychology*, 114, 291-303.
- Jones, I. a Craddock, N. (2001). Familiarity of the puerperal trigger in bipolar disorder: results of a family study. *American Journal of Psychiatry*, 158, 913-917.
- Kammerer, M., Adams, D., Castelberg, B. B. a Glover, V. (2002). Pregnant women become insensitive to cold stress. *BMC Pregnancy Childbirth*, 2, 8.
- Karekla, M., Forsyth, J. P. a Kelly, M. M. (2004). Emotional avoidance and panicogenic responding to a biological challenge procedure. *Behavior Therapy*, 35, 725-746.
- Kazantzis, N., Whittington, C. a Dattilio, F. (2010). Meta-analysis of homework effects in cognitive and behavioral therapy: A replication and extension. *Clinical Psychology: Science and Practice*, 17, 144-156.
- Kazdin, A. E. (2007). Mediators and mechanisms of change in psychotherapy research. *Annual Review of Clinical Psychology*, 3, 1-27.
- Kleiman, K. K. (2009). *Therapy and the postpartum woman: Notes on healing postpartum depression for clinicians and the women who seek their help*. New York, NY: Routledge.
- Kleiman, K. K. a Wenzel, A. (2011). *Dropping the baby down the stairs and other scary thoughts: Breaking the cycle of unwanted thoughts in motherhood*. New York, NY: Routledge.
- Kleiman, K., with Wenzel, A. (2014). *Tokens of affection: Reclaiming your marriage after postpartum depression*. New York, NY: Routledge.
- Klein, D. F., Skrobala, A.M. a Garfinkel, R. S. (1995). Preliminary look at the effects of pregnancy on panic disorder. *Anxiety*, 1, 227-232.
- Kuyken, W., Padesky, C. A. a Dudley, R. (2009). *Collaborative case conceptualization: Working effectively with clients in cognitive-behavioral therapy*. New York, NY: Guilford Press.
- Ladouceur, R., Talbot, F. a Dugas, M. J. (1997). Behavioral expressions of intolerance of uncertainty in worry: Experimental findings. *Behavior Modification*, 21, 355-371.
- Lang, A. J. a Craske, M. G. (2000). Manipulations of exposure-based therapy to reduce the return of fear: An application. *Behaviour Research and Therapy*, 38, 1-12.
- Lawrence, E., Nylén, K. a Cobb, R. J. (2007). Prenatal expectations and marital satisfaction over the transition to parenthood. *Journal of Family Psychology*, 21, 155-164.
- Lawrence, E., Rothman, A. D., Cobb, R. J., Rothman, M. T. a Bradbury, T. N. (2008). Marital satisfaction across the transition to parenthood. *Journal of Family Psychology*, 22, 41-50.
- Le, H.-N., Perry, D. F. a Stuart, E. A. (2011). Randomized controlled trial of a preventive intervention for perinatal depression in high-risk Latinas. *Journal of Consulting and Clinical Psychology*, 79, 135-141.

- Leahy, R. L. (2001). *Overcoming resistance in cognitive therapy*. New York, NY: Guilford Press.
- Lilienfeld, S. O., Ritschel, L. A., Lynn, S. J., Cautin, R. L. a Latzman, R. D. (2013). Why many clinical psychologists are resistant to evidence-based practice: Root causes and constructive remedies. *Clinical Psychology Review*, 33, 883-900.
- Lilliecreutz, C., Josefsson, A. a Sydsjo, G. (2010). An open trial of cognitive behavioral therapy for blood- and injection phobia in pregnant women – a group intervention program. *Archives of Women's Mental Health*, 13, 259-265.
- Linehan, M. M. (1993a). *Cognitive-behavioral therapy for borderline personality disorder*. New York, NY: Guilford Press.
- Linehan, M. M. (1993b). *Skills training manual for borderline personality disorder*. New York, NY: Guilford Press.
- Linehan, M. M., Goodstein, J. L., Nielsen, S. L. a Chiles, J. A. (1983). Reasons for staying alive when you are thinking of killing yourself: The Reasons for Living Inventory. *Journal of Consulting and Clinical Psychology*, 51, 276-286.
- Lobel, M., Dunkel-Schetter, C. a Scrimshaw, S. C. M. (1992). Prenatal maternal stress and prematurity: A prospective study of socioeconomically disadvantaged women. *Health Psychology*, 11, 32-40.
- Longmore, R. J. a Worrell, M. (2007). Do we need to challenge thoughts in cognitive behavioral therapy? *Clinical Psychology Review*, 27, 173-187.
- Luty, S. E., Carter, J. D., McKenzie, J. M., Rae, A. M., Frampton, C. M. A. a Joyce, P. R. (2007). Randomised controlled trial of interpersonal psychotherapy and cognitive-behavioural therapy for depression. *The British Journal of Psychiatry*, 190, 496-502.
- Lyons, S. (1998). A prospective study of post-traumatic stress symptoms 1 month following childbirth in a group of 42 first-time mothers. *Journal of Reproductive and Infant Psychology*, 16, 91-105.
- McMillan, D., Gilbody, S., Beresford, E. a Neilly, L. (2007). Can we predict suicide and non-fatal self-harm with the Beck Hopelessness Scale? A metaanalysis. *Psychological Medicine*, 37, 769-778.
- McNally, R. M. (1989). Is anxiety sensitivity distinguishable from trait anxiety? A reply to Lilienfeld, Jacob, and Turner (1989). *Journal of Abnormal Psychology*, 98, 193-194.
- MacPhillamy, D. J. a Lewinsohn, P. M. (1976). *Manual for the Pleasant Events Schedule*. Eugene, OR: University of Oregon.
- Magee, W. J., Eaton, W. W., Wittchen, H.-U., McGonagle, K. A. a Kessler, R. C. (1996). Agoraphobia, simple phobia, and social phobia in the National Comorbidity Study. *Archives of General Psychiatry*, 53, 159-168.
- Mann, J. J., Waternaux, C., Haas, G. L. a Malone, K. M. (1999). Toward a clinical model of suicidal behavior in psychiatric patients. *American Journal of Psychiatry*, 156, 181-189.
- Martell, C. R. Addis, M. E. a Jacobson, N. S. (2001). *Depression in context: Strategies for guided action*. New York, NY: Norton.
- Martin, D. J., Garske, J. P. a Davis, M. K. (2000). Relation of the therapeutic alliance with outcome and other variables: A meta-analytic review. *Journal of Consulting and Clinical Psychology*, 68, 438-450.
- Martin, M., Hamilton, B., Sutton, P., Ventura, S. Menacker, F., Kirmeyer, S. a Mathews, T. J. (2009). *Births: Final data for 2006* Division of Vital Statistics, *National Vital Statistics Report*, 57 (7). Retrieved from: http://www.cdc.gov/nchs/data/nvsr/nvsr57/nvsr57_07.pdf
- Matthews, K. A. a Rodin, J. (1992). Pregnancy alters blood pressure responses to psychological and physical challenge. *Psychophysiology*, 29, 232-240.

- Matthey, S., Barnett, B., Howie, P. a Kavanagh, D. J. (2003). Diagnosing postpartum depression in mothers and fathers: Whatever happened to anxiety? *Journal of Affective Disorders*, 74, 139-147.
- Milgrom, J., Holt, C. J., Gemmill, A. W., Ericksen, J., Leigh, B. a Schembri, C. (2011). Treating postnatal depressive symptoms in primary care: A randomized controlled trial of GP management with and without adjunctive counselling. *BMC Psychiatry*, 11, 95.
- Milgrom, J., Martin, P. R. a Negri, L. M. (1999). *Treating postnatal depression: A psychological approach for health care practitioners*. West Sussex, UK: John Wiley and Sons.
- Milgrom, J., Negri, L. M., Gemmill, A. W., McNeil, M. a Martin, P. R. (2005). A randomized controlled trial of psychological interventions for postnatal depression. *British Journal of Clinical Psychology*, 44, 529-542.
- Miller, W. R. a Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York, NY: Guilford Press.
- Misri, S., Reebye, P., Corral, M. a Milis, L. (2004). The use of paroxetine and cognitive-behavioral therapy in postpartum depression and anxiety: A randomized controlled trial. *Journal of Clinical Psychiatry*, 65, 1236-1241.
- Mitte, K. (2005). A meta-analysis of the efficacy of psycho- and pharmacotherapy in panic disorder with and without agoraphobia. *Journal of Affective Disorders*, 88, 27-45.
- Morrell, C. J., Slade, P., Warner, R., Paley, G., Dixon, S. a Nicholl, J. (2009). Clinical effectiveness of health visitor training in psychologically informed approaches for depression in postnatal women: Pragmatic cluster randomised trial in primary care. *British Medical Journal*, 338, 1-14.
- Muñoz, R. F., Ghosh Ippen, C., Le, H.-L., Lieberman, A., Diaz, M. a La Plante, L. (2001). *The Mothers and Babies Course: A reality management approach*. San Francisco, CA: University of California, San Francisco.
- Muñoz, R. F., Le, H.-L., Ippen, C. G., Diaz, M. A., Urizar Jr., G. G. a Lieberman, A. (2007). Prevention of postpartum depression in low-income women: Development of the Mamás y Bebés/Mothers and Babies Course. *Cognitive and Behavioral Practice*, 14, 70-83.
- Murray, L. a Cooper, P. J. (2003). Intergenerational transmission of affective and cognitive processes associated with depression: Infancy and the pre-school years. In I. M. Goodyer (ed.), *Unipolar depression: A lifetime perspective*. New York, NY: Oxford University Press.
- Murray, L., Cooper, P. J., Wilson, A. a Romaniuk, H. (2003). Controlled trial of the short- and long-term effect of psychological treatment of post-partum depression. 2. Impact on the mother-child relationship and child outcome. *British Journal of Psychiatry*, 182, 420-427.
- Murray, L., Arteche, A., Fearon, P., Halligan, S., Goodyer, I. a Cooper, P. (2011). Maternal postnatal depression in low-income women: Development of depression in offspring up to 16 years of age. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50, 460-470.
- Nardi, B., Laurenzi, S., Di Nicoló, M. a Bellantuono, C. (2012). Is the cognitive behavioral therapy an effective intervention to prevent postnatal depression? A critical review. *International Journal of Psychiatry in Medicine*, 43, 211-225.
- Navarro, P., García-Esteve, L., Ascaso, C., Aguado, J., Gelabert, E. a Martín-Santos, R. (2008). Non-psychotic psychiatric disorders after childbirth: Prevalence and comorbidity in a community sample. *Journal of Affective Disorders*, 109, 171-176.
- Negron, R., Martin, A., Almog, M., Balbierz, A. a Howell, E. A. (2013). Social support during the postpartum period: Mothers' views in needs, expectations, and mobilization of support. *Maternal and Child Health Journal*, 17, 616-623.

- Newman, C. F. (2007). The therapeutic relationship in cognitive therapy with difficult-to-engage clients. In P. Gilbert a R. L. Leahy (eds.), *The therapeutic relationship in the cognitive behavioral psychotherapies* (s. 166-184). New York, NY: Routledge.
- Newman, M. G. a Borkovec, T. D. (1995). Cognitive-behavioral treatment of generalized anxiety disorder. *The Clinical Psychologist*, 48, 5-7.
- Nock, M. K., Deming, C. A., Fullerton, C. S., Gilman, S. E., Goldenberg, M. a Ursano, R. J. (2013). Suicide among soldiers: A review of psychosocial risk and protective factors, *Psychiatry*, 76, 97-125.
- Nolen-Hoeksema, S., Wisco, B. E. a Lyubomirsky, S. (2008). Rethinking rumination. *Perspectives on Psychological Science*, 3, 400-424.
- Nonacs, R. M. (2005). Postpartum mood disorders. In L. S. Cohen a R. M. Nonacs (eds.), *Mood and anxiety disorders during pregnancy and postpartum (Review of Psychiatry, Vol. 24, No. 4)* (s. 77-103). Washington, DC: American Psychiatric Press.
- Nonacs, R. M., Cohen, L. S., Viguera, A. C. a Mogielnicki, J. (2005). Diagnosis and treatment of mood and anxiety disorders in pregnancy. In L. S. Cohen a R. M. Nonacs (eds.), *Mood and anxiety disorders during pregnancy and postpartum (Review of Psychiatry, Vol. 24, No. 4)* (s. 17-51). Washington, DC: American Psychiatric Publishing.
- Norcross, J. C., Krebs, P. M. a Prochaska, J. O. (2011). Stages of change. *Journal of Clinical Psychology: In Session*, 67, 143-154.
- O'Hara, M. W. a McCabe, J. E. (2013). Postpartum depression: Current status and future directions. *Annual Review of Clinical Psychology*, 9, 379-407.
- O'Hara, M. W. a Swain, A. M. (1996). Rates and risk of postpartum depression—a meta-analysis. *International Review of Psychiatry*, 8, 37-54.
- O'Hara, M. W., Rehm, L. P. a Campbell, S. B. (1982). Predicting depressive symptomatology: Cognitive-behavioral models and postpartum depression. *Journal of Abnormal Psychology*, 91, 457-461.
- O'Hara, M. W., Stuart, S., Gorman, L. L. a Wenzel, A. (2000). Efficacy of Interpersonal Psychotherapy for postpartum depression. *Archives of General Psychiatry*, 57, 1039-1045.
- Olatunji, B. O. a Wolitzky-Taylor, K. B. (2009). Anxiety sensitivity and the anxiety disorders: A meta-analytic review and synthesis. *Psychological Bulletin*, 135, 974-999.
- Olatunji, B. O., Deacon, B. J. a Abramowitz, J. S. (2009). The cruelest cure? Ethical issues in the implementation of exposure-based treatments. *Cognitive and Behavioral Practice*, 16, 172-180.
- Olatunji, B. O., Davis, M. L., Powers, M. B. a Smits, J. A. J. (2013). Cognitive-behavioral therapy for obsessive-compulsive disorder: A metaanalysis of treatment outcome and moderators. *Journal of Psychiatric Research*, 47, 33-41.
- O'Mahen, H., Fedock, G., Henshaw, E., Himle, J. A., Forman, J. a Flynn, H. A. (2012). Modifying CBT for perinatal depression: What do women want? A qualitative study. *Cognitive and Behavioral Practice*, 19, 359-371.
- Oquendo, M. A., Bongiovi-Garcia, M. W., Galfalvy, H., Goldberg, P. H., Grunebaum, M. F., Burke, A. K., et al. (2007). Sex differences in clinical predictors of suicidal acts after major depression: A prospective study. *American Journal of Psychiatry*, 164, 134-141.
- Pearlstein, T. B., Zlotnick, C., Battle, C. L., Stuart, S., O'Hara, M. W. a Howard, M. (2006). Patient choice of treatment for postpartum depression: A pilot study. *Archives of Women's Mental Health*, 9, 303-308.
- Perlis, M. L., Jungquist, C., Smith, M. T. a Posner, D. (2005). *Cognitive behavioral treatment of insomnia: A session-by-session guide*. New York, NY: Springer.

- Persons, J. B. (2008). *The case formulation approach to cognitive-behavior therapy*. New York, NY: Guilford Press.
- Pinheiro, R. T., Da Silva, R. A., Magalhães, P. V., S., Horta, B. L. a Pinheiro, K. A. T. (2008). Two studies on suicidality in the postpartum. *Acta Psychiatrica Scandinavia*, 118, 160-163.
- Powers, M. B., Sigmarsson, S. R. a Emmelkamp, P. M. G. (2008). A metaanalytic review of psychological treatments for social anxiety disorder. *International Journal of Cognitive Therapy*, 1, 94-113.
- Prendergast, J. a Austin, M-P. (2001). Early childhood nurse-delivered cognitive behavioural counselling for post-natal depression. *Australian Psychiatry*, 9, 255-259.
- Prochaska, J. O. a DiClemente, C. C. (1982). Transtheoretical therapy: Toward a more integrative model of change. *Psychotherapy*, 19, 276-288.
- Prochaska, J. O. a DiClemente, C. C. (2005). The transtheoretical approach. In J. C. Norcross a M. R. Goldfried (eds.), *Handbook of psychotherapy integration* (2nd ed.) (s. 147-171). New York, NY: Oxford University Press.
- Prochaska, J. O., DiClemente, C. C. a Norcross, J. C. (1992). In search of how people change: Applications to addictive behaviors. *American Psychologist*, 47, 1102-1114.
- Rachman, S. a Hodgson, R. J. (1980). *Obsessions and compulsions*. Englewood Cliffs, NJ: Prentice-Hall.
- Rahman, A., Malik, A., Sikander, S., Roberts, C. a Creed, F. (2008). Cognitive behaviour therapy-based intervention by community health workers for mothers with depression and their infants in rural Pakistan: A cluster-randomised controlled trial. *Lancet*, 372, 902-909.
- Reinecke, M. A. (2006). Problem solving: A conceptual approach to suicidality and psychotherapy. In T. E. Ellis (ed.), *Cognition and suicide: Theory, research, and therapy* (s. 237-260). Washington, DC: APA Books.
- Reiss, S., Peterson, R.A., Gursky, D.M. a McNally, R.J. (1986). Anxiety sensitivity, anxiety frequency, and the prediction of fearfulness. *Behavior Research and Therapy*, 24, 1-8.
- Resick, P. A. a Schnicke, M. K. (1992). Cognitive processing therapy for sexual assault victims. *Journal of Consulting and Clinical Psychology*, 60, 748-756.
- Robertson, E., Grace, S., Wallington, T. a Stewart, D. E. (2004). Antenatal risk factors for postpartum depression: A synthesis of recent literature. *General Hospital Psychiatry*, 26, 289-295.
- Robertson Blackmore, E., Heron, J. a Jones, I. (2015). Severe psychopathology during pregnancy and the postpartum period. In A. Wenzel (ed.), *The Oxford handbook of perinatal psychology*. New York, NY: Oxford University Press.
- Ross, L. E., Sellers, E. M., Gilbert Evans, S. E. a Romach, M. K. (2004). Mood changes during pregnancy and the postpartum period: Development of a biopsychosocial model. *Acta Psychiatrica Scandinavia*, 109, 457-466.
- Rothbaum, B. O., Foa, E. B. a Hembree, E. A. (2007). *Reclaiming your life from a traumatic experience: Workbook*. New York, NY: Oxford University Press.
- Rudd, M. D., Joiner, T. a Rajab, M. H. (2001). *Treating suicidal behavior: An effective, time-limited approach*. New York, NY: Guilford.
- Russell, E. J., Fawcett, J. M. a Mazmanian, (2013). Risk of obsessive-compulsive disorder in pregnant and postpartum women: A meta-analysis. *Journal of Clinical Psychiatry*, 74, 377-385.
- Sackett, D. L. a Rosenberg, W. M. (1995). On the need for evidence-based medicine. *Journal of Public Health*, 17, 330-334.
- Safran, J. D., Muran, J. C. a Eubanks-Carter, C. (2011). Repairing alliance ruptures. *Psychotherapy*, 48, 80-87.

- Safran, J. D., Crocker, P., McMain, S. a Murray, P. (1990). The therapeutic alliance rupture as a therapy event for empirical investigation. *Psychotherapy*, 27, 154-165.
- Samandari, G., Martin, M. L., Kupper, L. L., Schiro, S., Norwood, T. a Avery, M. (2011). Are pregnant and postpartum women at risk for violent death? Suicide and homicide findings from North Carolina. *Maternal and Child Health Journal*, 15, 660-669.
- Sánchez-Meca, J., Rosa-Alcázar, A. I., Marín-Martínez, F. a Gómez-Conesa, A. (2010). Psychological treatment of panic disorder with or without agoraphobia: A meta-analysis. *Clinical Psychology Review*, 30, 37-50.
- Schut, A. J., Castonguay, L. G. a Borkovec, T. D. (2001). Compulsive checking behaviors in generalized anxiety disorder. *Journal of Clinical Psychology*, 57, 705-715.
- Segal, Z. V., Williams, J. M. G. a Teasdale, J. D. (2013). *Mindfulness-based cognitive therapy for depression (2nd ed.)*. New York, NY: Guilford Press.
- Sharma, V. a Sommerdyk, C. (2013). Are antidepressants effective in the treatment of postpartum depression? A systematic review. *Primary Care Companion CNS Disorders*, 15, e1-e7.
- Shaw, R. J., Sweester, C. J., St. John, N., Lilo, E., Corcoran, J. B. a Horwitz, S. M. (2013). Prevention of postpartum traumatic stress in mothers with preterm infants: Manual development and evaluation. *Issues in Mental Health Nursing*, 34, 578-586.
- Siev, J. a Chambless, D. L. (2007). Specificity of treatment effects: Cognitive therapy and relaxation for generalized anxiety and panic disorders. *Journal of Consulting and Clinical Psychology*, 75, 513-522.
- Silberman, S. A. (2008). *The insomnia workbook*. Oakland, CA: New Harbinger.
- Sohr-Preston, S. L. a Scaramella, L. V. (2006). Implications of timing of maternal depressive symptoms for early cognitive and language development. *Clinical Child and Family Psychological Review*, 9, 65-83.
- Spinelli, M. G. a Endicott, J. (2003). Controlled clinical trial of interpersonal psychotherapy versus parenting education program for depressed pregnant women. *American Journal of Psychiatry*, 160, 555-562.
- Spring, B. (2007). Evidence-based practice in clinical psychology: What it is; why it matters; what you need to know. *Journal of Clinical Psychology*, 63, 611-631.
- Stanley, B. a Brown, G. K. (2012). Safety planning intervention: A brief intervention to mitigate suicide risk. *Cognitive and Behavioral Practice*, 19, 256-264.
- Stanley, C., Murray, L. a Stein, A. (2004). The effect of postnatal depression on mother-infant interaction, infant response to the Still Face perturbation, and performance on an Instrumental Learning Task. *Development and Psychopathology*, 16, 1-18.
- Stewart, R. E. a Chambless, D. L. (2009). Cognitive-behavioral therapy for adult anxiety disorders in clinical practice: A meta-analysis of effectiveness studies. *Journal of Consulting and Clinical Psychology*, 77, 595-606.
- Stirman, S. W., Buchhofer, R., McLaulin, J. B., Evans, A. C. a Beck, A. T. (2009). The Beck Initiative: A partnership to implement cognitive therapy in a community behavioral health system. *Psychiatric Services*, 60, 1302-1304.
- Strauss, J. L., Hayes, A. M., Johnson, S. L., Newman, C. F., Brown, G. K. a Beck, A. T. (2006). Early alliance, alliance ruptures, and symptom change in a non-randomized trial of cognitive therapy for avoidant and obsessive-compulsive personality disorders. *Journal of Consulting and Clinical Psychology*, 74, 337-345.
- Světová zdravotnická organizace (WHO): (2003). *Global strategy for infant and young child feeding*. Ženeva, Švýcarsko.
- Swanson, M. S. (2010). A pilot study to reduce risk for antepartum depression among women in a public health prenatal clinic. *Issues in Mental Health Nursing*, 31, 355-364.

- Tandon, S. D., Perry, D. F., Mendelson, T., Kemp, K. a Leis, J. A. (2011). Preventing perinatal depression in low-income home visiting clients: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 79, 707-712.
- Tang, T. Z. a DeRubeis, R. J. (1999). Sudden gains and critical sessions in cognitive-behavioral therapy for depression. *Journal of Consulting and Clinical Psychology*, 67, 894-904.
- Tang, T. Z., Beberman, R., DeRubeis, R. J. a Pham, T. (2005). Cognitive changes, critical sessions, and sudden gains in cognitive-behavioral therapy for depression. *Journal of Consulting and Clinical Psychology*, 73, 168-172.
- Tichenor, V. a Hill, C. E. (1989). A comparison of six measures of working alliance. *Psychotherapy: Theory, Research, Practice, and Training*, 26, 195-199.
- Timpano, K. R., Abramowitz, J. S., Mahaffey, B. L., Mitchell, M. A. a Schmidt, N. B. (2011). Efficacy of a prevention program for postpartum obsessive-compulsive symptoms. *Journal of Psychiatric Research*, 45, 1511-1517.
- Tracey, T. J. a Kokotovic, A. M. (1989). Factor structure of the Working Alliance Inventory. *Psychological Assessment*, 1, 207-210.
- Van Orden, K. A., Lynam, M. E., Hollar, D. a Joiner, T. E., Jr. (2006). Perceived burdensomeness as an indicator of suicidal symptoms. *Cognitive Therapy and Research*, 30, 457-467.
- Van Orden, K. A., Witte, T. K., Gordon, K. H., Bender, T. W. a Joiner, T. E. (2008). Suicidal desire and the capability for suicide: Tests of the interpersonal-psychological theory of suicidal behavior among adults. *Journal of Consulting and Clinical Psychology*, 76, 72-83.
- Van Orden, K., Witte, T., James, L., Castro, Y., Gordon, K. a Joiner, T. E. (2008). Suicidal ideation in college students varies across semesters: The mediating role of belongingness. *Suicide a Life-Threatening Behavior*, 38, 427-435.
- Wampold, B. E., Minami, T., Baskin, T. W. a Tierney, S. C. (2002). A meta- (re) analysis of the effects of cognitive therapy versus 'other therapies' for depression. *Journal of Affective Disorders*, 68, 159-165.
- Warden, D., Trivedi, M. H., Wisniewski, S. R., Davis, L., Nierenberg, A. A. a Rush, A. J. (2007). Predictors of attrition during initial (citalopram) treatment for depression: A STAR*D report. *American Journal of Psychiatry*, 164, 1189-1197.
- Webb, C. A., DeRubeis, R. J., Amsterdam, J. D., Shelton, R. C., Hollon, S. D. a Dimidjian, S. (2011). Two aspects of the therapeutic alliance: Differential relations with depressive symptom change. *Journal of Consulting and Clinical Psychology*, 79, 279-283.
- Weck, F., Rudari, V., Hilling, C., Hautzinger, M., Heidenreich, T. a Stangier, U. (2013). Relapses in recurrent depression 1 year after maintenance cognitive-behavioral therapy: The role of therapist adherence, competence, and the therapeutic alliance. *Psychiatry Research*, 210, 140-145.
- Wegner, D. M., Schneider, D. J., Carter, S. a White, T. (1987). Paradoxical effects of thought suppression. *Journal of Personality and Social Psychology*, 53, 5-13.
- Weissman, M. M., Markowitz, J. C. a Klerman, G. L. (2000). *Comprehensive guide to interpersonal psychotherapy*. New York, NY: Basic Books.
- Wenzel, A. (2011). *Anxiety in childbearing women: Diagnosis and treatment*. Washington, DC: APA Books.
- Wenzel, A. (2013). *Strategic decision making in cognitive behavioral therapy*. Washington, DC: APA Books.
- Wenzel, A. (2014a). Integrating psychotherapy and pharmacotherapy in perinatal psychiatric disorders. In S. M. Stahl a I. R. de Oliveira (eds.), *Integrating psychotherapy*

- and psychopharmacology: A handbook for clinicians (s. 224-241). New York, NY: Routledge.
- Wenzel, A. (2014b). *Infertility, miscarriage, and neonatal loss: Finding perspective and creating meaning*. Washington, DC: APA Books (LifeTools Division).
- Wenzel, A. a Stuart, S. (2011). Pharmacotherapy for postpartum anxiety. In A. Wenzel, *Anxiety in childbearing women: Diagnosis and treatment* (s. 157-180). Washington, DC: APA Books.
- Wenzel, A., Brown, G. K. a Beck, A. T. (2009). *Cognitive therapy for suicidal patients: Scientific and clinical applications*. Washington, DC: APA Books.
- Wenzel, A., Brown, G. K. a Karlin, B. E. (2011). *Cognitive behavioral therapy for depressed Veterans and Military servicemembers: Therapist manual*. Washington, DC: U.S. Department of Veterans Affairs.
- Wenzel, A., Haugen, E. N., Jackson, L. C. a Brendle, J. R. (2005). Anxiety disorders at eight weeks postpartum. *Journal of Anxiety Disorders*, 19, 295-311.
- Westra, H. A. (2012). *Motivational interviewing in the treatment of anxiety*. New York, NY: Guilford Press.
- Westra, H. A. a Dozois, D. J. A. (2006). Preparing clients for cognitive behavioral therapy? A randomized pilot study of motivational interviewing for anxiety. *Cognitive Therapy and Research*, 30, 481-498.
- Westra, H. A., Arkowitz, H. A. a Dozois, D. J. A. (2009). Adding a motivational interviewing pretreatment to cognitive behavioral therapy for generalized anxiety disorder: A preliminary randomized controlled trial. *Journal of Anxiety Disorders*, 23, 1106-1117.
- Winnicott, D. W. (1963). *The maturational processes and the facilitating environment*. London, UK: Hogarth Press and the Institute of Psychoanalysis.
- Wright, J. H., Basco, M. R. a Thase, M. E. (2006). *Learning cognitive-behavior therapy: An illustrated guide*. Arlington, VA: American Psychiatric Publishing, Inc.
- Yonkers, K. A., Wisner, K. L., Stewart, D. E., Oberlander, T. F., Dell, D. L. a Lockwood, C. (2009). The management of depression during pregnancy: A report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. *General Hospital Psychiatry*, 31, 403-413.
- Young, M., Fogg, L., Scheftner, W., Fawcett, J., Akiskal, H. a Maser, J. (1996). Stable trait components of hopelessness: Baseline and sensitivity to depression. *Journal of Abnormal Psychology*, 105, 105-165.
- Zajicek-Farber, M. (2009). Postnatal depression and infant health practices among high-risk women. *Journal of Child and Family Studies*, 18, 236-245.
- Zayas, L. H., McKee, M. D. a Jankowski, K. R. B. (2004). Adapting psychosocial intervention research to urban primary care environments: A case example. *Annals of Family Medicine*, 2, 504-508.