

# *Doporučená literatura*

Pokud byste rádi zjistili víc o tématech probíraných v jednotlivých kapitolách, uvádím pro vás zde výběr možné další četby. Snažil jsem se sem zařadit klíčové vědecké články, jež poskytují důkazy sloužící za základ našeho současného chápání úbytku hmyzu a toho, co můžeme dělat, abychom ho zvrátili. Mnohé z nich bohužel nejsou psané pro laické čtenáře a některé odborné výrazy mohou být na překážku. Ale i neodborník obvykle dokáže bez větších potíží porozumět podstatě článku. Některé články jsou placené, pokud si ale dáte práci, dokážete se k nim dostat přes webovou stránku Researchgate, která umožňuje kontaktovat přímo autory a požádat je o text jejich práce.

## 1. KAPITOLA: STRUČNÁ HISTORIE HMYZU

- Gould, S. J., *Wonderful Life: Burgess Shale and the Nature of History* (Vintage, London, 2000).
- Grimaldi, D. a Engel, M. S., *Evolution of the Insects* (Cambridge University Press, Cambridge, 2005).
- Wilson, E. O., *The Diversity of Life* (Penguin Press, London, 2001).

## 2. KAPITOLA: DŮLEŽITOST HMYZU

- Ehrlich, P. R. a Ehrlich, A., *Extinction: The Causes and Consequences of the Disappearance of Species* (Random House, New York, 1981).
- Garratt, M. P. D. a kol., „Avoiding a bad apple: insect pollination enhances fruit quality and economic value“, *Agriculture, Ecosystems and Environment* 184 (2014), str. 34–40.
- Garibaldi, L. A. a kol., „Wild pollinators enhance fruit set of crops regardless of honey bee abundance“, *Science* 339 (2013), str. 1608–11.
- Kyrou, K. a kol., „A CRISPR-Cas9 gene drive targeting *doublesex* causes complete population suppression in caged *Anopheles gambiae* mosquitoes“, *Nature Biotechnology* 36 (2018), str. 1062–6.
- Lautenbach, S. a kol., „Spatial and temporal trends of global pollination benefit“, *PLoS ONE* (2012), 7:e35954.
- Losey, J. E. a Vaughan, M., „The economic value of ecological services provided by insects“, *Bioscience* 56 (2006), str. 3113–23.



## Doporučená literatura

- Noriega, J. A. a kol., „Research trends in ecosystem services provided by insects“, *Basic and Applied Ecology* 26 (2018), str. 8–23.
- Ollerton, J., Winfree, R. a Tarrant, S., „How many flowering plants are pollinated by animals?“ *Oikos* 120 (2011), str. 321–326.

### 3. KAPITOLA: ZÁZRAČNÝ HMYZ

- Engel, M. S., *Innumerable Insects: The Story of the Most Diverse and Myriad Animals on Earth* (Sterling, New York, 2018).
- Fowler, W. W., *Biologia Centrali-Americana; or, Contributions to the knowledge of the fauna and flora of Mexico and Central America, Porter, Vol. 2* (1894), str. 25–56.
- Hölldobler, B. a Wilson, E. O., *Journey to the Ants* (Harvard University Press, Harvard, 1994).
- Strawbridge, B., *Dancing with Bees: A Journey Back to Nature* (John Walters, London, 2019).
- Sverdrup-Thygeson, A., *Extraordinary Insects: Weird. Wonderful. Indispensable. The Ones Who Run Our World* (HarperCollins, London, 2019).
- McAlister, E., *The Secret Life of Flies* (Natural History Museum, London, 2018).

### 4. KAPITOLA: DŮKAZY ÚBYTKU HMYZU

- Bar-On, Y. M., Phillips, R. a Milo, R., „The biomass distribution on Earth“, *Proceedings of the National Academy of Sciences* 115 (2018), str. 6506–11.
- Butchart, S. H. M., Stattersfield, A. J. a Brooks, T. M., „Going or gone: defining ‘Possibly Extinct’ species to give a truer picture of recent extinctions“, *Bulletin of the British Ornithological Club* 126A (2006), str. 7–24.
- Cameron, S. A. a kol., „Patterns of widespread decline in North American bumble bees“, *Proceedings of the National Academy of Sciences* 108 (2011), str. 662–667.
- Casey, L. M. a kol., „Evidence for habitat and climatic specialisations driving the long-term distribution trends of UK and Irish bumblebees“, *Diversity and Distributions* 21 (2015), str. 864–874.
- Forister, M. L., „The race is not to the swift: Long-term data reveal pervasive declines in California’s low-elevation fauna“, *Ecology* 92 (2011), str. 2222–35.
- Fox, R., „The decline of moths in Great Britain: a review of possible causes“, *Insect Conservation and Diversity* 6 (2012), str. 5–19.
- Fox, R. a kol., *The State of Britain’s Larger Moths 2013* (Butterfly Conservation & Rothamsted Research, Wareham, Dorset, 2013).
- Fox, R. a kol., „Long-term changes to the frequency of occurrence of British moths are consistent with opposing and synergistic effects of climate and land-use changes“, *Journal of Applied Ecology* 51 (2014), str. 949–957.
- Goulson, D., „The insect apocalypse, and why it matters“, *Current Biology* 29 (2019), R967–971.
- Goulson, D. a kol., „Combined stress from parasites, pesticides and lack of flowers drives bee declines“, *Science* 347 (2015), str. 1435.
- Grooten, M. a Almond, R. E. A. (eds.), *Living Planet Report – 2018: Aiming Higher*, WWF, Gland, Switzerland, 2018).



- Hallmann, C. A. a kol., „More than 75 per cent decline over 27 years in total flying insect biomass in protected areas“, *PLoS ONE* 12 (2017), e0185809.
- Hallmann, C. A. a kol., „Declining abundance of beetles, moths and caddisflies in the Netherlands“, *Insect Conservation and Diversity* (2019), doi: 10.1111/icad.12377.
- Janzen D. a Hallwachs, W., „Perspective: Where might be many tropical insects?“ *Biological Conservation* 233 (2019), str. 102–108.
- Joint Nature Conservation Committee (2018), <http://jncc.defra.gov.uk/page-4236>.
- Kolbert, E., *The Sixth Extinction: An Unnatural History* (Bloomsbury, London, 2015).
- Lister, B. C. a Garcia, A., „Climate-driven declines in arthropod abundance restructure a rainforest food web“, *Proceedings of the National Academy of Sciences* 115 (2018), E10397-E10406.
- Michel, N. L. a kol., „Differences in spatial synchrony and interspecific concordance inform guild-level population trends for aerial insectivorous birds“, *Ecography* 39 (2015), str. 774–786.
- Nnoli, H. a kol., „Change in aquatic insect abundance: Evidence of climate and land-use change within the Pawmpawm River in Southern Ghana“, *Cogent Environmental Science* (2019), doi: 10.1080/23311843.2019.1594511.
- Ollerton, J. a kol., „Extinctions of aculeate pollinators in Britain and the role of large-scale agricultural change“, *Science* 346 (2014), str. 1360–2.
- Powney, G. D. a kol., Widespread losses of pollinating insects in Britain, *Nature Communications* 10 (2019), str. 1018.
- Sanchez-Bayo, F. a Wyckhuys, K. A. G., „Worldwide decline of the entomofauna: A review of its drivers“, *Biological Conservation* 232 (2019), str. 8–27.
- Semmens, B. X. a kol., „Quasi-extinction risk and population targets for the Eastern, migratory population of monarch butterflies (*Danaus plexippus*)“, *Scientific Reports* 6 (2016), str. 23265.
- Shortall, C. R. a kol., „Long-term changes in the abundance of flying insects“, *Insect Conservation and Diversity* 2 (2009), str. 251–260.
- Seibold, S. a kol., „Arthropod decline in grasslands and forests is associated with landscape-level drivers“, *Nature* 574 (2019), str. 671–674.
- Stanton, R. L., Morrissey, C. A. a Clark, R.G., „Analysis of trends and agricultural drivers of farmland bird declines in North America: a review“, *Agriculture, Ecosystems and Environment* 254 (2018), str. 244–254.
- Stork, N. E. a kol., „New approaches narrow global species estimates for beetles, insects, and terrestrial arthropods“, *Proceedings of the National Academy of Sciences* 112 (2015), str. 7519–23.
- Van Klink, R., Bowler, D. E., Gongalsky, K. B., Swengel, A. B., Gentile, A. a Chase, J. M., „Meta-analysis reveals declines in terrestrial but increases in freshwater insect abundances“, *Science* 368 (2020), str. 417–420.
- Van Strien, A. J. a kol., „Over a century of data reveal more than 80 per cent decline in butterflies in the Netherlands“, *Biological Conservation* 234 (2019), str. 116–122.
- Van Swaay, C. A. M. a kol., *The European Butterfly Indicator for Grassland Species 1990–2013*, Report VS2015.009 (De Vlinderstichting, Wageningen, 2015).
- Wepprich, T. a kol., „Butterfly abundance declines over 20 years of systematic monitoring in Ohio, USA“, *PLoS ONE* 14 (2019), e0216270.



## Doporučená literatura

- Woodward, I. D. a kol., *BirdTrends 2018: Trends in Numbers, Breeding Success and Survival for UK Breeding Birds*, Research Report 708 (BTO, Thetford, 2018).
- Xie, Z., Williams, P. H. a Tang, Y., „The effect of grazing on bumblebees in the high rangelands of the eastern Tibetan Plateau of Sichuan“, *Journal of Insect Conservation* 12 (2008), str. 695–703.

### 5. KAPITOLA: ZMĚNA VÝCHOZÍCH BODŮ

- McCarthy, M., *The Moth Snowstorm: Nature and Joy* (John Murray, London, 2015)
- McClenachan, L., „Documenting loss of large trophy fish from the Florida Keys with historical photographs“, *Conservation Biology* 23 (2009), str. 636–643.
- Papworth, S. K. a kol., „Evidence for shifting baseline syndrome in conservation“, *Conservation Letters* 2 (2009), str. 93–100.
- Pauly, D., „Anecdotes and the shifting baseline syndrome of fisheries“, *Trends in Ecology and Evolution* 10 (1995), str. 430.

### 6. KAPITOLA: ZTRÁCEJÍ SVŮJ DOMOV

- Barr, C. J., Gillespie, M. K. a Howard, D. C., *Hedgerow Survey 1993: Stock and Change Estimates of Hedgerow Lengths in England and Wales, 1990–1993* (Department of the Environment, 1994).
- Ceballos, G. a kol., „Accelerating modern human-induced species losses: entering the sixth mass extinction“, *Science Advances* 1 (2015), e1400253.
- Fuller, R. M., „The changing extent and conservation interest of lowland grasslands in England and Wales: a review of grassland surveys 1930–84“, *Biological Conservation* 40 (1987), str. 281–300.
- Giam, X., „Global biodiversity loss from tropical deforestation“, *Proceedings of the National Academy of Sciences* 114 (2017), str. 5775–7.
- Quammen, D., *The Song of the Dodo* (Scribner, New York, 1997).
- Ridding, L. E., Redhead, J. W. a Pywell, R. F., „The fate of seminatural grassland in England between 1960 a 2013: A test of national conservation policy“, *Global Ecology and Conservation* 4 (2015), str. 516–525.
- Rosa, I. M. D. a kol., „The environmental legacy of modern tropical deforestation“, *Current Biology* 26 (2016), str. 2161–6.
- Vijay, V. a kol., „The impacts of palm oil on recent deforestation and biodiversity loss“, *PLoS ONE* 11 (2016), e0159668.

### 7. KAPITOLA: OTRÁVENÁ ZEM

- Bernauer, O. M., Gaines-Day, H. R. a Steffan, S. A., „Colonies of bumble bees (*Bombus impatiens*) produce fewer workers, less bee biomass, and have smaller mother queens following fungicide exposure“, *Insects* 6 (2015), str. 478–488.
- Dudley, N. a kol., „How should conservationists respond to pesticides as a driver of biodiversity loss in agroecosystems?“ *Biological Conservation* 209 (2017), str. 449–453.



- Goulson, D., „An overview of the environmental risks posed by neonicotinoid insecticides“, *Journal of Applied Ecology* 50 (2013), str. 977–987.
- Goulson, D., Croombs, A. a Thompson, J., „Rapid rise in toxic load for bees revealed by analysis of pesticide use in Great Britain“, *PEERJ* 6 (2018), e5255.
- Hladik, M., Main, A. a Goulson, D., „Environmental risks and challenges associated with neonicotinoid insecticides“, *Environmental Science and Technology* 52 (2018), str. 3329–35.
- McArt, S. H. a kol., „Landscape predictors of pathogen prevalence and range contractions in US bumblebees“, *Proceedings of the Royal Society B* 284 (2017), 20172181.
- Millner, A. M. a Boyd, I. L., „Towards pesticidovigilance“, *Science* 357 (2017), str. 1232–4.
- Mitchell, E. A. D. a kol., „A worldwide survey of neonicotinoids in honey“, *Science* 358 (2017), str. 109–111.
- Morrissey, C. a kol., „Neonicotinoid contamination of global surface waters and associated risk to aquatic invertebrates: A review“, *Environment International* 74 (2015), str. 291–303.
- Nicholls, E. a kol., „Monitoring neonicotinoid exposure for bees in rural and peri-urban areas of the UK during the transition from pre- to post-moratorium“, *Environmental Science and Technology* 52 (2018), str. 9391–402.
- Perkins, R. a kol., „Potential role of veterinary flea products in widespread pesticide contamination of English rivers“, *Science of the Total Environment* 755 (2021), str. 143560.
- Pezzoli, G. a Cereda, E., „Exposure to pesticides or solvents and risks of Parkinson's disease“, *Neurology* 80 (2013), str. 22.
- Pisa, L. a kol., „An update of the Worldwide Integrated Assessment (WIA) on systemic insecticides: Part 2: Impacts on organisms and ecosystems“, *Environmental Science and Pollution Research* (2017), doi.org/10.1007/s11356-017-0341-3.
- Sutton, G., Bennett, J. a Bateman, M., „Effects of ivermectin residues on dung invertebrate communities in a UK farmland habitat“, *Insect Conservation and Diversity* 7 (2013), str. 64–72.
- UNEP (United Nations Environment Programme), *Global Chemicals Outlook: Towards Sound Management of Chemicals* (UNEP, Geneva, 2013).
- Wood, T. a Goulson, D., „The Environmental risks of neonicotinoid pesticides: a review of the evidence post-2013“, *Environmental Science and Pollution Research* 24 (2017), str. 17285–325.
- Yamamuro, M. a kol., „Neonicotinoids disrupt aquatic food webs and decrease fishery yields“, *Science* 366 (2019), str. 620–623.

## 8. KAPITOLA: REGULACE PLEVELE

- Albrecht, H., „Changes in arable weed flora of Germany during the last five decades“, 9th EWRS Symposium, „Challenges for Weed Science in a Changing Europe“, 1995, str. 41–48
- Balbuena, M. S. a kol., „Effects of sublethal doses of glyphosate on honeybee navigation“, *Journal of Experimental Biology* 218 (2015), str. 2799–805.



## Doporučená literatura

- Benbrook, C. M., „Trends in glyphosate herbicide use in the United States and globally“, *Environmental Sciences Europe* 28 (2016), str. 3.
- Benbrook, C. M., „How did the US EPA and IARC reach diametrically opposed conclusions on the genotoxicity of glyphosate-based herbicides?“ *Environmental Science Europe* 31 (2019), str. 2.
- Boyle, J. H., Dalglish, H. J. a Puzey, J. R., „Monarch butterfly and milkweed declines substantially predate the use of genetically modified crops“, *Proceedings of the National Academy of Sciences* 116 (2019), str. 3006–11.
- Gillam, H., <https://usrtk.org/monsanto-roundup-trial-tacker/monsantoexecutive-reveals-17-million-for-anti-iarc-pro-glyphosate-efforts/>(2019).
- Humphreys, A. M. a kol., „Global dataset shows geography and life form predict modern plant extinction and rediscovery“, *Nature Ecology and Evolution* 3 (2019), str. 1043–7.
- Motta, E. V. S., Raymann, K. a Moran, N. A., „Glyphosate perturbs the gut microbiota of honeybees“, *Proceedings of the National Academy of Sciences* 115 (2018), str. 10305–10.
- Portier, C. J. a kol., „Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA)“, *Journal of Epidemiology and Community Health* 70 (2015), str. 741–745.
- Schinasi, L. a Leon, M. E., „Non-Hodgkin lymphoma and occupational exposure to agricultural pesticide chemical groups and active ingredients: A systemic review and meta-analysis“, *International Journal of Environmental Research and Public Health* 11 (2014), str. 4449–527.
- Zhang, L. a kol., „Exposure to glyphosate-based herbicides and risk for non-Hodgkin lymphoma: a meta-analysis and supporting evidence“, *Mutation Research* 781 (2019), str. 186–206.

## 9. KAPITOLA: ZELENÁ POUŠŤ

- Carvalho, L. G. a kol., „Soil eutrophication shaped the composition of pollinator assemblages during the past century“, *Ecography* (2019), doi.org/10.1111/ecog.04656.
- Campbell, S. A. a Vallano, D. M., „Plant defences mediate interactions between herbivory and the direct foliar uptake of atmospheric reactive nitrogen“, *Nature Communications* 9 (2018), str. 4743.
- Hanley, M. E. a Wilkins, J. P., „On the verge? Preferential use of road-facing hedgerow margins by bumblebees in agro-ecosystems“, *Journal of Insect Conservation* 19 (2015), str. 67–74.
- Kleijn, D. a Snoeijs, G. I. J., „Field boundary vegetation and the effects of agrochemical drift: botanical change caused by low levels of herbicide and fertiliser“, *Journal of Applied Biology* 34 (1997), str. 1413–25.
- Kurze, S., Heinken, T. a Fartmann, T., „Nitrogen enrichment in host plants increases the mortality of common Lepidoptera species“, *Oecologia* 188 (2018), str. 1227–37.



Zhou, X. a kol., „Estimation of methane emissions from the US ammonia fertiliser industry using a mobile sensing approach“, *Elementa, Science of the Anthropocene* 7 (2019), str. 19.

#### 10. KAPITOLA: PANDOŘINA SKŘÍŇKA

Alger, S. A. a kol., „RNA virus spillover from managed honeybees (*Apis mellifera*) to wild bumblebees (*Bombus* spp.)“, *PLoS ONE* 14 (2019), e0217822.

Darwin, C., *On the Origin of Species* (John Murray, London, 1859).

Fürst, M. A. a kol., „Disease associations between honeybees and bumblebees as a threat to wild pollinators“, *Nature* 506 (2014), str. 364–366.

Goulson, D., „Effects of introduced bees on native ecosystems“, *Annual Review of Ecology and Systematics* 34 (2003), str. 1–26.

Goulson, D. a Sparrow, K. R., „Evidence for competition between honeybees and bumblebees: effects on bumblebee worker size“, *Journal of Insect Conservation* 13 (2009), str. 177–181.

Graystock, P., Goulson, D. a Hughes, W. O. H., „Parasites in bloom: flowers aid dispersal and transmission of pollinator parasites within and between bee species“, *Proceedings of the Royal Society B* 282 (2015), 20151371.

Manley, R., Boots, M. a Wilfert, L., „Emerging viral disease risks to pollinating insects: ecological, evolutionary and anthropogenic factors“, *Journal of Applied Ecology* 52 (2015), str. 331–40.

Martin, S. J. a kol., „Global honeybee viral landscape altered by a parasitic mite“, *Science* 336 (2012), str. 1304–6.

#### 11. KAPITOLA: BOUŘE SE BLÍŽÍ

Caminade, C. a kol., „Suitability of European climate for the Asian tiger mosquito *Aedes albopictus*: recent trends and future scenarios“, *Journal of the Royal Society Interface* 9 (2012), str. 2708–17.

Kerr, J. T. a kol., „Climate change impacts on bumblebees converge across continents“, *Science* 349 (2015), str. 177–80.

Lawrence, D. a Vandekar, K., „Effects of tropical deforestation on climate and agriculture“, *Nature Climate Change* 5 (2015), str. 27–36.

Loboda, S. a kol., „Declining diversity and abundance of High Arctic fly assemblages over two decades of rapid climate warming“, *Ecography* 41 (2017), str. 265–277.

Pyke, G. H. a kol., „Effects of climate change on phenologies and distributions of bumblebees and the plants they visit“, *Ecosphere* 7 (2016), e01267.

Rochlin, I. a kol., „Climate change and range expansion of the Asian tiger mosquito (*Aedes albopictus*) in Northeastern USA: Implications for public health practitioners“, *PLoS ONE* 8 (2013), e60874.

Wallace-Wells, D., *The Uninhabitable Earth* (Penguin, London, 2019).

Warren, M. S. a kol., „Rapid responses of British butterflies to opposing forces of climate and habitat change“, *Nature* 414 (2001), str. 65–69.

Wilson, R. J. a kol., „An elevational shift in butterfly species richness and composition accompanying recent climate change“, *Global Change Biology* 13 (2007), str. 1873–87.



## 12. KAPITOLA: ROZSVÍCENÁ ZEMĚ

- Bennie, T. W. a kol., „Artificial light at night causes top-down and bottom-up trophic effects on invertebrate populations“, *Journal of Applied Ecology* 55 (2018), str. 2698–2706.
- Dacke, M. a kol., „Dung beetles use the Milky Way for orientation“, *Current Biology* 23 (2013), str. 298–300.
- Desouhant, E. a kol., „Mechanistic, ecological, and evolutionary consequences of artificial light at night for insects: review and prospective“, *Entomologia Experimentalis et Applicata* 167 (2019), str. 37–58.
- Fox, R., „The decline of moths in Great Britain: a review of possible causes“, *Insect Conservation and Diversity* 6 (2012), str. 5–19.
- Gaston, K. J. a kol., „Impacts of artificial light at night on biological timings“, *Annual Review of Ecology, Evolution and Systematics* 48 (2017), str. 49–68.
- Grubisic, M. a kol., „Insect declines and agroecosystems: does light pollution matter?“ *Annals of Applied Biology* 173 (2018), str. 180–189.
- Owens, A. C. S. a kol., „Light pollution is a driver of insect declines“, *Biological Conservation* 241 (2019), str. 108259.
- van Langevelde, F. a kol., „Declines in moth populations stress the need for conserving dark nights“, *Global Change Biology* 24 (2018), str. 925–932.

## 13. KAPITOLA: INVAZE

- Farnsworth, D. a kol., „Economic analysis of revenue losses and control costs associated with the spotted wing drosophila, *Drosophila suzukii* (Matsumura), in the California raspberry industry“, *Pest Management Science* 73 (2016), str. 1083–90.
- Goulson, D. a Rotheray, E. L., „Population dynamics of the invasive weed *Lupinus arboreus* in Tasmania, and interactions with two non-native pollinators“, *Weed Research* 52 (2012), str. 535–542.
- Herms, D. A. a McCullough, D. G., „Emerald ash borer invasion in North America: history, biology, ecology, impacts, and management“, *Annual Review of Entomology* 59 (2014), str. 13–30.
- Kenis, M., Nacambo, S. a Leuthardt, F. L. G., „The box tree moth, *Cydalima perspectalis*, in Europe: horticultural pest or environmental disaster?“ *Aliens: The Invasive Species Bulletin* 33 (2013), str. 38–41.
- Litt, A. R. a kol., „Effects of invasive plants on arthropods“, *Conservation Biology* 28 (2014), str. 1532–49.
- Lowe, S. a kol., *100 of the World's Worst Invasive Alien Species. A Selection from the Global Invasive Species Database* (IUCN Invasive Species Specialist Group, 2004).
- Martin, S. J., *The Asian Hornet (Vespa velutina) – Threats, Biology and Expansion* (International Bee Research Association and Northern Bee Books, 2018).
- Mitchell, R. J. a kol., *The Potential Ecological Impacts of Ash Dieback in the UK* (JNCC Report 483, 2014).
- Roy, H. E. a kol., „The harlequin ladybird, *Harmonia axyridis*: global perspectives on invasion history and ecology“, *Biological Invasions* 18 (2016), str. 997–1044.



Suarez, A. V. a Case, T. J., „Bottom-up effects on persistence of a specialist predator: ant invasions and horned lizards“, *Ecological Applications* 12 (2002), str. 291–298.

#### 14. KAPITOLA: ZNÁMÁ A NEZNÁMÁ NEZNÁMA

Balmori, A. a Hallberg, Ö., „The urban decline of the house sparrow (*Passer domesticus*): a possible link with electromagnetic radiation“, *Electromagnetic Biology and Medicine* 26 (2007), str. 141–151.

Exley, C., Rotheray, E. a Goulson D., „Bumblebee pupae contain high levels of aluminium“, *PLoS ONE* 10 (2015), e0127665.

Jamieson, A. J. a kol., „Bioaccumulation of persistent organic pollutants in the deepest ocean fauna“, *Nature Ecology & Evolution* 1 (2017), str. 0051.

Leonard, R. J. a kol. „Petrol exhaust pollution impairs honeybee learning and memory“, *Oikos* 128 (2019), str. 264–273.

Lusebrink, I. a kol., „The effects of diesel exhaust pollution on floral volatiles and the consequences for honeybee olfaction“, *Journal of Chemical Ecology* 41 (2015), str. 904–912.

Malkemper, E. P. a kol., „The impacts of artificial Electromagnetic Radiation on wildlife (flora and fauna). Current knowledge overview: a background document to the web conference“, A report of the EKLIPSE project (2018).

Shepherd, S. a kol., „Extremely low-frequency electromagnetic fields impair the cognitive and motor abilities of honeybees“, *Scientific Reports* 8 (2018), str. 7932.

Sutherland, W. J. a kol., „A 2018 horizon scan of emerging issues for global conservation and biological diversity“, *Trends in Ecology and Evolution* 33 (2017), str. 47–58.

Whiteside, M. a Herndon, J. M., „Previously unacknowledged potential factors in catastrophic bee and insect die-off arising from coal fly ash geoengineering“, *Asian Journal of Biology* 6 (2018), str. 1–13.

#### 15. KAPITOLA: SMRT TISÍCI RANAMI

Decker, L. E., de Roode, J. C. a Hunter, M. D., „Elevated atmospheric concentrations of carbon dioxide reduce monarch tolerance and increase parasite virulence by altering the medicinal properties of milkweeds“, *Ecology Letters* 21 (2018), str. 1353–63.

Di Prisco, G. a kol., „Neonicotinoid clothianidin adversely affects insect immunity and promotes replication of a viral pathogen in honeybees“, *Proceedings of the National Academy of Sciences* 110 (2013), str. 18466–71.

Goulson, D. a kol., „Combined stress from parasites, pesticides and lack of flowers drives bee declines“, *Science* 347 (2015), str. 1435.

Potts, R. a kol., „The effect of dietary neonicotinoid pesticides on nonflight thermogenesis in worker bumblebees (*Bombus terrestris*)“, *Journal of Insect Physiology* 104 (2018), str. 33–39.

Scheffer, M. a kol., „Quantifying resilience of humans and other animals“, *Proceedings of the National Academy of Sciences* 47 (2018), str. 11883–90.



## Doporučená literatura

Tosi, S. a kol., „Effects of a neonicotinoid pesticide on thermoregulation of African honeybees (*Apis mellifera scutellata*)“, *Journal of Insect Physiology* 93–94 (2016), str. 56–63.

### 16. KAPITOLA: POHLED Z BUDOUCNOSTI

Ghosh, A., *The Great Derangement: Climate Change and the Unthinkable* (University of Chicago Press, Chicago, 2017).

Lewis, S. a Maslin, M. A., *The Human Planet: How We Created the Anthropocene* (Pelican, London, 2018).

Ripple, W. J. a kol., „World scientists' warning to humanity: A second notice“, *Bio-science* 67 (2017), pp. 1026–8.

Wallace-Wells, D., *The Uninhabitable Earth*, op. cit.

### 17. KAPITOLA: ZVÝŠENÍ INFORMOVANOSTI

Booth, P. R. a Sinker, C. A., „The teaching of ecology in schools“, *Journal of Biological Education* 13 (1979), str. 261–266.

Gladwell, M., *The Tipping Point: How little things can make a big difference* (Back Bay Books, New York, 2002).

Morris, J. a Macfarlane, R., *The Lost Words* (Penguin, London, 2017).

Ripple, W. J. a kol., „World scientists' warning to humanity: A second notice“, *Bio-science* 67 (2017), str. 1026–8.

Tilling, S., „Ecological science fieldwork and secondary school biology in England: does a more secure future lie in Geography?“ *The Curriculum Journal* 29 (2018), str. 538–556.

### 18. KAPITOLA: ZAZELENĚNÍ NAŠICH MĚST

Aerts, R., Honnay, O. a Van Nieuwenhuyse, A., „Biodiversity and human health: mechanisms and evidence of the positive health effects of diversity in nature and green spaces“, *British Medical Bulletin* 127 (2018), str. 5–22.

van den Berg, A. E. a kol., „Allotment gardening and health: a comparative survey among allotment gardeners and their neighbours without an allotment“, *Environmental Health* 9 (2010), str. 74.

Blackmore, L. M. a Goulson, D., „Evaluating the effectiveness of wildflower seed mixes for boosting floral diversity and bumblebee and hoverfly abundance in urban areas“, *Insect Conservation and Diversity* 7 (2014), str. 480–484.

Cox, D. T. C. a Gaston, K. J., „Likeability of garden birds: importance of species knowledge and richness in connecting people to nature“, *PLoS ONE* 10 (2015), e0141505.

D'Abundo, M. L. a Carden, A. M., „Growing Wellness: The possibility of promoting collective wellness through community garden education programs“, *Community Development* 39 (2008), str. 83–95.

Goulson, D., *The Garden Jungle, or Gardening to Save the Planet* (Vintage, London, 2019).



- Hillman, M., Adams, J. a Whitelegg, J., *One False Move: A Study of Children's Independent Mobility* (Policy Studies Institute, London, 1990).
- Lentola, A. a kol., „Ornamental plants on sale to the public are a significant source of pesticide residues with implications for the health of pollinating insects“, *Environmental Pollution* 228 (2017), str. 297–304.
- Louv, R., *Last Child in the Woods; Saving Our Children from Nature Deficit Disorder* (Algonquin, Chapel Hill, NC, 2005).
- Maas, J. a kol., „Morbidity is related to a green living environment“, *Journal of Epidemiology and Community Health* 63 (2009), str. 967–73.
- Monbiot, G., *Feral: Rewilding the Land, Sea and Human Life* (Penguin, London, 2014), 316 *Further Reading*.
- Moss, S., *Natural Childhood: A Report by the National Trust on Nature Deficit Disorder* (2012). Available online: <http://www.lotc.org.uk/natural-childhood-a-report-by-the-national-trust-on-nature-deficit-disorder/>.
- Mayer, F. S. a kol., „Why is nature beneficial?: The role of connectedness to nature“, *Environment and Behavior* 41 (2009), str. 607–643.
- Pretty, J., Hine, R. a Peacock, J., „Green exercise: The benefits of activities in green places“, *Biologist* 53 (2006), str. 143–148.
- Rollings, R. a Goulson, D., „Quantifying the attractiveness of garden flowers for pollinators“, *Journal of Insect Conservation* 23: 803–817.
- Waliczek, T. M. a kol. (2005), „The influence of gardening activities on consumer perceptions of life satisfaction“, *HortScience* 40 (2019), 1360–5.
- Warber, S. L. a kol., „Addressing ‚Nature-Deficit Disorder‘: A Mixed Methods Pilot Study of Young Adults Attending a Wilderness Camp“, *Evidence-Based Complementary and Alternative Medicine* (2015), Article ID 651827.
- Wilson, E. O., *Biophilia* (Harvard University Press, Cambridge, MA, 1984).

## 19. KAPITOLA: BUDOUCNOST ZEMĚDĚLSTVÍ

- Badgley, C. E. a kol., „Organic agriculture and the global food supply“, *Renewable Agriculture and Food Systems* 22 (2007), str. 86–108.
- Baldock, K. C. R. a kol., „A systems approach reveals urban pollinator hotspots and conservation opportunities“, *Nature Ecology & Evolution* 3 (2019), str. 363–373.
- van den Berg, A. E. a kol., „Allotment gardening and health: a comparative survey among allotment gardeners and their neighbours without an allotment“, *Environmental Health* 9 (2010), str. 74.
- Edmondson, J. L. a kol., „Urban cultivation in allotments maintains soil qualities adversely affected by conventional agriculture“, *Journal of Applied Ecology* 51 (2014), str. 880–889.
- Gerber, P. J. a kol., *Tackling Climate Change Through Livestock – A Global Assessment of Emissions and Mitigation Opportunities* (Food and Agriculture Organisation of the United Nations, Rome, 2013).
- Goulson, D., *Brexit and Grow It Yourself (GIY): A Golden Opportunity for Sustainable Farming* (Food Research Collaboration Food Brexit Briefing (2019), <https://foodresearch.org.uk/publications/grow-it-yourself-sustainable-farming/>).



## Doporučená literatura

- Hole, D. G. a kol., „Does organic farming benefit biodiversity?“ *Biological Conservation* 122 (2005), str. 113–130.
- Lechenet, M. a kol., „Reducing pesticide use while preserving crop productivity and profitability on arable farms“, *Nature Plants* 3 (2017), str. 17008.
- Nichols, R. N., Goulson, D. a Holland, J. M., „The best wildflowers for wild bees“, *Journal of Insect Conservation* 23 (2019), str. 819–830.
- Public Health England, „Health matters: obesity and the food environment“ (2017), <https://www.gov.uk/government/publications/health-matters-obesity-and-the-food-environment/health-mattersobesity-and-the-food-environment-2>.
- Seufert, V., Ramankutty, N. a Foley, J. A., „Comparing the yields of organic and conventional agriculture“, *Nature* 485 (2012), str. 229–232.
- Willett, W. a kol., „Food in the Anthropocene: the EAT-Lancet Commission on healthy diets from sustainable food systems“, *The Lancet* 393 (2019), str. 447–492.

## 20. KAPITOLA: VŠUDE SAMÁ PŘÍRODA

- Herrero, M. a kol., „Biomass use, production, feed efficiencies, and greenhouse gas emissions from global livestock systems“, *Proceedings of the National Academy of Sciences* 24 (2013), str. 20888–93.
- Monbiot, G., *Feral, v díle citovaný*.
- Newbold, T. a kol., „Has land use pushed terrestrial biodiversity beyond the planetary boundary? A global assessment“, *Science* 353 (2016), 288–291.
- Purvis, A. a kol., „Modelling and projecting the response of local terrestrial biodiversity worldwide to land use and related pressures: the PREDICTS project“, *Advances in Ecological Research* 58 (2018), str. 201–241.
- Tree, I., *Wilding: The Return of Nature to a British Farm* (Picador, London, 2019).
- Wilson, E. O., *Half-Earth: Our Planet's Fight for Life* (Norton, New York, 2016).