

6 References

- Abel B, Labahn, Pietzonka S (2000) System Development for Purpose-built Interior Lighting, ATZ Special Interior Partners
- Adrian W (1976) Method of calculating the required luminances in tunnel entrances, *Lighting Research and Technology* 8, 103-106
- Adrian W (1989) Visibility for targets: model for calculation, *Lighting Research and Technology* 21: 181-188
- Akashi Y, Rea MS (2001a) Peripheral detection while driving under a mesopic light level, *Proceedings of the IESNA Annual Conference*, Ottawa, IESNA, New York
- Akashi Y, Rea MS (2001b) The effect of oncoming headlight glare on peripheral detection under mesopic light levels, *Proceedings of the Symposium on Progress in Automobile Lighting*, Herbert Utz Verlag GmbH, Darmstadt, Germany
- Alanod (2005) company literature (www.alanod.de)
- Alferdinck JWAM (1996) Traffic safety aspects of high-intensity discharge headlamps; discomfort glare and direction indicator conspicuity, In: Gale AG, Brown ID, Haslegrave CM and Taylor SP (eds) *Vision in Vehicles - V*, North-Holland, Amsterdam
- Alferdinck JWAM, Padmos P (1988) Car headlamps: Influence of dirt, age and poor aim on glare and illumination intensities, *Lighting Research and Technology*, 20, 195-198
- Alferdinck JWAM, Varkevisser J (1991) Discomfort glare from D1 headlights of different size Report IZF 1991 C-21, TNO Institute for Perception, Soesterberg, Netherlands
- Alferdinck JWAM, Varkevisser J (1991): Discomfort glare from D1 headlamps of different size, report IZF 1991 C 21, TNO-Institute for perception, Soesterberg
- American Association of State Highway Transportation Officials (AASHTO) (1990) *A Policy on Geometric Design of Highways and Streets*, AASHYO, Washington, DC
- Arzuffi (2005) company literature (www.arzuffisrl.it)
- Bacelar A (2004) The contribution of vehicle lights in urban and peripheral environments, *Lighting Research and Technology*, 36: 69-78
- Barbour N, Schmidt G (2001) Inertial sensor technology trends, *IEEE Sensors Journal*, Volume: 1, Issue: 4, pp 332-339

- Bauer H. et al (2003) *Kraftfahrtechnisches Handbuch*, Robert Bosch GmbH, Wiesbaden 2003
- Beckers G, Hoemberg V (1992) Cerebral visual motion blindness: transitory akinetopsia induced by transcranial magnetic stimulation of human area V5, In: *Proceedings of the Royal Society of London*, B 249, 173–178
- Beckers G, Zeki S (1995) The consequences of inactivating areas V1 and V5 on visual motion perception, In: *Brain*, 118, 49–60
- Bennett B, Hoffman D, Nicola J, Prakash C (1989) Structure from two orthographic views of rigid motion, *Journal of the Optical Society of America*, 6, 1052–1069
- Berssenbrügge J, Gausemeier J, Grafe M, Matysczok C, Pöhland K (2003) *Real-Time Representation of Complex Lighting Data in a Nightdrive Simulation*. In: Deisinger, J; Kunz, A. (Eds): *Proceedings of the 9. Eurographics Workshop on Virtual Environments*, Zurich, 2003
- Bertram T, Hiller M, Opgen-Rhein P, Trowitzsch C, Thiemann M, Melzig M (2000) *Entwicklung einer dynamischen Leuchtweitenregulierung mit einem komplexen, dreidimensionalen Fahrzeugmodell*. In: *Elektrik im Kraftfahrzeug*, VDI Berichte Nr. 1547, VDI Verlag GmbH, Düsseldorf, 1099–1124
- Blackwell HR (1959) Development and use of a quantitative method for specification of interior illumination levels on the basis of performance data. *Illuminating Engineering* 54: 317–353
- Blackwell HR, Moldauer AB (1958) Detection Thresholds for Point Sources in the Near Periphery, (EPRI Project 2455) Engineering Research Institute, University of Michigan, Ann Arbor, MI
- Bloch A (1939) Light Scattering by road surfaces, *Trans. Illum. Engng. Soc. (London)* 4
- Boff KR, Lincoln JE (1988) *Engineering Data Compendium: Human Perception and Performance* Harry G. Armstrong Aerospace Medical Research Laboratory, Wright -Patterson AFB, OH
- Born M, Wolf E (1999): *Principles of optics*, Cambridge University Press, Cambridge
- Börnchen T (2001) *Zur Entwicklung dynamischer Komponenten für variables Kraftfahrzeug-Scheinwerferlicht*, Dissertation, Universität Paderborn
- Börnchen T, Lachmayer R, Wallaschek J (1999) Methods and tools for the design of novel multi-functional automotive lighting, *Proceedings of IEEE/ASME International Conference on Advanced Intelligent Mechatronics*, pp 819–825
- Börnchen T, Wallaschek J (1999) Development methods and case studies of mechatronic systems for adaptive automotive lighting, In: *Proceedings of the 32nd ISATA, Automotive Mechatronics Design & Engineering*
- Bosch (2004) *Automotive Handbook*, Robert Bosch GmbH
- Bradley DR, Petry HM (1977) Organizational determinants of subjective contour: The subjective Necker cube, In: *American Journal of Psychology*, 90, 253–262
- Broggi A, Fascioli A, Carletti M, Graf T, Meinecke M (2004) A multi-resolution approach for infrared vision-based pedestrian detection, *IEEE Intelligent vehicles symposium*, pp 7–12

- Bubb H (1993) Systemergonomische Gestaltung, Kap. 5.3 in Schmidtke H (Hrsg.) Ergonomie. 3. Aufl.. München-Wien, Carl Hanser-Verlag.
- Buck JA, McGowan TK, McNelis JF (1975) Roadway visibility as a function of light source color, *Journal of the Illuminating Engineering Society* 5, 20-25
- Bullough JD, Rea MS (2000) Simulated driving performance and peripheral detection at mesopic and low photopic light levels, *Lighting Research and Technology* 32: 194-198
- Bullough JD, Rea MS, Pysar RM, Nakhla HK, Ansler DE (2001) Rear lighting configuration for winter maintenance vehicles, *Proceedings of the Illuminating Engineering Society Annual Conference*, Ottawa, Illuminating Engineering Society of North America: New York
- Bundesministerium für Verkehr, Bau- und Wohnungswesen (1999) Verkehr in Zahlen
- Bunse B (1998) Mathematical surfaces – reflector design moves beyond algebraic geometry, *Hella R&D Review*
- Cheng SY, Trivedi MM (2004) Human posture estimation using voxel data for "smart" airbag systems: issues and framework, *Proceedings of IEEE Intelligent Vehicles Symposium*, pp 84-89
- Cicerone C, Hoffman D (1992) Dynamic neon colors: Perceptual evidence for parallel visual pathways, *Advances in color vision*, Optical Society of America 1992 Technical Digest Series, Volume 4, 66-68
- Cicerone C, Hoffman D (1997) Color from motion: Dichoptic activation and a possible role in breaking camouflage, *Perception*, 26, 1367-1380
- Cicerone C, Hoffman D, Gowdy P, Kim J (1995) The perception of color from motion, *Perception & Psychophysics*, 57(6), 761-777
- Cohen A S (1987) Blickverhalten und Informationsaufnahme von Kraftfahrern, *Forschungsberichte der Bundesanstalt für Straßenwesen, Bereich Unfallforschung*, Nr. 168, Bergisch Gladbach
- Collins M (1925) *Colour-blindness*, Harcourt, Brace & Co, New York
- Commission Internationale de l'Eclairage (CIE) (1989) Mesopic Photometry: History, Special Problems and Practical Solutions, CIE Publication No 81, CIE, Vienna
- Commission Internationale de l'Eclairage (CIE) (2002) *CIE Collection on Glare*, CIE Publication 146-2002, CIE, Vienna
- Crawford BH (1972) The Stiles-Crawford effects and their significance in vision. In: D.Jameson, Hurvich LM (eds), *Handbook of Sensory Physiology*, Vol VII/4 Visual Psychophysics, Springer-Verlag, Berlin
- Croft TA (1971) Failure of visual estimation under strobe, *Nature*, 231-397
- Dahlem T (2000) Methoden zur Bewertung von Kraftfahrzeugscheinwerfern, *Dissertation*, TU Darmstadt
- Daimler Benz AG (1997) Design-Studie Mercedes-Benz Maybach, *Presse-Information*
- Damasky J, Beutner A (1997) A dawning – sensors know when lights should be on, *Hella R&D Review*

- Damasky J, Hosemann A (1997) A good guide – how good headlamps encourage the eye to scan for danger, Hella R&D Review
- De Boer JB (1974) Modern light sources for highways, Journal of the Illuminating Engineering Society 3, 142-152
- Decker D (2001) Solid Light Guide for Thin Lamp Application, SAE Paper 2001-01-0449, Detroit
- Dee P (2003) MS Thesis, Rensselaer Polytechnic Institute, Troy NY
- Desimone R (1991) Face-selective cells in the temporal cortex of monkeys. Journal of Cognitive Neuroscience 3: 1-8
- Dilge E, Gulbins M, Ohnesorge T, Straube B (2003) On a redundant diversified steering angle sensor, Proceedings of the 9th IEEE On-Line Testing Symposium (IOLTS), pp 191-196
- Donges E (1978) Ein regelungstechnisches Zwei Ebenen Modell des menschlichen Lenkverhaltens im Kraftfahrzeug, Zeitschrift für Verkehrssicherheit 24, 98-112.
- Dowling, JE (1987) *The retina: An approachable part of the brain*. Cambridge, MA: Harvard University Press
- Drasdo N (1977) The neural representation of visual space, Nature, 266: 554-556
- Duchowski AT (2003) Eye Tracking Methodology – Theory and practice. Springer Verlag
- Dudley D, Duncan W, Slaughter J (2003) Emerging Digital Micromirror Device (DMD) Applications - White paper, Texas Instruments, http://focus.ti.com/download/dlpdmd/152_NewApps_paper_copyright.pdf
- Duke-Elder WS (1944) Textbook of Ophthalmology, Vol 1 C.V.Mosby & Co, St Louis
- Eastman AA, McNelis JF (1963) An evaluation of sodium, mercury and filament lighting for roadways, Illuminating Engineering 58, 28-34
- ECE (2003), Regulation 48, Paragraph 5.23, Geneva
- ECE48 (2004) Regulation No. 48, Lighting and Light-Signalling Devices, United Nations Agreement
- Eckert M (1993) Lichttechnik und optische Wahrnehmungssicherheit im Straßenverkehr, Verlag Technik Berlin, München
- Eichhorn K, Labahn N, Decker D (2000) Adaptive Lichtsteuerung im Kraftfahrzeug, Adaptronic Congress 2000, Potsdam
- Eloholma M, Ketomaki J, Halonen L (2005) New model for mesopic photometry applicable for night-time driving conditions, Proceedings of the International Symposium of Automotive Lighting ISAL 2005, 515-524
- Enders M (2001) Pixel Light, Proceedings of PAL 2001 Symposium, TU Darmstadt, pp 234-239
- Ernst HO (1998) Abounding light – harnessing plasma light sources for automotive use, Hella R&D Review
- Eureka 1993, AFS – Advanced Front Lighting System, Eureka Project 1403,
- European Committee for Standardisation (CEN) (2002) Road lighting – Part 2: Performance requirements, prEN 13201-2, CEN, Brussels

- Farah MJ (1990) Visual agnosia: Disorders of object recognition and what they tell us about normal vision, MIT Press, Cambridge, MA
- Farah MJ, Ratcliff G (1994) The neuropsychology of high-level vision: Collected tutorial essays, Lawrence Erlbaum Associates, Hillsdale, NJ
- Fekete J, Horváth C, Sik-Lányi C, Schanda A (2005) Spectral dependence of visibility and glare, PAL 2005, Volume 11, TU Darmstadt, 26.-28. September 2005
- Fengliang Xu; Xia Liu; Fujimura, K (2005) Pedestrian detection and tracking with night vision, IEEE Transactions on intelligent transportation systems, Volume: 6, Issue 1, pp 63- 71
- Flannagan M, Sivak M, Ersing M, Simmon CJ (1989) Effect of wavelength on discomfort glare for monochromatic sources, Report UMTRI-89-30, University of Michigan, Ann Arbor MI
- Flannagan MJ (1999) *Subjective and Objective Aspects of Headlamp Glare: Effects of Size and Spectral Power Distribution*, Report UMTRI-99-36, University of Michigan, Ann Arbor, MI
- Freedman L, Costa L (1992) Pure alexia and right hemiachromatopsia in posterior dementia, In: *Journal of Neurology, Neurosurgery, and Psychiatry*, 55, 500–502
- Freeman W, Brainard D (1995) Bayesian Decision Theory: the maximum local mass estimate, *Proceedings of the Fifth International Conference on Computer Vision*
- Fry GA, King VM (1975) The pupillary response and discomfort glare, In: *Journal of the Illuminating Engineering Society*, 4, 307-324
- Fu Y (2001) MS Thesis, Rensselaer Polytechnic Institute, Troy NY
- Gall D (1998) Lichttechnische Grundlagen 1, Skript zur Vorlesung, Fachgebiet Lichttechnik, Technical University Ilmenau
- Gall D (1999) Cameras – measuring tools of the future and artificial eyes, Hella R&D Review
- Gall D (2004) Grundlagen der Lichttechnik Kompendium, Pflaum Verlag
- Gausemeier J (2005) From mechatronics to self-optimizing concepts and structures in mechanical engineering: new approaches to design methodology, *International Journal of Computer Integrated Manufacturing*, Volume 18, Number 7, pp 550–560
- Gavrila DM, Kunert M, Lages U (2001) A multi-sensor approach for the protection of vulnerable traffic participants - the PROTECTOR project, IEEE Instrumentation and Measurement Technology Conference, Budapest, Hungary, May 21-23, 2001
- Geiser G (1985) Mensch-Maschine-Kommunikation im Kraftfahrzeug, ATZ 87, 77-84
- Genco Ltd. (2006) Magnetron sputtering, Genco Ltd., Liverpool, UK, web based presentation of sputtering fundamentals. (www.genco.com)
- Gengenbach R (1997) Fahrerverhalten im Pkw mit Head-Up-Display, Gewöhnung und visuelle Aufmerksamkeit, VDI Fortschrittsberichte Reihe 12: Verkehrstechnik/Fahrzeugtechnik Nr. 330.

- Gibson JJ (1950) The perception of the visual world, Houghton-Mifflin, Boston MA
- Godthelp H (1984) Studies on Human Vehicle Control, TNO, Institute for Perception, Soesterberg
- Götz M (1994) Das graphische Zeichen, Kommunikation und Irritation, Dietrich Reimer Verlag Berlin
- Gowers WR (1887) Lectures on the diagnosis of diseases of the brain, J. & A. Churchill, London
- Gowers WR (1888) A manual of diseases of the brain, J. & A. Churchill, London
- Green D, Swets J (1988). Signal detection theory and psychophysics, Peninsula Publishing, Los Altos, CA
- Gregory RL (1966) *Eye and brain*, McGraw-Hill, New York
- Gregory RL (1970) *The intelligent eye*, McGraw-Hill, New York
- Gresham I, Jain N, Budka ; Alexanian, A., Kinayman N, Ziegner B, Brown S, Staecker P (2001) A compact manufacturable 76-77-GHz radar module for commercial ACC applications, IEEE Transactions on microwave theory and techniques, Volume 49, N0 1, pp 44-58.
- Guan H; Gao Z; Guo K et al. (2000) An Optimal Preview Acceleration Model for Velocity Control in Driver-Vehicle Environment System, Proceeding of AVEC 2000, 525-530, Ann Arbor MI
- Günter WH (2000) From GPS and GLONASS via EGNOS to Galileo - Positioning and Navigation in the Third Millennium, GPS Solutions, Volume 3, Issue 4, pp 39-47
- Hahn LW, Geisler WS (1995) Adaptation mechanisms in spatial vision I. Bleaches and backgrounds, *Vision Research*, 35, 1585-1594
- Hallet PE (1963) Spatial summation *Vision Research*, 3: 9-24
- Hamm M, Lampen M (1999) Software Controlled Homogeneity Analysis of Head-lamp Light Distribution, SAE Technical Paper Series No.1999-01-0700
- Hartmann E, Moser EA (1968) The law of physiological glare at very small glare angles, *Lichttechnik*, 20, 67A-69A
- Hasselmo ME, Rolls ET, Baylis GC (1989) The role of expression and identity in the face-selective responses of neurons in the temporal visual cortex of the monkey. *Behav Brain Res* 32, 203-218
- He Y, Rea, MS, Bierman A, Bullough J (1997) Evaluating light source efficacy under mesopic conditions using reaction times, *Journal of the Illuminating Engineering Society* 26, 125-138
- Helander M (1988) Handbook of Human-Computer Interaction North-Holland, Amsterdam.
- Hella Lichttechnik Research & Development Review 2000
- Helmers G, Rumar K (1975) High beam intensity and obstacle visibility, In: *Lighting Research and Technology*, 7, 38-42
- Hemsel T, Wallaschek J (2000) Survey of the present state of the art of piezoelectric linear motors, *Ultrasonics*, Volume 38, Number 1, pp 37-40.
- Hendrischk W, Kalze FJ, Damasky J (1997) Bi- Xenon bringt Leistung und neue Gestaltungsmöglichkeiten für Scheinwerfer, ATZ Special System Partners

- Hentschel H (1994) Licht und Beleuchtung, Hüthig Buch Verlag, Heidelberg
- Hentschel HJ (1994) Licht und Beleuchtung – Theorie und Praxis der Lichttechnik, Hüthig Buch Verlag
- Herzig HP (1999) A quantum leap – new effects with micro optics, Hella R&D Review
- Heym D (1997) Above the roof tops – night vision equipment in aircraft, Hella R&D Review
- Heywood CA, Cowey A (1993) Colour and face perception in man and monkey: the missing link. In: Functional organisation of human visual cortex (Gulyas B, Ottoson D, Roland PE, Eds), Oxford: Pergamon Press, 195-210
- Hilgers C, Wiesenberger F (2005) Vergleich von thermisch und UV-Strahlen vernetzenden Systemen, In: Seminar “Kratzfeste Beschichtungen auf Kunststoffen“, Peine
- Hills BL (1976) Visibility under night driving conditions: Derivation of (ΔL , A) characteristics and factors in their application, In: *Lighting Research and Technology*, 8, 11-26
- Hilz R, Cavonius CR (1974) Functional organization of the peripheral retina: Sensitivity to periodic stimuli *Vision Research*, 14: 1333-1337.
- Hoffman DD (1983) The interpretation of visual illusions, In: *Scientific American*, 249 6, 154–162
- Hoffman DD (1998) Visual intelligence: How we create what we see, W.W. Norton, New York
- Hoffman DD (2003) The interaction of colour and Motion. In *Colour: Mind and the Physical World*, Oxford University Press, 361-377
- Hoffman DD, Richards WA (1984) “Parts of recognition” In: *Cognition*, 18, 65–96
- Holladay LL (1926) The fundamentals of glare and visibility, *J. Opt. Soc. Amer.*, 12, 271-319
- Holtz S (2004) The Effect of Textures of Aspherical Lenses on the Performance of Projection Systems for Automotive Headlights, SAE Technical Paper Series 2004-01-0801
- Holtz S (2005) Automotive Headlight Lenses – Functional Extensions Based on the Application of Reflective Coatings. Proceedings of the 6th International Symposium on Automotive Lighting, Darmstadt
- Hopkinson RG, Collins JB (1970) *The Ergonomics of Lighting*, McDonald & Co. (Publishers) Ltd, London
- Ibrahim F, Schmidt C, Klein M (2005) Predictive Advanced Front Lighting System. In: Proceedings of the ISAL 2005 Symposium, Darmstadt University of Technology, Darmstadt
- Ibrahim, Schmidt, Klein (2005) Predictive Advanced Front Lighting System. 6th International Symposium on Automotive Lighting
- Illuminating Engineering Society of North America (IESNA) (2000) *The IESNA Lighting Handbook, 9th Edition*. IESNA, New York
- Illuminating Engineering Society of North America (IESNA) (2000) *The Lighting Handbook, 9th edition*, IESNA, New York

- Isermann R (2005) Mechatronic systems – fundamentals, Springer-Verlag, Berlin Heidelberg New York
- Johnston SF (2001) A History of Light and Colour Measurement: Science in the Shadows, Institute of Physics Publishing, Bristol
- Jürgensohn G (1997) Hybride Fahrermodelle. Dissertation an der Technischen Universität Berlin, ZMMS Spektrum, Band 4. Würzburg: Pro Universitate Verlag.
- Jürgensohn T (2000) Bedienermodellierung. In Timpe KP; Jürgensohn T; Kolrep H (Eds) Mensch Maschine Systemtechnik. Konzepte, Modellierung, Gestaltung, Evaluation, Symposion Publishing, Düsseldorf
- Kaiser PK, Boynton RM (1996) Human Color Vision. Optical Society of America, Wawhington DC
- Kalwa M (1999) Magnesium – burning hot?, Hella R&D Review
- Kandel ER, Schwartz JH, Jessel TM (2000) *Principles of neural science, 4th Edition*, McGraw-Hill, New York
- Kanizsa G (1955) Margini quasi-percettivi in campi con stimolazione omogenea, *Rivista di Psicologia*, 49,7–30
- Kanizsa G (1974) Contours without gradients or cognitive contours? In: *Italian Journal of Psychology*, 1, 93–113
- Kanizsa G (1976) Subjective contours, In: *Scientific American*, 234, 48–52
- Kanizsa G (1979) *Organization in vision*, Praeger, New York
- Kanwisher N, McDermott J, Chun MM (1997). The fusiform face area: A module in human extrastriate cortex specialized for face perception, In: *The Journal of Neuroscience*, 17, 4302–4311.
- Kauschke R (2006) Systematik zur lichttechnischen Dimensionierung von aktiven Scheinwerfern; Dissertation, Universität Paderborn
- Kauschke R, Eichhorn K, Wallaschek J (2003) Innovative Optical Concepts for Future Car Headlights, In: PAL 2003 Symposium, TU Darmstadt, 23.-24. September 2003 Bd. 10, pp 487-495 ISBN 3-8316-0257-3
- Keller M (1999) Faszination Licht, Prestel Verlag
- Kelly DH (1959) Effects of sharp edges in a flickering field, *Journal of the Optical Society of America* 49, 730-732
- Kelly DH (1961) Visual response to time-dependent stimuli, 1. Amplitude sensitivity measurements, *Journal of the Optical Society of America*, 51: 422-429
- Kelly J (1998) Design – Who's who after dark?, Hella R&D Review
- Kenjo T (1991) Electric Motors and their Controls - An Introduction, Oxford University Press
- Kessler W, Kleinkes M, Könning T (2005) Night Vision Systems Developed for Series Production. In: ATZ Worldwide, Volume 107 No. 1, 5-7
- Kleinkes M (2003) Objektivierter Bewertung des Gütemerkmals Homogenität für Scheinwerfer-Lichtverteilungen, Dissertation, Universität Bielefeld, Shaker Verlag Aachen
- Kliebisch D (2004) Entwicklung eines Modells zur Berechnung von Erkennbarkeitsentfernungen aus Leuchtdichtebildern, Diplomarbeit, L-LAB/Technische Universität Ilmenau

- Kliebisch D, Stahl F (2003) Abhängigkeit der physiologischen Blendung von der spektralen Verteilung der Lichtquelle (Lichtfarbe), Projektarbeit, L-LAB, TU-Ilmenau
- Kliebisch D, Völker S (2005) Examinations of the recognition distance of headlamps, PAL 2005, Volume 11, TU Darmstadt, 26.-28.September 2005
- Kluge T (2004) Laserscanner for automotive applications, Proceedings of 1st International Workshop on Intelligent Transportation (WIT), Hamburg
- Knill DC, Richards WA (Eds.) (1996) *Perception as bayesian inference*, Cambridge University Press, Cambridge
- Kokoschka S, Gall D (2000) Entwicklung und Validierung eines Sichtweitenmodells zur Bestimmung der Fahrersichtweite, FASIVAL- Abschlussbericht, Universität Karlsruhe, TU Ilmenau
- Kortum PT, Geisler WS (1995) Adaptation mechanisms in spatial vision II. Flash thresholds and background adaptation, *Vision Research*, 35, 1595-1609
- Kschischenk H (1989) Untersuchung zur Festlegung von optimalen Schaltschwellen für die Straßen- und Außenbeleuchtung, Diplomarbeit, Hochschule für Verkehrswesen „Friedrich List“ Dresden
- Kuhl P (2006) Anpassung der Lichtverteilung des Abblendlichtes an den vertikalen Straßenverlauf, Dissertation Universität Paderborn
- Kutt J, Pietzonka S (1999) Interior lighting – escape from a shadowy existence, Hella R&D Review
- Lachenmayr BJ (1995) Sehen und gesehen werden: Sicher unterwegs im Straßenverkehr; Verlag Shaker
- Langheim J (2000) CARSENSE – New Environment Sensing for Advanced Driver Assistance Systems, ITS Turin
- Langwieder K, Bäuml H (1997) Charakteristik von Nachtunfällen, Progress in Automobil Lighting
- Lecocq P, Kelada JM, Kemeny A (1999) Interactive Headlight Simulation. In: Proceedings of the Driving Simulation Conference, Paris, France
- Lehnert P (2001) *Auswirkungen der Fahrzeugdynamik auf die Lichtverteilung von Scheinwerfern*. Dissertation, Technische Universität Darmstadt
- Leibowitz HW, Owens DA (1975) Night myopia and the intermediate dark focus of accommodation, *Journal of the Optical Society of America*, 65: 1121-1128
- Lerman S (1980) Radiant Energy and the Eye, Plate 3.1, Macmillan Publishing Co. Inc. New York
- Lewis AL (1999) Visual performance as a function of spectral power distribution of light sources at luminances used for general outdoor lighting, *Journal of the Illuminating Engineering Society* 28, 37-42
- Lindae G (1964) Die Sichtbarkeit von Fahrzeugen im Nebel und Dimensionierung einer geeigneten Nebelwarnleuchte, *Lichttechnik*, Berlin 16, H. 8, 391- 394
- Lindsay PH, Norman DH (1972) Human Information Processing. An Introduction to Psychology. Academic Press, New York, London
- Livingstone M, Hubel D (1988) Segregation of form, color, movement, and depth: Anatomy, physiology, and perception, In: *Science*, 240, 740–749

- Livingstone MS, Hubel DH (1994) Stereopsis and positional acuity under dark adaptation, *Vision Research*, 34, 799-802
- Locher J, Blaschke C, Kessler W, Könning T (2005) *On the application of head-up displays for visual driver information – an exemplary acceptance study of a night vision system*. In: Proceedings of the ISAL 6th International Symposium on Automotive Lighting, Darmstadt University of Technology, Darmstadt
- Locher J, Schmidt S (2006) Optimale Farbwahl für monochromatische Displays bei Infrarotnachtsichtgeräten. In: Rapp R, Sedlmeier P, Zunker G, Perspectives on Cognition, Papst Science Publishers, Lengerich, pp 101-114
- Locher J, Völker S (2004) The influence of vehicle beam patterns on safety and acceptance, In: Lighting SP 1875, pp 227-231, SAE Congress, Detroit, Warrendale
- Lorek F (1999) *Licht und Schatten*, Automobile Magazine *mot*, Motor-Presse Stuttgart, 15/1999
- Lorek F (2004) *Licht im Dunkel*, Verlag Wetzlardruck, Wetzlar
- Luan X, Schwarte R, Zhang Z, Xu Z, Heinol HG, Buxbaum B, Ringbeck T, Hess H, Three-dimensional intelligent sensing based on the PMD technology, Proceedings of SPIE, Sensors, Systems, and Next-Generation Satellites, Volume 4540, pp 482-487
- Lückel J, Wallaschek J (1997) Functional Modelling and Simulation in Mechanical Design and Mechatronics Proceedings of 2nd MATHMOD, IMACS Symposium on Mathematical Modelling, Vienna
- Lynes JA (1977) Discomfort glare and visual distraction, *Lighting Research and Technology*, 9, 51-52
- MacAdam DL (1942) Visual sensitivity to color differences in daylight, *Journal of the Optical Society of America*, 32, 247-274
- Mandlebaum, J., and Sloan, L.L., (1947) Peripheral visual acuity, *American Journal of Ophthalmology*, 30: 581-588
- Maplestone P (2001) *Modern Plastics* 1 (2001) .43-45 (BMC fends off challenge in headlamps)
- Marek J, Illing M (2002) Micromachined sensors for automotive applications, Proceedings of IEEE Sensors, Volume 2, pp 1561-1564
- Marr D (1982) *Vision*, Freeman, San Francisco
- Maschkio T (2004), University of Paderborn, 2nd L-LAB Summerschool 2004
- Matschinsky W (1987) *Die Radführungen der Straßenfahrzeuge – Analyse, Synthese, Elasto-Kinematik*. In: Mitschke M, Frederich F (Eds) *Fahrzeugtechnische Schriftenreihe*, Verlag TÜV Rheinland, Köln
- McMurdo MET, Gaskell A (1991) Dark adaptation and falls in the Elderly, *Gerontology*, 37, 221-224
- Mortimer RG (1969) Requirements for automobile exterior lighting, Visual factors in transportation systems, National Research Council, Washington DC
- Mortimer RG, Becker JM (1973) *Development of a Computer Simulation to Predict the Visibility Distances Provided by Headlamp Beams*, Report UM-HSRI-IAF-73-15, University of Michigan, Ann Arbor, MI

- Mortimer RG, Jorgeson CM (1974) Eye fixations of drivers at night driving three headlight beams, Report UM-HSRI-74-17, Highway Safety Research Institute, Ann Arbor, MI
- Murdock BB (1965). Signal-detection theory and short-term memory, In: *Journal of Experimental Psychology* 70, 443–447
- Neitz J, Carroll E Neitz M (2001) Color vision: almost reason enough for having eyes, *Optics and Photonics News*, January, 26-33
- Neumann R (2004) AFS Halogen Headlamp System – Experimental Study and First Field Results, SAE Technical Paper Series 2004-01-0439, Detroit
- Nitsche B, Schulz R (2004) Automotive applications for the ALASCA laserscanner, Proceedings of 8th International Forum on Advanced Microsystems for Automotive Applications (AMAA), Berlin
- O'Craven KM, Kanwisher N (2000) Mental imagery of faces and places activates corresponding stimulus-specific brain regions, In: *Journal of Cognitive Neuroscience*, 12, 1013–1023
- O'Day SM, Stone CH, Jack DD, Bhise VD (1997) Headlighting - Toward a Model of Costumer Pleasing Beam Pattern, SAE Technical Paper Series No. 970906
- Olson PL, Aoki T, Battle DS, Flannagan MJ (1990) Development of a Headlight System Performance Evaluation Tool, Report UMTRI-90-41. University of Michigan, Ann Arbor, MI
- Pallis CA (1955) Impaired identification of faces and places with agnosia for colors, In: *Journal of Neurology, Neurosurgery and Psychiatry*, 18, 218–224
- Palmer SE (1999) *Vision science*. MIT Press, Cambridge, MA
- Palmer SE (2002) *Vision Science Photons to Phenomenology*, MIT Press, Cambridge MA
- Pashler H (Ed) (1998) *Attention*. East Sussex, UK: Psychology Press Ltd
- Paul H (2003) *Lexikon der Optik*, Spektrum Akademischer Verlag GmbH, Heidelberg, Berlin, 2. Band 312-315
- Paulson HL, Galetta SL, Grossman M, Alavi A (1994) Hemiachromatopsia of unilateral occipitotemporal infarcts, In: *American Journal of Ophthalmology*, 118, 518–523
- PCT/DE 02/04371, „Beschichtung zur dauerhaften Hydrophilierung von Oberflächen und deren Verwendung“
- Perrett DI, Oram MW, Harries MH, Bevan R, Hietanen JK, Benson PJ, Thomas S (1991) Viewer-centered and object-centered coding of heads in the macaque temporal cortex. *Exp Brain Res* 86:159-173
- Pianta MJ, Kalloniatis M (2000) Characterisation of dark adaptation in human cone pathways: An application of the equivalent background hypothesis, *Journal of Physiology*, 528, 591-608
- Pinker S (1997) *How the mind works*, W. W. Norton & Co, New York
- Pons J (2005) *Emerging Actuator Technologies - A Micromechatronic Approach*, John Wiley & Sons
- Pöppel (2000) *Grenzen des Bewusstseins, Wie kommen wir zur Zeit und wie entsteht Wirklichkeit?* Insel Taschenbuch, Frankfurt a.M. und Leipzig

- Raphael S (2004) Blendungsbewertung von Scheinwerfern, Diplomarbeit, L-LAB, TU-Ilmenau
- Rassl R (2005) Ablenkungswirkung tertiärer Aufgaben im Pkw – Systemergonomische Analyse und Prognose, Dissertation an der Technischen Universität München
- Rea MS, Bullough JD, Freyssinier-Nova JP, Bierman A (2004) A proposed unified system of photometry, *Lighting Research and Technology* 36, 85-111
- Rea MS, Bullough JD, Freyssinier Nova JP, Bierman A (2003) X (A system of mesopic photometry based on reaction time measurement) Proceedings of the CIE Symposium CIE Publication x025:2003, CIE, Vienna
- Rea MS, Bullough JD, Freyssinier-Nova JP, Bierman A (2004) A proposed unified system of photometry, *Lighting Research and Technology* 36, 85-111
- Regan DM, Beverley KI (1982) How do we avoid confounding the direction we are looking with the direction we are moving? *Science* 215: 194-196
- Rensink RA (2000a) The dynamic representation of scenes, *Visual Cognition*, 7, 17-42
- Rensink RA (2000b) Visual search for change: A probe into the nature of attentional processing, *Visual Cognition*, 7, 345-376
- Rensink RA (2000c). Seeing, sensing, and scrutinizing, *Vision Research*, 40, 1469-1487
- Rensink RA, O'Regan JK, Clark JJ (1995) Image flicker is as good as saccades in making large scene changes invisible, *Perception*, 24 (Suppl.) 26-27
- Rensink RA, O'Regan JK, Clark JJ (1997) To see or not to see: The need for attention to perceive changes in scenes, *Psychological Science*, 8, 368-373
- Rodieck RW (1998) *The first steps in seeing*, Sinauer
- Rosenhahn EO, Hamm M (2001) Measurements and ratings of HID headlamp impact on traffic safety aspects, In: *Lighting Technology Developments for Automobiles*, Society of Automotive Engineers Report, SP1595, SAE, Warrendale PA
- Rosenhahn EO, Hamm M (2001) Measurements and ratings of HID headlamp impact on traffic safety aspects, In: *Lighting Technology Developments for Automobiles*, Society of Automotive Engineers Report, SP1595, SAE, Warrendale PA
- Roslak J (2005) Entwicklung eines Systems zur kollektiven Ausleuchtung des Verkehrsraums, Dissertation, Universität Paderborn
- Roslak J, Wallaschek J (2004) Active Lighting Systems for Improved Road Safety, In: *Intelligent Vehicles Symposium*, 14.-17. Juni 2004, Parma, Italien
- Rumar K (1995) Daytime Running Light – Reduce Daytime Collisions, PAL-Symposium
- Rzerski G (2003) On Conceptual design of mechatronic systems. In: *Mechatronics*, 13, 1029-1044
- Sacks O (1995) *An anthropologist on Mars*, Vintage Books, New York
- Sagawa K, Takeichi K (1986) System of mesopic photometry for evaluating lights in terms of comparative brightness relationships. *J. Opt. Soc. Amer.* A9: 1240-1246

- Schäfer H, Boehlau C (1999) A clean sweep – the rain/light sensor, Hella R&D Review
- Schiller P (1933) Stroboskopische Alternativversuche, In: *Psychologische Forschung*, 17, 179–214
- Schmidt-Clausen HJ (1974) Signalleuchten am Kraftfahrzeug, 10. Arbeitstagung über Unfalluntersuchungen München
- Schmidt-Clausen HJ (1979) Reaktionszeit von Kraftfahrern, Sonderdruck der TU Berlin
- Schmidt-Clausen HJ (1997) Eröffnungsvortrag, Tagung Progress in Automobil Lighting 1997, Fachgebiet Lichttechnik, Technical University Darmstadt
- Schmidt-Clausen HJ (1998) Grundlagen der Lichttechnik, Script zum Seminar, Fachgebiet Lichttechnik, Technical University Darmstadt
- Schmidt-Clausen HJ, Bindels JH (1974) Assessment of discomfort glare in motor vehicle lighting, In: *Lighting Research and Technology*, 6, 79–88
- Schmidt-Clausen HJ, Rosenhahn EO, Dietz S (1998) Criteria of the visibility of road markings, Vol. 4 Dept. of Lighting Technology Darmstadt
- Schmidtke H (1993) Der Leistungsbegriff in der Ergonomie. In: Schmidtke H (Hrsg.) *Ergonomie*. 3. Aufl., München-Wien: Carl Hanser-Verlag
- Schumann J, Sivak M, Flannagan MJ, Traube EC, Kojima S (1997) Qualitative Evaluation of Headlamp Beam-Pattern Uniformity, UMTRI-97-43, University of Michigan, Ann Arbor
- Schweigert M (2003) Fahrerblickverhalten und Nebenaufgaben, Dissertation an der Technischen Universität München
- Seelecke S, Müller I (2004) Shape memory alloy actuators in smart structures: modelling and simulation, *Applied Mechanics Reviews*, Volume 57, Issue 1, pp 23–46.
- Sekular R Blake R (1994) *Perception*. McGraw-Hill, New York
- Shan Fu, Thompson C (2004) Intelligent vision systems for automotive applications, *Computing and control engineering journal*, Volume 15, Issue 4, pp 20–24
- Shannon CE, Weaver W (1949) *The Mathematical Theory of Communication*, Urbana: University of Illinois Press Steward, 1971).
- Shepard RN (1990) *Mind sights*, Freeman, New York
- Shlaer S (1937) The relation between visual acuity and illumination, *Journal of General Physiology*, 21: 165–168
- Simons D, Chabris C (1999) Gorillas in our midst: Sustained inattention blindness for dynamic events, In: *Perception*, 28, 1059–1074
- Sivak M, Simmons CJ, Flannagan M (1990) Effect of headlamp area on discomfort glare, In: *Lighting Research and Technology*, 22, 49–52
- Sivak M, Simmons CJ, Flannagan MJ (1988): Effect of headlamp area on discomfort glare. The University of Michigan Transportation Research Institute, Report No. UMTRI-88-41
- Snodgrass JG, Levy-Berger G, Haydon M (1985) *Human experimental psychology*, Oxford University Press, New York

- Spillmann L, Werner JS (1990) *Visual perception: The neurophysiological foundations*, Academic Press, New York
- Stankowski A, Duschek K. (1994) *Visuelle Kommunikation*, Dietrich Reimer Verlag Berlin
- Stiles WS (1930) The scattering theory of the effect of glare on the brightness difference threshold, *Proc. Roy. Soc. London*, 105B, 131-146
- Stiles WS, Crawford BH (1937) The effects of a glaring light source on extrafoveal vision, *Proc. Roy. Soc. London*, 122B, 255-280
- Sullivan JM, Adachi G, Mefford ML, Flannagan MJ (2003) High beam headlamp usage on unlighted rural roadways, Report 2003-2, University of Michigan Transportation Research Institute
- Sullivan JM, Flannagan MJ (1999) Assessing the potential benefit of adaptive headlighting using crash databases, UMTRI-99-21, University of Michigan, Ann Arbor MI
- Sun Z, Bebis G (2005) On-road vehicle detection: a review, *IEEE Transactions on pattern analysis and machine intelligence*, Volume 28, No 5, pp 694-711
- Theeuwes J, Alferdinck JWAM (1996) *The Relation Between Discomfort Glare and Driver Behavior*, Report DOT HS 808 452, US Department of Transportation, Washington, DC
- Thiemann M, Strychik D, Hobein D (1999) No fuss – automatic headlamp leveling with inductive sensors, *Hella R&D Review*
- Tüv Rheinland (2003) AFS Survey
- Uchino K, Cagatay S, Koc B, Dong S, Bouchilloux⁴ P and Strauss M (2004) Micro piezoelectric ultrasonic motors, *Journal of electroceramics*, 2004, Volume 13, Numbers 1-3, pp 393-401
- Ullman S. (1979). *The interpretation of visual motion*. Cambridge, MA: MIT Press
- Valldorf J, Gessner W (2005) *Advanced Microsystems for Automotive Applications*, Springer-Verlag, Berlin
- Van Derlofske J, Chen J, Bullough JD, Akashi Y (2005) Headlight glare exposure and recovery, *Proceedings of the SAE*, SAE, Warrendale, PA
- Van Nes FL, Bouman MA (1967) Spatial modulation transfer in the human eye, *Journal of the Optical Society of America*, 47: 401-406
- Viikari M, Eloholma M, Halonen L (2005) 80 years of $V(\lambda)$ use: A review, *Light and Engineering* 13, 24-36
- Völker S (2005) New headlamps – more safety or only more glare? PAL 2005, Volume 11, TU Darmstadt, 26.-28.September 2005
- Völker S (2006) *Hell- und Kontrastempfindung - ein Beitrag zur Entwicklung von Zielfunktionen für die Auslegung von Kraftfahrzeug-Scheinwerfern*, Habilitationsschrift Universität Paderborn
- Völker S, Kleinkes M (2001) Investigation of the visible range of different types of headlamps, *Tagungsband PAL'01*, Darmstadt, 1009 – 1017
- Völker S, Raphael S (2004) Beleuchtungsstärke oder Leuchtdichte – eine kritische Diskussion des Blendungsmaßes für Kfz – Scheinwerfer, In: 16. Gemein-

- schaftstagung der lichttechnischen Gesellschaften der Niederlande, Deutschlands, Österreichs und der Schweiz, 19.-22. September, Dortmund
- Von Camperhausen, C and Schramme, J., 100 years of Benham's top in color science, *Perception*, 24, 6, 695-717, 1995
- Vos JJ (1984) Disability glare - a state of the art report, In: *CIE Journal*, 3, 39-53
- Vos JJ (1999) Glare today in historical perspective: Towards a new CIE Glare observer and a new glare nomenclature, *Proceedings of the CIE 24th Session, Warsaw*, CIE, Vienna
- Wallaschek J (1998) Innovation - Does your headlamp know where you are going?, In: Hella Lighting Technology Research & Development Review
- Wallaschek J, Locher J, Strauß St (2006) Driving Assistance Through Light Technology, *ATZ worldwide* N0 3
- Wang B, Kreysar D, Jiao J (1995) Quantitative Evaluation of the Uniformity for an Automotive Head Lamp Beam Pattern, *PAL 1995*, Darmstadt
- Watkinson JC (2005) Additivity of discomfort glare, MS Thesis, Rensselaer Polytechnic Institute, Troy, NY
- Westermann H, Damasky J (1995) Advanced rearlighting system – a future challenge for reliable rearward information, *Hella R&D Review*
- Westermann H, Wördenweber B (1995) Ways out of stress – active safety and vision comfort, *Hella R&D Review*
- White M (1981) The effect of the nature of the surround on the perceived lightness of grey bars within square-wave test gratings, *Perception*, 10, 215–230
- Wickens T (2002). *Elementary signal detection theory*. Oxford University Press, Oxford
- Wiener N (1948) *Cybernetics or control and communication in the animal and the machine*, New York.
- Wollschlaeger D, Rodriguez AM, Hoffman D (2001) Flank transparency: Transparent filters seen in dynamic two-color displays, *Perception*, 30, 1423-1426
- Wördenweber B, Lachmayer R, Witt, U (1996) Intelligent Front Lighting, *ATZ*
- Wördenweber B, Reinbach M (1997) Contour – base unit for visual perception, *Hella R&D Review*,
- Xu L, Goltz RE, Holbrook JL, Passwater SH (2001), Reflector Coatings in Automobile Lighting – Their Performance Requirements, Substrates, Materials and Processing, In: 44th Annual Technical Conference Proceedings, Society of Vacuum Coaters, Philadelphia, 21-26
- Yerrell JS (1971) *Headlamp Intensities in Europe and Britain*, LR 383, Road Research Laboratory, Crowthorne, U.K.
- Yuhara N; Tajima L; Sano S et al. (1999) Steer by Wire Oriented Steering System Design: Concept and Examination, *Vehicle System Dynamics Supplement 33*, 692-703
- Zwahlen HT, Adams CC Jr., DeBald DP (1988): Safety aspects of CRT touch panel controls in automobiles, In: *Vision in Vehicles II*, Gale AG (Eds) Elsevier North Holland Press, Amsterdam, 335-344