

LITERATURA

- Acosta, M. T., Arcos-Burgos, M., & Muenke, M. (2004). Attention deficit/hyperactivity disorder (ADHD): complex phenotype, simple genotype? *Genetics in Medicine*, 6(1), 1–15.
- Altafas, J. R. (2002). Prevalence of attention deficit/hyperactivity disorder among adults in obesity treatment. *BMC Psychiatry*, 2(1), 9.
- Amen, D. G., & Carmichael, B. D. (1997). High Resolution Brain SPECT Imaging in ADHD. *Annals of Clinical Psychiatry: Official Journal of the American Academy of Clinical Psychiatrists*, 9(2), 81–86.
- American Academy of Child and Adolescent Psychiatry (2002). Practice parameter for the use of stimulant medications in the treatment of children, adolescents, and adults. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41(2), 26–49.
- American Academy of Pediatrics (2000, May). Clinical Practice Guideline: Diagnosis and Evaluation of the Child with Attention-Deficit/Hyperactivity Disorder. Committee on Quality Improvement, Subcommittee on Attention-Deficit/Hyperactivity Disorder. *Pediatrics*, 105(5), 1158–1170.
- American Psychiatric Association (1952). *Diagnostic and Statistic manual of mental disorders*, 1st ed. Washington DC: American Psychiatric Association.
- American Psychiatric Association (1968). *Diagnostic and Statistic manual of mental disorders*, 2nd ed. Washington DC: American Psychiatric Association.
- American Psychiatric Association (1980). *Diagnostic and Statistic manual of mental disorders*, 3rd ed. Washington DC: American Psychiatric Association.
- American Psychiatric Association (1987). *Diagnostic and Statistic manual of mental disorders*, 3rd ed. revised. Washington DC: American psychiatric Association.
- American Psychiatric Association (1994). *Diagnostic and Statistic manual of mental disorders*, 4th ed. Washington DC: American psychiatric Association.
- American Psychiatric Association (2000). *Diagnostic and Statistic manual of mental disorders*, 4th ed. text rev. Washington DC: American psychiatric Association.
- American Psychiatric Association (2013). *Diagnostic and Statistic manual of mental disorders*, 5th ed. Washington DC: American psychiatric Association.
- Andrews, G. D., & Lavin, A. (2006). Methylphenidate increases cortical excitability via activation of alpha-2 noradrenergic receptors. *Neuropsychopharmacology*, 31(3), 594–601.
- Arcos-Burgos, M., Castellanos, F. X., Pineda, D., Lopera, F., Palacio, J. D., Palacio, L. G., et al. (2004). Attention-deficit/hyperactivity disorder in a population isolate: linkage to loci at 4q13.2, 5q33.3, 11q22, and 17p11. *The American Journal of Human Genetics*, 75(6), 998–1014.
- Arnold, L. E. (1996, October). Sex differences in ADHD: conference summary. *Journal of Abnormal Child Psychology*, 24(5), 555–569.
- Arns, M., de, R.S., Strehl, U., Breteler, M., Coenen, A. (2009). Efficacy of neurofeedback treatment in ADHD: the effects on inattention, impulsivity and hyperactivity: a meta-analysis. *Clinical EEG and Neuroscience*, 40, 180–189.

- Asherson, P., Zhou, K., Anney, R. J., Franke, B., Buitelaar, J., Ebstein, R., et al. (2008). A high-density SNP linkage scan with 142 combined subtype ADHD sib pairs identifies linkage regions on chromosomes 9 and 16. *Molecular Psychiatry*, 13(5), 514–521.
- Ayres, A. J. (2005). *Sensory integration and the child, 25th anniversary edition*. Los Angeles: Western Psychological Services.
- Bakker, S. C., van der Meulen, E. M., Buitelaar, J. K., Sandkuijl, L. A., Pauls, D. L., Monsuur, A. J., et al. (2003). A whole-genome scan in 164 Dutch sib pairs with attention deficit / hyperactivity disorder: suggestive evidence for linkage on chromosomes 7p and 15q. *The American Journal of Human Genetics*, 72(5), 1251–1260.
- Banaschewski, T., Coghill, D., Santosh, P., Zuddas, A., Asherson, P., Buitelaar, J., et al. (2006). Long-acting medications for the hyperkinetic disorders. A systematic review and European treatment guideline. *European Child & Adolescent Psychiatry*, 15(8), 476–495.
- Banerjee, T. D., Middleton, F., & Faraone, S. V. (2007). Environmental risk factors for attention-deficit hyperactivity disorder. *Acta Paediatrica*, 96(9), 1269–1274.
- Barkley, R. A. (1990). *Attention-Deficit Hyperactivity Disorder: A Handbook for Diagnosis and Treatment*. New York: Guilford Press.
- Barkley, R. A. (1997). *Defiant children: A clinician's manual for parent training*. New York: Guilford Press.
- Barkley, R. A. (2006). *Attention deficit hyperactivity disorder: A Handbook for diagnosis and treatment*. New York: Guilford Press.
- Barkley, R. A., & Macias, M. (2005). Attention deficit hyperactivity disorder. In R. David (Ed.), *Child and adolescent neurology (3rd ed.)*. New York: Blackwell.
- Barzman, D. H., Patel, A., Sonnier, L., & Strawn, J. R. (2010). Neuroendocrine aspects of pediatric aggression: Can hormone measures be clinically useful? *Neuropsychiatric Disease and Treatment*, 6, 691–697.
- Bazar, K. A., Yun, A. J., Lee, P. Y., Daniel, S. M., & Doux, J. D. (2006). Obesity and ADHD may represent different manifestations of a common environmental oversampling syndrome: a model for revealing mechanistic overlap among cognitive, metabolic, and inflammatory disorders. *Medical Hypotheses*, 66(2), 263–269.
- Becker, K., Buitelaar, J. K., Danckaerts, M., Gillberg, C., Zuddas, A., Bouvard, M., et al. (2004). Does atomoxetine treatment improve psychosocial and family functioning in children and adolescents with ADHD? *Acta Psychiatrica Scandinavica*, 110(421), 48–49.
- Bedard, A. C. V., Trampush, J. W., Newcorn, J. H., & Halperin, J. H. (2010). Perceptual and Motor Inhibition in Adolescents/Young Adults with Childhood-Diagnosed ADHD. *Neuropsychology*, 24(4), 424–434.
- Beitchman, J. H., Nair, R., Clegg, M., Ferguson, B., & Patel, P. G. (1986). Prevalence of psychiatric disorders in children with speech and language disorders. *Journal of the American Academy of Child Psychiatry*, 25(4), 528–535.
- Bhaduri, N., Sarkar, K., Sinha, S., Chattopadhyay, A., & Mukhopadhyay, K. (2010, March). Study on DBH genetic polymorphisms and plasma activity in attention deficit hyperactivity disorder patients from Eastern India. *Cellular and Molecular Neurobiology*, 30(2), 265–274.
- Biederman, J., & Spencer, T. J. (2008). Psychopharmacological interventions. *Child and Adolescent Psychiatric Clinic of North America*, 17(2), 439–458.
- Biederman, J., Ball, S. W., Monuteaux, M. C., Surman, C. B., Johnson, J. L., & Zeitlin, S. (2007, August). Are girls with ADHD at risk for eating disorders? Results from a controlled, five-year prospective study. *Journal of Developmental and Behavioral Pediatrics*, 28(4), 302–307.
- Biederman, J., Faraone, S. V., Keenan, K., Knee, D., & Tsuang, M. T. (1990). Family-genetic and psychosocial risk factors in DSM-III attention deficit disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, 29(4), 526–533.
- Biederman, J., Faraone, S. V., Keenan, K., & Tsuang, M. T. (1991, July). Evidence of familial association between attention deficit disorder and major affective disorders. *Archives of General Psychiatry*, 48(7), 633–642.

- Biederman, J., Faraone, S. V., Monuteaux, M. C., Plunkett, E. A., Gifford, J., & Spencer, T. (2003a). Growth deficits and attention-deficit/hyperactivity disorder revisited: impact of gender, development and treatment. *Pediatrics*, 111(1), 1010–1016.
- Biederman, J., Mick, E., Wozniak, J., Monuteaux, M. C., Galdo, M., & Faraone, S. V. (2003b). Can a subtype of conduct disorder linked to bipolar disorder be identified? Integration of findings from the Massachusetts General Hospital Pediatric Psychopharmacology Research Program. *Biological Psychiatry*, 53(11), 952–960.
- Biederman, J., Spencer, T. J., Monuteaux, M. C., & Faraone, S. V. (2010, October). A naturalistic 10-year prospective study of height and weight in children with attention-deficit hyperactivity disorder grown up: sex and treatment effects. *Journal of Pediatrics*, 157(4), 635–640.
- Blinder, B. J., Cumella, E. J., & Sanathara, V. A. (2006). Psychiatric comorbidities of female inpatients with eating disorders. *Psychosomatic Medicine*, 68(3), 454–462.
- Blom, R. M., Samuels, J. F., Riddle, M. A., Joseph Bienvenu, O., Grados, M. A., Reti, I. M., et al. (2011, September). Association between a serotonin transporter promoter polymorphism (5HTTLPR) and personality disorder traits in a community sample. *Journal of Psychiatric Research*, 45(9), 1153–1159.
- Bobb, A. J., Addington, A. M., Sidransky, E., Gornick, M. C., Lerch, J. P., Greenstein, D. K., et al. (2005). Support for association between ADHD and two candidate genes: NET1 and DRD1. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 134(1), 67–72.
- Bradley, C. (1937). The behavior of children receiving benzedrine. *The American Journal of Psychiatry*, 94(3), 577–585.
- Bradley, C. (1950). Benzedrine and dexedrine in the treatment of children's behavior disorders. *Pediatrics*, 5(1), 24–36.
- Brophy, K., Hawi, Z., Kirley, A., Fitzgerald, M., & Gill, M. (2002). Synaptosomal-associated protein 25 (SNAP-25) and attention deficit hyperactivity disorder (ADHD): evidence of linkage and association in the Irish population. *Molecular Psychiatry*, 7(8), 913–917.
- Brown, R. T., Amler, R. W., Freeman, W. S., Perrin, J. M., Stein, J. M., Feldman, H. M., et al. (2005). Treatment of Attention-Deficit/Hyperactivity Disorder: Overview of the Evidence. *Pediatrics*, 115(6), 749–757.
- Buderath, P., Gartner, K., Frings, M., Christiansen, H., Schoch, B., Konczak, J., et al. (2009). Postural and gait performance in children with attention deficit/hyperactivity disorder. *Gait & Posture*, 29(2), 249–254.
- Budziszewska, B., Basta-Kaim, A., Kubera, M., & Lasoń, W. (2010). Immunological and endocrinological pattern in ADHD etiopathogenesis. *Przegląd Lekarski*, 67(11), 1200–1204.
- Buitelaar, J., Michelson, D., Danckaerts, M., Gillberg, C., Spencer, T. J., Zuddas, A., et al. (2007, March). A randomized, double-blind study of continuation treatment for attention-deficit/hyperactivity disorder after 1 year. *Biological Psychiatry*, 61(5), 694–699.
- Busch, B. (2007, April). Polyunsaturated fatty acid supplementation for ADHD? Fishy, fascinating, and far from clear. *Journal of Developmental and Behavioral Pediatrics*, 28(2), 139–144.
- Bush, G., Frazier, J. A., Rauch, S. L., Seidman, L. J., Whalen, P. J., Jenike, M. A., et al. (1999). Anterior cingulate cortex dysfunction in attention-deficit/hyperactivity disorder revealed by fMRI and the Counting Stroop. *Biological Psychiatry*, 45(12), 1542–1552.
- Buzy, W. M., Medoff, D. R., & Schweitzer, J. B. (2009, September). Intraindividual variability among children with ADHD on a working memory task: an ex-gaussian approach. *Child Neuropsychology*, 15(5), 441–459.
- Cahová, P., Pejčochová, J., & Ošlejšková, H. (2010). Hyperkinetická porucha/ADHD v dospívání a dospělosti: diagnostika, klinický obraz a komorbidita. *Neurologie pro praxi*, 11(6), 367–371.
- Cardinal, R. N., Pennicott, D. R., Sugathapala, C. L., Robbins, T. W., & Everitt, B. J. (2001). Impulsive choice induced in rats by lesions of the nucleus accumbens core. *Science*, 292(5526), 2499–2500.
- Castel, A. D., Lee, S. S., Humphreys, K. L., & Moore, A. N. (2011, January). Memory capacity, selective control, and value-directed remembering in children with and without attention-deficit/hyperactivity disorder (ADHD). *Neuropsychology*, 25(1), 15–24.

- Castellanos, F. X., Lee, P. P., Sharp, W., Jeffries, N. O., Greenstein, D. K., Clasen, L. S., et al. (2002). Developmental trajectories of brain volume abnormalities in children and adolescents with attention-deficit/hyperactivity disorder. *The Journal of American Medical Association*, 288(14), 1740–1748.
- Clarke, A. R., Barry, R. J., McCarthy, R., Selikowitz, M., Clarke, D. C., & Croft, R. J. (2003, February). EEG activity in girls with attention-deficit/hyperactivity disorder. *Clinical Neurophysiology*, 114(2), 319–328.
- Coghill, D. R., Rhodes, S. M., & Matthews, K. (2007). The neuropsychological effects of chronic methylphenidate on drug-naïve boys with attention-deficit / hyperactivity disorder. *Biological Psychiatry*, 62(9), 954–962.
- Cohen, N. J., Vallance, D. D., Barwick, M., Im, N., Menna, R., Horodezky, N. B, et al. (2000, March). The interface between ADHD and language impairment: an examination of language, achievement, and cognitive processing. *Journal of Child Psychology and Psychiatry*, 41(3), 353–362.
- Conners, C. K. (2008). *Conners 3rd edition. Manual*. New York: Multi-Health System.
- Conners, C. K., & Multi-Health Systems Staff. (Eds.) (2000). *Conners' Continuous Performance Test II: Computer Program for Windows Technical Guide and Software Manual*. North Tonawanda: Multi-Health Systems.
- Conners, C. K., Wells, K. C., Parker, J. D., Sitarenios, G., Diamond, J. M., & Powell, J. W. (1997, December). A new self-report scale for assessment of adolescent psychopathology: factor structure, reliability, validity, and diagnostic sensitivity. *Journal of Abnormal Child Psychology*, 25(6), 487–497.
- Coolidge, F. L., Thede, L. L., & Young, S. E. (2000). Heritability and the comorbidity of attention deficit hyperactivity disorder with behavioral disorders and executive function deficits: a preliminary investigation. *Developmental Neuropsychology*, 17(3), 273–287.
- Cortese, S., Angriman, M., Maffei, C., Isnard, P., Konofal, E., Lecendreux, M., et al. (2008, September). Attention-deficit/hyperactivity disorder (ADHD) and obesity: a systematic review of the literature. *Critical Reviews in Food Science and Nutrition*, 48(6), 524–537.
- Cortese, S., Bernardina, B. D., & Mouren, M. C. (2007, September). Attention-deficit/hyperactivity disorder (ADHD) and binge eating. *Nutrition Reviews*, 65(9), 404–411.
- Cruz, N. V., & Bahna, S. L. (2006). Do food or additives cause behavior disorders? *Pediatric Annals*, 35(10), 748–754.
- Cubillo, A., Halari, R., Smith, A., Taylor, E., & Rubia, K. (2012, February). A review of fronto-striatal and fronto-cortical brain abnormalities in children and adults with Attention Deficit Hyperactivity Disorder (ADHD) and new evidence for dysfunction in adults with ADHD during motivation and attention. *Cortex*, 48(2), 194–215.
- Curatolo, P., D'Agati, E., & Moavero, R. (2010). The neurobiological basis of ADHD. *Italian Journal of Pediatrics*, 36(1), 79–85.
- Curtin, C., Bandini, L. G., Perrin, E. C., Tybor, D. J., & Must, A. (2005). Prevalence of overweight in children and adolescents with attention deficit hyperactivity disorder and autism spectrum disorders: a chart review. *BioMed Central Pediatrics*, 5(1), 48–58.
- D'Agati, E., Casarelli, L., Pitzianti, M. B., & Pasini, A. (2010). Overflow movements and white matter abnormalities in ADHD. *Progress in Neuropsychopharmacology and Biological Psychiatry*, 34(3), 441–445.
- Da Silva, T. L., Pianca, T. G., Roman, T., Hutz, H. M., Faraone, S. V., Schmitz, M., et al. (2008). Adrenergic alpha2A receptor gene and response to methylphenidate in attention-deficit/hyperactivity disorder-predominantly inattentive type. *Journal of Neural Transmission*, 115(2), 341–345.
- Daly, G., Hawi, Z., Fitzgerald, M., & Gill, M. (1999). Mapping susceptibility loci in attention deficit hyperactivity disorder: preferential transmission of parental alleles at DAT1, DBH and DRD5 to affected children. *Molecular Psychiatry*, 4(2), 192–196.
- Davis, C., & Carter, J. C. (2009, August). Compulsive overeating as an addiction disorder. A review of theory and evidence. *Appetite*, 53(1), 1–8.

- Davis, C., Levitan, R. D., Kaplan, A. S., Carter, J., Reid, C., Curtis, C., et al. (2008). Reward sensitivity and the D2 receptor gene: a case-control study of binge eating disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 32(3), 620–628.
- Doggett, A. M. (2004, March). ADHD and drug therapy: is it still a valid treatment? *Journal of Child Health Care*, 8(1), 69–81.
- Donahoo, W., Wyatt, H. R., Kriehn, J., Stuht, J., Dong, F., Hosokawa, P., et al. (2008, January). Dietary fat increases energy intake across the range of typical consumption in the United States. *Obesity (Silver Spring)*, 16(1), 64–69.
- Drappatz, J., Khwaja, O. S., Neovius, M., & Sarco, D. S. (2006). Growth in Children with ADHD Treated with Stimulant Medications: A Meta-Analysis. *Pediatric Academic Societies Annual Meeting*, 3, 458.
- Drtilová, J., & Koukolník, F. (1994). *Odlišné dítě*. Praha: Vyšehrad.
- Drtilková, I. (2003). Účinnost nestandardních postupů léčby u dětí s ADHD. *Česká a slovenská Psychiatrie*, 99(6), 317–323.
- Drtilková, I. (2007). *Hyperaktivní dítě: Vše, co potřebujete vědět o dítěti s hyperkinetickou poruchou (ADHD)*. Praha: Galén.
- Drtilková, I. (2008). Současný pohled na hyperkinetickou poruchu /ADHD a nové možnosti její léčby. *Lékařské listy*, 16, 8.
- Drtilková, I., & Šerý, O. (2007). *Hyperkinetický syndrom*. Praha: Galén.
- Drtilková, I., Hrdlička, M., & Paclt, I. (2006). Hyperkinetické poruchy u dětí. In J. Raboch, M. Anders, J. Praško & P. Hellerová (Eds.), *Psychiatrie: Doporučené postupy psychiatrické péče II*. (pp. 141–149). Praha: Česká lékařská společnost Jana Evangelisty Purkyně.
- Dudová, I., & Hrdlička, M. (2003). Hyperkinetické poruchy v dětství. *Postgraduální medicína*, 7, 721–726.
- Durstun, S., Fossella, J. A., Casey, B. J., Hulshoff Pol, H. E., Galvan, A., Schnack, H. G., et al. (2005). Differential effects of DRD4 and DAT1 genotype on fronto-striatal gray matter volumes in a sample of subjects with attention deficit hyperactivity disorder, their unaffected siblings, and controls. *Molecular Psychiatry*, 10(7), 678–685.
- Eiraldi, R. B., Mazzuca, L. B., Clarke, A. T., & Power, T. J. (2006, September). Service Utilization among ethnic minority children with ADHD: a model of help-seeking behavior. *Administration and Policy in Mental Health*, 33(5), 607–622.
- Ellison-Wright, I., Ellison-Wright, Z., & Bullmore, E. (2008, June). Structural brain change in Attention Deficit Hyperactivity Disorder identified by meta-analysis. *BioMed Central Psychiatry*, 8(1), 51–58.
- Emond, V., Joyal, C., & Poissant, H. (2009). Structural and functional neuroanatomy of attention-deficit hyperactivity disorder (ADHD). *Encephale*, 35(2), 107–114.
- Faraone, S. V. (2009). Using Meta-analysis to Compare the Efficacy of Medications for Attention-Deficit/Hyperactivity Disorder in Youths. *Physical Therapy*, 34(12), 678–694.
- Faraone, S., & Giefer, E. (2007). Long-Term Effects of Methylphenidate Transdermal Delivery System Treatment of ADHD on Growth. *Journal of the American Academy of Child Adolescent Psychiatry*, 46(9), 1138–1147.
- Faraone, S. V., & Mick, E. (2010). Molecular genetics of attention deficit hyperactivity disorder. *Psychiatric Clinics of North America*, 33(1), 159–180.
- Faraone, S. V., Biederman, J., Morley, C. P., & Spencer, T. J. (2008, September). Effect of stimulants on height and weight: a review of the literature. *Journal of the American Academy of Child and Adolescent Psychiatry*, 47(9), 994–1009.
- Faraone, S. V., Perlis, R. H., Doyle, A. E., Smoller, J. W., Goralnick, J. J., Holmgren, M. A., et al. (2005). Molecular genetics of attention deficit hyperactivity disorder. *Biological Psychiatry*, 57(11), 1313–1323.
- Faraone, S. V., Pucci, M., & Coghill, D. (2009, April). Pharmacotherapy for Attention-deficit Hyperactivity disorder. *European Psychiatry Review*, 2(1), 42–52.

- Fassbender, C., Schweitzer, J. B., Cortes, C. R., Tagamets, M. A., Windsor, T. A., Reeves, G. M., et al. (2011, November). Working memory in attention deficit/hyperactivity disorder is characterized by a lack of specialization of brain function. *Public Library of Science*, 6(11), 1–11.
- Fisher, S. E., Francks, C., McCracken, J. T., McGough, J. J., Marlow, A. J., MacPhie, I. L., et al. (2002). A genomewide scan for loci involved in attention-deficit/hyperactivity disorder. *American Journal of Human Genetics*, 70(5), 1183–1196.
- Fliers, E., Rommelse, N., Vermeulen, S. H., Altink, M., Buschgens, C. J., Faraone, S. V., et al. (2008). Motor coordination problems in children and adolescents with ADHD rated by parents and teachers: effects of age and gender. *Journal of Neural Transmission*, 115(2), 211–220.
- Franke, B., Neale, B. M., & Faraone, S. V. (2009). Genome-wide association studies in ADHD. *Human Genetics*, 126(1), 13–50.
- Franke, B., Vasquez, A. A., Johansson, S., Hoogman, M., Romanos, J., Boreatti-Hummer, A., et al. (2009). Multicenter Analysis of the SLC6A3/DAT1 VNTR Haplotype in Persistent ADHD Suggests Differential Involvement of the Gene in Childhood and Persistent ADHD. *Neuropsychopharmacology*, 35(3), 656–664.
- Freitag, C. M., Hänig, S., Palmason, H., Meyer, J., Wüst, S., & Seitz, C. (2009, August). Cortisol awakening response in healthy children and children with ADHD: impact of comorbid disorders and psychosocial risk factors. *Psychoneuroendocrinology*, 34(7), 1019–1028.
- Frindik, J. P., Fowlkes, J., Kemp, S. F., Thrailkill, K., Morales, A., & Dana, K. (2009). Stimulant Medication Use and Response to Growth Hormone Therapy: An NCGS Database Analysis. *Hormone Research*, 72(3), 160–166.
- Fusar-Poli, P., Rubia, K., Rossi, G., Sartori, G., & Balottin, U. (2012, March). Striatal dopamine transporter alterations in ADHD: pathophysiology or adaptation to psychostimulants? A meta-analysis. *American Journal of Psychiatry*, 169(3), 264–272.
- Gesell, A., & Amatruda, C. S. (1947). *Developmental diagnosis (2nd ed.)*. New York: Hoeber Publishing Co.
- Gilger, J. W., Pennington, B. F., & DeFries, J. C. (1992). A twin study of the etiology of comorbidity: attention-deficit hyperactivity disorder and dyslexia. *Journal of the American Academy of Child and Adolescent Psychiatry*, 31(2), 343–348.
- Gizer, I. R., Ficks, C., & Waldman, I. D. (2009). Candidate gene studies of ADHD: a metaanalytic review. *Human Genetics*, 126(1), 51–90.
- Goetz, M. (2006). ADHD u dospělých. *Postgraduální medicína*, 3, 270–276.
- Goetz, M., & Uhlíková, P. (2009). *ADHD Porucha pozornosti s hyperaktivitou*. Praha: Galén.
- Goodman, D. W., & Thase, M. E. (2009). Recognizing ADHD in Adults with Comorbid Mood Disorders: Implications for Identification and Management. *Postgraduate Medicine*, 121(5), 1–11.
- Gremillion, M. L., & Martel, M. M. (2012). Semantic Language as a Mechanism Explaining the Association between ADHD Symptoms and Reading and Mathematics Underachievement. *Journal of Abnormal Child Psychology*, 40(8), 1339–1349.
- Guerrieri, R., Nederkoorn, C., & Jansen, A. (2008). The interaction between impulsivity and a varied food environment: its influence on food intake and overweight. *International Journal of Obesity*, 32(4), 708–714.
- Guerrieri, R., Nederkoorn, C., Schrooten, M., Martijn, C., & Jansen, A. (2009, August). Inducing impulsivity leads high and low restrained eaters into overeating, whereas current dieters stick to their diet. *Appetite*, 53(1), 93–100.
- Hallowell, E. M., & Ratey, J. J. (1995). *Driven to Distraction: Recognizing and Coping with Attention Deficit Disorder from Childhood Through Adulthood*. New York: Times Review.
- Hamarman, S., Fossella, J., Ulger, C., Brimacombe, M., & Dermody, J. (2004). Dopamine receptor 4 (DRD4) 7-repeat allele predicts methylphenidate dose response in children with attention deficit hyperactivity disorder: a pharmacogenetic study. *Journal of Child and Adolescent Psychopharmacology*, 14(4), 564–574.

- Hastings, P. D., Fortier, I., Utendale, W. T., Simard, L. R., & Robaey, P. (2009, May). Adrenocortical functioning in boys with attention-deficit/hyperactivity disorder: examining subtypes of ADHD and associated comorbid conditions. *Journal of Abnormal Child Psychology*, 37(4), 565–578.
- Hatzinger, M., Brand, S., Perren, S., von Wyl, A., von Klitzing, K., & Holsboer-Trachsler, E. (2007, November). Hypothalamic – pituitary – adrenocortical (HPA) activity in kindergarten children: importance of gender and associations with behavioral/emotional difficulties. *Journal Psychiatric Research*, 41(10), 861–870.
- Hauser, P., Soler, R., Brucker-Davis, F., & Weintraub, B. D. (1997, February). Thyroid hormones correlate with symptoms of hyperactivity but not inattention in attention deficit hyperactivity disorder. *Psychoneuroendocrinology*, 22(2), 107–114.
- Hebebrand, J., Dempfle, A., Saar, K., Thiele, H., Herpertz-Dahlmann, B., Linder, M., et al. (2006). A genomewide scan for attention-deficit/hyperactivity disorder in 155 German sib-pairs. *Molecular Psychiatry*, 11(2), 196–205.
- Heinz, A., & Smolka, M. N. (2006). The effects of catechol O-methyltransferase genotype on brain activation elicited by affective stimuli and cognitive tasks. *Annual Review of Neuroscience*, 17(3), 359–367.
- Holtkamp, K., Konrad, K., Müller, B., Heussen, N., Herpertz, S., Herpertz-Dahlmann, B., et al. (2004, May). Overweight and obesity in children with Attention-Deficit/Hyperactivity Disorder. *International Journal of Obesity and Related Metabolic Disorders*, 28(5), 685–689.
- Hort, V., Hrdlička, M., Kocourková, J., & Malá, E. (2000). *Dětská a adolescentní psychiatrie*. Praha: Portál.
- Hrdlička, M. (2007). Postavení atomoxetinu v léčbě hyperkinetické poruchy u dětí a adolescentů. *Česká a slovenská Psychiatrie*, 103(5), 230–239.
- Hubel, R., Jass, J., Marcus, A., & Laessle, R. G. (2006, September). Overweight and basal metabolic rate in boys with attention-deficit/hyperactivity disorder. *Eating and Weight Disorders*, 11(3), 139–146.
- Husárová, V., & Ondrejka, I. (2012). ADHD: Stále veľa otázok. *Česká a slovenská Psychiatria*, 108(3), 131–137.
- Charach, A., Figueroa, M., Chen, S., Ickowicz, A., & Schachar, R. (2006). Stimulant Treatment Over 5 Years: Effects on Growth. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(4), 415–421.
- Charach, A., Ickowicz, A., & Schachar, R. (2004, May). Stimulant treatment over five years: adherence, effectiveness, and adverse effects. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(5), 559–567.
- Cheon, K. A., Ryu, Y. H., Kim, J. W., & Cho, D. Y. (2005, January). The homozygosity for 10-repeat allele at dopamine transporter gene and dopamine transporter density in Korean children with attention deficit hyperactivity disorder: relating to treatment response to methylphenidate. *European Neuropsychopharmacology*, 15(1), 95–101.
- Chess, S. (1960, August). Diagnosis and treatment of the hyperactive child. *New York State Journal of Medicine*, 60, 2379–2385.
- Işeri, E., Kiliç, B. G., Senol, S., & Karabacak, N. I. (2007, January-February). Effects of methylphenidate on leptin and appetite in children with attention-deficit hyperactivity disorder: an open label trial. *Methods and Findings in Experimental and Clinical Pharmacology*, 29(1), 47–52.
- Itoi, K., & Sugimoto, N. (2010, May). The brainstem noradrenergic systems in stress, anxiety and depression. *Journal of Neuroendocrinology*, 22(5), 355–361.
- Jensen, P. S., Hinshaw, S. P., Kraemer, H. C., Lenora, N., Newcorn, J. H., Abikoff, H. B., et al. (2001, February). ADHD comorbidity findings from the MTA study: comparing comorbid subgroups. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40(2), 147–158.
- Jiang, S. D., He, M., Qian, Y. P., Wang, D. X., Zhang, Y., Li, F., et al. (2006). Genome-wide search for linkage to attention deficit hyperactivity disorder (ADHD) on the X chromosome. *Yi Chuan*, 28(1), 26–30.

- Joober, R., Grizenko, N., Sengupta, S., Amor, L. B., Schmitz, N., Schwartz, G., et al. (2007, June). Dopamine transporter 30-UTR VNTR genotype and ADHD: a pharmaco-behavioural genetic study with methylphenidate. *Neuropsychopharmacology*, 32(6), 1370–1376.
- Joseph, J. (2000). Not in Their Genes: A Critical View of the Genetics of Attention-Deficit Hyperactivity Disorder. *Developmental Review* 20(4), 539–567.
- Kalachnik, J. E., Sprague, R. L., Sleator, E. K., Cohen, M. N., & Ullmann, R. K. (1982). Effect of methylphenidate hydrochloride on stature of hyperactive children. *Developmental Medicine and Child Neurology*, 24(5), 586–595.
- Karatekin, C., Markiewicz, S. W., & Siegel, M. A. (2003). A preliminary study of motor problems in children with attention-Deficit/Hyperactivity disorder. *Perceptual and Motor Skills*, 97(2), 1267–1280.
- Kereszturi, E., Tarnok, Z., Bognar, E., Lakatos, K., Farkas, L., Gadoros, J., et al. (2008, January). Catechol-O-methyltransferase Val158Met polymorphism is associated with methylphenidate response in ADHD children. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 147(8), 1431–1435.
- Kessler, R. C., Adler, L., Barkley, R., Biederman, J., Conners, C. K., Demler, O., et al. (2006, April). The prevalence and correlates of adult ADHD in the United States: results from the National Comorbidity Survey Replication. *American Journal of Psychiatry*, 163(4), 716–723.
- Kessler, R. C., Green, J. G., Adler, L. A., Barkley, R. A., Chatterji, S., Faraone, S. V., et al. (2010, November). Structure and diagnosis of adult attention-deficit/hyperactivity disorder: analysis of expanded symptom criteria from the Adult ADHD Clinical Diagnostic Scale. *Archives of General Psychiatry*, 67(11), 1168–1178.
- Kim, J. W., Biederman, J., Arbeitman, L., Fagerness, J., Doyle, A. E., Petty, C., et al. (2007, September). Investigation of variation in SNAP-25 and ADHD and relationship to co-morbid major depressive disorder. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 144(6), 781–790.
- King, J. A., Barkley, R. A., & Barrett, S. (1998). Attention-Deficit Hyperactivity Disorder and the Stress Response. *Journal of Biological Psychiatry*, 44(1), 73–74.
- Klein, R. G., Landa, B., Mattes, J. A., & Klein, D. F. (1988). Methylphenidate and growth in hyperactive children. A controlled withdrawal study. *Archives of General Psychiatry*, 45(12), 1127–1130.
- Klimkeit, E. I., Sheppard, D. M., Lee, P., & Bradshaw, J. L. (2004). Bimanual coordination deficits in attention Deficit/Hyperactivity disorder (ADHD). *Journal of Clinical and Experimental Neuropsychology*, 26(8), 999–1010.
- Knouse, L. E., Cooper-Vince, C., Sprich, S., & Safren, S. (2008, October). Recent developments in the psychosocial treatment of adult ADHD. *Expert Review of Neurotherapeutics*, 8(10), 1537–1548.
- Kooistra, L., Crawford, S., Dewey, D., Cantell, M., & Kaplan, B. J. (2005, May-June). Motor correlates of ADHD: contribution of reading disability and oppositional defiant disorder. *Journal of Learning Disabilities*, 38(3), 195–206.
- Kopečková, M., Paclt, I., Petrásek, J., Pacltová, D., Malíková, M., & Zagatová, V. (2008, April). Some ADHD polymorphisms (in genes DAT1, DRD2, DRD3, DBH, 5-HTT) in case-control study of 100 subjects 6–10 age. *Neuro Endocrinology Letters*, 29(2), 246–251.
- Kopřivová, J., 2015. Neurobiologická zpětná vazba v aktuálním výzkumu. In R. Ptáček & M. Novotný. *Biofeedback v teorii a praxi*. Praha, Grada.
- Kotimaa, A. J., Moilanen, I., Taanila, A., Ebeling, H., Smalley, S. L., McGough, J. J., et al. (2003, July). Maternal smoking and hyperactivity in 8-year-old children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(7), 826–833.
- Kovács-Nagy, R., Hu, J., Rónai, Z., & Sasvári-Székely, M. (2009, June). SNAP-25: a novel candidate gene in psychiatric genetics. *Neuropsychopharmacol Hung*, 11(2), 89–94.
- Krain, A. L., & Castellanos, F. X. (2006). Brain development and ADHD. *Clinical Psychology Review*, 26(4), 433–444.
- Kratochvil, C. J., Egger, H., Greenhill, L. L., & McGough, J. J. (2006). Pharmacological management of preschool ADHD. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(1), 115–118.

- Kratochvil, C. J., Milton, D. R., Vaughan, B. S., & Greenhill, L. L. (2008). Acute atomoxetine treatment of younger and older children with ADHD: a meta-analysis of tolerability and efficacy. *Child and Adolescent Psychiatry and Mental Health*, 2(1), 25.
- Kratochvil, C. J., Wilens, T. E., Greenhill, L. L., Gao, H., Baker, K. D., Feldman, P. D., et al. (2006). Effects of long-term atomoxetine treatment for young children with attention-deficit/hyperactivity disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(8), 919–927.
- Kreppner, J. M., O'Connor, T. G., & Rutter, M. (2001, December). English and Romanian Adoptees Study Team. Can inattention/overactivity be an institutional deprivation syndrome? *Journal of Abnormal Child Psychology*, 29(6), 513–528.
- Kučera, O. (1967). Psychopathology of children with minimal brain injuries. *Psychiatrie, Neurologie und medizinische Psychologie. Beihefte*, 8, 32–37.
- Kuželová, H., Ptáček, R., & Macek, M. (2010). The serotonin transporter gene (5-HTT) variant and psychiatric disorders: review of current literature. *Neuro Endocrinology Letters*, 31(1), 4–10.
- Laakso, A., Pohjalainen, T., Bergman, J., Kajander, J., Haaparanta, M., Solin, O., et al. (2005). The A1 allele of the human D2 dopamine receptor gene is associated with increased activity of striatal L-amino acid decarboxylase in healthy subjects. *Pharmacogenetics and Genomics*, 15(6), 387–391.
- Lam, L. T., & Yang, L. (2007). Overweight/obesity and attention deficit and hyperactivity disorder tendency among adolescents in China. *International Journal of Obesity*, 31(4), 584–590.
- Lambert, N. M., & Hartsough, C. S. (1998, November-December). Prospective study of tobacco smoking and substance dependencies among samples of ADHD and non-ADHD participants. *Journal of Learning Disabilities*, 31(6), 533–544.
- Laufer, M. W., Denhoff, E., & Solomons, G. (1957). Hyperactive Impulsive Disorder in Children's Behaviour Problems. *Psychosomatic Medicine*, 19, 38–49.
- Levy, F. (2009, February). Dopamine vs noradrenaline: inverted-U effects and ADHD theories. *Australian and New Zealand Journal of Psychiatry*, 43(2), 101–108.
- Lezak, M. D. (2004). *Neuropsychological assessment*. New York: Oxford University Press.
- Li, J., Wang, Y., Zhou, R., Zhang, H., Yang, L., Wang, B., et al. (2006). Association between tryptophan hydroxylase gene polymorphisms and attention deficit hyperactivity disorder in Chinese Han population. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 141(2), 126–129.
- Liebson, C. L., Katusic, S. K., Barbaresi, W. J., Ransom, J., & O'Brien, P. C. (2001, January). Use and costs of medical care for children and adolescents with and without attention-deficit/hyperactivity disorder. *Journal of the American Medical Association*, 285(1), 60–66.
- Lisska, M. C., & Rivkees, S. A. (2003). Daily methylphenidate use slows the growth of children: a community based study. *Journal of Pediatric Endocrinology Metabolism*, 16(5), 711–718.
- Lubar, J. F., & Shouse, M. N. (1976). EEG and behavioral changes in a hyperkinetic child concurrent with training of the sensorimotor rhythm (SMR): a preliminary report. *Biofeedback Self-regulation*, 1, 293–306.
- Luders, E., Narr, K. L., Hamilton, L. S., Phillips, O. R., Thompson, P. M., Valle, J. S., et al. (2009). Decreased callosal thickness in attention-deficit/hyperactivity disorder. *Biological Psychiatry*, 65(1), 84–88.
- Ma, L., Chen, Y. H., Chen, H., Liu, Y. Y., & Wang, Y. X. (2011, January). The function of hypothalamus – pituitary – adrenal axis in children with ADHD. *Brain Research*, 1368, 159–162.
- Maidment, I. D. (2003). Efficacy of stimulants in adult ADHD. *Annals of Pharmacotherapy*, 37(12), 1884–1890.
- Malá, E. (2002). Hyperkinetické poruchy. *Pediatric pro praxi*, 1, 14–17.
- Malá, E. (2008). ADHD – symptom a pohlaví. *Česká a slovenská psychiatrie*, 104(4), 172–179.
- Manuck, S. B., Flory, J. D., Ferrell, R. E., Mann, J. J., & Muldoon, M. F. (2000). A regulatory polymorphism of the monoamine oxidase-A gene may be associated with variability in aggression, impulsivity, and central nervous system serotonergic responsivity. *Psychiatry Research*, 95(1), 9–23.

- Martásková, D., Šlachťová, L., Kemlink, D., Záhoráková, D., & Papežová, H. (2009). Polymorphisms in serotonin-related genes in anorexia nervosa. The first study in Czech population and metaanalyses with previously performed studies. *Folia Biologica*, 55(5), 192–197.
- Matějček, Z. (2003). Poznámka k evolučnímu pohledu na syndrom ADHD. *Psychiatrie pro praxi*, 3, 131–133.
- Mattison, D. R., Plant, T. M., Lin, H. M., Chen, H. C., Chen, J. J., Twaddle, N. C., et al. (2011). Pubertal delay in male nonhuman primates (*Macaca mulatta*) treated with methylphenidate. *Proceedings of the National Academy of Sciences of the United States of America*, 108(39), 16301–16306.
- McGee, R., Birkbeck, J., & Silva, P. A. (1985). Physical development of hyperactive boys. *Developmental Medicine and Child Neurology*, 27(3), 364–368.
- McGough, J., McCracken, J., Swanson, J., Riddle, M., Kollins, S., Greenhill, L., et al. (2006). Pharmacogenetics of methylphenidate response in preschoolers with ADHD. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(11), 1314–1322.
- Michelson, D., Allen, A. J., Busner, J., Casat, C., Dunn, D., Kratochvil, C., et al. (2002). Once-daily atomoxetine treatment for children and adolescents with attention deficit hyperactivity disorder: a randomized, placebo-controlled study. *American Journal of Psychiatry*, 159(11), 1896–1901.
- Mick, E., Wozniak, J., Wilens, T. E., Biederman, J., & Faraone, S. V. (2009, February). Family-based association study of the BDNF, COMT and serotonin transporter genes and DSM-IV bipolar-I disorder in children. *BioMed Central Psychiatry*, 9, 2–7.
- Mikami, A. Y., Hinshaw, S. P., Patterson, K. A., & Lee, J. C. (2008). Eating pathology among adolescent girls with attention-deficit/hyperactivity disorder. *Journal of Abnormal Psychology*, 117(1), 225–235.
- Miller, S. R., Miller, C. J., Bloom, J. S., Hynd, G. W., & Craggs, J. G. (2006, February). Right hemisphere brain morphology, attention-deficit hyperactivity disorder (ADHD) subtype, and social comprehension. *Journal of Child Neurology*, 21(2), 139–144.
- Millichap, J. G., (1978). Growth of Hyperactive Children Treated with Methylphenidate. *Journal of Learning Disabilities*, 11(9), 567–570.
- Millichap, J. G., & Millichap, M. (1975, June). Letter: Growth of hyperactive children. *The New England Journal of Medicine*, 292(24), 1300.
- Mills, S., Langley, K., Van den Bree, M., Street, E., Turic, D., Owen, M. J., et al. (2004, June). No evidence of association between Catechol-O-Methyltransferase (COMT) Val158Met genotype and performance on neuropsychological tasks in children with ADHD: A case-control study. *BioMed Central Psychiatry*, 4(1), 15–19.
- Molina, B. S., Hinshaw, S. P., Swanson, J. M., Arnold, L. E., Vitiello, B., Jensen, P. S., et al. (2009). The MTA at 8 years: prospective follow-up of children treated for combined-type ADHD in a multisite study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 48(5), 484–500.
- Monastra, V. J., Lynn, S., Linden, M., Lubar, J. F., Gruzelier, J., & LaVaque, T. J. (2005). Electroencephalographic biofeedback in the treatment of attention-deficit/hyperactivity disorder. *Applied Psychophysiology and Biofeedback*, 30, 95–114.
- Moon, D. S., Paik, J. W., Cho, A., Kim, J. W., Kim, E. J., & Chung, J. H. (2010). Association of schizophrenia and dopamine b-hydroxylase (DBH) polymorphism in Korean population. *European Neuropsychopharmacology*, 20, 220–221.
- Mostofsky, S. H., Newschaffer, C. J., & Denckla, M. B. (2003). Overflow movements predict impaired response inhibition in children with ADHD. *Perceptual and Motor Skills*, 97(3), 1315–1331.
- Mostofsky, S. H., Wendlandt, J., Cutting, L., Denckla, M. B., & Singer, H. S. (1999). Corpus callosum measurements in girls with Tourette syndrome. *Neurology*, 53(6), 1345–1347.
- Moungnoi, F., & Maipang, P. (2011). Long-Term Effects of Short-Acting Methylphenidate on Growth Rates of Children with Attention Deficit Hyperactivity Disorder at Queen Sirikit National Institute of Child Health. *Journal of the Medical Association of Thailand*, 94(3), 158–163.

- MTA Cooperative Group (2004). National Institute of Mental Health Multimodal Treatment Study of ADHD Follow-up: changes in effectiveness and growth after the end of treatment. *Pediatrics*, 113(4), 762–769.
- Muglia, P., Jain, U., & Kennedy, J. L. (2002). A transmission disequilibrium test of the Ser9/Gly dopamine D3 receptor gene polymorphism in adult attention-deficit hyperactivity disorder. *Behavioural Brain Research*, 130(1–2), 91–95.
- Munden, A., & Arcelus, J. (2002). *Poruchy pozornosti a hyperaktivita*. Praha: Portál.
- Murphy, K., & Barkley, R. A. (1996). Attention deficit hyperactivity disorder in adults: Comorbidities and adaptive impairments. *Comprehensive Psychiatry*, 37(6), 393–401.
- Mustillo, S., Worthman, C., Erkanli, A., Keller, G., Angold, A., & Costello, J. (2003, April). Obesity and Psychiatric disorder: Developmental Trajectories. *Pediatrics*, 111(1), 851–859.
- Nazar, B. P., Pinna, C. M., Coutinho, G., Segenreich, D., Duchesne, M., Appolinario, J. C., Mattos, P., et al. (2008, December). Review of literature of attention-deficit/hyperactivity disorder with comorbid eating disorders. *Revista Brasileira de Psiquiatria*, 30(4), 384–389.
- Nigg, J., Nikolas, M., Friderici, K., Park, L., & Zucker, R. A. (2007). Genotype and neuropsychological response inhibition as resilience promoters for attention-deficit/hyperactivity disorder, oppositional defiant disorder, and conduct disorder under conditions of psychosocial adversity. *Developmental and Psychopathology*, 19(3), 767–786.
- Nobile, M., Rusconi, M., Bellina, M., Marino, C., Giorda, R., Carlet, O., et al. (2009, November). COMT Val158Met polymorphism and socioeconomic status interact to predict attention deficit/hyperactivity problems in children aged 10–14. *European Child and Adolescent Psychiatry*, 19(7), 549–557.
- Ogdie, M. N., Fisher, S. E., Yang, M., Ishii, J., Francks, C., Loo, S. K., et al. (2004). Attention deficit hyperactivity disorder: fine mapping supports linkage to 5p13, 6q12, 16p13, and 17p11. *American Journal of Human Genetics*, 75(4), 661–668.
- Ogdie, M. N., Macphie, I. L., Minassian, S. L., Yang, M., Fisher, S. E., Francks, C., et al. (2003). A genomewide scan for attention-deficit/hyperactivity disorder in an extended sample: suggestive linkage on 17p11. *American Journal of Human Genetics*, 72(5), 1268–1279.
- Ouellet-Morin, I., Wigg, K. G., Feng, Y., Dionne, G., Robaey, P., Brendgen, M., et al. (2008). Association of the dopamine transporter gene and ADHD symptoms in a Canadian population-based sample of same-age twins. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 147(8), 1442–1449.
- Paclt, I. (2007). *Hyperkinetická porucha a poruchy chování*. Praha: Grada.
- Paclt, I., & Florián, J. (1998). *Psychofarmakologie dětského věku*. Praha: Grada.
- Paclt, I., Drtílková, I., Kopečková, M., Theiner, P., Šerý, O., & Čermáková, N. (2010). The association between TaqI A polymorphism of ANKK1 (DRD2) gene and ADHD in the Czech boys aged between 6 and 13 years. *Neuro Endocrinology Letters*, 31(1), 131–136.
- Paclt, I., Koudelová, J., Pacltová, D., & Kopečková, M. (2009). Dopamine beta hydroxylase (DBH) plasma activity in childhood mental disorders. *Neuroendocrinology Letters*, 30(5), 604–609.
- Paclt, I., Ptáček, R., & Florián, J. (2006). *Hyperaktivita*. Praha: Vzdělávací institut ochrany dětí.
- Pagoto, S. L., Curtin, C., Lemon, S. C., Bandini, L. G., Schneider, K. L., Bodenlos, J. S., et al. (2009). Association between adult attention deficit/hyperactivity disorder and obesity in the US population. *Obesity*, 17(3), 539–544.
- Papežová, H. (2006). Nové otázky a jejich řešení u poruch příjmu potravy. *Časopis lékařů českých*, 145(3), 181–183.
- Personen, A. K., Kajantie, E., Jones, A., Pyhälä, R., Lahti, J., Heinonen, K., et al. (2011, November). Symptoms of attention deficit hyperactivity disorder in children are associated with cortisol responses to psychosocial stress but not with daily cortisol levels. *Journal of Psychiatric Research*, 45(11), 1471–1476.
- Pliszka, S. R., Matthews, T. L., Braslow, K. J., & Watson, M. A. (2006). Comparative effects of methylphenidate and mixed salts amphetamine on height and weight in children with attention-deficit/

- hyperactivity disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(5), 520–526.
- Polanczyk, G., Zeni, C., Genro, J. P., Guimarães, A. P., Roman, T., Hutz, M. H., et al. (2007, February). Association of the adrenergic alpha2A receptor gene with methylphenidate improvement of inattentive symptoms in children and adolescents with attention-deficit/hyperactivity disorder. *Archives of General Psychiatry*, 64(2), 218–224.
- Pomerleau, O. F., Downey, K. K., Stelson, F. W., & Pomerleau, C. S. (1995). Cigarette smoking in adult patients diagnosed with attention deficit hyperactivity disorder. *Journal of Substance Abuse Treatment*, 7(3), 373–378.
- Poulton, A. (2005). Growth on stimulant medication; clarifying the confusion: a review. *Archives of Disease in Childhood*, 90(8), 801–806.
- Poulton, A., & Cowell, C. T. (2003). Slowing of growth in height and weight on stimulants: a characteristic pattern. *Journal of Paediatrics and Child Health*, 39(3), 180–185.
- Poulton, A., & Nanan, R. (2009, May). Stimulant medications and growth. *Journal of the American Academy of Child and Adolescent Psychiatry*, 48(5), 574–576.
- Prince, J. (2008, June). Catecholamine dysfunction in attention-deficit/hyperactivity disorder: an update. *Journal of Clinical Psychopharmacology*, 28(2), 39–45.
- Ptáček, R., Kuželová, H., & Macek, M. Jr. (2010). Farmakogenetika ADHD. *Česká a slovenská Psychiatrie*, 106(4), 226–229.
- Ptáček, R., Kuželová, H., & Paclt, I. (2009). ADHD and growth: Anthropometric changes in medicated and non-medicated ADHD boys. *Medical Science Monitor*, 15(12), 595–599.
- Ptáček, R., Kuželová, H., Paclt, I., & Žukov, I. (2008). Vliv medikace na antropometrické charakteristiky dětí s ADHD. *Česká a slovenská Psychiatrie*, 104(8), 415–419.
- Ptáček, R., Kuželová, H., Paclt, I., Žukov, I., & Fischer, S. (2009a). Somatic and Endocrinological Changes in non Medicated ADHD Children. *Prague Medical Report*, 110(1), 25–34.
- Ptáček, R., Kuželová, H., Paclt, I., Žukov, I., & Fischer, S. (2009b). Anthropometric changes in non-medicated ADHD boys. *Neuro Endocrinology Letters*, 30(3), 377–381.
- Purdie, N., Hattie, J., & Carroll, A. (2002). A Review of the Research on Interventions for Attention-Deficit Hyperactivity Disorder: What Works Best? *Review of Educational Research*, 72(1), 61–99.
- Purper-Ouakil, D., Wohl, M., Mouren, M. C., Verpillat, P., Ades, J., & Gorwood, P. (2005). Meta-analysis of family-based association studies between the dopamine transporter gene and attention deficit hyperactivity disorder. *Psychiatric Genetics*, 15(1), 53–59.
- Purper-Ouakil, D., Wohl, M., Orejarena, S., Cortese, S., Boni, C., Asch, M., et al. (2008, December). Pharmacogenetics of methylphenidate response in attention deficit/hyperactivity disorder: association with the dopamine transporter gene (SLC6A3). *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 147(8), 1425–1430.
- Quist, J. F., Barr, C. L., Schachar, R., Roberts, W., Malone, M., Tannock, R., et al. (2003). The serotonin 5-HT1B receptor gene and attention deficit hyperactivity disorder. *Molecular Psychiatry*, 8(1), 98–102.
- Rao, J. K., Julius, J. R., Breen, T. J., & Blethen, S. L. (1998). Response to Growth Hormone in Attention Deficit Hyperactivity Disorder: Effects of Methylphenidate and Pe-moline Therapy. *Pediatrics*, 102(3), 497–500.
- Reda, M. M., & El-Hadidy, E. (2011). Serum leptin in children with attention deficit hyperactivity disorder. *Middle East Current Psychiatry*, 18(1), 1–5.
- Roman, T., Polanczyk, G. V., Zeni, C., Genro, J. P., Rohde, L. A., & Hutz, M. H. (2006). Further evidence of the involvement of alpha-2A-adrenergic receptor gene (ADRA2A) in inattentive dimensional scores of attention-deficit/hyperactivity disorder. *Molecular Psychiatry*, 11(1), 8–10.
- Roman, T., Schmitz, M., Polanczyk, G. V., Eizirik, M., Rohde, L. A., & Hutz, M. H. (2003). Is the alpha-2A adrenergic receptor gene (ADRA2A) associated with attention deficit/hyperactivity disorder? *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 120(1), 116–120.

- Roman, T., Szobot, C., Martins, S., Biederman, J., Rohde, L. A., & Hutz, M. H. (2002, August). Dopamine transporter gene and response to methylphenidate in attention-deficit/hyperactivity disorder. *Pharmacogenetics*, 12(6), 497–499.
- Romanos, M., Freitag, C., Jacob, C., Craig, D. W., Dempfle, A., Nuen, T. T., et al. (2008). Genome-wide linkage analysis of ADHD using high-density SNP arrays: novel loci at 5q13.1 and 14q12. *Molecular Psychiatry*, 13(5), 522–530.
- Rose, S. R., Reeves, G., Gut, R., & Germak, J. (2011). Impact of Attention Deficit Hyperactivity Disorder (ADHD) Treatment on Response to Growth Hormone Therapy (GHT). *Pediatric Academic Societies (PAS) and Asian Society for Pediatric Research 2011 Annual Meeting*: Abstract 1402.24. Presented April 30, 2011.
- Rubia, K., Cubillo, A., Woolley, J., Brammer, M. J., & Smith, A. (2011, April). Disorder-specific dysfunctions in patients with attention-deficit/hyperactivity disorder compared to patients with obsessive-compulsive disorder during interference inhibition and attention allocation. *Human Brain Mapping*, 32(4), 601–611.
- Safer, D. J., & Allen, R. P. (1973). Factors influencing the suppressant effects of two stimulant drugs on the growth of hyperactive children. *Pediatrics*, 51(4), 660–667.
- Safer, D. J., Allen, R. P., & Barr, E. (1972). Depression of growth in hyperactive children on stimulant drugs. *The New England Journal of Medicine*, 287(5), 217–220.
- Sagvolden, T., Russell, V. A., Aase, H., Johansen, E. B., & Farshbaf, M. (2005). Rodent models of attention-deficit/hyperactivity disorder. *Biological Psychiatry*, 57(11), 1239–1247.
- Seeger, G., Schloss, P., & Schmidt, M. H. (2001). Marker gene polymorphisms in hyperkinetic disorder: predictors of clinical response to treatment with methylphenidate? *Neuroscience Letters*, 313(1–2), 45–48.
- Setoodeh, A., & Teleffson, S. (2007). Attention Deficit Hyperactivity Disorder and Growth. *Iranian Journal of Pediatrics*, 17(2), 183–187.
- Shaw, P., Eckstrand, K., Sharp, W., Blumenthal, J., Lerch, J. P., Greenstein, D., et al. (2007). Attention-deficit/hyperactivity disorder is characterized by a delay in cortical maturation. *Proceedings of the National Academy Sciences United States of America*, 104(49), 19649–19654.
- Shaw, P., Lerch, J., Greenstein, D., Sharp, W., Clasen, L., Evans, A., et al. (2006). Longitudinal mapping of cortical thickness and clinical outcome in children and adolescents with attention-deficit/hyperactivity disorder. *Archives of General Psychiatry*, 63(5), 540–549.
- Shaw, P., & Rabin, C. (2009). New insights into attention-deficit/hyperactivity disorder using structural neuroimaging. *Current Psychiatry Reports*, 11(5), 393–398.
- Sheehan, K., Lowe, N., Kirley, A., Mullins, C., Fitzgerald, M., Gill, M., et al. (2005). Tryptophan hydroxylase 2 (TPH2) gene variants associated with ADHD. *Molecular Psychiatry*, 10(10), 944–949.
- Schertz, M., Adelman, A. R., Alfieri, N. E., & Bienkowski, R. S. (1996). Predictors of weight loss in children with attention deficit hyperactivity disorder treated with stimulant medication. *Pediatrics*, 98(4), 763–769.
- Schmitz, M., Denardin, D., Silva, T. L., Pianca, T., Roman, T., Hutz, M. H., et al. (2006, November). Association between alpha-2a-adrenergic receptor gene and ADHD inattentive type. *Biological Psychiatry*, 60(10), 1028–1033.
- Schoechlin, C., & Engel, R. R. (2005). Neuropsychological performance in adult attention-deficit hyperactivity disorder: Meta-analysis of empirical data. *Archives of Clinical Neuropsychology*, 20(6), 727–744.
- Silk, T. J., Vance, A., Rinehart, N., Bradshaw, J. L., & Cunnington, R. (2009). White-matter abnormalities in attention deficit hyperactivity disorder: A diffusion tensor imaging study. *Human Brain Mapping*, 30(9), 2757–2765.
- Sinn, N., & Bryan, J. (2007, April). Effect of supplementation with polyunsaturated fatty acids and micronutrients on learning and behavior problems associated with child ADHD. *Journal of Developmental and Behavioral Pediatrics*, 28(2), 82–91.

- Smith, B. H., Molina, B. S. G., & Pelham, W. E. (2002). The clinically meaningful link between alcohol and attention-deficit/hyperactivity disorder. *Alcohol, Health, and Research World*, 26(2), 122–129.
- Smoller, J. W., Biederman, J., Arbeitman, L., Doyle, A. E., Fagerness, J., Perlis, R. H., et al. (2006). Association between the 5HT1B receptor gene (HTR1B) and the inattentive subtype of ADHD. *Biological Psychiatry*, 59(5), 460–467.
- Solanto, M. V., Arnsten, A. F. T. & Castellanos, F. X. (2001). The Neuroscience of Stimulant Drug Action in ADHD. In M. V. Solanto, A. F. T. Arnsten & F. X. Castellanos, *Stimulant Drugs and ADHD: Basic and Clinical Neuroscience* (pp. 355–379). New York: Oxford University Press.
- Soldin, O. P., Nandedkar, A. K., Japal, K. M., Stein, M., Mosee, S., Magrab, P., et al. (2002, May). Newborn thyroxine levels and childhood ADHD. *Clinical Biochemistry*, 35(2), 131–136.
- Spencer, T., Biederman, J., & Wilens, T. (1998). Growth deficits in children with attention deficit hyperactivity disorder. *Pediatrics*, 102(3), 501–506.
- Spencer, T. J., Biederman, J., Wilens, T., Guite, J., & Harding, M. (1995, July). ADHD and thyroid abnormalities: a research note. *Journal of Child Psychology and Psychiatry*, 36(5), 879–885.
- Spencer, T. J., Faraone, S. V., Biederman, J., Lerner, M., Cooper, K. M., & Zimmerman, B. (2006, May). Concerta Study Group. Does prolonged therapy with a long-acting stimulant suppress growth in children with ADHD? *Journal of American Academy of Child and Adolescent Psychiatry*, 45(5), 527–537.
- Spencer, T. J., Heiligenstein, J. H., Biederman, J., Faries, D. E., Kratochvil, C. J., Conners, C. K., et al. (2002). Results from 2 proof-of-concept, placebo-controlled studies of atomoxetine in children with attention-deficit/hyperactivity disorder. *Journal of Clinical Psychiatry*, 63(12), 1140–1147.
- Stadler, C., Kroeger, A., Weyers, P., Grasmann, D., Horschinek, M., Freitag, C., et al. (2011, May). Cortisol reactivity in boys with attention-deficit/hyperactivity disorder and disruptive behavior problems: the impact of callous unemotional traits. *Psychiatry Research*, 187(1–2), 204–209.
- Stark, R., Bauer, E., Merz, C. J., Zimmermann, M., Reuter, M., Plichta, M. M., et al. (2011, February). ADHD related behaviors are associated with brain activation in the reward system. *Neuropsychologia*, 49(3), 426–434.
- Stein, M. A., & Weiss, R. E. (2003, April). Thyroid function tests and neurocognitive functioning in children referred for attention deficit/hyperactivity disorder. *Psychoneuroendocrinology*, 28(3), 304–316.
- Stein, M. A., Waldman, I. D., Sarampote, C. S., Seymour, K. E., Robb, A. S., Conlone, C., et al. (2005, July). Dopamine transporter genotype and methylphenidate dose response in children with ADHD. *Neuropsychopharmacology*, 30(7), 1374–1382.
- Sterman, M. B. (2000). EEG Markers for Attention Deficit Disorder: Pharmacological and Neurofeedback Applications. *Child Study Journal*, 30(1), 1–24.
- Stevenson, J. (1992). Evidence for a genetic etiology in hyperactivity in children. *Behavior Genetics*, 22, 337–344.
- Still, G. F. (1902). Some abnormal psychical conditions in children: the Goulstonian lectures. *The Lancet*, 1, 1008–1012.
- Strauss, A. A., & Lehtinen, L. E. (1947). *Psychopathology and education of the brain-injured child*. New York: Grune and Stratton.
- Strimas, R., Davis, C., Patte, K., Curtis, C., Reid, C., & McCool, C. (2008). Symptoms of attention-deficit/hyperactivity disorder, overeating, and body mass index in men. *Eating Behaviors*, 9(4), 516–518.
- Sund, A. M., & Zeiner, P. (2002). Does extended medication with amphetamine or methylphenidate reduce growth in hyperactive children? *Nordic Journal of Psychiatry*, 56(1), 53–57.
- Surman, C. B., Randall, E. T., & Biederman, J. (2006). Association between attention-deficit/hyperactivity disorder and bulimia nervosa: analysis of 4 case-control studies. *Journal of Clinical Psychiatry*, 67(3), 351–354.
- Swanson, J., Greenhill, L. L., Wigal, T., Kollins, S. H., Stehli-Nguyen, A., Davies, M., et al. (2006). Stimulant-Related Reductions of Growth Rates in the PATS. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(11), 1304–1313.

- Swanson, J. M., Sergeant, J. A., Taylor, E., Sonuga-Barke, E. J. S., Jensen, P. S., & Cantwell, D. P. (1998). Attention-deficit Hyperactivity Disorder and Hyperkinetic Disorder. *The Lancet*, 351(9100), 429–433.
- Šmahel, Z. (2001). *Principy teorie a metody auxologie*. Praha: Karolinum.
- Thapar, A., Cooper, M., Eyre, O., & Langley, K. (2013). Practitioner Review: What have we learnt about the causes of ADHD? *Journal of Child Psychology and Psychiatry*, 54(1), 3–16.
- Tharoor, H., Lobos, E. A., Todd, R. D., & Reiersen, A. M. (2008, June). Association of dopamine, serotonin, and nicotinic gene polymorphisms with methylphenidate response in ADHD. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 147(4), 527–530.
- Toren, P., Karasik, A., Eldar, S., Wolmer, L., Shimon, I., Weitz, R., et al. (1997, May-June). Thyroid function in attention deficit and hyperactivity disorder. *Journal of Psychiatric Research*, 31(3), 359–363.
- Van West, D., Claes, S., & Deboutte, D. (2009). Differences in hypothalamic-pituitary-adrenal axis functioning among children with ADHD predominantly inattentive and combined types. *European Child and Adolescent Psychiatry*, 18(9), 543–553.
- Vágnerová, M. (2001). *Kognitivní a sociální psychologie žáka základní školy*. Praha: Karolinum.
- Vágnerová, M. (2005). *Vývojová psychologie I*. Praha: Karolinum.
- Viggiano, D., Grammatikopoulos, G., & Sadile, A. G. (2002, March). A morphometric evidence for a hyperfunctioning mesolimbic system in an animal model of ADHD. *Behavioural Brain Research*, 130(1–2), 181–189.
- Vincent, J., Varley, C. K., & Leger, P. (1990). Effects of methylphenidate on early adolescent growth. *The American Journal of Psychiatry*, 147(4), 501–502.
- Volkow, N. D., Wang, G. J., Fowler, J. S., & Ding, Y. S. (2005). Imaging the effects of methylphenidate on brain dopamine: new model on its therapeutic actions for attention-deficit/hyperactivity disorder. *Biological Psychiatry*, 57(11), 1410–1415.
- von Ranson, K. M., & Cassin, S. E. (2007). Eating disorders and addiction: Theory and evidence. In J. S. Rubin (Ed.), *Eating Disorders and Weight Loss Research* (pp. 1–37). New York: Nova Science Publishers.
- Walitza, S., Renner, T. J., Dempfle, A., Konrad, K., Wewetzer, C., Halbach, A., et al. (2005). Transmission disequilibrium of polymorphic variants in the tryptofan hydroxylase-2 gene in attention-deficit/hyperactivity disorder. *Molecular Psychiatry*, 10(12), 1126–1132.
- Waring, M. E., & Lapane, K. L. (2008). Overweight in Children and Adolescents in Relation to Attention-Deficit/Hyperactivity Disorder: Results From a National Sample. *Pediatrics*, 122(1), 1–6.
- Waxman, S. E. (2009, November). A systematic review of impulsivity in eating disorders. *European Eating Disorders Review*, 17(6), 408–425.
- Webster-Stratton, C., Reid, M. J., & Hammond, M. (2001). Social skills and problem solving training for children with early-onset conduct problems: who benefits? *Journal of Child Psychology and Psychiatry*, 42(7), 943–952.
- Weiss, R. E., Stein, M. A., Trommer, B., & Refetoff, S. (1993, October). Attention-deficit hyperactivity disorder and thyroid function. *Journal of Pediatrics*, 123(4), 539–545.
- Wilens, T. E. (2008). Effects of methylphenidate on the catecholaminergic system in attention-deficit/hyperactivity disorder. *Journal of Clinical Psychopharmacology*, 28(2), 46–53.
- Winsberg, B. G., & Comings, D. E. (1999, December). Association of the dopamine transporter gene (DAT1) with poor methylphenidate response. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(12), 1474–1477.
- Yan, T., McQuillin, A., Thapar, A., Asherson, P., Hunt, S., Stanford, S., et al. (2010, January). NK1 (TACR1) receptor gene ‘knockout’ mouse phenotype predicts genetic association with ADHD. *Journal of Psychopharmacology*, 24(1), 27–38.
- Yang, L., Wang, Y. F., Li, J., & Faraone, S. V. (2004, September). Association of norepinephrine transporter gene with methylphenidate response. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(9), 1154–1158.

- Zachor, D. A., Roberts, A. W., Hodgins, J. B., Isaacs, J. S., & Merrick, J. (2006). Effect of longterm psychostimulant medication on growth of children with ADHD. *Research of Developmental Disabilities*, 27(2), 162–174.
- Zametkin, A. J., Nordahl, T. E., Gross, M., King, A. C., Semple, W. E., Rumsey, J., et al. (1990). Cerebral glucose metabolism in adults with hyperactivity of childhood onset. *The New England Journal of Medicine*, 323(20), 1361–1366.
- Zametkin, A. J., Rapoport, J. L., Murphy, D. L., Linnoila, M., & Ismond, D. (1985). Treatment of hyperactive children with monoamine oxidase inhibitors. I. Clinical efficacy. *Archives of General Psychiatry*, 42(10), 962–966.
- Zeni, C. P., Guimaraes, A. P., Polanczyk, G. V., Genro, J. P., Roman, T., Hutz, M. H., et al. (2007, April). No significant association between response to methylphenidate and genes of the dopaminergic and serotonergic systems in a sample of Brazilian children with attention-deficit/ hyperactivity disorder. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 144(3), 391–394.
- Zhang, H., Du, M., Zhuang, S., & Liu, M. (2005). Influence of methylphenidate on growth of school age children with attention deficit hyperactivity disorder. *Zhonghua Er Ke Za Zhi*, 43(10), 723–725.
- Zhou, K., Dempfle, A., Arcos-Burgos, M., Bakker, S. C., Banaschewski, T., Biederman, J., et al. (2008b). Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 147(8), 1392–1398.
- Zhou, K., Chen, W., Buitelaar, J., Banaschewski, T., Oades, R. D., Franke, B., et al. (2008a). Genetic heterogeneity in ADHD: DAT1 gene only affects probands without CD. *American Journal of Medical Genetics Part B, Neuropsychiatric Genetics*, 147(8), 1481–1487.