

ZDROJE A DOPORUČENÁ LITERATURA

Korálový útes

- Aretz, M., Nudds, J., 'The Coral Fauna of the Holkerian/Asbian Boundary Stratotype Section (Carboniferous) at Little Asby Scar (Cumbria, England) and Its Implications for the Boundary', *Stratigraphy*, 2 (2005): 167–90.
- Bollati, E., et al., 'Green Fluorescent Protein-like Pigments Optimise the Internal Light Environment in Symbiotic Reef-building Corals', *eLife*, 11 (2022): e73521.
- Bourne, D. G., Morrow, K. M., Webster, N. S., 'Insights into the Coral Microbiome: Underpinning the Health and Resilience of Reef Ecosystems', *Annual Review of Microbiology*, 70 (2016): 317–40.
- Cooper, T. F., O'Leary, R. A., Lough, J. M., 'Growth of Western Australian Corals in the Anthropocene', *Science*, 335, no. 6068 (2012): 593–6.
- Cornwall, C. E., et al., 'Resistance of Corals and Coralline Algae to Ocean Acidification: Physiological Control of Calcification Under Natural pH Variability', *Proceedings of the Royal Society B*, 285, no. 1884 (2018): 20181168.
- CTI-CFF Regional Secretariat, Regional Plan of Action 2.0: *Coral Triangle Initiative on Coral Reefs, Fisheries and Food Security 2021–2030*, Manado, Indonesia: Coral Triangle Initiative on Coral Reefs, Fisheries and Food Security, 2022.

ZDROJE A DOPORUČENÁ LITERATURA

- Darwin, Charles R., *The Structure and Distribution of Coral Reefs. Being the first part of the geology of the voyage of the Beagle, under the command of Capt. Fitzroy, R.N. during the years 1832 to 1836*, 1. vyd., London: Smith, Elder, 1842
- Doney, S. C., et al., 'Ocean Acidification: The Other CO₂ Problem', *Annual Review of Marine Science*, 1 (2009): 169–92.
- Elise, S., et al., 'An Optimised Passive Acoustic Sampling Scheme to Discriminate Among Coral Reefs' Ecological States', *Ecological Indicators*, 107 (2019): 105627.
- Eyal, G., et al., 'Spectral Diversity and Regulation of Coral Fluorescence in a Mesophotic Reef Habitat in the Red Sea', *PLOS ONE*, 10 (2015): e0128697.
- Eyre, B. D., et al., 'Coral Reefs Will Transition to Net Dissolving Before End of Century', *Science*, 359, no. 6378 (2018): 908–11.
- Frieler, K., et al., 'Limiting Global Warming to 2 °C Is Unlikely to Save Most Coral Reefs', *Nature Climate Change*, 3 (2013): 165–70.
- Goffredo, S., et al., 'Colony and Polyp Biometry and Size Structure in the Orange Coral *Astroides calycularis* (Scleractinia: Dendrophylliidae)', *Marine Biology Research*, 7, no. 3 (2011): 272–80.
- Gruber, N., et al., 'The Oceanic Sink for Anthropogenic CO₂ from 1994 to 2007', *Science*, 363, no. 6432 (2019): 1193–9.
- Harborne, A. R., et al., 'Multiple Stressors and the Functioning of Coral Reefs', *Annual Review of Marine Science*, 9 (2017): 445–68.
- Hawkins, J. P., Roberts, C. M., 'Effects of Artisanal Fishing on Caribbean Coral Reefs', *Conservation Biology*, 18, no. 1 (2004): 215–26.
- Hoegh-Guldberg, O., Bruno, J. F., 'The Impact of Climate Change on the World's Marine Ecosystems', *Science*, 328, no. 5985 (2010): 1523–8.

ZDROJE A DOPORUČENÁ LITERATURA

- Hughes, T. P., et al., 'Coral Reefs in the Anthropocene', *Nature*, 546 (2017): 82–90.
- , 'Spatial and Temporal Patterns of Mass Bleaching of Corals in the Anthropocene', *Science*, 359, no. 6371 (2018): 80–3.
- Intergovernmental Panel on Climate Change, *Climate Change 2021 – The Physical Science Basis: Working Group I Contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*, 1. vyd., Cambridge: Cambridge University Press, 2023.
- Lapid, E., Wielgus, J., Chadwick-Furman, N., 'Sweeper Tentacles of the Brain Coral *Platygyra daedalea*: Induced Development and Effects on Competitors', *Marine Ecology Progress Series*, 282 (2004): 161–71.
- Lin, T.-H., et al., 'Exploring Coral Reef Biodiversity via Underwater Soundscapes', *Biological Conservation*, 253 (2021): 108901.
- McClanahan, T. R., Shafir, S. H., 'Causes and Consequences of Sea Urchin Abundance and Diversity in Kenyan Coral Reef Lagoons', *Oecologia*, 83 (1990): 362–70.
- Matsuda, S. B., et al., 'Temperature-Mediated Acquisition of Rare Heterologous Symbionts Promotes Survival of Coral Larvae under Ocean Warming', *Global Change Biology*, 28 (2022): 2006–25.
- Mourier, J., et al., 'Extreme Inverted Trophic Pyramid of Reef Sharks Supported by Spawning Groupers', *Current Biology*, 26, no. 15 (2016): 2011–16.
- Mumby, P. J., et al., 'Marine Reserves, Fisheries Ban, and 20 Years of Positive Change in a Coral Reef Ecosystem', *Conservation Biology*, 35, no. 5 (2021): 1473–83.
- Roberts, C. M., 'Effects of Fishing on the Ecosystem Structure of Coral Reefs', *Conservation Biology*, 9, no. 5 (1995): 988–95.
- Roopin, M., Chadwick, N. E., 'Benefits to Host Sea Anemones from Ammonia Contributions of Resident Anemonefish',

ZDROJE A DOPORUČENÁ LITERATURA

- Journal of Experimental Marine Biology and Ecology*, 370, nos 1–2 (2009): 27–34.
- Sabine, C. L., et al., 'The Oceanic Sink for Anthropogenic CO₂', *Science*, 305, no. 5682 (2004): 367–71.
- Sakai, K., 'Effect of Colony Size, Polyp Size, and Budding Mode on Egg Production in a Colonial Coral', *Biological Bulletin*, 195, no. 3 (1998): 319–25.
- Sheppard, C., *Coral Reefs: A Natural History*, Princeton: Princeton University Press, 2021.
- Simpson, S., et al., 'Attraction of Settlement-Stage Coral Reef Fishes to Reef Noise', *Marine Ecology Progress Series*, 276 (2004): 263–8.
- , 'Homeward Sound', *Science*, 308, no. 5719 (2005): 221.
- Smith, E. G., et al., 'Screening by Coral Green Fluorescent Protein (GFP)-like Chromoproteins Supports a role in Photoprotection of Zooxanthellae', *Coral Reefs*, 32 (2013): 463–74.
- Souter, D., et al. (eds), *Status of Coral Reefs of the World: 2020*, Global Coral Reef Monitoring Network and International Coral Reef Initiative, 2021, doi: 10.59387/WOTJ9184.
- Spalding, M. D., Ravilious, C., Green, E. P., *World Atlas of Coral Reefs*, Berkeley, CA: University of California Press, 2001.
- Tebbett, S. B., Connolly, S. R., Bellwood, D. R., 'Benthic Composition Changes on Coral Reefs at Global Scales', *Nature Ecology and Evolution*, 7 (2023): 71–81.
- Van Oppen, M. J. H., Blackall, L. L., 'Coral microbiome Dynamics, Functions and Design in a Changing World', *Nature Reviews Microbiology*, 17, no. 9 (2019): 557–67.
- Wilson, E. C., 'Permian Corals from the Spring Mountains, Nevada', *Journal of Paleontology*, 65, no. 5 (1991): 727–41.
- Wisshak, M., et al., 'Ocean Acidification Accelerates Reef Bioerosion', *PLOS ONE*, 7 (2012): e45124.

ZDROJE A DOPORUČENÁ LITERATURA

- Zapalski, M. K., et al., 'Coralliths of Tabulate Corals from the Devonian of the Holy Cross Mountains (Poland)', *Palaeogeography, Palaeoclimatology, Palaeoecology*, 585 (2022): 110745.

Hlubina

- Alfaro-Lucas, J., et al., 'Trophic Structure and Chemosynthesis Contributions to Heterotrophic Fauna Inhabiting an Abyssal Whale Carcass', *Marine Ecology Progress Series*, 596 (2018): 1–12.
- Anderson, T. R., Rice, T., 'Deserts on the Sea Floor: Edward Forbes and His Azoic Hypothesis for a Lifeless Deep Ocean', *Endeavour*, 30, no. 4 (2006): 131–7.
- Ausubel, J. H., Trew Crist, D., Waggoner, P. E., *First Census of Marine Life 2010: Highlights of a Decade of Discovery*, Washington, DC: Census of Marine Life International Secretariat, 2010.
- Bianchi, D., Mislan, K. A. S., 'Global Patterns of Diel Vertical Migration Times and Velocities from Acoustic Data: Global Patterns of Diel Vertical Migration', *Limnology and Oceanography*, 61 (2016): 353–64.
- Bolstad, K. S. R., et al., 'In-Situ Observations of an Intact Natural Whale Fall in Palmer Deep, Western Antarctic Peninsula', *Polar Biology*, 46, no. 4 (2023): 123–32.
- Bouchet, P., et al., 'Marine Biodiversity Discovery: The Metrics of New Species Descriptions', *Frontiers in Marine Science*, 10 (2023): 929989.
- Boyd, P. W., et al., 'Multi-faceted Particle Pumps Drive Carbon Sequestration in the Ocean', *Nature*, 568 (2019): 327–35.
- Brierley, A. S., 'Diel Vertical Migration', *Current Biology*, 24 (2014): R1074–R1076.
- Cailliet, G. M., et al., 'Age Determination and Validation Studies of Marine Fishes: Do Deep-Dwellers Live Longer?', *Experimental Gerontology*, 36, nos 4–6 (2001): 739–64.

ZDROJE A DOPORUČENÁ LITERATURA

- Corliss, J. B., et al., 'Submarine Thermal Springs on the Galápagos Rift', *Science*, 203, no. 4385 (1979): 1073–83.
- Etter, W., Hess, H., 'Reviews and Syntheses: The First Records of Deep-Sea Fauna – a Correction and Discussion', *Biogeosciences*, 12, no. 21 (2015): 6453–62.
- Foley, N. S., Van Rensburg, T. M., Armstrong, C. W., 'The Rise and Fall of the Irish Orange Roughy Fishery: An Economic Analysis', *Marine Policy*, 35 (2011): 756–63.
- Giering, S. L. C., et al., 'Reconciliation of the Carbon Budget in the Ocean's Twilight Zone', *Nature*, 507 (2014): 480–3.
- Global Ocean Science Report: The Current Status of Ocean Science Around the World*, Paris: UNESCO Publishing, 2017.
- Glover, A. G., Smith, C. R., 'The Deep-Sea Floor Ecosystem: Current Status and Prospects of Anthropogenic Change by the Year 2025', *Environmental Conservation*, 30, no. 3 (2003): 219–41.
- Harris, P. T., et al., 'Geomorphology of the Oceans', *Marine Geology*, 352 (2014): 4–24.
- Hein, J. R., Koschinsky, A., Kuhn, T., 'Deep-Ocean Polymetallic Nodules as a Resource for Critical Materials', *Nature Reviews Earth & Environment*, 1 (2020): 158–69.
- Jónasdóttir, S. H., et al., 'Seasonal Copepod Lipid Pump Promotes Carbon Sequestration in the Deep North Atlantic', *Proceedings of the National Academy of Sciences of the United States of America*, 112, no. 39 (2015): 12122–6.
- Jones, E., *The Challenger Expedition: Exploring the Ocean's Depths*, London: Royal Museums Greenwich, 2022.
- Kelley, D. S., et al., 'An Off-Axis Hydrothermal Vent Field Near the Mid-Atlantic Ridge at 30° N', *Nature*, 412 (2001): 145–9.
- Kobayashi, T., Nagai, H., Kobayashi, K., 'Concentration Profiles of ^{10}Be in Large Manganese Crusts', *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 172 (2000): 579–82.

ZDROJE A DOPORUČENÁ LITERATURA

- Levin, L. A., Amon, D. J., Lily, H., 'Challenges to the Sustainability of Deep-Seabed Mining', *Nature Sustainability*, 3 (2020): 784–94.
- Mayer, L., et al., 'The Nippon Foundation – GEBCO Seabed 2030 Project: The Quest to See the World's Oceans Completely Mapped by 2030', *Geosciences*, 8 (2018): 63.
- Paulus, E., 'Shedding Light on Deep-Sea Biodiversity – A Highly Vulnerable Habitat in the Face of Anthropogenic Change', *Frontiers in Marine Science*, 8 (2021): 667048.
- Pitcher, T. J., et al. (eds), *Seamounts: Ecology, Fisheries and Conservation*, Oxford: Blackwell, 2007.
- Purser, A., et al., 'Association of Deep-Sea Incirrate Octopods with Manganese Crusts and Nodule Fields in the Pacific Ocean', *Current Biology*, 26 (2016): R1268–R1269.
- Roark, E. B., et al., 'Extreme Longevity in Proteinaceous Deep-Sea Corals', *Proceedings of the National Academy of Sciences of the United States of America*, 106, no. 13 (2009): 5204–8.
- Robison, B. H., 'Bioluminescence in the Benthopelagic Holothurian *Enypniastes eximia*', *Journal of the Marine Biological Association of the United Kingdom*, 72, no. 2 (1992): 463–72.
- Sala, E., et al., 'The Economics of Fishing the High Seas', *Science Advances*, 4, no. 6 (2018): eaat2504.
- Simon-Lledó, E., et al., 'Biological Effects 26 Years after Simulated Deep-Sea Mining', *Scientific Reports*, 9 (2019): 8040.
- Smith, C. R., Roman, J., Nation, J. B., 'A Metapopulation Model for Whale-Fall Specialists: The Largest Whales Are Essential to Prevent Species Extinctions', *Journal of Marine Research*, 77, no. 2 (2019): 283–302.
- Spiess, F. N., et al., 'East Pacific Rise: Hot Springs and Geophysical Experiments', *Science*, 207, no. 4438 (1980): 1421–33.
- Tarling, G. A., et al., 'Carbon and Lipid Contents of the Copepod *Calanus finmarchicus* Entering Diapause in the Fram Strait

ZDROJE A DOPORUČENÁ LITERATURA

- and Their Contribution to the Boreal and Arctic Lipid Pump', *Frontiers of Marine Science*, 9 (2022): 926462.
- Thiel, H., et al., 'The Large-scale Environmental Impact Experiment DISCOL – Reflection and Foresight', *Deep Sea Research Part II: Topical Studies in Oceanography*, 48, nos 17–18 (2001): 3869–82.
- Thomas, K. N., Robison, B. H., Johnsen, S., 'Two Eyes for Two Purposes: In Situ Evidence for Asymmetric Vision in the Cockeyed squids *Histioteuthis heteropsis* and *Stigmatoteuthis dofleini*', *Philosophical Transactions of the Royal Society B*, 372, no. 1717 (2017): 20160069.
- Wölfl, A.-C., et al., 'Seafloor Mapping – The Challenge of a Truly Global Ocean Bathymetry', *Frontiers of Marine Science*, 6 (2019): 283.
- Yin, K., Zhang, D., Xie, W., 'Experimental Whale Falls in the South China Sea', *Ocean-Land-Atmosphere Research*, 2, no. 2 (2023): 0005.

Širý oceán

- Block, B. A., et al., 'Tracking Apex Marine Predator Movements in a Dynamic Ocean', *Nature*, 475 (2011): 86–90.
- Branch, T. A., et al., 'Past and Present Distribution, Densities and Movements of Blue Whales *Balaenoptera musculus* in the Southern Hemisphere and Northern Indian Ocean', *Mammal Review*, 37, no. 2 (2007): 116–75.
- Carmine, G., et al., 'Who Is the High Seas Fishing Industry?', *One Earth*, 3, no. 6 (2020): 730–8.
- Carwardine, M., et al., *Handbook of Whales, Dolphins and Porpoises*, London: Bloomsbury, 2020.
- Chiba, S., et al., 'Human Footprint in the Abyss: 30 Year Records of Deep-Sea Plastic Debris', *Marine Policy*, 96 (2018): 204–12.

ZDROJE A DOPORUČENÁ LITERATURA

- Clukey, K. E., et al., 'Investigation of Plastic Debris Ingestion by Four Species of Sea Turtles Collected as Bycatch in Pelagic Pacific Longline Fisheries', *Marine Pollution Bulletin*, 120 (2017): 117–25.
- Davies, T. E., et al., 'Multispecies Tracking Reveals a Major Seabird Hotspot in the North Atlantic', *Conservation Letters*, 14, no. 5 (2021): e12824.
- , 'Tracking Data and the Conservation of the High Seas: Opportunities and Challenges', *Journal of Applied Ecology*, 58, no. 12 (2021): 2703–10.
- Duncan, E., et al., 'A Global Review of Marine Turtle Entanglement in Anthropogenic Debris: A Baseline for Further Action', *Endangered Species Research*, 34 (2017): 431–48.
- , 'Microplastic Ingestion Ubiquitous in Marine Turtles', *Global Change Biology*, 25, no. 2 (2019): 744–52.
- García-Alegre, A., et al., 'Seabed Litter Distribution in the High Seas of the Flemish Pass Area (NW Atlantic)', *Scientia Marina*, 84 (2020): 93.
- Hong, S., Lee, J., Lim, S., 'Navigational Threats by Derelict Fishing Gear to Navy Ships in the Korean Seas', *Marine Pollution Bulletin*, 119 (2017): 100–5.
- Houghton, J. D. R., et al., 'The Role of Infrequent and Extraordinary Deep Dives in Leatherback Turtles (*Dermochelys coriacea*)', *Journal of Experimental Biology*, 211, no. 16 (2008): 2566–75.
- Jarvis, R. M., Young, T., 'Pressing Questions for Science, Policy, and Governance in the High Seas', *Environmental Science & Policy*, 139, no. 3 (2023): 177–84.
- Johnson, C. M., et al., *Protecting Blue Corridors: Challenges and Solutions for Migratory Whales Navigating National and International Seas*, World Wildlife Fund, 2022.

ZDROJE A DOPORUČENÁ LITERATURA

- Kühn, S., Van Franeker, J. A., 'Quantitative Overview of Marine Debris Ingested by Marine Megafauna', *Marine Pollution Bulletin*, 151 (2020): 110858.
- Laist, D. W., 'Impacts of Marine Debris: Entanglement of Marine Life in Marine Debris Including a Comprehensive List of Species with Entanglement and Ingestion Records', in J. M. Coe, D. B. Rogers (eds), *Marine Debris*, New York: Springer, 1997, str. 99–139.
- Lebreton, L., et al., 'Industrialised Fishing Nations Largely Contribute to Floating Plastic Pollution in the North Pacific Subtropical Gyre', *Scientific Reports*, 12 (2022): 12666.
- Letessier, T. B., et al., 'Remote Reefs and Seamounts are the Last Refuges for Marine Predators Across the Indo-Pacific', *PLOS Biology*, 17 (2019): e3000366.
- Lohmann, K. J., Lohmann, C. M. F., Endres, C. S., 'The Sensory Ecology of Ocean Navigation', *Journal of Experimental Biology*, 211, no. 11 (2008): 1719–28.
- Montecalvo, I., et al., 'Ocean Predators: Squids, Chinese Fleets and the Geopolitics of High Seas Fishing', *Marine Policy*, 152 (2023): 105584.
- Mouritsen, H., 'Long-Distance Navigation and Magnetoreception in Migratory Animals', *Nature*, 558 (2018): 50–9.
- Mucientes, G., Queiroz, N., 'Presence of Plastic Debris and Retained Fishing Hooks in Oceanic Sharks', *Marine Pollution Bulletin*, 143 (2019): 6–11.
- Nelms, S. E., et al., 'Investigating Microplastic Trophic Transfer in Marine Top Predators', *Environmental Pollution*, 238 (2018): 999–1007.
- , 'Plastic Pollution and Marine Megafauna: Recent Advances and Future Directions', in Alice Horton (ed.), *Plastic Pollution in the Global Ocean*, Singapore: World Scientific, 2023, str. 97–138.

ZDROJE A DOPORUČENÁ LITERATURA

- Pacoureau, N., et al., 'Half a Century of Global Decline in Oceanic Sharks and Rays', *Nature*, 589 (2021): 567–71.
- Pérez Rodam, M. A., *A Third Assessment of Global Marine Fisheries Discards*, Rome: Food and Agriculture Organization of the United Nations, 2019.
- Richardson, K., Hardesty, B. D., Wilcox, C., 'Estimates of Fishing Gear Loss Rates at a Global Scale: A Literature Review and Metaanalysis', *Fish and Fisheries*, 20, no. 6 (2019): 1218–31.
- Rocha Jr, R. C., Clapham, P. J., Ivashchenko, Y., 'Emptying the Oceans: A Summary of Industrial Whaling Catches in the 20th Century', *Marine Fisheries Review*, 76, no. 4 (2015): 37–48.
- Romeo, T., et al., 'First Evidence of Presence of Plastic Debris in Stomach of Large Pelagic Fish in the Mediterranean Sea', *Marine Pollution Bulletin*, 95, no. 1 (2015): 358–61.
- Sala, E., et al., 'The Economics of Fishing the High Seas', *Science Advances*, 4, no. 6 (2018): eaat2504.
- Santos, R. G., et al., 'Debris Ingestion by Juvenile Marine Turtles: An Underestimated Problem', *Marine Pollution Bulletin*, 93, nos 1–2 (2015): 37–43.
- Senko, J., et al., 'Understanding Individual and Population-Level Effects of Plastic Pollution on Marine Megafauna', *Endangered Species Research*, 43 (2020): 234–52.
- Spotila, J. R., *Sea Turtles: A Complete Guide to Their Biology, Behavior, and Conservation*, Baltimore, MD: Johns Hopkins University Press, 2004.
- Sumaila, U. R., et al., 'Winners and Losers in a World Where the High Seas Is Closed to Fishing', *Scientific Reports*, 5 (2015): 8481.
- Unger, B., et al., 'Large Amounts of Marine Debris Found in Sperm Whales Stranded Along the North Sea Coast in Early 2016', *Marine Pollution Bulletin*, 112, nos 1–2 (2016): 134–41.

ZDROJE A DOPORUČENÁ LITERATURA

- United Nations General Assembly, Agreement under the United Nations Convention on the Law of the Sea on the Conservation and Sustainable Use of Marine Biological Diversity of Areas Beyond National Jurisdiction, New York, 19. 6. 2023.
- Zantis, L. J., et al., 'Assessing Microplastic Exposure of Large Marine Filter-Feeders', *Science of the Total Environment*, 818 (2022): 151815.

Chaluhový les

- Cerda, O., Hinojosa, I. A., Thiel, M., 'Nest-Building Behavior by the Amphipod *Peramphithoe femorata* (Krøyer) on the Kelp *Macrocystis pyrifera* (Linnaeus) C. Agardh from Northern-Central Chile', *Biological Bulletin*, 218, no. 3 (2010): 248–58.
- Clendenning, K. A., 'Organic Productivity in Kelp Area', in W. A. North (ed.), *The Biology of Giant Kelp Beds (Macrocystis) in California*, Lehre, Germany: Verlag Von J. Cramer, 1974, str. 259–63.
- Daub, C. D., et al., 'Furoidan from *Ecklonia maxima* Is a Powerful Inhibitor of the Diabetes-Related Enzyme, α -glucosidase', *International Journal of Biological Macromolecules*, 151, no. 8 (2020): 412–20.
- Davis, R. W., Pagano, A. M. (eds), *Ethology and Behavioral Ecology of Sea Otters and Polar Bears*, Cham, Switzerland: Springer, 2021.
- Duarte, C. M., et al., 'Global Estimates of the Extent and Production of Macroalgal Forests', *Global Ecology and Biogeography*, 31, no. 7 (2022): 1422–39.
- Feehan, C. J., Filbee-Dexter, K., Wernberg, T., 'Embrace Kelp Forests in the Coming Decade', *Science*, 373, no. 6557 (2021): 863.

ZDROJE A DOPORUČENÁ LITERATURA

- Hobday, A., 'Abundance and Dispersal of Drifting Kelp *Macrocystis pyrifera* Rafts in the Southern California Bight', *Marine Ecology Progress Series*, 195 (2000): 101–16.
- , 'Persistence and Transport of Fauna on Drifting Kelp (*Macrocystis pyrifera* (L.) C. Agardh) Rafts in the Southern California Bight', *Journal of Experimental Marine Biology and Ecology*, 253, no. 1 (2000): 75–96.
- Jayathilake, D. R. M., Costello, M. J., 'A Modelled Global Distribution of the Kelp Biome', *Biological Conservation*, 252 (2020): 108815.
- , 'Version 2 of the World Map of Laminarian Kelp Benefits from More Arctic Data and Makes it the Largest Marine Biome', *Biological Conservation*, 257 (2021): 109099.
- Jorgensen, S. J., et al., 'Killer Whales Redistribute White Shark Foraging Pressure on Seals', *Scientific Reports*, 9 (2019): 6153.
- Krause-Jensen, D., Duarte, C. M., 'Substantial Role of Macroalgae in Marine Carbon Sequestration', *Nature Geoscience*, 9 (2016): 737–42.
- Krumhansl, K. A., et al., 'Global Patterns of Kelp Forest Change over the Past Half-Century', *Proceedings of the National Academy of Sciences of the United States of America*, 113, no. 48 (2016): 13785–90.
- Li, H., et al., 'Transcriptomic Responses to Darkness and the Survival Strategy of the Kelp *Saccharina latissima* in the Early Polar Night', *Frontiers of Marine Science*, 7 (2020): 592033.
- Lissner, A. L., Dorsey, J. H., 'Deep-Water Biological Assemblages of a Hard-Bottom Bank-Ridge Complex of the Southern California Continental Borderland', *Bulletin of the Southern California Academy of Sciences*, 85 (1986): 87–101.
- Mabate, B., et al., 'Furoidan Structure and Its Impact on Glucose Metabolism: Implications for Diabetes and Cancer Therapy', *Marine Drugs*, 19, no. 1 (2021): 30.

ZDROJE A DOPORUČENÁ LITERATURA

- Martínez, E. A., Cárdenas, L., Pinto, R., 'Recovery and Genetic Diversity of the Intertidal Kelp *Lessonia nigrescens* (Phaeophyceae) 20 Years after El Niño 1982/83', *Journal of Phycology*, 39, no. 3 (2003): 504–8.
- Perissinotto, R., McQuaid, C., 'Deep Occurrence of the Giant Kelp *Macrocystis laevis* in the Southern Ocean', *Marine Ecology Progress Series*, 81 (1992): 89–95.
- Pessarrodona, A., et al., 'Carbon Sequestration and Climate Change Mitigation Using Macroalgae: A State of Knowledge Review', *Biological Reviews*, 98, no. 6 (2023): 1945–71.
- Qin, Y., 'Alginate Fibres: An Overview of the Production Processes and Applications in Wound Management', *Polymer International*, 57 (2008): 171–80.
- Rogers-Bennett, L., Catton, C. A., 'Marine Heat Wave and Multiple Stressors Tip Bull Kelp Forest to Sea Urchin Barrens', *Scientific Reports*, 9 (2019): 15050.
- Schiel, D. R., Foster, M. S., *The Biology and Ecology of Giant Kelp Forests*, Oakland, CA: University of California Press, 2015.
- Schiel, D. R., Steinbeck, J. R., Foster, M. S., 'Ten Years of Induced Ocean Warming Causes Comprehensive Changes in Marine Benthic Communities', *Ecology*, 85, no. 7 (2004): 1833–9.
- Smith, S. D. A., 'Kelp Rafts in the Southern Ocean', *Global Ecology and Biogeography*, 11 (2002): 67–9.
- Spalding, H., Foster, M. S., Heine, J. N., 'Composition, Distribution, and Abundance of Deep-Water (>30 m) Macroalgae in Central California', *Journal of Phycology*, 39, no. 2 (2003): 273–84.
- Starko, S., Wilkinson, D. P., Bringloe, T. T., 'Recent Global Model Underestimates the True Extent of Arctic Kelp Habitat', *Biological Conservation*, 257 (2021): 109082.
- Towner, A., et al., 'Fear at the Top: Killer Whale Predation Drives White Shark Absence at South Africa's Largest Aggregation Site', *African Journal of Marine Science*, 44, no. 2 (2022): 139–52.

ZDROJE A DOPORUČENÁ LITERATURA

- Vergés, A., Campbell, A. H., 'Kelp Forests', *Current Biology*, 30, no. 16 (2020): R919–R920.
- Wernberg, T., et al., 'Climate-Driven Regime Shift of a Temperate Marine Ecosystem', *Science*, 353, no. 6295 (2016): 169–72.
- Arktida*
- Albert, C., et al., 'Seasonal Variation of Mercury Contamination in Arctic Seabirds: A Pan-Arctic Assessment', *Science of the Total Environment*, 750 (2021): 142201.
- Arctic Monitoring and Assessment Programme (AMAP), *Arctic Pollution Issues: A State of the Arctic Environment Report*, Tromsø, Norway: AMAP, 1997.
- , *Assessment 2020: POPs and Chemicals of Emerging Arctic Concern: Influence of Climate Change*, Tromsø, Norway: AMAP, 2021.
- , *Assessment 2021: Mercury in the Arctic*, Tromsø, Norway: AMAP, 2021.
- Boltunov, A., et al., 'Persistent Organic Pollutants in the Pechora Sea Walruses', *Polar Biology*, 42 (2019): 1775–85.
- Davis, R. W., Pagano, A. M. (eds), *Ethology and Behavioral Ecology of Sea Otters and Polar Bears*, Cham, Switzerland: Springer, 2021.
- Dietz, R., et al., 'Current State of Knowledge on Biological Effects from Contaminants on Arctic Wildlife and Fish', *Science of the Total Environment*, 696 (2019): 133792.
- Higdon, J. W., Ferguson, S. H., 'Loss of Arctic Sea Ice Causing Punctuated Change in Sightings of Killer Whales (*Orcinus orca*) Over the Past Century', *Ecological Applications*, 19 (2009): 1365–75.
- Higdon, J. W., Hauser, D. D. W., Ferguson, S. H., 'Killer Whales (*Orcinus orca*) in the Canadian Arctic: Distribution, Prey

ZDROJE A DOPORUČENÁ LITERATURA

- Items, Group Sizes, and Seasonality', *Marine Mammal Science*, 28, no. 2. (2012): E93–E109.
- Jay, C. V., et al., 'Walrus Haul-out and in-Water Activity Levels Relative to Sea Ice Availability in the Chukchi Sea', *Journal of Mammalogy*, 98, no. 2 (2017): 386–96.
- Kinnard, C., et al., 'Reconstructed Changes in Arctic Sea Ice over the Past 1,450 Years', *Nature*, 479 (2011): 509–12.
- Kwok, R., 'Arctic Sea Ice Thickness, Volume, and Multiyear Ice Coverage: Losses and Coupled Variability (1958–2018)', *Environmental Research Letters*, 13, no. 10 (2018): 105005.
- Laidre, K. L., et al., 'Interrelated Ecological Impacts of Climate Change on an Apex Predator', *Ecological Applications*, 30, no. 4 (2020): e02071.
- Letcher, R. J., et al., 'Exposure and Effects Assessment of Persistent Organohalogen Contaminants in Arctic Wildlife and Fish', *Science of the Total Environment*, 408 (2010): 2995–3043.
- Lewis, K. M., van Dijken, G. L., Arrigo, K. R., 'Changes in Phytoplankton Concentration Now Drive Increased Arctic Ocean Primary Production', *Science*, 369, no. 6500 (2020): 198–202.
- Macdonald, R. W., Harner, T., Fyfe, J., 'Recent Climate Change in the Arctic and Its Impact on Contaminant Pathways and Interpretation of Temporal Trend Data', *Science of the Total Environment*, 342, nos 1–3 (2005): 5–86.
- Nansen, F., *Farthest North: Being the Record of a Voyage of Exploration of the Ship 'Fram' 1893–96 and the Fifteenth Months' Sleigh Journey* (George Newnes, by Arrangement with Archibald Constable), Cambridge: Cambridge University Press, 1898.
- Notz, D., Stroeve, J., 'Observed Arctic Sea-Ice Loss Directly Follows Anthropogenic CO₂ Emission', *Science*, 354, no. 6313 (2016): 747–50.
- Pedro, S., et al., 'Blubber-Depth Distribution and Bioaccumulation of PCBs and Organochlorine Pesticides in Arctic-Invad-

ZDROJE A DOPORUČENÁ LITERATURA

- ing Killer Whales', *Science of the Total Environment*, 601–602 (2017): 237–46.
- Posdaljian, N., et al., 'Changes in Sea Ice and Range Expansion of Sperm Whales in the Eclipse Sound Region of Baffin Bay, Canada', *Global Change Biology*, 28, no. 12 (2022): 3860–70.
- Previdi, M., Smith, K. L., and Polvani, L. M., 'Arctic Amplification of Climate Change: A Review of Underlying Mechanisms', *Environmental Research Letters*, 16, no. 9 (2021): 093003.
- Rantanen, M., et al., 'The Arctic Has Warmed Nearly Four Times Faster than the Globe since 1979', *Communications Earth & Environment*, 3 (2022): 168.
- Rose, G. A., 'Capelin (*Mallotus villosus*) Distribution and Climate: A Sea "Canary" for Marine Ecosystem Change', *ICES Journal of Marine Science*, 62, no. 7 (2005): 1524–30.
- Savinov, V., et al., 'Persistent Organic Pollutants in Ringed Seals from the Russian Arctic', *Science of the Total Environment*, 409, no. 14 (2011): 2734–45.
- Scheuhammer, A. M., et al., 'Effects of Environmental Methylmercury on the Health of Wild Birds, Mammals, and Fish', *AMBIO: A Journal of the Human Environment*, 36, no. 1 (2007): 12–19.
- World Wildlife Fund, 'The Tallurutiup Imanga National Marine Conservation Area', *The Circle*, 4 (2020): 14–15.
- Yurkowski, D. J., et al., 'A Temporal Shift in Trophic Diversity among a Predator Assemblage in a Warming Arctic', *Royal Society Open Science*, 5, no. 10 (2018): 180259.

Mangrovy

- Armitage, A. R., et al., 'The Contribution of Mangrove Expansion to Salt Marsh Loss on the Texas Gulf Coast', *PLOS ONE*, 10 (2015): e0125404.

ZDROJE A DOPORUČENÁ LITERATURA

- Atwood, T. B., et al., 'Global Patterns in Mangrove Soil Carbon Stocks and Losses', *Nature Climate Change*, 7 (2017): 523–8.
- Bunting, P., et al., 'Global Mangrove Extent Change 1996–2020: Global Mangrove Watch Version 3.0', *Remote Sensing*, 14, no. 15 (2022): 3657.
- , 'Global Mangrove Watch: Updated 2010 Mangrove Forest Extent (v2.5)', *Remote Sensing*, 14, no. 15 (2022): 1034.
- Donato, D. C., et al., 'Mangroves Among the Most Carbon-Rich Forests in the Tropics', *Nature Geoscience*, 4, no. 5 (2011): 293–7.
- Elhassan, I., 'Occurrence of the Green Sawfish *Pristis zijsron* in the Sudanese Red Sea with Observations on Reproduction', *Endangered Species Research*, 36 (2018): 41–7.
- Frias-Torres, S., Luo, J., 'Using Dual-Frequency Sonar to Detect Juvenile Goliath Grouper *Epinephelus itajara* in Mangrove Habitat', *Endangered Species Research*, 7 (2009): 237–42.
- Gaos, A. R., et al., 'Living on the Edge: Hawksbill Turtle Nesting and Conservation Along the Eastern Pacific Rim', *Latin American Journal of Aquatic Research*, 45, no. 3 (2017): 572–84.
- , 'Shifting the Life-History Paradigm: Discovery of Novel Habitat Use by Hawksbill Turtles', *Biology Letters*, 8, no. 1 (2012): 54–6.
- Goldberg, L., et al., 'Global Declines in Human-Driven Mangrove Loss', *Global Change Biology*, 26, no. 10 (2020): 5844–55.
- Hogarth, P. J., *The Biology of Mangroves and Seagrasses*, Oxford: Oxford University Press, 2015.
- Hollensead, L., et al., 'Assessing Residency Time and Habitat Use of Juvenile Smalltooth Sawfish Using Acoustic Monitoring in a Nursery Habitat', *Endangered Species Research*, 37 (2018): 119–31.
- Igulu, M. M., et al., 'Mangrove Habitat Use by Juvenile Reef Fish: Meta-Analysis Reveals that Tidal Regime Matters more than Biogeographic Region', *PLOS ONE*, 9 (2014): e114715.

ZDROJE A DOPORUČENÁ LITERATURA

- Kanno, S., et al., 'Mangrove Use by Sharks and Rays: A Review', *Marine Ecology Progress Series*, 724 (2023): 167–83.
- Khan, M. M. H., 'Species Diversity, Relative Abundance and Habitat Use of the Birds in the Sundarbans East Wildlife Sanctuary, Bangladesh', *Forktail*, 21 (2005): 79–86.
- Kristensen, E., et al., 'Organic Carbon Dynamics in Mangrove Ecosystems: A Review', *Aquatic Botany*, 89, no. 2 (2008): 201–19.
- Leal, M., Spalding, M. D., *The State of the World's Mangroves 2022*, Global Mangrove Alliance, 2022.
- McKee, K. L., Cahoon, D. R., Feller, I. C., 'Caribbean Mangroves Adjust to Rising Sea Level through Biotic Controls on Change in Soil Elevation', *Global Ecology and Biogeography*, 16, no. 5 (2007): 545–56.
- McLeod, E., et al., 'A Blueprint for Blue Carbon: Toward an Improved Understanding of the Role of Vegetated Coastal Habitats in Sequestering CO₂', *Frontiers in Ecology and the Environment*, 9 (2011): 552–60.
- Menéndez, P., et al., 'The Global Flood Protection Benefits of Mangroves', *Scientific Reports*, 10 (2020): 4404.
- Mumby, P. J., et al., 'Mangroves Enhance the Biomass of Coral Reef Fish Communities in the Caribbean', *Nature*, 427 (2004): 533–6.
- Nagelkerken, I., et al., 'The Habitat Function of Mangroves for Terrestrial and Marine Fauna: A Review', *Aquatic Botany*, 89, no. 2 (2008): 155–85.
- Naha, D., et al., 'Ranging, Activity and Habitat Use by Tigers in the Mangrove Forests of the Sundarban', *PLOS ONE*, 11 (2016): e0152119.
- Polidoro, B. A., et al., 'The Loss of Species: Mangrove Extinction Risk and Geographic Areas of Global Concern', *PLOS ONE*, 5 (2010): e10095.
- Saha, S., et al., 'Shark Diversity in the Indian Sundarban Biosphere', *Journal of Fish Taxonomy*, 23 (2022): 54–8.