

## REFERENCES

- Arnol'd, V.I. (1978). *Mathematical Methods of Classical Mechanics* (Springer, New York).
- Arnol'd, V.I., Gusein-Zade, S.M. and Varchenko, A.N. (1985). *Singularities of Differentiable Maps I* (Birkhäuser, Boston).
- Buchdahl, H.A. (1958). On the compatibility of relativistic wave equations for particles of higher spin in the presence of a gravitational field, *Nuovo Cim.* **10**, 96–103.
- Chandrasekhar, S. (1983). *The mathematical theory of black holes* (Oxford University Press, Oxford).
- Cocke, W.J. (1989). Table for constructing the spin coefficients in general relativity, *Phys. Rev.* **D40**, 650–651.
- Courant, R. and Hilbert, D. (1962). *Methods of mathematical physics II* (Interscience, New York).
- Duff, G.F.D. (1958). Mixed problems for linear systems of first order equations, *Canadian J. Math.* **10**, 127–160.
- Ehlers, J. and Kundt, W. (1962). Exact solutions of the gravitational field equations, in *Gravitation: an introduction to current research*, ed. L. Witten (Wiley, New York).
- Fischer, A.E. and Marsden, J.E. (1972). The Einstein evolution equations as a first-order quasi-linear symmetric hyperbolic system I, *Commun. Math. Phys.* **28**, 1–38.
- Friedrich, H. (1979). Eine Untersuchung der Einsteinschen Vakuumfeldgleichungen in der Umgebung regulärer und singulärer Nullhyperflächen, Hamburg University Ph.D. thesis.
- Friedrich, H. (1981a). On the regular and the asymptotic characteristic initial value problem for Einstein's vacuum field equations, *Proc. Roy. Soc. Lond.* **A375**, 169–184.
- Friedrich, H. (1981b). The asymptotic characteristic initial value problem for Einstein's vacuum field equations as an initial value problem for a first order quasilinear symmetric hyperbolic system, *Proc. Roy. Soc. Lond.* **A378**, 401–421.
- Friedrich, H. (1982). On the existence of analytic null asymptotically flat solutions of Einstein's vacuum field equations, *Proc. Roy. Soc. Lond.* **A381**, 361–371.
- Friedrich, H. (1983). On the hyperbolicity of Einstein's and other gauge field equations, *Commun. Math. Phys.* **100**, 525–543.
- Friedrich, H. (1984). On some (con-)formal properties of Einstein's field equations and their consequences, in *Asymptotic behaviour of mass and spacetime geometry*, ed. F.J. Flaherty (Springer, Berlin).

- Friedrich, H. and Stewart, J.M. (1983). Characteristic initial data and wave-front singularities in general relativity, *Proc. Roy. Soc. Lond.* **A385**, 345–371.
- Geroch, R. (1968). Spinor structure of space-times in general relativity I, *J. Math. Phys.* **9**, 1739–1744.
- Goldberg, J.N., Macfarlane, A.J., Newman, E.T., Rohrlich, F. and Sudarshan, E.C.G. (1967). Spin- $s$  spherical harmonics and  $\delta$ , *J. Math. Phys.* **8**, 2155–2161.
- Hawking, S.W. and Ellis, G.F.R. (1973). *The large scale structure of space-time* (Cambridge University Press, Cambridge).
- Hawking, S.W. and Israel, W. (1979). *General relativity* (Cambridge University Press, Cambridge).
- Hawking, S.W. and Israel, W. (1987). *Three hundred years of gravitation* (Cambridge University Press, Cambridge).
- Held, A. (1980). *General relativity and gravitation, volumes 1,2* (Plenum, New York).
- Hörmander, L. (1976). *Linear Partial Differential Operators* (Springer, Berlin).
- Isaacson, R.A., Welling, J.S. and Winicour, J. (1983). Null cone computation of gravitational radiation, *J. Math. Phys.* **24**, 1824–1834.
- Kato, T. (1975). The Cauchy problem for quasi-linear symmetric hyperbolic systems, *Arch. Ration. Mech. Anal.* **58**, 181–205.
- Komar, A.B. (1959). Covariant conservation laws in general relativity, *Phys. Rev.* **113**, 934–936.
- Kramer, D., Stephani, H., MacCallum, M. and Herlt, E. (1980). *Exact solutions of Einstein's field equations* (Cambridge University Press, Cambridge).
- Ludvigsen, M. and Vickers, J.A.G. (1982). A simple proof of the positivity of the Bondi mass, *J. Phys.* **A14**, L67–70.
- Misner, C.W., Thorne, K.S. and Wheeler, J.A. (1973). *Gravitation* (Freeman, San Francisco).
- Naimark, M.A. (1964). *Linear Representations of the Lorentz Group* (Pergamon, Oxford).
- Newman, E.T. and Penrose, R. (1962). An approach to gravitational radiation by a method of spin coefficients, *J. Math. Phys.* **3**, 566–578.
- Newman, E.T. and Unti, T.W.J. (1962). Behaviour of asymptotically flat empty space, *J. Math. Phys.* **3**, 891–901.
- Penrose, R. (1965). Zero rest-mass fields including gravitation: asymptotic behaviour, *Proc. Roy. Soc. Lond.* **A284**, 159–203.
- Penrose, R. and Rindler, W. (1984). *Spinors and space-time 1: Two-spinor calculus and relativistic fields* (Cambridge University Press, Cambridge).
- Penrose, R. and Rindler, W. (1986). *Spinors and space-time 2: Spinor & twistor methods in space-time geometry* (Cambridge University Press, Cambridge).
- Pirani, F.A.E. (1965). Introduction to gravitational radiation theory, in *Lectures on General Relativity*, ed. Trautman, A., Pirani, F.A.E. and Bondi, H. (Prentice-Hall, Englewood Cliffs).
- Rendall, A.D. (1990). Reduction of the characteristic initial value problem to the Cauchy problem and its application to the Einstein equations, *Proc. Roy. Soc. Lond.* **A427**, 221–239.

Sachs, R.K. (1962). On the characteristic initial value problem in gravitation theory, *J. Math. Phys.* **3**, 908-914.

Schouten, J.A. (1954). *Ricci Calculus* (Springer, Berlin).

Stewart, J.M. and Friedrich, H. (1982). Numerical Relativity I: The characteristic initial value problem, *Proc. Roy. Soc. Lond.* **A384**, 427-454.