

References

- Abrams, P. A. 1993. Why predation rate should not be proportional to predator density. *Ecology* 74, 726–33.
- An, G. 2001. Agent-based computer simulation and SIRS: Building a bridge between basic science and clinical trials. *Shock* 16, 266–73.
- An, G. 2015. Integrating physiology across scales and formalizing hypothesis exploration with agent-based modeling. *Journal of Applied Physiology* 118, 1191–92. doi:10.1152/japplphysiol.00243.2015.
- An, L. 2012. Modeling human decisions in coupled human and natural systems: Review of agent-based models. *Ecological Modelling* 229, 25–36.
- Augusiak, J., Van den Brink, P. J., & Grimm, V. 2014. Merging validation and evaluation of ecological models to ‘evaludation’: A review of terminology and a practical approach. *Ecological Modelling* 280, 117–28.
- Auyang, S. Y. 1998. *Foundations of complex-system theories in economics, evolutionary biology, and statistical physics*. Cambridge University Press, New York.
- Axelrod, R. 1997. The dissemination of culture: A model with local convergence and global polarization. *Journal of Conflict Research* 41, 203–26.
- Ayllón, D., Railsback, S. F., Vincenzi, S., Groeneveld, J., Almodóvar, A., & Grimm, V. 2016. InSTREAM-Gen: Modelling eco-evolutionary dynamics of trout populations under anthropogenic environmental change. *Ecological Modelling* 326, 36–53.
- Ballerini, M., Cabibbo, N., Candelier, R., Cavagna, A., Cisbani, E., Giardina, I., Lecomte, V., Orlandi, A., Parisi, G., Procaccini, A., Viale, M., & Zdravkovic, V. 2008. Interaction ruling animal collective behavior depends on topological rather than metric distance: Evidence from a field study. *Proceedings of the National Academy of Sciences* 105, 1232–37.
- Bohn, F. J., & Huth, A. 2017. The importance of forest structure to biodiversity–productivity relationships. *Royal Society Open Science* 4, 160521. doi: 10.1098/rsos.160521.
- Bonnell, T. R., Campennì, M., Chapman, C. A., Gogarten, J. F., Reyna-Hurtado, R. A., Teichroeb, J. A., Wasserman, M. D., & Sengupta, R. 2013. Emergent group level navigation: An agent-based evaluation of movement patterns in a folivorous primate. *PLoS ONE* 8:e78264.
- Botkin, D. B., Janak, J. F., & Wallis, J. R. 1972. Some ecological consequences of a computer model of forest growth. *Journal of Ecology* 60, 849–72.
- Brown, D., Page, S. E., Riolo, R., & Rand, W. 2004. Agent-based and analytical modeling to evaluate the effectiveness of greenbelts. *Environmental Modelling & Software* 19, 1097–1109.

- Buchanan, M. 2009. Meltdown modelling: Could agent-based computer models prevent another financial crisis? *Nature* 460, 680–82.
- Burnham, K. P., & Anderson, D. R. 2002. *Model selection and multimodel inference: A practical information-theoretic approach*. Springer, New York.
- Camazine, S., Deneubourg, J.-L., Franks, N. R., Sneyd, J., Theraulaz, G., & Bonabeau, E. 2001. *Self-organization in biological systems*. Princeton University Press, Princeton, NJ.
- Campolongo, F., Cariboni, J., & Saltelli, A. 2007. An effective screening design for sensitivity analysis of large models. *Environmental Modelling & Software* 22, 1509–18.
- Carter, N., Levin, S., Barlow, A., & Grimm, V. 2015. Modeling tiger population and territory dynamics using an agent-based approach. *Ecological Modelling* 312, 347–62.
- Cortés-Avizanda, A., Jovani, R., Donázar, J. A., & Grimm, V. 2014. Bird sky networks: How do avian scavengers use social information to find carrion? *Ecology* 95, 1799–808.
- Czárán, T. 1998. *Spatiotemporal models of population and community dynamics*. Chapman and Hall, London.
- DeAngelis, D., & Mooij, W. 2003. In praise of mechanistically-rich models. In *Models in ecosystem science* (ed. C. Canham, J. Cole, & W. Lauenroth). Princeton University Press, Princeton, NJ, pp. 63–82.
- DeAngelis, D., Rose, K., & Huston, M. 1994. Individual-oriented approaches to modeling ecological populations and communities. In *Frontiers in mathematical biology* (ed. S. Levin). Springer, New York, pp. 390–410.
- Drechsler, M., Burgman, M. A., & Menkhorst, P. W. 1998. Uncertainty in population dynamics and its consequences for the management of the orange-bellied parrot *Neophema chrysogaster*. *Biological Conservation* 84, 269–81.
- Drechsler, M., Frank, K., Hanski, I., O'Hara, B., & Wissel, C. 2003. Ranking metapopulation extinction risk: From patterns in data to conservation management decisions. *Ecological Applications*, 990–98.
- du Plessis, M. 1992. Obligate cavity-roosting as a constraint on dispersal of green (red-billed) wood-hoopoes: Consequences for philopatry and the likelihood of inbreeding. *Oecologia* 90, 205–11.
- Duffy, J. 2006. Agent-based models and human subject experiments. In *Handbook of computational economics*, vol. 2: *Agent-based computational economics* (ed. L. Tesfatsion & K. Judd). Elsevier, Amsterdam, pp. 949–1011.
- Eisinger, D., & Thulke, H.-H. 2008. Spatial pattern formation facilitates eradication of infectious disease. *Journal of Applied Ecology* 45, 415–23.
- Eisinger, D., Thulke, H.-H., Selhorst, T., & Muller, T. 2005. Emergency vaccination of rabies under limited resources—combating or containing? *BMC Infectious Diseases* 5, 10.
- Eliassen, S., Andersen, B. S., Jørgensen, C., & Giske, J. 2016. From sensing to emergent adaptations: Modelling the proximate architecture for decision-making. *Ecological Modelling* 326, 90–100.
- Epstein, J., & Axtell, R. 1996. *Growing artificial societies: Social science from the bottom up*. MIT Press, Cambridge, MA.
- Garcia, C., Stillman, R. A., Forster, R. M., Silva, T., & Bremner, J. 2016. Nuclear power and coastal birds: Predicting the ecological consequences of warm-water outflows. *Ecological Modelling* 342, 60–81.
- Geanakoplos, J., Axtell, R., Farmer, D. J., Howitt, P., Conlee, B., Goldstein, J., Hendrey, M., Palmer, N. M., & Yang, C.-Y. 2012. Getting at systemic risk via an agent-based model of the housing market. *American Economic Review* 102, 53–58.
- Gilbert, N., Hawksworth, J. C., & Swinney, P. A. 2009. An agent-based model of the English housing market. In *AAAI Spring Symposium: Technosocial Predictive Analytics*, pp. 30–35.
- Giske, J., Eliassen, S., Fiksen, Ø., Jakobsen, P. J., Aksnes, D. L., Jørgensen, C., & Mangel, M. 2013. Effects of the emotion system on adaptive behavior. *American Naturalist* 182, 689–703.
- Giske, J., Mangel, M., Jakobsen, P., Huse, G., Wilcox, C., & Strand, E. 2003. Explicit trade-off rules in proximate adaptive agents. *Evolutionary Ecology Research* 5, 835–65.
- Gode, D. K., & Sunder, S. 1993. Allocative efficiency of markets with zero-intelligence traders: Market as a partial substitute for individual rationality. *Journal of Political Economy* 101, 119–37.

- Goss-Custard, J., Burton, N., Clark, N., Ferns, P., McGrorty, S., Reading, C., Rehfsch, M., Stillman, R., Townend, I., West, A., & Worrall, D. 2006. Test of a behavior-based individual-based model: Response of shorebird mortality to habitat loss. *Ecological Applications* 16, 2215–22.
- Grimm, V. 1999. Ten years of individual-based modelling in ecology: What have we learned and what could we learn in the future? *Ecological Modelling* 115, 129–48.
- Grimm, V., Augusiak, J., Focks, A., Frank, B. M., Gabsi, F., Johnston, A. S. A., Liu, C., Martin, B. T., Meli, M., Radchuk, V., Thorbek, P., & Railsback, S. F. 2014. Towards better modelling and decision support: Documenting model development, testing, and analysis using TRACE. *Ecological Modelling* 280, 129–39.
- Grimm, V., & Berger, U. 2003. Seeing the forest for the trees, and vice versa: Pattern-oriented ecological modelling. In *Handbook of scaling methods in aquatic ecology: Measurement, analysis, simulation* (ed. L. Seuront & P. Strutton). CRC Press, Boca Raton, FL, pp. 411–28.
- Grimm, V., & Berger, U. 2016. Robustness analysis: Deconstructing computational models for ecological theory and applications. *Ecological Modelling* 326, 162–67.
- Grimm, V., Berger, U., Bastiansen, F., Eliassen, S., Ginot, V., Giske, J., Goss-Custard, J., Grand, T., Heinz, S., Huse, G., Huth, A., Jepsen, J., Jørgensen, C., Mooij, W., Müller, B., Pe'er, G., Piou, C., Railsback, S., Robbins, A., Robbins, M., Rossmanith, E., Rüger, N., Strand, E., Souissi, S., Stillman, R., Vabø, R., Visser, U., & DeAngelis, D. 2006. A standard protocol for describing individual-based and agent-based models. *Ecological Modelling* 198, 115–26.
- Grimm, V., Berger, U., DeAngelis, D., Polhill, J., Giske, J., & Railsback, S. 2010. The ODD protocol: A review and first update. *Ecological Modelling* 221, 2760–68.
- Grimm, V., Dorndorf, N., Frey-Roos, F., Wissel, C., Wyszomirski, T., & Arnold, W. 2003. Modelling the role of social behavior in the persistence of the alpine marmot *Marmota marmota*. *Oikos* 102, 124–36.
- Grimm, V., & Railsback, S. 2005. *Individual-based modeling and ecology*. Princeton University Press, Princeton, NJ.
- Grimm, V., & Railsback, S. 2012. Pattern-oriented modelling: A “multiscope” for predictive systems ecology. *Philosophical Transactions of the Royal Society B* 367, 298–310.
- Grimm, V., Revilla, E., Berger, U., Jeltsch, F., Mooij, W., Railsback, S., Thulke, H.-H., Weiner, J., Wiegand, T., & DeAngelis, D. 2005. Pattern-oriented modeling of agent-based complex systems: Lessons from ecology. *Science* 310, 987–91.
- Grimm, V., & Wissel, C. 1997. Babel, or the ecological stability discussions: An inventory and analysis of terminology and a guide for avoiding confusion. *Oecologia* 109, 323–34.
- Groeneveld, J., Müller, B., Buchmann, C. M., Dressler, G., Guo, C., Hase, N., Hoffmann, F., John, F., Klassert, C., Lauf, T., Liebelt, V., Nolzen, H., Pannicke, N., Schulze, J., Weise, H., & Schwarz, N. 2017. Theoretical foundations of human decision-making in agent-based land use models—a review. *Environmental Modelling & Software* 87, 39–48.
- Groves, T. 1973. Incentives in teams. *Econometrica* 41, 617–31.
- Gusset, M., Jakoby, O., Müller, M., Somers, M., Slotow, R., & Grimm, V. 2009. Dogs on the catwalk: Modelling re-introduction and translocation of endangered wild dogs in South Africa. *Biological Conservation* 142, 2774–81.
- Haefner, J. W. 2012. *Modeling biological systems: Principles and applications*. Springer Science & Business Media, New York.
- Heine, B.-O., Meyer, M., & Strangfeld, O. 2005. Stylised facts and the contribution of simulation to the economic analysis of budgeting. *Journal of Artificial Societies and Social Simulation* 8, 4. <http://jasss.soc.surrey.ac.uk/8/4/4.html>.
- Heine, B.-O., Meyer, M., & Strangfeld, O. 2007. Das Konzept der stilisierten Fakten zur Messung und Bewertung wissenschaftlichen Fortschritts. *Die Betriebswirtschaft* 67, 583–601.
- Hemelrijk, C. K. 1999. An individual-orientated model of the emergence of despotic and egalitarian societies. *Proceedings of the Royal Society of London B* 266, 361–69.
- Herrera, C., & Jovani, R. 2010. Lognormal distribution of individual lifetime fecundity: Insights from a 23-year study. *Ecology* 91, 422–30.
- Hilborn, R., & Mangel, M. 1997. *The ecological detective: Confronting models with data*. Princeton University Press, Princeton, NJ.

- Holland, J. H. 1995. *Hidden order: How adaptation builds complexity*. Perseus Books, Reading, MA.
- Horn, J., Becher, M. A., Kennedy, P. J., Osborne, J. L., & Grimm, V. 2016. Multiple stressors: Using the honeybee model BEEHAVE to explore how spatial and temporal forage stress affects colony resilience. *Oikos* 125, 1001–16.
- Houston, A., & McNamara, J. 1999. *Models of adaptive behaviour: An approach based on state*. Cambridge University Press, Cambridge.
- Hunt, C. A., Kennedy, R. C., Kim, S. H. J., & Ropella, G. E. P. 2013. Agent-based modeling: A systematic assessment of use cases and requirements for enhancing pharmaceutical research and development productivity. *WIREs Systems Biology and Medicine* 5, 461–80. doi: 10.1002/wsbm.1222.
- Huse, G., Railsback, S., & Fernø, A. 2002. Modelling changes in migration pattern of herring: Collective behaviour and numerical domination. *Journal of Fish Biology* 60, 571–82.
- Huth, A., Drechsler, M., & Kohler, P. 2004. Multicriteria evaluation of simulated logging scenarios in a tropical rain forest. *Journal of Environmental Management* 71, 321–33.
- Huth, A., & Wissel, C. 1992. The simulation of the movement of fish schools. *Journal of Theoretical Biology* 156, 365–85.
- Janssen, M. A., Radtke, N. P., & Lee, A. 2009. Pattern-oriented modeling of commons dilemma experiments. *Adaptive Behavior* 17, 508–23.
- Jeltsch, F., Milton, S., Dean, W., & van Rooyen, N. 1996. Tree spacing and coexistence in semiarid savannas. *Journal of Ecology* 84, 583–95.
- Jeltsch, F., Müller, M. S., Grimm, V., Wissel, C., & Brandl, R. 1997. Pattern formation triggered by rare events: Lessons from the spread of rabies. *Proceedings of the Royal Society of London B* 264, 495–503.
- Jovani, R., & Grimm, V. 2008. Breeding synchrony in colonial birds: From local stress to global harmony. *Proceedings of the Royal Society of London B* 275, 1557–63.
- Kaldor, N. 1961. Capital accumulation and economic growth. In *The Theory of Capital* (ed. F. A. Lutz & D. C. Hague). MacMillan, London, pp. 177–222.
- Kleijnen, J. P. C., & Sargent, R. G. 2000. A methodology for fitting and validating metamodels in simulation. *European Journal of Operational Research* 120, 14–29.
- Kornhauser, D., Wilensky, U., & Rand, W. 2009. Design guidelines for agent based model visualization. *Journal of Artificial Societies and Social Simulation* 12, 1. <http://jasss.soc.surrey.ac.uk/12/2/1.html>.
- Kramer-Schadt, S., Fernandez, N., Grimm, V., & Thulke, H.-H. 2009. Individual variation in infectiousness explains long-term disease persistence in wildlife populations. *Oikos* 118, 199–208.
- LeBaron, B. 2001. Empirical regularities from interacting long-and short-memory investors in an agent-based stock market. *IEEE Transactions on Evolutionary Computation*, 442–55.
- Levins, R. 1966. The strategy of model building in population biology. *American Scientist* 54, 421–31.
- Lotka, A. J. 1925. *Elements of physical biology*. Williams and Wilkins, Baltimore.
- Mangel, M., & Clark, C. 1986. Toward a unified foraging theory. *Ecology* 67, 1127–38.
- Martin, K. S., Blemker, S. S., & Peirce, S. M. 2015. Agent-based computational model investigates muscle-specific responses to disuse-induced atrophy. *Journal of Applied Physiology* 118, 1299–1309.
- McQuinn, I. 1997. Metapopulations and the Atlantic herring. *Reviews in Fish Biology and Fisheries* 7, 297–329.
- Meredith, D. D., Wong, K. W., Woodhead, R. W., & Wortman, R. H. 1973. *Design and planning of engineering systems*. Prentice-Hall, Englewood Cliffs, NJ.
- Mitchell, M. 1998. *An introduction to genetic algorithms*. MIT Press, Cambridge, MA.
- Neuert, C., du Plessis, M., Grimm, V., & Wissel, C. 1995. Welche ökologischen Faktoren bestimmen die Gruppengröße bei *Phoeniculus purpureus* (Gemeiner Baumhopf) in Südafrika? Ein individuenbasiertes Modell. *Verhandlungen der Gesellschaft für Ökologie* 24, 145–49.
- Neuert, C., Rademacher, C., Grundmann, V., Wissel, C., & Grimm, V. 2001. Struktur und Dynamik von Buchenurwäldern: Ergebnisse des regelbasierten Modells BEFORE. *Naturschutz und Landschaftsplanung* 33, 173–83.
- O'Sullivan, D., & Perry, G. 2013. *Spatial simulation: Exploring pattern and process*. John Wiley and Sons, Hoboken, NJ.

- Parker, D., Manson, S., Janssen, M., Hofmann, M., & Deadman, P. 2003. Multi-agent systems for the simulation of land-use and land-cover change: A review. *Annals of the Association of American Geographers* 93, 314–37.
- Partridge, B. L. 1982. The structure and function of fish schools. *Scientific American* 246, 90–99.
- Peck, S. L. 2004. Simulation as experiment: A philosophical reassessment for biological modeling. *Trends in Ecology and Evolution* 19, 530–34.
- Peer, G. 2003. Spatial and behavioral determinants of butterfly movement patterns in topographically complex landscapes. PhD thesis, Ben-Gurion University of the Negev.
- Peer, G., Heinz, S., & Frank, K. 2006. Connectivity in heterogeneous landscapes: Analyzing the effect of topography. *Landscape Ecology* 21, 47–61.
- Peer, G., Saltz, D., & Frank, K. 2005. Virtual corridors for conservation management. *Conservation Biology* 19, 1997–2003.
- Peer, G., Saltz, D., Thulke, H.-H., & Motro, U. 2004. Response to topography in a hilltopping butterfly and implications for modelling nonrandom dispersal. *Animal Behaviour* 68, 825–39.
- Peirce, S., Van Gieson, E., & Skalak, T. 2004. Multicellular simulation predicts microvascular patterning and in silico tissue assembly. *FASEB Journal* 18, 731–33.
- Pitt, W., Box, P., & Knowlton, F. 2003. An individual-based model of canid populations: Modelling territoriality and social structure. *Ecological Modelling* 166, 109–21.
- Platt, J. R. 1964. Strong inference. *Science* 146, 347–52.
- Polhill, J., Brown, D., & Grimm, V. 2008. Using the ODD protocol for describing three agent-based social simulation models of land use change. *Journal of Artificial Societies and Social Simulation* 11, 3. <http://jasss.soc.surrey.ac.uk/11/2/3.html>.
- Rademacher, C., Neuert, C., Grundmann, V., Wissel, C., & Grimm, V. 2001. Was charakterisiert Buchenurwälder? Untersuchungen der Altersstruktur des Kronendachs und der räumlichen Verteilung der Baumriesen mit Hilfe des Simulationsmodells BEFORE. *Forstwissenschaftliches Centralblatt* 120, 288–302.
- Rademacher, C., Neuert, C., Grundmann, V., Wissel, C., & Grimm, V. 2004. Reconstructing spatiotemporal dynamics of Central European natural beech forests: The rule-based forest model BEFORE. *Forest Ecology and Management* 194, 349–68.
- Rademacher, C., & Winter, S. 2003. Totholz im Buchen-Urwald: Generische Vorhersagen des Simulationsmodells BEFORE-CWD zur Menge, räumlichen Verteilung und Verfügbarkeit. *Forstwissenschaftliches Centralblatt* 122, 337–57.
- Railsback, S., Ayllón, D., Berger, U., Grimm, V., Lytinen, S., Sheppard, C., & Thiele, J. 2017. Improving execution speed of models implemented in NetLogo. *Journal of Artificial Societies and Social Simulation* 20, 3. <http://jasss.soc.surrey.ac.uk/20/1/3.html>.
- Railsback, S., & Harvey, B. 2002. Analysis of habitat-selection rules using an individual-based model. *Ecology* 83, 1817–30.
- Railsback, S., Harvey, B., Hayes, J., & LaGory, K. 2005. Tests of a theory for diel variation in salmonid feeding activity and habitat use. *Ecology* 86, 947–59.
- Railsback, S., Lamberson, R., Harvey, B., & Duffy, W. 1999. Movement rules for individual-based models of stream fish. *Ecological Modelling* 123, 73–89.
- Railsback, S. F., & Harvey, B. C. 2013. Trait-mediated trophic interactions: Is foraging theory keeping up? *Trends in Ecology & Evolution* 28, 119–25.
- Railsback, S. F., & Harvey, B. C. Forthcoming. *Modeling populations of adaptive individuals*. Princeton University Press, Princeton, NJ.
- Railsback, S. F., & Johnson, M. D. 2011. Pattern-oriented modeling of bird foraging and pest control in coffee farms. *Ecological Modelling* 222, 3305–19.
- Railsback, S. F., & Johnson, M. D. 2014. Effects of land use on bird populations and pest control services on coffee farms. *Proceedings of the National Academy of Sciences* 111, 6109–14.
- Rammig, A., & Fahse, L. 2009. Simulating forest succession after blowdown events: The crucial role of space for a realistic management. *Ecological Modelling* 220, 3555–64.
- Reynolds, C. 1987. Flocks, herds, and schools: A distributed behavioral model. *Computer Graphics* 21, 25–36.

- Saltelli, A., Chan, K., & Scott, E. M., eds. 2008a. *Sensitivity analysis*. Wiley-Interscience, New York.
- Saltelli, A., Ratto, M., Andres, T., Campolongo, F., Cariboni, J., Gatelli, D., Saisana, M., & Tarantola, S., eds. 2008b. *Global sensitivity analysis: The primer*. Wiley-Interscience, New York.
- Schelling, T. C. 1971. Dynamic models of segregation. *Journal of Mathematical Sociology* 1, 143–86.
- Schelling, T. C. 2006. Some fun, thirty-five years ago. In *Handbook of computational economics*, vol. 2: *Agent-based computational economics* (ed. L. Tesfatsion & K. Judd). Elsevier, Amsterdam, pp. 1639–44.
- Schmolke, A., Thorbek, P., DeAngelis, D. L., & Grimm, V. 2010. Ecological models supporting environmental decision making: A strategy for the future. *Trends in Ecology and Evolution* 25, 479–86.
- Schulze, J., Müller, B., Groeneveld, J., & Grimm, V. 2017. Agent-based modelling of social-ecological systems: Achievements, challenges, and a way forward. *Journal of Artificial Societies & Social Simulation* 20, 2. <http://jasss.soc.surrey.ac.uk/20/2/8.html>.
- Smith, A. K., Petersen, B. K., Ropella, G. E. P., Kennedy, R. C., Kaplowitz, N., Ookhtens, M., & Hunt, C. A. 2016. Competing mechanistic hypotheses of acetaminophen-induced hepatotoxicity challenged by virtual experiments. *PLoS Computational Biology* 12, e1005253. doi:10.1371/journal.pcbi.1005253.
- Starfield, A. M., Smith, K. A., & Bleloch, A. L. 1990. *How to model it: Problem solving for the computer age*. McGraw-Hill, New York.
- Stauffer, H. B. 2008. *Contemporary Bayesian and frequentist statistical research methods for natural resource scientists*. John Wiley & Sons, Hoboken, NJ.
- Strand, E., Huse, G., & Giske, J. 2002. Artificial evolution of life history and behavior. *American Naturalist* 159, 624–44.
- Thiele, J., & Grimm, V. 2010. NetLogo meets R: Linking agent-based models with a toolbox for their analysis. *Environmental Modelling & Software* 25, 972–74.
- Thiele, J. C., & Grimm, V. 2015. Replicating and breaking models: Good for you and good for ecology. *Oikos* 124, 691–96.
- Thiele, J. C., Kurth, W., & Grimm, V. 2014. Facilitating parameter estimation and sensitivity analysis of agent-based models: A cookbook using NetLogo. *Journal of Artificial Societies and Social Simulation* 17, 11. <http://jasss.soc.surrey.ac.uk/17/3/11.html>.
- Thiery, J., D'Herbes, J., & Valentin, C. 1995. A model simulating the genesis of banded vegetation patterns in Niger. *Journal of Ecology* 83, 497–507.
- Thulke, H.-H., & Eisinger, D. 2008. The strength of 70%: After revision of a standard threshold of rabies control. In *Towards the elimination of rabies in Eurasia* (ed. B. Dodet, A. Fooks, T. Muller, & N. Tordo), vol. 131 of *Developments in Biologicals*. S. Karger AG, Basel, pp. 291–98.
- Turner, M. 1993. Book review of: Remmert, H. (ed.) 1991. The mosaic-cycle concept of ecosystems. Springer, Berlin. *Journal of Vegetation Science* 4, 575–76.
- Valone, T. 2006. Are animals capable of Bayesian updating? An empirical review. *Oikos* 112, 252–59.
- Vincenot, C. E. 2018. How new concepts become universal scientific approaches: Insights from citation network analysis of agent-based complex systems science. *Proceedings of the Royal Society B: Biological Sciences* 285. doi: 10.1098/rspb.2017.2360.
- Watson, J. 1968. *The double helix: A personal account of the discovery of the structure of DNA*. Atheneum, New York.
- Weimerskirch, H., Pinaud, D., Pawlowski, F., & Bost, C.-A. 2007. Does prey capture induce area-restricted search? A fine-scale study using GPS in a marine predator, the wandering albatross. *American Naturalist* 170, 734–43.
- Weisberg, M. 2006. Robustness analysis. *Philosophy of Science* 73, 730–42.
- Weisberg, M. 2012. *Simulation and similarity: Using models to understand the world*. Oxford University Press, Oxford.
- Wiegand, T., Jeltsch, F., Hanski, I., & Grimm, V. 2003. Using pattern-oriented modeling for revealing hidden information: A key for reconciling ecological theory and conservation practice. *Oikos* 100, 209–22.
- Wiegand, T., & Moloney, K. A. 2014. *Handbook of spatial point-pattern analysis in ecology*. CRC Press, Boca Raton, FL.

- Wiegand, T., Revilla, E., & Knauer, F. 2004. Dealing with uncertainty in spatially explicit population models. *Biodiversity and Conservation* 13, 53–78.
- Wilensky, U. 1999. NetLogo. <http://ccl.northwestern.edu/netlogo/>. Center for Connected Learning and Computer-Based Modeling, Northwestern University, Evanston, IL.
- Wilensky, U., & Shargel, B. 2002. BehaviorSpace (computer software). Center for Connected Learning and Computer-Based Modeling, Northwestern University, Evanston, IL.
- Wimsatt, W. C. 1981. Robustness, reliability, and overdetermination. In *Scientific inquiry and the social sciences* (ed. M. Brewer & B. Collins). Jossey-Bass, San Francisco, pp. 124–63.
- Wissel, C. 1992. Modelling the mosaic-cycle of a Middle European beech forest. *Ecological Modelling* 63, 29–43.
- Yu, R., Railsback, S., Sheppard, C., & Leung, P. 2013. Agent-based fishery management model of Hawaii's longline fisheries (FMMHLF): Model description and software guide. University of Hawaii at Manoa, School of Ocean and Earth Science report 13-01, Honolulu, HI. www.soest.hawaii.edu/PFRP/soest_jimar_rpts/yu_leung_abm_2013.pdf.
- Zurell, D., Berger, U., Cabral, J. S., Jeltsch, F., Meynard, C. N., Münkemüller, T., Nehrbass, N., Pagel, J., Reineking, B., Schröder, B., & Grimm, V. 2010. The virtual ecologist approach: Simulating data and observers. *Oikos* 221, 98–105.