

References

- Ablamowicz, R., and Sobczyk, G. 2004. *Lectures on Clifford (Geometric) Algebras and Applications*. Birkhäuser, Boston.
- Abrahams, E., Anderson, P. W., Licciardello, D. C., and Ramakrishnan, T. V. 1979. Scaling theory of localization: Absence of quantum diffusion in two dimensions. *Phys. Rev. Lett.*, **42**(10), 673–676.
- Abramowitz, M., and Stegun, I. A. 1970. *Handbook of Mathematical Functions*. Dover, New York.
- Affleck, I. 1986. Universal term in the free energy at a critical point and the conformal anomaly. *Phys. Rev. Lett.*, **56**(7), 746–748.
- Affleck, I., and Haldane, F. D. M. 1987. Critical theory of quantum spin chains. *Phys. Rev. B*, **36**(10), 5291–5300.
- Affleck, I., and Lieb, Elliott H. 1986. A proof of part of Haldane's conjecture on spin chains. *Lett. in Math. Phys.*, **12**(1), 57–69.
- Affleck, I., Kennedy, T., Lieb, E. H., and Tasaki, H. 1987. Rigorous results on valence-bond ground states in antiferromagnets. *Phys. Rev. Lett.*, **59**(7), 799–802.
- Affleck, I., Kennedy, T., Lieb, E. H., and Tasaki, H. 1988. Valence bond ground states in isotropic quantum antiferromagnets. *Commun. Math. Phys.*, **115**(3), 477–528.
- Aitchison, I. J. R., and Dunne, G. V. 2001. Nontopological finite temperature induced fermion number. *Phys. Rev. Lett.*, **86**(9), 1690–1693.
- Aksoy, Ö. M., and Mudry, C. 2022. Elementary derivation of the stacking rules of invertible fermionic topological phases in one dimension. *Phys. Rev. B*, **106**(3), 035117.
- Aksoy, Ö. M., Tiwari, A., and Mudry, C. 2021. Lieb-Schultz-Mattis type theorems for Majorana models with discrete symmetries. *Phys. Rev. B*, **104**(7), 075146.
- Altland, A., and Zirnbauer, M. R. 1997. Nonstandard symmetry classes in mesoscopic normal-superconducting hybrid structures. *Phys. Rev. B*, **55**(2), 1142–1161.
- Anderson, P. W. 1958. Absence of diffusion in certain random lattices. *Phys. Rev.*, **109**(5), 1492–1505.
- Anderson, P. W. 1963. Plasmons, gauge invariance, and mass. *Phys. Rev.*, **130**(1), 439–442.
- Anderson, P. W., Thouless, D. J., Abrahams, E., and Fisher, D. S. 1980. New method for a scaling theory of localization. *Phys. Rev. B*, **22**(8), 3519–3526.

- Arovas, D. P., and Auerbach, A. 1988. Functional integral theories of low-dimensional quantum Heisenberg models. *Phys. Rev. B*, **38**(1), 316–332.
- Atiyah, M. F., Bott, R., and Shapiro, A. 1964. Clifford modules. *Topology*, **3**(Supplement 1), 3–38.
- Auerbach, A., and Arovas, D. P. 1988. Spin dynamics in the square-lattice antiferromagnet. *Phys. Rev. Lett.*, **61**(5), 617–620.
- Baez, J. C. 2020. The tenfold way. *Notices Amer. Math. Soc.*, **67**, 1599–1601.
- Barisic, S. 1983. The role of Coulomb screening in quasi one-dimensional conductors. *J. Phys. France*, **44**(2), 185–199.
- Barkeshli, M., Chen, Y.-A., Hsin, P.-S., and Manjunath, N. 2022. Classification of $(2 + 1)$ D invertible fermionic topological phases with symmetry. *Phys. Rev. B*, **105**(23), 235143.
- Beenakker, C. W. J. 1997. Random-matrix theory of quantum transport. *Rev. Mod. Phys.*, **69**(3), 731–808.
- Beenakker, C. W. J. 2015. Random-matrix theory of Majorana fermions and topological superconductors. *Rev. Mod. Phys.*, **87**(3), 1037–1066.
- Beenakker, C. W. J., and Rejzai, B. 1993. Nonlogarithmic repulsion of transmission eigenvalues in a disordered wire. *Phys. Rev. Lett.*, **71**(22), 3689–3692.
- Beenakker, C. W. J., and Rejzai, B. 1994. Exact solution for the distribution of transmission eigenvalues in a disordered wire and comparison with random-matrix theory. *Phys. Rev. B*, **49**(11), 7499–7510.
- Behrends, J., and Béri, B. 2020. Supersymmetry in the standard Sachdev-Ye-Kitaev Model. *Phys. Rev. Lett.*, **124**(23), 236804.
- Bell, J. S., and Rajaraman, R. 1983. On states, on a lattice, with half-integral charge. *Nucl. Phys. B*, **220**(FS8), 1–12.
- Benalcazar, W. A., Bernevig, B. A., and Hughes, T. L. 2017a. Electric multipole moments, topological multipole moment pumping, and chiral hinge states in crystalline insulators. *Phys. Rev. B*, **96**(24), 245115.
- Benalcazar, W. A., Bernevig, B. A., and Hughes, T. L. 2017b. Quantized electric multipole insulators. *Science*, **357**, 61–66.
- Berets, D. J., and Smith, D. S. 1968. Electrical properties of linear polyacetylene. *Trans. Faraday Soc.*, **64**, 823–828.
- Bernevig, B. A., Hughes, T. L., and Zhang, S.-C. 2006. Quantum spin Hall effect and topological phase transition in HgTe quantum wells. *Science*, **314**, 1757–1761.
- Bethe, H. 1931. Zur Theorie der Metalle. *Z. Phys.*, **71**(3), 205–226.
- Blankenbecler, R., and Boyanovsky, D. 1985. Fractional charge and spectral asymmetry in one dimension: A closer look. *Phys. Rev. D*, **31**(8), 2089–2099.
- Blöte, H. W. J., Cardy, John L., and Nightingale, M. P. 1986. Conformal invariance, the central charge, and universal finite-size amplitudes at criticality. *Phys. Rev. Lett.*, **56**(7), 742–745.
- Borland, R. E. 1963. The nature of the electronic states in disordered one-dimensional systems. *Proc. R. Soc. Lond. A*, **274**(1359), 529–545.
- Bourne, C., and Ogata, Y. 2021. The classification of symmetry protected topological phases of one-dimensional fermion systems. *Forum of Mathematics, Sigma*, **9**(e25), 1–45.
- Bravyi, S., Leemhuis, B., and Terhal, B. M. 2011. Topological order in an exactly solvable 3D spin model. *Ann. Phys.*, **326**(4), 839–866.

- Bronk, B. V. 1965. Exponential ensemble for random matrices. *J. Math. Phys.*, **6**(2), 228–237.
- Brouwer, P. W., Mudry, C., Simons, B. D., and Altland, A. 1998. Delocalization in coupled one-dimensional chains. *Phys. Rev. Lett.*, **81**(4), 862–865.
- Brouwer, P. W., Mudry, C., and Furusaki, A. 2000a. Density of states in coupled chains with off-diagonal disorder. *Phys. Rev. Lett.*, **84**(13), 2913–2916.
- Brouwer, P. W., Furusaki, A., Gruzberg, I. A., and Mudry, C. 2000b. Localization and delocalization in dirty superconducting wires. *Phys. Rev. Lett.*, **85**(5), 1064–1067.
- Brouwer, P. W., Mudry, C., and Furusaki, A. 2000. Nonuniversality in quantum wires with off-diagonal disorder: A geometric point of view. *Nucl. Phys. B*, **565**, 653–663.
- Brown, K. S. 1982. *Cohomology of Groups*. Springer, New York.
- Bultinck, N., Williamson, D. J., Haegeman, J., and Verstraete, F. 2017. Fermionic matrix product states and one-dimensional topological phases. *Phys. Rev. B*, **95**(7), 075108.
- Bundschuh, R., Cassanello, C., Serban, D., and Zirnbauer, M. R. 1998. Localization of quasiparticles in a disordered vortex. *Nucl. Phys. B*, **532**, 689–732.
- Bundschuh, R., Cassanello, C., Serban, D., and Zirnbauer, M. R. 1999. Weak localization of disordered quasiparticles in the mixed superconducting state. *Phys. Rev. B*, **59**(6), 4382–4389.
- Büttiker, M. 1986. Four-terminal phase-coherent conductance. *Phys. Rev. Lett.*, **57**(14), 1761–1764.
- Buttiker, M. 1988. Symmetry of electrical conduction. *IBM J. Res. Dev.*, **32**(3), 317–334.
- Büttiker, M. 1993. Capacitance, admittance, and rectification properties of small conductors. *J. Phys.: Condens. Matter*, **5**(50), 9361–9378.
- Callan, C. G., and Harvey, J. A. 1985. Anomalies and fermion zero modes on strings and domain walls. *Nucl. Phys. B*, **250**(1), 427–436.
- Caselle, M., and Magnea, U. 2004. Random matrix theory and symmetric spaces. *Phys. Rep.*, **394**(2), 41–156.
- Chalker, J. T., and Coddington, P. D. 1988. Percolation, quantum tunnelling and the integer Hall effect. *J. Phys. C: Solid State Phys.*, **21**(14), 2665–2679.
- Chamon, C. 2005. Quantum glassiness in strongly correlated clean systems: An example of topological overprotection. *Phys. Rev. Lett.*, **94**(4), 040402.
- Chen, X., Gu, Z.-C., Liu, Z.-X., and Wen, X.-G. 2013. Symmetry protected topological orders and the group cohomology of their symmetry group. *Phys. Rev. B*, **87**(15), 155114.
- Chiang, C. K., Fincher, C. R., and Park, Y. W. et al. 1977. Electrical conductivity in doped polyacetylene. *Phys. Rev. Lett.*, **39**(17), 1098–1101.
- Chiang, C. K., Gau, S. C., and Fincher, C. R., Jr. et al. 1978. Polyacetylene, $(\text{CH})_x$: n-type and p-type doping and compensation. *Appl. Phys. Lett.*, **33**(1), 18–20.
- Chiang, C. K., Heeger, A. J., and Macdiarmid, A. G. 1979. Synthesis, structure, and electrical properties of doped polyacetylene. *Berichte der Bunsengesellschaft für physikalische Chemie*, **83**(4), 407–417.
- Cho, G. Y., Hsieh, C.-T., Morimoto, T., and Ryu, S. 2015. Topological phases protected by reflection symmetry and cross-cap states. *Phys. Rev. B*, **91**(19), 195142.

- Choquet-Bruhat, Y., DeWitt-Morette, C., and Dillard-Bleick, M. 1982. *Analysis, Manifolds and Physics*. Elsevier Science, Amsterdam.
- Coleman, S. 1975. Quantum sine-Gordon equation as the massive Thirring model. *Phys. Rev. D*, **11**(8), 2088–2097.
- Coleman, S., and Weinberg, E. 1973. Radiative corrections as the origin of spontaneous symmetry breaking. *Phys. Rev. D*, **7**(6), 1888–1910.
- Cornfeld, E., and Carmeli, S. 2021. Tenfold topology of crystals: Unified classification of crystalline topological insulators and superconductors. *Phys. Rev. Res.*, **3**(1), 013052.
- den Nijs, M., and Rommelse, K. 1989. Preroughening transitions in crystal surfaces and valence-bond phases in quantum spin chains. *Phys. Rev. B*, **40**(7), 4709–4734.
- Deser, S., Jackiw, R., and Templeton, T. 1982. Topologically massive gauge theories. *Ann. Phys.*, **140**(2), 372–411.
- Deser, S., Jackiw, R., and Templeton, T. 1988. Erratum: Topologically massive gauge theories. *Ann. Phys.*, **185**(2), 406–406.
- Dijkgraaf, R., and Witten, E. 1990. Topological gauge theories and group cohomology. *Commun. Math. Phys.*, **129**(2), 393–429.
- Dorokhov, O. N. 1982. Transmission coefficient and the localization length of an electron in N bound disordered chains. *JETP Lett.*, **36**(7), 318–321.
- Dresselhaus, M. S., Smalley, R. E., Dresselhaus, G., and Avouris, P. 2001. *Carbon Nanotubes: Synthesis, Structure, Properties, and Applications*. Springer, Berlin Heidelberg.
- Dunne, G. V., and Rao, K. 2001. Thermal fluctuations of induced fermion number. *Phys. Rev. D*, **64**(2), 025003.
- Dyson, F. J. 1953. The dynamics of a disordered linear chain. *Phys. Rev.*, **92**(6), 1331–1338.
- Dyson, F. J. 1962a. Statistical theory of the energy levels of complex systems. I. *J. Math. Phys.*, **3**(1), 140–156.
- Dyson, F. J. 1962b. Statistical theory of the energy levels of complex systems. II. *J. Math. Phys.*, **3**(1), 157–165.
- Dyson, F. J. 1962c. Statistical theory of the energy levels of complex systems. III. *J. Math. Phys.*, **3**(1), 166–175.
- Dziawa, P., Kowalski, B. J., and Dybko, K. et al. 2012. Topological crystalline insulator states in $\text{Pb}_{1-x}\text{Sn}_x\text{Se}$. *Nat. Mater.*, **11**, 1023–1027.
- Edwards, J. T., and Thouless, D. J. 1972. Numerical studies of localization in disordered systems. *J. Phys. C: Solid State Phys.*, **5**(8), 807–820.
- Emery, V. J. 1979. Theory of the one-dimensional electron gas, in *Highly Conducting One-Dimensional Solids*, edited by J. T. Devreese, R. P. Evrard and V. E. van Doren, Springer, Boston. 247–303.
- Evers, F., and Mirlin, A. D. 2008. Anderson transitions. *Rev. Mod. Phys.*, **80**(4), 1355–1417.
- Fidkowski, L., and Kitaev, A. 2010. Effects of interactions on the topological classification of free fermion systems. *Phys. Rev. B*, **81**(13), 134509.
- Fidkowski, L., and Kitaev, A. 2011. Topological phases of fermions in one dimension. *Phys. Rev. B*, **83**(7), 075103.
- Fidkowski, L., Chen, X., and Vishwanath, A. 2013. Non-Abelian topological order on the surface of a 3D topological superconductor from an exactly solved model. *Phys. Rev. X*, **3**(4), 041016.

- Fisher, D. S., and Lee, P. A. 1981. Relation between conductivity and transmission matrix. *Phys. Rev. B*, **23**(12), 6851–6854.
- Fradkin, E. 2013. *Field Theories of Condensed Matter Physics*. Cambridge University Press, New York.
- Frahm, K. 1995. Equivalence of the Fokker-Planck approach and the nonlinear σ model for disordered wires in the unitary symmetry class. *Phys. Rev. Lett.*, **74**(23), 4706–4709.
- Freed, D. S., and Hopkins, M. J. 2021. Reflection positivity and invertible topological phases. *Geometry and Topology*, **25**(3), 1165–1330.
- Friedel, J. 1952. XIV. The distribution of electrons round impurities in monovalent metals. *The London Edinburgh Dublin Philos. Mag. & J. Sci.*, **43**(337), 153–189.
- Fröhlich, J., and Studer, U. M. 1992. $U(1) \times SU(2)$ -gauge invariance of non-relativistic quantum mechanics, and generalized Hall effects. *Commun. Math. Phys.*, **148**(3), 553–600.
- Fröhlich, J., and Studer, U. M. 1993. Gauge invariance and current algebra in nonrelativistic many-body theory. *Rev. Mod. Phys.*, **65**(3), 733–802.
- Fu, L. 2011. Topological crystalline insulators. *Phys. Rev. Lett.*, **106**(10), 106802.
- Fu, L., and Kane, C. L. 2007. Topological insulators with inversion symmetry. *Phys. Rev. B*, **76**(4), 045302.
- Fu, L., Kane, C. L., and Mele, E. J. 2007. Topological insulators in three dimensions. *Phys. Rev. Lett.*, **98**(10), 106803.
- Fujikawa, K. 1979. Path-integral measure for gauge-invariant fermion theories. *Phys. Rev. Lett.*, **42**(18), 1195–1198.
- Fulga, I. C., Hassler, F., and Akhmerov, A. R. 2012. Scattering theory of topological insulators and superconductors. *Phys. Rev. B*, **85**(16), 165409.
- Gade, R. 1993. Anderson localization for sublattice models. *Nucl. Phys. B*, **398**, 499–515.
- Gade, R., and Wegner, F. 1991. The $n = 0$ replica limit of $U(n)$ and $U(n)/SO(n)$ models. *Nucl. Phys. B*, **360**, 213–218.
- Gamboa Saraví, R. E., Schaposnik, F. A., and Solomin, J. E. 1981. Path-integral formulation of two-dimensional gauge theories with massless fermions. *Nucl. Phys. B*, **185**, 239–253.
- Georgi, H. 2000. *Lie Algebras In Particle Physics: from Isospin To Unified Theories*. CRS Press.
- Goldstone, J. 1961. Field theories with “superconductor” solutions. *Il Nuovo Cimento*, **19**(1), 154–164.
- Goldstone, J., and Wilczek, F. 1981. Fractional quantum numbers on solitons. *Phys. Rev. Lett.*, **47**(14), 986–989.
- Gradshteyn, I. S., and Ryzhik, I. M. 1994. *Table of Integrals, Series, and Products*. Academic Press, London.
- Grant, P. M., and Batra, I. P. 1983. Self-consistent crystal potential and band structure of three-dimensional trans-polyacetylene. *J. Phys. Colloques*, **44**(C3), 437–442.
- Grüner, G. 1988. The dynamics of charge-density waves. *Rev. Mod. Phys.*, **60**(4), 1129–1181.
- Gruzberg, I. A., Ludwig, A. W. W., and Read, N. 1999. Exact exponents for the spin quantum Hall transition. *Phys. Rev. Lett.*, **82**(22), 4524–4527.

- Gu, Z.-C., and Wen, X.-G. 2009. Tensor-entanglement-filtering renormalization approach and symmetry-protected topological order. *Phys. Rev. B*, **80**(15), 155131.
- Haah, J. 2011. Local stabilizer codes in three dimensions without string logical operators. *Phys. Rev. A*, **83**(4), 042330.
- Hagiwara, M., Katsumata, K., and Affleck, I. et al. 1990. Observation of $S = 1/2$ degrees of freedom in an $S = 1$ linear-chain Heisenberg antiferromagnet. *Phys. Rev. Lett.*, **65**(25), 3181–3184.
- Haldane, F. D. M. 1983a. Continuum dynamics of the 1-D Heisenberg antiferromagnet: Identification with the $O(3)$ nonlinear sigma model. *Phys. Lett. A*, **93**(9), 464–468.
- Haldane, F. D. M. 1983b. Nonlinear field theory of large-spin Heisenberg antiferromagnets: Semiclassically quantized solitons of the one-dimensional easy-axis Néel state. *Phys. Rev. Lett.*, **50**(15), 1153–1156.
- Haldane, F. D. M. 1988. Model for a quantum Hall effect without Landau levels: Condensed-matter realization of the “parity anomaly”. *Phys. Rev. Lett.*, **61**(18), 2015–2018.
- Haldane, F. D. M. 1995. Stability of chiral Luttinger liquids and Abelian quantum Hall states. *Phys. Rev. Lett.*, **74**(11), 2090–2093.
- Halperin, B. I. 1982. Quantized Hall conductance, current-carrying edge states, and the existence of extended states in a two-dimensional disordered potential. *Phys. Rev. B*, **25**(4), 2185–2190.
- Halperin, B. I. 1987. Possible states for a three-dimensional electron gas in a strong magnetic field. *Jpn. J. Appl. Phys.*, **26**(Supplement 26-3), 1913–1919.
- Halperin, B. I., Lubensky, T. C., and Ma, S. K. 1974. First-order phase transitions in superconductors and smectic-A liquid crystals. *Phys. Rev. Lett.*, **32**(6), 292–295.
- Hanson, R., Kouwenhoven, L. P., and Petta, J. R. et al. 2007. Spins in few-electron quantum dots. *Rev. Mod. Phys.*, **79**(4), 1217–1265.
- Hastings, M. B., and Michalakis, S. 2015. Quantization of Hall conductance for interacting electrons on a torus. *Commun. Math. Phys.*, **334**(1), 433–471.
- Hatano, M., Kambara, S., and Okamoto, S. 1961. Paramagnetic and electric properties of polyacetylene. *J. Polym. Sci.*, **51**(156), S26–S29.
- Hatsugai, Y. 1993. Chern number and edge states in the integer quantum Hall effect. *Phys. Rev. Lett.*, **71**(22), 3697–3700.
- Heeger, A. J., Kivelson, S., Schrieffer, J. R., and Su, W. P. 1988. Solitons in conducting polymers. *Rev. Mod. Phys.*, **60**(3), 781–850.
- Helgason, S. 2001. *Differential Geometry, Lie Groups, and Symmetric Spaces*. American Mathematical Society.
- Higgs, P. W. 1964a. Broken symmetries and the masses of gauge bosons. *Phys. Rev. Lett.*, **13**(16), 508–509.
- Higgs, P. W. 1964b. Broken symmetries, massless particles and gauge fields. *Phys. Lett.*, **12**(2), 132–133.
- Holstein, T., Norton, R. E., and Pincus, P. 1973. De Haas-Van Alphen effect and the specific heat of an electron gas. *Phys. Rev. B*, **8**(6), 2649–2656.
- Hou, C.-Y., Chamon, C., and Mudry, C. 2007. Electron fractionalization in two-dimensional graphenelike structures. *Phys. Rev. Lett.*, **98**(18), 186809.

- Hsieh, C.-T., Sule, O. M., Cho, G. Y., Ryu, S., and Leigh, R. G. 2014. Symmetry-protected topological phases, generalized Laughlin argument, and orientifolds. *Phys. Rev. B*, **90**(16), 165134.
- Hsieh, C.-T., Cho, G. Y., and Ryu, S. 2016a. Global anomalies on the surface of fermionic symmetry-protected topological phases in (3+1) dimensions. *Phys. Rev. B*, **93**(7), 075135.
- Hsieh, D., Qian, D., and Wray, L. et al. 2008. A topological Dirac insulator in a quantum spin Hall phase. *Nature*, **452**, 970–974.
- Hsieh, D., Xia, Y., and Wray, L. et al. 2009. Observation of unconventional quantum spin textures in topological insulators. *Science*, **323**, 919–922.
- Hsieh, T. H., Lin, H., and Liu, J. et al. 2012. Topological crystalline insulators in the SnTe material class. *Nat. Commun.*, **3**, 982.
- Hsieh, T. H., Halász, G. B., and Grover, T. 2016b. All Majorana models with translation symmetry are supersymmetric. *Phys. Rev. Lett.*, **117**(16), 166802.
- Huckestein, B. 1995. Scaling theory of the integer quantum Hall effect. *Rev. Mod. Phys.*, **67**(2), 357–396.
- Hüffmann, A. 1990. Disordered wires from a geometric viewpoint. *J. Phys. A: Math. Gen.*, **23**(24), 5733–5744.
- Imry, Y. 1986. Physics of Mesoscopic Systems, in *Directions in Condensed Matter Physics*, edited by G. Grinstein and G. Mazenko, World Scientific, Singapore. 101–164.
- Itoi, C., and Mukaida, H. 1994. Non-Abelian gauge theory for quantum Heisenberg antiferromagnetic chain. *J. Phys. A: Math. Gen.*, **27**(13), 4695–4708.
- Jackiw, R. 1982. Fermion fractionization in physics, in *Quantum Structure of Space and Time*, edited by M. J. Duff and C. J. Isham, Cambridge University Press, New York. 169–184.
- Jackiw, R., and Rebbi, C. 1976. Solitons with fermion number $\frac{1}{2}$. *Phys. Rev. D*, **13**(12), 3398–3409.
- Jackiw, R., and Rossi, P. 1981. Zero modes of the vortex-fermion system. *Nucl. Phys. B*, **190**, 681–691.
- Jackiw, R., and Semenoff, G. 1983. Continuum quantum field theory for a linearly conjugated diatomic polymer with fermion fractionization. *Phys. Rev. Lett.*, **50**(6), 439–442.
- Jackiw, R., Kerman, A. K., Klebanov, I., and Semenoff, G. 1983. Fluctuations of fractional charge in soliton anti-soliton systems. *Nucl. Phys. B*, **225**(FS9), 233–246.
- Jordan, P., and Wigner, E. 1928. Über das Paulische Äquivalenzverbot. *Z. Phys.*, **47**, 631–651.
- Kane, C. L., and Mele, E. J. 2005a. \mathbb{Z}_2 Topological order and the quantum spin Hall effect. *Phys. Rev. Lett.*, **95**(14), 146802.
- Kane, C. L., and Mele, E. J. 2005b. Quantum spin Hall effect in graphene. *Phys. Rev. Lett.*, **95**(22), 226801.
- Kapustin, A. 2014a. Bosonic topological insulators and paramagnets: A view from cobordisms. *arXiv:1404.6659*.
- Kapustin, A. 2014b. Symmetry protected topological phases, anomalies, and cobordisms: Beyond group cohomology. *arXiv:1403.1467*.
- Kapustin, A., Thorngren, R., Turzillo, A., and Wang, Z. 2015. Fermionic symmetry protected topological phases and cobordisms. *JHEP*, **2015**(12), 052.
- Karoubi, M. 2008. *K-Theory: An Introduction*. Springer, Berlin Heidelberg.

- Kennedy, T. 1990. Exact diagonalisations of open spin-1 chains. *J. Phys.: Condens. Matter*, **2**(26), 5737–5745.
- Khmelnitskii, D. E. 1983. Quantization of Hall conductivity. *JETP Lett.*, **38**(9), 552–556.
- Kitaev, A. 2009. Periodic table for topological insulators and superconductors. *AIP Conference Proceedings*, **1134**, 22–30.
- Kitaev, A. Y. 2001. Unpaired Majorana fermions in quantum wires. *Phys.-Uspekhi*, **44**(10S), 131–136.
- Kivelson, S., and Schrieffer, J. R. 1982. Fractional charge, a sharp quantum observable. *Phys. Rev. B*, **25**(10), 6447–6451.
- Kleist, F. D., and Byrd, N. R. 1969. Preparation and properties of polyacetylene. *J. Polym. Sci. Part A-1: Polymer Chemistry*, **7**(12), 3419–3425.
- Klitzing, K. v., Dorda, G., and Pepper, M. 1980. New method for high-accuracy determination of the fine-structure constant based on quantized Hall resistance. *Phys. Rev. Lett.*, **45**(6), 494–497.
- Koma, T. 2000. Spectral gaps of quantum Hall systems with interactions. *J. of Stat. Phys.*, **99**(1), 313–381.
- Koma, T. 2015. Topological current in fractional Chern insulators. *arXiv:1504.01243*.
- König, M., Wiedmann, S., and Brüne, C. et al. 2007. Quantum spin Hall insulator state in HgTe quantum wells. *Science*, **318**, 766–770.
- Kramers, H. A. 1930. Théorie générale de la rotation paramagnétique dans les cristaux. *Proceedings of the Royal Netherlands Academy of Arts and Sciences*, **33**(9), 959–972.
- Kronig, R. de L. 1935. Zur Neutrinotheorie des Lichtes III. *Physica*, **2**, 968–980.
- Landau, L. D. 1957a. Oscillations in a Fermi liquid. *Soviet Physics JETP-USSR*, **5**(1), 101–108.
- Landau, L. D. 1957b. The theory of a Fermi liquid. *Soviet Physics JETP-USSR*, **3**(6), 920–925.
- Landau, L. D. 1959. On the theory of the Fermi liquid. *Soviet Physics JETP-USSR*, **8**(1), 70–74.
- Landauer, R. 1957. Spatial variation of currents and fields due to localized scatterers in metallic conduction. *IBM J. Res. Dev.*, **1**(3), 223–231.
- Landauer, R. 1970. Electrical resistance of disordered one-dimensional lattices. *Phil. Mag.*, **21**(172), 863–867.
- Landauer, R. 1989. Conductance determined by transmission: Probes and quantised constriction resistance. *J. Phys.: Condens. Matter*, **1**(43), 8099–8110.
- Langbehn, J., Peng, Y., Trifunovic, L., von Oppen, F., and Brouwer, P. W. 2017. Reflection-symmetric second-order topological insulators and superconductors. *Phys. Rev. Lett.*, **119**(24), 246401.
- Laughlin, R. B. 1981. Quantized Hall conductivity in two dimensions. *Phys. Rev. B*, **23**(10), 5632–5633.
- Lee, P. A., and Ramakrishnan, T. V. 1985. Disordered electronic systems. *Rev. Mod. Phys.*, **57**(2), 287–337.
- Levin, M., and Stern, A. 2009. Fractional topological insulators. *Phys. Rev. Lett.*, **103**(19), 196803.
- Levine, H., Libby, S. B., and Pruisken, A. M. M. 1983. Electron delocalization by a magnetic field in two dimensions. *Phys. Rev. Lett.*, **51**(20), 1915–1918.

- Levinson, N. 1949. On the uniqueness of the potential in a Schrodinger equation for a given asymptotic phase. *Kgl. Danske Videnskab Selskab. Mat. Fys. Medd.*, **25**(9), 1–29.
- Licciardello, D. C., and Thouless, D. J. 1975. Conductivity and mobility edges for two-dimensional disordered systems. *J. Phys. C: Solid State Phys.*, **8**(24), 4157–4170.
- Licciardello, D. C., and Thouless, D. J. 1978. Conductivity and mobility edges in disordered systems. II. Further calculations for the square and diamond lattices. *J. Phys. C: Solid State Phys.*, **11**(5), 925–936.
- Lieb, E., Schultz, T., and Mattis, D. 1961. Two soluble models of an antiferromagnetic chain. *Ann. Phys.*, **16**(3), 407–466.
- Ludwig, A. W. W., Fisher, M. P. A., Shankar, R., and Grinstein, G. 1994. Integer quantum Hall transition: An alternative approach and exact results. *Phys. Rev. B*, **50**(11), 7526–7552.
- Luther, A., and Peschel, I. 1975. Calculation of critical exponents in two dimensions from quantum field theory in one dimension. *Phys. Rev. B*, **12**(9), 3908–3917.
- Luttinger, J. M. 1963. An exactly soluble model of a many-fermion system. *J. Math. Phys.*, **4**(9), 1154–1162.
- MacKenzie, R., and Wilczek, F. 1984. Illustrations of vacuum polarization by solitons. *Phys. Rev. D*, **30**(10), 2194–2200.
- Mandelstam, S. 1975. Soliton operators for the quantized sine-Gordon equation. *Phys. Rev. D*, **11**(10), 3026–3030.
- Marshall, W. 1955. Antiferromagnetism. *Proc. R. Soc. Lond. A*, **232**(1188), 48–68.
- Martin, Th., and Landauer, R. 1992. Wave-packet approach to noise in multichannel mesoscopic systems. *Phys. Rev. B*, **45**(4), 1742–1755.
- Matsui, A., and Nakamura, K. 1967. Optical properties of polyacetylene. *Jpn. J. Appl. Phys.*, **6**(12), 1468–1469.
- Mehta, M. L. 2004. *Random Matrices*. Elsevier Science, Amsterdam.
- Mello, P. A., and Pichard, J.-L. 1991. Symmetries and parametrization of the transfer matrix in electronic quantum transport theory. *J. Phys. I France*, **1**(4), 493–513.
- Mello, P. A., Pereyra, P., and Kumar, N. 1988. Macroscopic approach to multichannel disordered conductors. *Ann. Phys.*, **181**(2), 290–317.
- Mermin, N. D., and Wagner, H. 1966. Absence of ferromagnetism or antiferromagnetism in one- or two-dimensional isotropic Heisenberg models. *Phys. Rev. Lett.*, **17**(22), 1133–1136.
- Messiah, A. 2017. *Quantum Mechanics*. Dover, New York.
- Metlitski, M. A., Fidkowski, L., Chen, X., and Vishwanath, A. 2014. Interaction effects on 3D topological superconductors: surface topological order from vortex condensation, the 16 fold way and fermionic Kramers doublets. *arXiv:1406.3032*.
- Midorikawa, S. 1983. Fractional charges at finite temperature. *Prog. Theor. Phys.*, **69**(6), 1831–1834.
- Midorikawa, S. 1985. Fractional fermion number and its thermal effect. *Phys. Rev. D*, **31**(6), 1499–1502.
- Moore, J. E., and Balents, L. 2007. Topological invariants of time-reversal-invariant band structures. *Phys. Rev. B*, **75**(12), 121306(R).
- Morimoto, T., and Furusaki, A. 2013. Topological classification with additional symmetries from Clifford algebras. *Phys. Rev. B*, **88**(12), 125129.

- Morimoto, T., Furusaki, A., and Mudry, C. 2015a. Anderson localization and the topology of classifying spaces. *Phys. Rev. B*, **91**(23), 235111.
- Morimoto, T., Furusaki, A., and Mudry, C. 2015b. Breakdown of the topological classification \mathbb{Z} for gapped phases of noninteracting fermions by quartic interactions. *Phys. Rev. B*, **92**(12), 125104.
- Moses, D., Feldblum, A., and Ehrenfreund, E. et al. 1982. Pressure dependence of the photoabsorption of polyacetylene. *Phys. Rev. B*, **26**(6), 3361–3369.
- Mott, N. F., and Twose, W. D. 1961. The theory of impurity conduction. *Advan. Phys.*, **10**(38), 107–163.
- Mudry, C. 2014. *Lecture Notes On Field Theory In Condensed Matter Physics*. World Scientific, Singapore.
- Mudry, C., Brouwer, P. W., and Furusaki, A. 1999. Random magnetic flux problem in a quantum wire. *Phys. Rev. B*, **59**(20), 13221–13234.
- Mudry, C., Brouwer, P. W., and Furusaki, A. 2000. Crossover from the chiral to the standard universality classes in the conductance of a quantum wire with random hopping only. *Phys. Rev. B*, **62**(12), 8249–8268.
- Mudry, C., Brouwer, P. W., and Furusaki, A. 2001. Erratum: Crossover from the chiral to the standard universality classes in the conductance of a quantum wire with random hopping only [*Phys. Rev. B* 62, 8249 (2000)]. *Phys. Rev. B*, **63**(12), 129901.
- Nambu, Y. 1960. Quasi-particles and gauge invariance in the theory of superconductivity. *Phys. Rev.*, **117**(3), 648–663.
- Nambu, Y., and Jona-Lasinio, G. 1961. Dynamical model of elementary particles based on an analogy with superconductivity. I. *Phys. Rev.*, **122**(1), 345–358.
- Natta, G., Pino, P., and Corradini, P. et al. 1955. Crystalline high polymers of alpha-olefins. *J. Am. Chem. Soc.*, **77**(6), 1708–1710.
- Natta, G., Mazzanti, G., and Corradini, P. 1958. Polimerizzazione stereospecifica dell'acetilene. *Atti Accad. Naz. Lincei, Rend. Cl. Sci. Fis. Mat. e Nat.*, **25**, 3–12.
- Neupert, T., Santos, L., Ryu, S., Chamon, C., and Mudry, C. 2011. Fractional topological liquids with time-reversal symmetry and their lattice realization. *Phys. Rev. B*, **84**(16), 165107.
- Neupert, T., Chamon, C., Mudry, C., and Thomale, R. 2014. Wire deconstructionism of two-dimensional topological phases. *Phys. Rev. B*, **90**(20), 205101.
- Ng, T.-K. 1992. Schwinger-boson mean-field theory for $S = 1$ open spin chains. *Phys. Rev. B*, **45**(14), 8181–8184.
- Ng, T.-K. 1993. Edge states in Schwinger-boson mean-field theory of low-dimensional quantum antiferromagnets. *Phys. Rev. B*, **47**(17), 11575–11578.
- Ng, T.-K. 1994. Edge states in antiferromagnetic quantum spin chains. *Phys. Rev. B*, **50**(1), 555–558.
- Nielsen, H. B., and Ninomiya, M. 1981. Absence of neutrinos on a lattice: (I). Proof by homotopy theory. *Nucl. Phys. B*, **185**, 20–40.
- Niemi, A. J. 1984. Fermion number fractionization and the Witten index – A new approach. *Phys. Lett. B*, **146**(3), 213–216.
- Niemi, A. J. 1985. Spectral density and a family of Dirac operators. *Nucl. Phys. B*, **253**, 14–46.
- Niemi, A. J., and Semenoff, G. W. 1984. Fractional fermion number at finite temperature. *Phys. Lett. B*, **135**(1), 121–124.

- Niemi, A. J., and Semenoff, G. W. 1986. Fermion number fractionization in quantum field theory. *Phys. Rep.*, **135**(3), 99–193.
- Niu, Q., Thouless, D. J., and Wu, Y.-S. 1985. Quantized Hall conductance as a topological invariant. *Phys. Rev. B*, **31**(6), 3372–3377.
- Novoselov, K. S., Geim, A. K., and Morozov, S. V. et al. 2004. Electric field effect in atomically thin carbon films. *Science*, **306**, 666–669.
- Ogata, Y. 2020. A \mathbb{Z}_2 -index of symmetry protected topological phases with time reversal symmetry for quantum spin chains. *Commun. Math. Phys.*, **374**(2), 705–734.
- Ogata, Y., and Tasaki, H. 2019. Lieb–Schultz–Mattis type theorems for quantum spin chains without continuous symmetry. *Commun. Math. Phys.*, **372**(3), 951–962.
- Ogata, Y., Tachikawa, Y., and Tasaki, H. 2021. General Lieb–Schultz–Mattis type theorems for quantum spin chains. *Commun. Math. Phys.*, **385**(1), 79–99.
- Oshikawa, M., Yamanaka, M., and Affleck, I. 1997. Magnetization plateaus in spin chains: “Haldane gap” for half-integer Spins. *Phys. Rev. Lett.*, **78**(10), 1984–1987.
- Perez-Garcia, D., Verstraete, F., Wolf, M. M., and Cirac, J. I. 2007. Matrix product state representations. *Quantum Info. Comput.*, **7**(5), 401–430.
- Polyakov, A. M. 1975. Interaction of Goldstone particles in two dimensions. Applications to ferromagnets and massive Yang-Mills fields. *Phys. Lett. B*, **59**(1), 79–81.
- Porteous, I. R. 1995. *Clifford Algebras and the Classical Groups*. Cambridge Studies in Advanced Mathematics, Vol. **50**. Cambridge University Press, Cambridge.
- Pruisken, A. M. M. 1984. On localization in the theory of the quantized Hall effect: A two-dimensional realization of the θ -vacuum. *Nucl. Phys. B*, **235**, 277–298.
- Rajaraman, R., and Bell, J. S. 1982. On solitons with half integral charge. *Phys. Lett. B*, **116**(2), 151–154.
- Read, N., and Green, D. 2000. Paired states of fermions in two dimensions with breaking of parity and time-reversal symmetries and the fractional quantum Hall effect. *Phys. Rev. B*, **61**(15), 10267–10297.
- Reimann, S. M., and Manninen, M. 2002. Electronic structure of quantum dots. *Rev. Mod. Phys.*, **74**(4), 1283–1342.
- Renard, J. P., Verdaguer, M., and Regnault, L. P. et al. 1987. Presumption for a quantum energy gap in the quasi-one-dimensional $S = 1$ Heisenberg antiferromagnet $\text{Ni}(\text{C}_2\text{H}_8\text{N}_2)_2\text{NO}_2(\text{ClO}_4)$. *Europhys. Lett.*, **3**(8), 945–952.
- Rotman, J. 1999. *An Introduction to the Theory of Groups*. Springer, New York.
- Roy, R. 2009. Topological phases and the quantum spin Hall effect in three dimensions. *Phys. Rev. B*, **79**(19), 195322.
- Ryu, S., and Zhang, S.-C. 2012. Interacting topological phases and modular invariance. *Phys. Rev. B*, **85**(24), 245132.
- Ryu, S., Schnyder, A. P., Furusaki, A., and Ludwig, A. W. W. 2010. Topological insulators and superconductors: Tenfold way and dimensional hierarchy. *New J. Phys.*, **12**(6), 065010.
- Ryu, S., Moore, J. E., and Ludwig, A. W. W. 2012. Electromagnetic and gravitational responses and anomalies in topological insulators and superconductors. *Phys. Rev. B*, **85**(4), 045104.
- Sattinger, D. H., and Weaver, O. L. 1986. *Lie Groups and Algebras with Applications to Physics, Geometry, and Mechanics*. Springer, New York.

- Schaposnik, F. A. 1985. Fermion currents in two-dimensional models. *Z. Phys. C*, **28**, 127–131.
- Schindler, F., Cook, A. M., and Vergniory, M. G. et al. 2018a. Higher-order topological insulators. *Science Advances*, **4**, eaat0346.
- Schindler, F., Wang, Z., and Vergniory, M. G. et al. 2018b. Higher-order topology in bismuth. *Nature Physics*, **14**, 918–924.
- Schmidt, Helmut. 1957. Disordered one-dimensional crystals. *Phys. Rev.*, **105**(2), 425–441.
- Schnyder, A. P., Ryu, S., Furusaki, A., and Ludwig, A. W. W. 2008. Classification of topological insulators and superconductors in three spatial dimensions. *Phys. Rev. B*, **78**(19), 195125.
- Schultz, T. D., Mattis, D. C., and Lieb, E. H. 1964. Two-dimensional Ising model as a soluble problem of many fermions. *Rev. Mod. Phys.*, **36**(3), 856–871.
- Schwinger, J. 1959. Field theory commutators. *Phys. Rev. Lett.*, **3**(6), 296–297.
- Schwinger, J. 1962. Gauge invariance and mass. II. *Phys. Rev.*, **128**(5), 2425–2429.
- Semenoff, G. W. 1984. Condensed-matter simulation of a three-dimensional anomaly. *Phys. Rev. Lett.*, **53**(26), 2449–2452.
- Senthil, T., and Fisher, Matthew P. A. 2000. Quasiparticle localization in superconductors with spin-orbit scattering. *Phys. Rev. B*, **61**(14), 9690–9698.
- Senthil, T., Fisher, M. P. A., Balents, L., and Nayak, C. 1998. Quasiparticle transport and localization in high- T_c superconductors. *Phys. Rev. Lett.*, **81**(21), 4704–4707.
- Shapourian, H., Shiozaki, K., and Ryu, S. 2017. Many-body topological invariants for fermionic symmetry-protected topological phases. *Phys. Rev. Lett.*, **118**(21), 216402.
- Shimamura, K., Hatano, M., Kanbara, S., and Nakada, I. 1967. Electrical conduction of poly-acetylene under high pressure. *J. Phys. Soc. Jpn.*, **23**(3), 578–581.
- Shuryak, E. V., and Verbaarschot, J. J. M. 1993. Random matrix theory and spectral sum rules for the Dirac operator in QCD. *Nucl. Phys. A*, **560**, 306–320.
- Slevin, K., and Nagao, T. 1993. New random matrix theory of scattering in mesoscopic systems. *Phys. Rev. Lett.*, **70**(5), 635–638.
- Slevin, K., and Nagao, T. 1994. Impurity scattering in mesoscopic quantum wires and the Laguerre ensemble. *Phys. Rev. B*, **50**(4), 2380–2392.
- Son, W., Amico, L., and Fazio, R. et al. 2011. Quantum phase transition between cluster and antiferromagnetic states. *Europhys. Lett.*, **95**(5), 50001.
- Song, Z., Fang, Z., and Fang, C. 2017. $(d-2)$ -dimensional edge states of rotation symmetry protected topological states. *Phys. Rev. Lett.*, **119**(24), 246402.
- Stone, A. D., and Szafer, A. 1988. What is measured when you measure a resistance? – The Landauer formula revisited. *IBM J. Res. Dev.*, **32**(3), 384–413.
- Su, W. P., and Schrieffer, J. R. 1981. Fractionally charged excitations in charge-density-wave systems with commensurability 3. *Phys. Rev. Lett.*, **46**(11), 738–741.
- Su, W. P., Schrieffer, J. R., and Heeger, A. J. 1979. Solitons in polyacetylene. *Phys. Rev. Lett.*, **42**(25), 1698–1701.
- Su, W. P., Schrieffer, J. R., and Heeger, A. J. 1980. Soliton excitations in polyacetylene. *Phys. Rev. B*, **22**(4), 2099–2111.
- Suzuki, M. 1971a. The dimer problem and the generalized X-model. *Phys. Lett. A*, **34**(6), 338–339.

- Suzuki, M. 1971b. Relationship among exactly soluble models of critical phenomena. I: 2D Ising model, dimer problem and the generalized XY-model. *Prog. Theor. Phys.*, **46**(5), 1337–1359.
- Takayama, H., Lin-Liu, Y. R., and Maki, K. 1980. Continuum model for solitons in polyacetylene. *Phys. Rev. B*, **21**(6), 2388–2393.
- Tanaka, Y., Ren, Z., and Sato, T. et al. 2012. Experimental realization of a topological crystalline insulator in SnTe. *Nat. Phys.*, **8**, 800–803.
- Tang, E., and Wen, X.-G. 2012. Interacting one-dimensional fermionic symmetry-protected topological phases. *Phys. Rev. Lett.*, **109**(9), 096403.
- Tasaki, H. 2018. Lieb–Schultz–Mattis theorem with a local twist for general one-dimensional quantum systems. *J. of Stat. Phys.*, **170**(4), 653–671.
- Tasaki, H. 2020. *Physics and Mathematics of Quantum Many-Body Systems*. Springer, Switzerland.
- Teo, J. C. Y., and Kane, C. L. 2010. Topological defects and gapless modes in insulators and superconductors. *Phys. Rev. B*, **82**(11), 115120.
- Thouless, D. J. 1983. Quantization of particle transport. *Phys. Rev. B*, **27**(10), 6083–6087.
- Thouless, D. J., Kohmoto, M., Nightingale, M. P., and den Nijs, M. 1982. Quantized Hall conductance in a two-dimensional periodic potential. *Phys. Rev. Lett.*, **49**(6), 405–408.
- Titov, M., Brouwer, P. W., Furusaki, A., and Mudry, C. 2001. Fokker-Planck equations and density of states in disordered quantum wires. *Phys. Rev. B*, **63**(23), 235318.
- Tomonaga, S. 1950. Remarks on Bloch's method of sound waves applied to many-fermion problems. *Prog. Theor. Phys.*, **5**(4), 544–569.
- Tsui, D. C., Stormer, H. L., and Gossard, A. C. 1982. Two-dimensional magnetotransport in the extreme quantum limit. *Phys. Rev. Lett.*, **48**(22), 1559–1562.
- Turner, A. M., Pollmann, F., and Berg, E. 2011. Topological phases of one-dimensional fermions: An entanglement point of view. *Phys. Rev. B*, **83**(7), 075102.
- Turzillo, A., and You, M. 2019. Fermionic matrix product states and one-dimensional short-range entangled phases with antiunitary symmetries. *Phys. Rev. B*, **99**(3), 035103.
- Van Kampen, N. G. 2011. *Stochastic Processes in Physics and Chemistry*. Elsevier Science, Amsterdam.
- van Wees, B. J., van Houten, H., and Beenakker, C. W. J. et al. 1988. Quantized conductance of point contacts in a two-dimensional electron gas. *Phys. Rev. Lett.*, **60**(9), 848–850.
- Verbaarschot, J. 1994. Spectrum of the QCD Dirac operator and chiral random matrix theory. *Phys. Rev. Lett.*, **72**(16), 2531–2533.
- Verresen, R., Moessner, R., and Pollmann, F. 2017. One-dimensional symmetry protected topological phases and their transitions. *Phys. Rev. B*, **96**(16), 165124.
- Vijay, S., Haah, J., and Fu, L. 2015. A new kind of topological quantum order: A dimensional hierarchy of quasiparticles built from stationary excitations. *Phys. Rev. B*, **92**(23), 235136.
- Wall, C. T. C. 1964. Graded Brauer Groups. *J. Reine Angew. Math.*, **213**, 187–199.
- Wallace, P. R. 1947. The band theory of graphite. *Phys. Rev.*, **71**(9), 622–634.
- Wang, C., and Senthil, T. 2014. Interacting fermionic topological insulators/superconductors in three dimensions. *Phys. Rev. B*, **89**(19), 195124.

- Watanabe, H. 2017. Energy gap of neutral excitations implies vanishing charge susceptibility. *Phys. Rev. Lett.*, **118**(11), 117205.
- Watson Jr., W. H., McMordie Jr., W. C., and Lands, L. G. 1961. Polymerization of alkynes by Ziegler-type catalyst. *J. Polym. Sci.*, **55**(161), 137–144.
- Wegner, F. J. 1976. Electrons in disordered systems. Scaling near the mobility edge. *Z. Phys. B*, **25**(4), 327–337.
- Wen, X. G. 1990. Topological orders in rigid states. *International Journal of Modern Physics B*, **04**(02), 239–271.
- Wen, X. G. 2007. *Quantum Field Theory of Many-Body Systems: From the Origin of Sound to an Origin of Light and Electrons*. Oxford University Press, New York.
- Wess, J., and Zumino, B. 1971. Consequences of anomalous ward identities. *Phys. Lett. B*, **37**(1), 95–97.
- Wiegmann, P. B. 1985. Exact solution of the O(3) nonlinear σ -model. *Phys. Lett. B*, **152**(3), 209–214.
- Wigner, E. P. 1951a. On a class of analytic functions from the quantum theory of collisions. *Ann. Math.*, **53**(1), 36–67.
- Wigner, E. P. 1951b. On the statistical distribution of the widths and spacings of nuclear resonance levels. *Math. Proc. Cambridge Philos. Soc.*, **47**(4), 790–798.
- Wigner, E. P. 1955. Characteristic vectors of bordered matrices with infinite dimensions. *Ann. Math.*, **62**(3), 548–564.
- Wigner, E. P. 1957. Characteristics vectors of bordered matrices with infinite dimensions II. *Ann. Math.*, **65**(2), 203–207.
- Wigner, E. P. 1958. On the distribution of the roots of certain symmetric matrices. *Ann. Math.*, **67**(2), 325–327.
- Witten, E. 1982. Constraints on supersymmetry breaking. *Nucl. Phys. B*, **202**, 253–316.
- Witten, E. 1984. Non-abelian bosonization in two dimensions. *Commun. Math. Phys.*, **92**(4), 455–472.
- Witten, E. 2016. Fermion path integrals and topological phases. *Rev. Mod. Phys.*, **88**(3), 035001.
- Wu, W. K., and Kivelson, S. 1986. Theory of conducting polymers with weak electron-electron interactions. *Phys. Rev. B*, **33**(12), 8546–8557.
- Xu, S.-Y., Liu, C., and Alidoust, N. et al. 2012. Observation of a topological crystalline insulator phase and topological phase transition in $\text{Pb}_{1-x}\text{Sn}_x\text{Te}$. *Nat. Commun.*, **3**, 1192.
- Yamagishi, H. 1983a. Comment on “Fractional Quantum Numbers on Solitons”. *Phys. Rev. Lett.*, **50**(6), 458–458.
- Yamagishi, H. 1983b. Fermion-monopole system reexamined. *Phys. Rev. D*, **27**(10), 2383–2396.
- Yamanaka, M., Oshikawa, M., and Affleck, I. 1997. Nonperturbative approach to Luttinger’s theorem in one dimension. *Phys. Rev. Lett.*, **79**(6), 1110–1113.
- You, Y.-Z., and Xu, C. 2014. Symmetry-protected topological states of interacting fermions and bosons. *Phys. Rev. B*, **90**(24), 245120.
- Youla, D. C. 1961. A Normal form for a matrix under the unitary congruence group. *Can. J. Math.*, **13**, 694–704.

