Bibliography

[1] H. Antosiewicz and W. Rheinboldt. "Numerical analysis and functional analysis." In *Survey of Numerical Analysis*, edited by J. Todd, New York: McGraw-Hill Book Company, 1962.

[2] T. M. Apostol. *Calculus*. New York: John Wiley, 1969.

[3] A. A. Ball and D. J. T. Storry. "Conditions for tangent plane continuity over recursively generated B-spline surfaces." *ACM Transactions on Graphics* 7(2): 83–102 (Apr. 1988).

[4] R. E. Barnhill. "Smooth interpolation over triangles." In *Computer Aided Geometric Design*, edited by R. E. Barnhill and R. F. Riesenfeld, New York: Academic Press, 1974.

[5] P. J. Barry and R. N. Goldman. "Recursive proof of Boehm's knot insertion technique." *Computer Aided Design* 20(4): 181–182 (1988).

[6] R. H. Bartels and J. C. Beatty. "A technique for the direct manipulation of spline curves." In *Proceedings of Graphics Interface*, pp. 33–39, Toronto, Canada: Canadian Human-Computer Communications Society, 1989.

[7] B. G. Baumgart. *Geometric modelling for computer vision*. Report AIM-249, STAN-CS-74-463, Stanford Artificial Intelligence Laboratory, Stanford University, October 1974.

[8] G. H. Behforooz and N. Papamichael. "End conditions for cubic spline interpolation." *Journal Inst. Maths. Applic.* 23: 355–366 (1979).

[9] G. H. Behforooz and N. Papamichael. "End conditions for interpolatory cubic splines with unequally spaced knots." *Journal of Computational and Applied Mathematics* 6(1): 59–65 (1980).

[10] Pierre Bézier . *The Mathematical Basis of the UNISURF CAD System*. Butterworths, 1986.

[11] M. Bloomenthal. *Approximation of sweep surfaces by tensor product B-splines*. Tech Reports UUCS-88-008, University of Utah, 1988.

[12] M. Bloomenthal and R. F. Riesenfeld. "Approximation of sweep surfaces by tensor product NURBS." In *Proceedings of the SPIE Conference on Curves and Surfaces in Computer Vision and Graphics II*, edited by M.J. Silbermann and H.D. Tagare, Bellingham, WA: SPIE Press, 1992.

[13] W. Boehm. "Knot insertion." *Journal of Computational and Applied Mathematics* 6(1): 59–65 (1980).

[14] W. F. Bronsvoort, P. R. van Nieuwenhuizen, and F. H. Post. "Display of profiled sweep objects." *The Visual Computer* 5(3): 147–157 (June 1989).

[15] E. E. Catmull and J. H. Clark. "Recursively generated B-spline surfaces on arbitrary topological meshes." *Computer Aided Design* 10(6): 350–355 (November 1978).

[16] G. M. Chaikin. "An algorithm for high-speed curve generation." *Computer Graphics and Image Processing* 3: 346–349 (1974).

[17] Y.-K. Chang, A. P. Rockwood, and Q. He. "Direct rendering of freeform volumes." *Computer Aided Design* 27(7): 553–558 (1995).

[18] E. Cobb. *Design of Sculptured Surfaces Using the B-Spline Representation.* PhD thesis, University of Utah, 1984.

[19] E. Cohen and Schumaker L. "Rates of convergence of control polygons." *Computer Aided Geometric Design* 2(1-3): 229–235 (1985).

[20] E. Cohen, T. Lyche, and R. F. Riesenfeld. "Discrete B-splines and subdivision techniques in computer-aided geometric design and computer graphics." *Computer Graphics and Image Processing* 14(2): 87–111 (October 1980).

[21] E. Cohen, T. Lyche, and R. F. Riesenfeld. "Discrete box splines and refinement algorithms." *Computer Aided Geometric Design* 1(2): 131–148 (1984).

[22] E. Cohen, T. Lyche, and L. Schumaker. "Algorithms for degree raising of splines." *ACM Transactions on Graphics* 4: 171–181 (1985).

[23] E. Cohen, T. Lyche, and L. Schumaker. "Degree raising for splines." *Journal of Approximation Theory* 46: 170–181 (1986).

[24] S. Coquillart. "A control-point based sweeping technique." *IEEE Computer Graphics and Applications* 7(11): 36–44 (1987).

[25] H. B. Curry and I. J. Schoenberg. "On Polya frequency functions IV: The fundamental spline functions and their limits." *Journal d'Analyse Mathematique* 17: 71–107 (1966).

[26] M. Daehlen and T. Lyche. Decomposition of splines. In *Mathematical Methods in Computer Aided Geometric Design II*, edited by T. Lyche and L. Schumaker, pp. 135–160, Boston: Academic Press, 1992.

[27] M. de Berg, M. van Kreveld, M. Overmars, and O. Schwarzkopf. *Computational Geometry: Algorithms and Applications.* New York: Springer-Verlag, 1997.

[28] C. de Boor. "Splines as linear combinations of B-splines. A survey." In *Approximation Theory II*, edited by G. G. Lorentz, C. K. Chui, and L. L. Schumaker, pp. 1–47, New York: Academic Press, 1976.

[29] C. de Boor. *A Practical Guide to Splines*, volume 27 of *Applied Mathematical Sciences*. New York: Springer-Verlag, 1978.

[30] C. de Boor, K. Hollig, and S Riemenschneider. *Box Splines*, volume 98 of *Applied Mathematical Sciences*. New York: Springer-Verlag, 1993.

[31] C. de Boor and G. Fix. "Spline approximation by quasi-interpolants." *Journal of Approximation Theory* 8: 19–45 (1973).

[32] J. W. Demmel. *Applied Numerical Linear Algebra*. Philadelphia: SIAM, 1997.

[33] T. DeRose, M. Kass, and T. Truong. "Subdivision surfaces in character animation." In *Proc. SIGGRAPH 98, Computer Graphics Proceedings, Annual Conference Series*, edited by Michael Cohen, pp. 85–94, Reading, MA: Addison-Wesley, 1998.

[34] D. Doo and Sabin M. "Behaviour of recursive division surfaces near extraordinary points." *Computer Aided Design* 10(6): 356–360 (November 1978).

[35] G. Elber. *Free Form Surface Analysis using a Hybrid of Symbolic and Numeric Computation*. PhD thesis, University of Utah, 1992.

[36] G. Elber. "Multiresolution curve editing with linear constraints." In *Solid Modeling 2001*, New York: ACM Press, June 2001.

[37] G Farin. *Curves and Surfaces for Computer Aided Geometric Design*. Boston: Academic Press, 1996.

[38] G. E. Farin. *Konstruktion und eigenschaften von Bézier-kurven und Bézierflaechen*. Technical Report, T.U. Braunschweig, 1977.

[39] I. D. Faux and M. J. Pratt. *Computational Geometry for Design and Manufacture*. Chichester: Ellis Horwood Ltd., 1979.

[40] G. H. Golub and C. F. Van Loan. *Matrix Computation*. Baltimore, MD: The John Hopkins University Press, 1996.

[41] W. J. Gordon and R. F. Riesenfeld. "B-spline curves and surfaces." In *Computer Aided Geometric Design*, edited by Robert E. Barnhill and Richard F. Riesenfeld, pp. 95–126, New York: Academic Press, 1974.

[42] H. Hoppe, T. DeRose, T. Duchamp, M. Halstead, H. Jin, J. McDonald, J. Schweitzer, and W. Stuetzle. "Piecewise smooth surface reconstruction." *Computer Graphics* 28(3): 295–302 (1994).

[43] B. W. Jordan, W. J. Lennon, and B. C. Holm. "An improved algorithm for the generation of nonparametric curves." *IEEE Transactions on Computers* C-22(12): 1052–1060 (December 1973).

[44] S. Karlin. *Total Positivity*, Volume 1. Stanford, CA: Stanford University Press, 1968.

[45] S. Karlin and Z. Ziegler. "Tschebysheffian spline functions." *SIAM J. Numer. Anal.* Series B 3: 514–543 (1966).

[46] R. Kazinnik and G. Elber. "Orthogonal decomposition of non-uniform B-splines using wavelets." *Computer Graphics Forum* 16(3): 27–38 (1997).

[47] F. Klok. "Two moving coordinate frames for sweeping along a 3D trajectory." *Computer Aided Geometric Design* 3(3): 217–219 (1986).

[48] D. Knuth. *The Art of Computer Programming*, Vol 1 & 2. Reading, MA: Addison-Wesley, 1975.

[49] J. M. Lane and R. F. Riesenfeld. "A theoretical development for the computer generation of piecewise polynomial surfaces." *IEEE Transactions on Pattern Analysis and Machine Intelligence* 2(1): 35–46 (January 1980).

[50] J. M. Lane and R. F. Riesenfeld. "A geometric proof of the variation diminishing property of B-spline approximation." *Journal of Approximation Theory* 37(1): 1–4 (1983).

[51] E. Lee and M. Lucian. "Moebius reparametrizations of rational B-splines." *Computer Aided Geometric Design* 8(3): 213–216 (1991).

[52] B. Livingston. *Intersurface Continuity of Solid Models.* Master's thesis, University of Utah, 1990.

[53] C. T. Loop. *Smooth Subdivision Surfaces Based on Triangles.* Master's thesis, University of Utah, 1987.

[54] W. E. Lorensen and H. E. Cline. "Marching cubes: A high resolution 3D surface construction algorithm." *Computer Graphics (Proc. SIGGRAPH '87)* 21(4): 163–169 (July 1987).

[55] T. Lyche. "A note on the Oslo algorithm." *Computer Aided Design* 20(6): 353–355 (1988).

[56] T. Lyche, E. Cohen, and K. Morken. "Knot line refinement algorithms for tensor product B-spline surfaces." *Computer Aided Geometric Design* 2(1-3): 133 –139 (1985).

[57] T. Lyche and K. Morken. "Making the Oslo algorithm more efficient." *SIAM J. Numer. Anal.* 23: 663–675 (1986).

[58] W. Martin and E. Cohen. "Representation and Extraction of Volumetric Attributes using Trivariate Splines: A Mathematical Framework." In *Solid Modeling.*, 2001.

[59] M. J. Marsden. "An identity for spline functions with approximations to variation-diminishing spline approximation." *Journal of Approximation Theory* 3: 7–49 (1970).

[60] K. Morken. "Some identities for products and degree raising of splines." *Constructive Approximation* 7: 195–208 (1991).

[61] Ahmad H. Nasri. "Polyhedral subdivision methods for free-form surfaces." *ACM Transactions on Graphics* 6(1): 29–73 (January 1987).

[62] W. M. Newman and R. F. Sproull. *Principles of Interactive Computer Graphics*. Reading, MA: Addison-Wesley, 1979.

[63] N. Okino, Y. Kakazu and H. Kubo. In *TIPS-1: Technical information processing system for Computer Aided Design and Computer Aided Manufacturing*. In *Computer Languages for Numerical Control*, Amsterdam: North-Holland, 1973.

[64] N. Okino, H. Kubo, and Y. Kakazu. "An integrated CAD/CAM system: TIPS-2." In *Proceedings of the 1976 International Conference on Programming Languages for Numerically Controlled Machine Tools*, Stirling, England, 1976.

[65] N. Okino, Y. Kakazu, H. Kubo, N. Hashimoto, and Y. Shiroma. "Advanced 3D shape description methods in TIPS-1." *Computers in Industry* 3(1,2): 93–104 (March–June 1982).

[66] K. Paik. *Trivariate B-splines*. Master's thesis, University of Utah, 1992.

[67] J. Peters and U. Reif. "Analysis of generalized B-spline subdivision algorithms." *ACM Transactions on Graphics* 16 (1997).

[68] F. Preparata and M. Shamos. *Computational Geometry*. New York: Springer-Verlag, 1985.

[69] A. Raviv and G. Elber. "Interactive direct rendering of trivariate B-spline scalar functions." *IEEE Transactions on Visualization and Computer Graphics*, to appear.

[70] U. Reif. "A unified approach to subdivision algorithms near extraordinary vertices." *Computer Aided Geometric Design* 12(2): 153–174 (1995).

[71] R. F. Riesenfeld. *Applications of B-spline Approximation to Geometric Problems of Computer-Aided Design*. PhD thesis, Syracuse University, Syracuse, N.Y., May 1973. Available as Tech. Report No. UTEC-CSc-73-126, UUCS.

[72] R. F. Riesenfeld and E. Cohen. "General matrix representations for Bézier and B-spline curves." *Computers in Industry* 3(1,2): 9–16 (March 1982).

[73] R. Sarraga. "Computer modeling of surfaces with arbitrary shapes." *IEEE Computer Graphics and Applications* 10: 67–77 (1990).

[74] I. J. Schoenberg. "Contributions to the problem of approximation of equidistant data by analytic functions." *Quarterly Applied Math.* 4(1): 45–99 and 112–141 (1946).

[75] I. J. Schoenberg and A. Whitney. "On Polya frequency functions, III: The positivity of translation determinants with application to the interpolation problem by spline curves." *Trans. Amer. Math. Soc.* 74: 246–259 (1953).

[76] L. L. Schumaker. *Spline Functions: Basic Theory*. New York: John Wiley & Sons, 1981.

[77] J. E. Schweitzer. *Analysis and Application of Subdivision Surfaces*. PhD thesis, University of Washington, 1996.

[78] T. W. Sederberg and S. R. Parry. "Free-form deformation of solid geometric models." *Computer Graphics (Proc. SIGGRAPH '86)* 20(4): 151-160 (August 1986).

[79] Lee Seitelman. "A new user-transparent end condition for cubic spline data fitting." In *SIAM 1977 Fall Meeting*, Philadelphia, PA: SIAM, 1977.

[80] P. Siltanen and C. Woodward. "Normal orientation methods for 3D offset curves, sweep surfaces and skinning." *Computer Graphics Forum* 11: 449–457 (1992).

[81] J. Stam. "Exact evaluation of Catmull-Clark subdivision surfaces at arbitrary parameter values.' In *Proc. Siggraph '98, Computer Graphics Proceedings, Annual Conference Series*, edited by Michael Cohen, pp. 395–404, Reading, MA: Addison-Wesley, 1998.

[82] S. Thomas. *Modelling Volumes Bounded by B-Spline Surfaces*. PhD thesis, University of Utah, 1984.

[83] K. J. Versprille. *Computer-Aided Design Applications of the Rational B-spline Approximation Form*. PhD thesis, Syracuse University, Syracuse, N.Y., February 1975.

[84] F. Yamaguchi. "A new curve fitting method using a CRT computer display." *Computer Graphics and Image Processing* 7(3): 425–437 (June 1978).

[85] D. Zorin. *Stationary Subdivision and Multiresolution Surface Representations*. PhD thesis, Caltech, 1997.

[86] D. Zorin. "Smoothness of subdivision on irregular meshes." *Constructive Approximation* 16(3): 359–397 (2000).

[87] D. Zorin and P. Schroder. Subdivision for modeling and animation. In *Siggraph 2000 Course Notes*. New York: ACM, 2000.

[88] D. Zorin, P. Schroder, and W. Sweldens. "Interactive multiresolution mesh editing." In *Proc. Siggraph '97, Computer Graphics Proceedings, Annual Conference Series*, edited by Turner Whitted, pp. 259–268, Reading, MA: Addison-Wesley, 1997.