

# Literatura

- Acetyl-L-carnitine monograph. (2010, duben). *Alternative Medicine Review* 15:76–83. <https://altmedrev.com/wp-content/uploads/2019/02/v15-1-76.pdf>.
- Acheson, K.J., et al. 2004. Metabolic effects of caffeine in humans: lipid oxidation or futile cycling? *The American Journal of Clinical Nutrition* 79(1):40–6.
- Ahtianen, J. P., A. Pakarinen, W. J. Kraemer, K. Hakkinen. 2003. Acute hormonal and neuromuscular responses and recovery to forced vs. maximum repetitions multiple resistance exercises. *International Journal of Sports Medicine* 24:410–418.
- Altena, T.S., et al. 2003. Effects of continuous and intermittent exercise on postprandial lipemia. *Medicine and Science in Sports and Exercise* (5cSuppl).
- Almuzaini, K.S., et al. 1998. Effects of split exercise sessions on excess postexercise oxygen consumption and resting metabolic rate. *Canadian Journal of Applied Physiology* 23(5):433–43.
- Anderson, R.A., 1997. Chromium as an essential nutrient for humans. *Regulatory Toxicology and Pharmacology* 26(1):S35–S41.
- Anton, S.D., et al. 2008. Effects of chromium picolinate on food intake and satiety. *Diabetes Technology & Therapeutics* 10(5):405–12.
- Antonio, J., et al. 2016. The effects of a high protein diet on indices of health and body composition—a crossover trial in resistance-trained men. *Journal of the International Society of Sports Nutrition* 13(1):1–7.
- Apicella, J.M., 2011. The effect of betaine supplementation on performance and muscle mechanisms, accessed on September 17, 2021, [https://opencommons.uconn.edu/gs\\_theses/109](https://opencommons.uconn.edu/gs_theses/109).
- Arciero, P.J., et al. 2001. Comparison of creatine ingestion and resistance training on energy expenditure and limb blood flow. *Metabolism*. 50(12):1429–34.
- Arul, A.B., et al. 2012. Multivitamin and mineral supplementation in 1,2-dimethylhydrazine induced experimental colon carcinogenesis and evaluation of free radical status, antioxidant potential, and incidence of ACF. *Canadian Journal of Physiology and Pharmacology* 90(1):45–54.
- Babraj, J.A., et al. 2009. Extremely short duration high intensity interval training substantially improves insulin action in young healthy males. *BMC Endocrine Disorders* 9:3.
- Baker, D., and R.U. Newton. 2005. Acute effect on power output of alternating an agonist and antagonist muscle exercise during complex training. *Journal of Strength and Conditioning Research* 19(1):202–5.
- Barringer, T.A., et al. 2003. Effect of a multivitamin and mineral supplement on infection and quality of life: a randomized, double-blind, placebo-controlled trial. *Annals of Internal Medicine* 138(5):365–71.
- Becque, M.D., et al. 2000. Effects of oral creatine supplementation on muscular strength and body composition. *Medicine and Science in Sports and Exercise* 32(3):654–58.
- Blahnik, J., 2011. *Full-body flexibility*. 2. vyd., Champaign, IL: Human Kinetics.
- Boirie, Y., et al. 1997. Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proceedings of the National Academy of Sciences of the United States of America* 94(26):14930–35.
- Borg, G. A. V. 1982. Psychophysical bases of perceived exertion. *Medicine and Science in Sports and Exercise* 14:377–381.
- Borshein, E., and H. Bahr. 2003. Effect of exercise intensity, duration and mode on postexercise oxygen consumption. *Sports Medicine* 33(14):1037–60.
- Bosco, C., M. Lacovelli, O. Tsarpela, M. Cardinale, M. Bonifazi, J. Tihanyi, M. Viru, A. De Lorenzo, A. Viru. 2000. Hormonal responses to whole-body vibration in men. *European Journal of Applied Physiology* 81:449–454.
- Bosse, J.D., and B.M. Dixon. 2012. Dietary protein to maximize resistance training: a review and examination of protein spread and change theories. *Journal of the International Society of Sports Nutrition* 9(1):42.
- Boutcher, S.H., et al. 2007. The effect of high intensity intermittent exercise training on autonomic response of premenopausal women. *Medicine and Science in Sports and Exercise* 39(5 suppl):S165.
- Breil, F.A., et al. 2010. Block training periodization in alpine skiing: effects of 11-day HIT on VO<sub>2</sub>max and performance. *European Journal of Applied Physiology* 109(6):1077–86.
- Burd, N.A., et al. 2010. Low-load high volume resistance exercise stimulates muscle protein synthesis more than high-load low volume resistance exercise in young men. *PLOS ONE* 5(8):e12033.
- Burd, N.A., et al. 2011. Enhanced amino acid sensitivity of myofibrillar protein synthesis persists for up to 24 h after resistance exercise in young men. *Journal of Nutrition* 141(4):568–73.
- Burke, D.G., et al. 2001. The effect of whey protein supplementation with and without creatine monohydrate combined with resistance training on lean tissue mass and muscle strength. *International Journal of Sport Nutrition and Exercise Metabolism* 11(3):349–64.
- Burke, D.G. 2008. Effect of creatine supplementation and resistance-exercise training on muscle insulin-like growth factor in young adults. *International Journal of Sport Nutrition and Exercise Metabolism*. 18(4):389–98.
- Cancela, P., et al. 2008. Creatine supplementation does not affect clinical health markers in football players. *British Journal of Sports Medicine* 42(9):731–5.
- Candow, D.G., et al. 2006. Effect of whey and soy protein supplementation combined with resistance training in young adults. *International Journal of Sport Nutrition and Exercise Metabolism* 16(3):233–44.
- Crewther, B.T., et al. 2016. The effects of two equal-volume training protocols upon strength, body composition and salivary hormones in male rugby union players. *Biology of Sport* 33:111–16.

- Cribb, P.J., et al. 2007. Effects of whey isolate, creatine, and resistance training on muscle hypertrophy. *Medicine and Science in Sports and Exercise* 39(2):298–307.
- Cribb, P.J., and A. Hayes. 2006. Effects of supplement timing and resistance exercise on skeletal muscle hypertrophy. *Medicine and Science in Sports and Exercise* 38(11):1918–25.
- Daly, W., et al. 2005. Relationship between stress hormones and testosterone with prolonged endurance exercise. *European Journal of Applied Physiology* 93(4):375–80.
- Davis, W.J., et al. 2008. Elimination of delayed-onset muscle soreness by pre-resistance cardioacceleration before each set. *Journal of Strength and Conditioning Research* 22(1):212–25.
- Deighton, K., et al. 2012. Appetite, energy intake and resting metabolic responses to 60 min treadmill running performed in a fasted versus a postprandial state. *Appetite* 58(3):946–54.
- DeLorme, T. L. 1945. Restoration of muscle power by heavy resistance exercises. *Journal of Bone and Joint Surgery American Volume* 27:645–667.
- DeLorme, T. L., A. L. Watkins. 1948. Techniques of progressive resistance exercise. *Archives of Physical Medicine* 29:263–273.
- DiNicolantonio, J.J., and A. Berger. 2016. Added sugars drive nutrient and energy deficit in obesity: a new paradigm. *Open Heart* 3(2):e000469. doi: 10.1136/openhrt-2016-000469.
- Docherty, J.P., et al. 2005. A double-blind, placebo-controlled, exploratory trial of chromium picolinate in atypical depression: effect on carbohydrate craving. *Journal of Psychiatric Practice* 11(5):302–14.
- Donovan, T., et al. 2012.  $\beta$ -alanine improves punch force and frequency in amateur boxers during a simulated contest. *International Journal of Sport Nutrition and Exercise Metabolism* 22(5):331–7.
- Drinkwater, E. J., T. W. Lawton, R. P. Lindsell, D. B. Pyne, P. H. Hunt, M. J. McKenna. 2004. Repetition failure is a key determinant of strength development in resistance training. *Medicine and Science in Sports and Exercise* 36(5):553.
- Drinkwater, E. J., T. W. Lawton, R. P. Lindsell, D. B. Pyne, P. H. Hunt, M. J. McKenna. 2005. Training leading to repetition failure enhances bench press strength gains in elite junior athletes. *Journal of Strength and Conditioning Research* 19(2):382–388.
- Earnest, C., et al. 1996. High-performance capillary electrophoresis-pure creatine monohydrate reduces blood lipids in men and women. *Clinical Science* 91(1):113–18.
- Ebben, W.P., et al. 2011. Antagonist knockout training increases force and the rate of force development. Annual Meeting of the National Strength and Conditioning Association.
- Engels H.J., et al. 1999. Influence of caffeine on metabolic and cardiovascular functions during sustained light intensity cycling and at rest. *International Journal of Sport Nutrition* 9(4):361–70.
- Falvo, M. J, N. A. Ratamess, G. Mangine, J.R. Hoffman, A. Faigenbaum. 2005. Effect of loading and rest internal manipulation on mean oxygen consumption during the bench press exercise. *Journal of Strength and Conditioning Research* 19(4):e12.
- Farthing, J. P., P. D. Chilibeck. 2003. The effects of eccentric and concentric training at different velocities on muscle hypertrophy. *European Journal of Physiology* 89(6):578–586.
- Fincher, G.E. 2004. The effect of high intensity resistance training on body composition among collegiate football players. *Journal of Strength and Conditioning Research* 18(4):e254.
- Fish, D. E., B. J. Krabak, D. Johnson-Greene, B. J. DeLateur. 2003. Optimal resistance training: comparison of DeLorme with Oxford techniques. *American journal of Physical Medicine and Rehabilitation* 82:903–909.
- Fleck, S.J, W. J. Kraemer. 2004. *Designing resistance training programs*. 3rd ed. Champaign, IL: Human Kinetics.
- Fleck, S. J., R. C. Schutt. 1985. Types of strength training. *Clinical Sports Medicine* 4:159–168.
- Friedmann, B., R. Kinscherf, S. Vorwald, H. Muller, K. Kucera, S. Borisch, G. Richter, P. Bartsch, R. Billeter. 2004. Muscular adaptations to computer guided strength training with eccentric overload. *Acta Physiologica Scandinavica* 182(1):77–88.
- Gonzalez, J.T., et al. 2013. Breakfast and exercise contingently affect postprandial metabolism and energy balance in physically active males. *British Journal of Nutrition* 23:1–12.
- Gorostiaga, E.M., et al. 1991. Uniqueness of interval and continuous training at the same maintained exercise intensity. *European Journal of Applied Physiology* 63(2):101–7.
- Goto, K., M. Nagasawa, O. Yanagisawa, T. Kizuka, N. Ishii, K. Takamatsu. 2004. Muscular adaptations to combinations of high- and low-intensity resistance exercises. *Journal of Strength and Conditioning Research* 18(4):730–737.
- Goto, K., et al. Inserted rest enhances fat metabolism during and after prolonged exercise. Annual Meeting of the American College of Sports Medicine, 2007.
- Greenwood, M., et al. 2003a. Cramping and injury incidence in collegiate football players are reduced by creatine supplementation. *Journal of Athletic Training* 38(3):216–19.
- Greenwood, M., et al. 2003b. Creatine supplementation during college football training does not increase the incidence of cramping or injury. *Molecular and Cellular Biochemistry* 244(1–2):83–8.
- Hamalainen, E.K., et al. 1983. Decrease of serum total and free testosterone during a low-fat high-fibre diet. *Journal of Steroid Biochemistry* 18(3):369–70.
- Hansen, K., et al. 2005. The effects of exercise on the storage and oxidation of dietary fat. *Sports Medicine* 35:363–73.
- Harpaz, E., et al. 2017. The effect of caffeine on energy balance. *Journal of Basic and Clinical Physiology and Pharmacology* 28(1):1–10.
- Hatle, H., et al. 2014. Effect of 24 sessions of high-intensity aerobic interval training carried out at either high or moderate frequency, a randomized trial. *PLOS ONE* 9(2):e88375.
- Healy, G.N., et al. 2008. Television time and continuous metabolic risk in physically active adults. *Medicine and Science in Sports and Exercise* 40(4):639–45.
- Hernandez, J. P., N. L. Nelson-Whalen, W. D. Franke, S. P. McLean. 2003. Bilateral index expressions and iEMG activity in older versus young adults. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences* 58:536–541.

- Hildebrandt, A.L., and P.D. Neuffer. 2000. Exercise attenuates the fasting-induced transcriptional activation of metabolic genes in skeletal muscle. *American Journal of Physiology—Endocrinology and Metabolism* 278(6):E1078–E1086.
- Hoffman, J. R., et al. 2014.  $\beta$ -alanine supplementation improves tactical performance but not cognitive function in combat soldiers. *Journal of the International Society of Sports Nutrition* 10;11(1):15.
- Hoffman J.R., et al. 2008. Short-duration beta-alanine supplementation increases training volume and reduces subjective feelings of fatigue in college football players. *Nutrition Research* 28(1):31–5.
- Hoffman J.R., et al. 2006. Effect of creatine and beta-alanine supplementation on performance and endocrine responses in strength/power athletes. *International Journal of Sport Nutrition and Exercise Metabolism* 16(4):430–46.
- Hoshino, D., et al. 2013. High-intensity interval training increases intrinsic rates of mitochondrial fatty acid oxidation in rat red and white skeletal muscle. *Applied Physiology, Nutrition, and Metabolism* 38(3):326–33.
- Cheng, Y.C., et al. 2020. The effect of vitamin D supplement on negative emotions: a systematic review and meta-analysis. *Depress Anxiety* 37(6):549–64. doi: 10.1002/da.23025.
- Cholewa, J.M., et al. 2013. Effects of betaine on body composition, performance, and homocysteine thiolactone. *Journal of the International Society of Sports Nutrition* 10(1):1–12.
- Issurin, V. B., G. Tenenbaum. 1999. Acute and residual effects of vibratory stimulation on explosive strength in elite and amateur athletes. *Journal of Sports Science* 17(3):177–182.
- Izquierdo, M., et al. 2004. Maximal strength and power, muscle mass, endurance and serum hormones in weightlifters and road cyclists. *Journal of Sports Science* 22(5):465–78.
- Jakobi, J.M., and P.D. Chilibeck. 2001. Bilateral and unilateral contractions: possible differences in maximal voluntary force. *Canadian Journal of Applied Physiology* 26(1):12–33.
- Janssens, P.L., et al. 2014. Capsaicin increases sensation of fullness in energy balance, and decreases desire to eat after dinner in negative energy balance. *Appetite* 77:44–9.
- Kaats, G.R., et al. 1998. A randomized, double-masked, placebo-controlled study of the effects of chromium picolinate supplementation on body composition: a replication and extension of a previous study. *Current Therapeutic Research* 59(6):379–88.
- Kaminsky, L.A., et al. 1990. Effect of split exercise sessions on excess post-exercise oxygen consumption. *British Journal of Sports Medicine* 24(2):95–8.
- Kanda, A., et al. 2013. Post-exercise whey protein hydrolysate supplementation induces a greater increase in muscle protein synthesis than its constituent amino acid content. *British Journal of Nutrition* 110(6):981–7.
- Kelleher, A., et al. 2010. The metabolic costs of reciprocal supersets vs. traditional resistance exercise in young recreationally active adults. *Journal of Strength and Conditioning Research* 24(4):1043–1051.
- Kelly, V.G., and D.G. Jenkins. 1998. Effect of oral creatine supplementation on near-maximal strength and repeated sets of high-intensity bench press exercise. *Journal of Strength and Conditioning Research* 12(2):109–15.
- Kerksick, C.M., et al. 2006. The effect of protein and amino acid supplementation in performance and training adaptations during ten weeks of resistance training. *Journal of Strength and Conditioning Research* 20(3):643–53.
- King, J.W. 2001. *A comparison of the effects of interval training vs. continuous training on weight loss and body composition in obese pre-menopausal women* (thesis). East Tennessee State University.
- Knuttgen, H. G., W.J. Kraemer. 1987. Terminology and measurement in exercise performance. *Journal of Applied Sport Science Research* 1:1010.
- Kochman, J., et al. 2020. Health benefits and chemical composition of matcha green tea: a review. *Molecules* 26(1):85.
- Korzun, W.J. 2004. Oral creatine supplements lower plasma homocysteine concentrations in humans. *Clin Lab Sci.* 17(2):102–6.
- Kraemer, W. J. 2003. Strength training basics: Designing workouts to meet patients' goals. *The Physician and Sports Medicine* 31 (8).
- Kraemer, W.J., et al. 2006. The effects of amino acid supplementation on hormonal responses to resistance training overreaching. *Metabolism* 55(3):282–91.
- Kraemer, W.J., et al. 2003. Physiological changes with periodized resistance training in women tennis players. *Medicine and Science in Sports Exercise* 35(1):157–68.
- Kraemer, W. J., et al. 2002. American College of Sports Medicine position stand: Progression models in resistance training for healthy adults. *Medicine and Science in Sports and Exercise* 34(2):364–380.
- Kraemer, W. J., et al. 2000. Influence of resistance training volume and periodization on physiological and performance adaptations in collegiate women tennis players. *American Journal of Sports Medicine* 28(5):626–633.
- Kraemer, W.J., et al. 1996. Strength and power training: Physiological mechanisms of adaptation. In *Exercise and Sport Sciences Reviews*, ed. J.O. Holoszy, 363–398. Baltimore: Williams & Wilkins.
- Kreider, R.B., et al. 2003. Long-term creatine supplementation does not significantly affect clinical markers of health in athletes. *Molecular and Cellular Biochemistry* 244(1–2):95–104.
- Lee, E.C., et al. 2010. Ergogenic effects of betaine supplementation on strength and power performance. *Journal of the International Society of Sports Nutrition* 7(1):1–7.
- Leosdottir, M., et al. 2005. Dietary fat intake and early mortality patterns – data from The Malmo Diet and Cancer Study. *Journal of Internal Medicine* 258(2):153–65.
- Li, K., et al. 2012. Vitamin/mineral supplementation and cancer, cardiovascular, and all-cause mortality in a German prospective cohort (EPIC-Heidelberg). *European Journal of Nutrition* 51(4):407–13.
- Lochocka, K., et al. 2015. Green tea extract decreases starch digestion and absorption from a test meal in humans: a randomized, placebo-controlled crossover study. *Scientific Reports* 5:12015.
- Longland, T.M., et al. 2016. Higher compared with lower dietary protein during an energy deficit combined with intense exercise promotes greater lean mass gain and fat mass loss:

- a randomized trial. *The American Journal of Clinical Nutrition* 103(3):738–46.
- Lotfi-Dizaji, L., et al. 2019. Effect of vitamin D supplementation along with weight loss diet on meta-inflammation and fat mass in obese subjects with vitamin D deficiency: a double-blind placebo-controlled randomized clinical trial. *Clin Endocrinol (Oxf)* 90(1):94–101. Epub 2018 Nov 12. doi: 10.1111/cen.13861.
- Lugaresi, R., et al. 2013. Does long-term creatine supplementation impair kidney function in resistance-trained individuals consuming a high-protein diet? *Journal of the International Society of Sports Nutrition* 10(1):26.
- Macpherson, R.E.K., et al. 2011. Run sprint interval training improves aerobic performance but not maximal cardiac output. *Medicine and Science in Sports and Exercise* 43(1):115–122.
- Martens, P.-J., et al. 2020. Vitamin D's effect on immune function. *Nutrients* 12(5):1248. doi: 10.3390/nu12051248.
- Marx, J. O., N. A. Ratamess, B. C. Nindl, L. A. Gotshalk, J. S. Volek, K. Dohi, J. A. Bush, A. L. Gomez, S. A. Mazzetti, S. J. Fleck, K. Hakkinen, R. U. Newton, W. J. Kraemer. 2001. Low-volume circuit versus high volume periodized resistance training in women. *Medicine and Science in Sports Exercise* 33(4):635–643.
- Marx, J.O., et al. 2001. Low-volume circuit versus high-volume periodized resistance training in women. *Medicine and Science in Sports Exercise* 33(4):635–43.
- Mattson, M. P. and R. Wan. 2005. Beneficial effects of intermittent fasting and caloric restriction on the cardiovascular and cerebrovascular systems. *Journal of Nutritional Biochemistry* 16(3):129–37.
- Mayhew, D.L., et al. 2002. Effects of long-term creatine supplementation on liver and kidney functions in American college football players. *International Journal of Sport Nutrition and Exercise Metabolism*. 12(4):453–60.
- Mazzetti, S., et al. 2007. Effect of explosive versus slow contractions and exercise intensity on energy expenditure. *Medicine and Science in Sports and Exercise* 39(8):1291–1301.
- Meuret, J.R., et al. 2007. A comparison of the effects of continuous aerobic, intermittent aerobic, and resistance exercise on resting metabolic rate at 12 and 21 hours post-exercise. *Medicine and Science in Sports and Exercise* 39 (5 suppl):S247.
- Mirela, V., et al. 2009. Continuous versus intermittent aerobic exercise intermittent in the treatment of obesity. 6th European Sports Medicine Congress.
- Mitchell, C.J., et al. 2012. Resistance exercise load does not determine training-mediated hypertrophic gains in young men. *Journal of Applied Physiology* 113(1):71–7.
- Moore, D.R., et al. 2012. Daytime pattern of post-exercise protein intake affects whole-body protein turnover in resistance-trained males. *Nutrition and Metabolism (Lond)* 9(1):91.
- Müller, D.M., et al. 2002. Effects of oral L-carnitine supplementation on in vivo long-chain fatty acid oxidation in healthy adults. *Metabolism* 51(11):1389–91.
- Noonan, D., et al. 1998. Effects of varying dosages of oral creatine relative to fat free body mass on strength and body composition. *Journal of Strength and Conditioning Research* 12(2):104–8.
- Nosaka, K., and M. Newton. 2002. Repeated eccentric exercise bouts do not exacerbate muscle damage and repair. *Journal of Strength and Conditioning Research* 16(1):117–22.
- Olsen, S., et al. 2006. Creatine supplementation augments the increase in satellite cell and myonuclei number in human skeletal muscle induced by strength training. *Journal of Physiology*. 573(Pt 2):525–34.
- O'Shea, P. 1966. Effects of selected weight training programs on the development of strength and muscle hypertrophy. *Research Quarterly* 37:95–102.
- Ostojic, S.M. 2006. Yohimbine: the effects on body composition and exercise performance in soccer players. *Research in Sports Medicine* 14(4):289–99.
- Paoli, A., et al. 2009. The effect of stance width on the electromyographical activity of eight superficial thigh muscles during back squat with different bar loads. biomechanical comparison of back and front squats in healthy trained individuals. *Journal of Strength and Conditioning Research* 23(1):246–50.
- Park, Y., et al. 2010. Intakes of vitamins A, C, and E and use of multiple vitamin supplements and risk of colon cancer: a pooled analysis of prospective cohort studies. *Cancer Causes Control* 21(11):1745–57.
- Paton, C.D., et al. 2009. Effects of low- vs. high-cadence interval training on cycling performance. *Journal of Strength and Conditioning Research* 23(6):1758–63.
- Pearson, D., A. Faigenbaum, M. Conley, W. J. Kraemer. 2000. The National Strength and Conditioning Association's basic guidelines for the resistance training of athletes. *Strength and Conditioning Journal* 22(4): 14–27.
- Peters, U., et al. 2007. Serum selenium and risk of prostate cancer—a nested case-control study. *The American Journal of Clinical Nutrition* 85(1):209–17.
- Pilegaard, H., et al. 2003. Effect of short-term fasting and re-feeding on transcriptional regulation of metabolic genes in human skeletal muscle. *Diabetes* 52:657–62.
- Pocobelli, G., et al. 2009. Use of supplements of multivitamins, vitamin C, and vitamin E in relation to mortality. *American Journal of Epidemiology* 170(4):472–83.
- Poortmans, J.R., and M. Francaux. 1999. Long-term oral creatine supplementation does not impair renal function in healthy athletes. *Medicine and Science in Sports and Exercise* 31:1108–10.
- Poortmans, J.R., et al. 1997. Effect of short-term creatine supplementation on renal responses in men. *European Journal of Applied Physiology* 76:566–67.
- Pryor, J.L., et al. 2012. Effect of betaine supplementation on cycling sprint performance. *Journal of the International Society of Sports Nutrition* 9(1):1–7.
- Pullinen, T., et al. 2002. Hormonal responses to a resistance exercise performed under the influence of delayed-onset muscle soreness. *Journal of Strength and Conditioning Research* 16(3):383–89.
- Racil, G., et al. 2013. Effects of high vs. moderate exercise intensity during interval training on lipids and adiponectin levels in obese young females. *European Journal of Applied*

- Physiology* 113(10):2531–40. doi: 10.1007/s00421-013-2689-5.
- Rae, C.D., et al. 2003. Oral creatine monohydrate supplementation improves brain performance: A double-blind, placebo-controlled, cross-over trial. *Proc R Soc B Biol Sci* 270:2147–50.
- Rains, T.M., et al. 2011. Antiobesity effects of green tea catechins: a mechanistic review. *The Journal of Nutritional Biochemistry* 22(1):1–7.
- Ratamess, N. A., et al. 2003. The effects of amino acid supplementation on muscular performance during resistance training overreaching. *Journal of Strength and Conditioning Research* 17(2):250–258.
- Ratamess, N.A., et al. 2007. The effect of rest interval length on metabolic responses to the bench press exercise. *European Journal of Applied Physiology* 100(1):1–17.
- Rautiainen, S., et al. 2010. Multivitamin use and the risk of myocardial infarction: a population-based cohort of Swedish women. *American Journal of Clinical Nutrition* 92(5):1251–6.
- Rawson, E.S., and J.S. Volek. 2003. Effects of creatine supplementation and resistance training on muscle strength and weightlifting performance. *Journal of Strength and Conditioning Research* 17(4):822–31.
- Reed, M.J., et al. 1987. Dietary lipids: an additional regulator of plasma levels of sex hormone binding globulin. *Journal of Clinical Endocrinology and Metabolism* 64(5):1083–85.
- Reidy, P.T., et al. 2013. Protein blend ingestion following resistance exercise promotes human muscle protein synthesis. *Journal of Nutrition* 143(4):410–16.
- Reidy, P.T., et al. 2014. Soy-dairy protein blend and whey protein ingestion after resistance exercise increases amino acid transport and transporter expression in human skeletal muscle. *Journal of Applied Physiology* 116(11):1353–64.
- Rhea, M. R., B. L. Alderman. 2004. A meta-analysis of periodized versus nonperiodized strength and power training programs. *Research Quarterly for Exercise and Sport* 75(4):413–422.
- Rhea, M. R., S. D. Bali, W. T. Phillips, L. N. Burkett. 2002. A comparison of linear and daily undulating periodized programs with equated volume and intensity for strength. *Journal of Strength and Conditioning Research* 16(2):250–255.
- Rhea, M. R., W. T. Phillips, L. N. Burkett, W. J. Stone, S. D. Bali, B. A. Alvar, A. B. Thomas. 2003. A comparison of linear and daily undulating periodized programs with equated volume and intensity for local muscular endurance. *Journal of Strength and Conditioning Research* 17(1):82–87.
- Robbins, D.W., et al. 2010. The effect of an upper-body agonist-antagonist resistance training protocol on volume load and efficiency. *Journal of Strength and Conditioning Research* 24(10):2632–40.
- Robertson, R. J. 2004. *Perceived exertion for practitioners*. Champaign, IL: Human Kinetics.
- Robertson, R. J., F. L. Goss, J. Rutkowski, B. Lenz, C. Dixon, J. Timmer, K. Frazee, J. Dube, J. Andreacci. 2003. Concurrent validation of the OMNI perceived exertion scale for resistance exercise. *Medicine and Science in Sports and Exercise* 35(2):333–341.
- Roschel, H., et al. 2021. Creatine supplementation and brain health. *Nutrients* 13(2):586.
- Saremi, A., et al. 2010. Effects of oral creatine and resistance training on serum myostatin and GASP-1. *Molecular and Cellular Endocrinology* 317(1–2):25–30.
- Sartor, F., et al. 2010. High-intensity exercise and carbohydrate-reduced energy-restricted diet in obese individuals. *European Journal of Applied Physiology* 110(5):893–903.
- Scalzo, R.L., et al. 2014. Greater muscle protein synthesis and mitochondrial biogenesis in males compared with females during sprint interval training. *FASEB Journal*. 28(6):2705–14.
- Selye, H.A. 1936. Syndrome produced by diverse noxious agents. *Nature* 138:32.
- Sijie, T., et al. 2012. High intensity interval exercise training in overweight young women. *Journal of Sports Medicine and Physical Fitness* 52(3):255–62.
- Simenz C.J., et al. 2012. Electromyographical analysis of lower extremity muscle activation during variations of the loaded step-up exercise. *Journal of Strength and Conditioning Research* 26(12):3398–405.
- Smith, G.I., et al. 2011. Omega-3 polyunsaturated fatty acids augment the muscle protein anabolic response to hyperinsulinaemia-hyperaminoacidaemia in healthy young and middle-aged men and women. *Clinical Science* 121(6):267–78.
- Smith, A.E., et al. 2009. Effects of  $\beta$ -alanine supplementation and high-intensity interval training on endurance performance and body composition in men: a double-blind trial. *Journal of the International Society of Sports Nutrition* 6:5.
- Soop, M., et al. 2012. Coingestion of whey protein and casein in a mixed meal: demonstration of a more sustained anabolic effect of casein. *American Journal of Physiology-Endocrinology and Metabolism* 303(1):E152–62.
- Souza-Junior, T.P., et al. 2011. Strength and hypertrophy responses to constant and decreasing rest intervals in trained men using creatine supplementation. *Journal of the International Society of Sports Nutrition* 8:17.
- Springer, B. L., P.M. Clarkson. 2003. Two cases of exertional rhabdomyolysis precipitated by personal trainers. *Medicine and Science in Sports and Exercise* 35(9):1499–1502.
- Stone, W. J., S. P. Coulter. 1994. Strength/endurance effects from three resistance training protocols with women. *Journal of Strength and Conditioning Research* 8: 134–139.
- Stone, M. H., H. O'Bryant, et al. 1996. Training to muscle failure: Is it necessary? *Strength and Conditioning Journal* 10(1):44–48.
- Sugita, J., et al. 2013. Grains of paradise (*Aframomum melegueta*) extract activates brown adipose tissue and increases whole-body energy expenditure in men. *British Journal of Nutrition* 110(4):733–8.
- Sugita, J., et al. 2014. Daily ingestion of grains of paradise (*Aframomum melegueta*) extract increases whole-body energy expenditure and decreases visceral fat in humans. *Journal of Nutritional Science and Vitaminology* 60(1):22–27.
- Tabata, I. et al. 1996. Effects of moderate-intensity endurance and high-intensity intermittent training on anaerobic capacity and  $\text{VO}_2\text{max}$ . *Medicine and Science in Sports and Exercise* 28(10):1327–30.

- Tabata, I., et al. 1997. Metabolic profile of high intensity intermittent exercises. *Medicine and Science in Sports and Exercise*. 29(3):390–5.
- Talanian, J.L., et al. 2010. Exercise training increases sarcolemmal and mitochondrial fatty acid transport proteins in human skeletal muscle. *American Journal of Physiology-Endocrinology and Metabolism* 299(2):E180–8.
- Talanian, J.L., et al. 2007. Two weeks of high-intensity aerobic interval training increases the capacity for fat oxidation during exercise in women. *Journal of Applied Physiology* 102(4):1439–1447.
- Talenezhad, N., et al. 2020. Effects of l-carnitine supplementation on weight loss and body composition: A systematic review and meta-analysis of 37 randomized controlled clinical trials with dose-response analysis. *Clin Nutr ESPEN* 37:9–23.
- Tanisho, K., and K. Hirakawa. 2009. Training effects of endurance capacity in maximal intermittent exercise: comparison between continuous and interval training. *Journal of Strength and Conditioning Research* 23(8):2405–10.
- Taylor, K., et al. 2011. Warm-up affects diurnal variation in power output. *International Journal of Sports Medicine* 32(3):185–89.
- Tjonna, A.E., et al. 2007. Superior cardiovascular effect of interval training versus moderate exercise in patients with metabolic syndrome. *Medicine and Science in Sports and Exercise* 39(5 suppl):S112.
- Tower, D.E., et al. 2005. National Strength and Conditioning Associations Annual Meeting, Las Vegas.
- Trapp, E.G. 2008. The effects of high-intensity intermittent exercise training on fat loss and fasting insulin levels of young women. *International Journal of Obesity* 32(4):684–91.
- Trapp, E.G. and S. Boutcher. 2007. Metabolic response of trained and untrained women during high-intensity intermittent cycle exercise. *American Journal of Physiology-Regulatory, Integrative, and Comparative Physiology* 293(6):R2370–5.
- Tremblay, A., et al. 1994. Impact of exercise intensity on body fatness and skeletal muscle metabolism. *Metabolism*. 43(7):814–8.
- Trepanowski, J.F., et al. 2011. The effects of chronic betaine supplementation on exercise performance, skeletal muscle oxygen saturation and associated biochemical parameters in resistance trained men. *The Journal of Strength and Conditioning Research* 25(12):3461–71.
- Treuth, M.S., et al. 1996. Effects of exercise intensity on 24-h energy expenditure and substrate oxidation. *Medicine and Science in Sports and Exercise* 28(9):1138–43.
- Vandenbergh, K., et al. 1997. Long-term creatine intake is beneficial to muscle performance during resistance training. *Journal of Applied Physiology* 83:2055–63.
- Vera-Garcia, F.J., et al. 2008. Influence of trunk curl-up speed on muscular recruitment. *Journal of Strength and Conditioning Research* 22(3):684–90.
- Walter, A.A., et al. 2009. Acute effects of a thermogenic nutritional supplement on cycling time to exhaustion and muscular strength in college-aged men. *Journal of the International Society of Sports Nutrition* 6(1):15. doi: 10.1186/1550-2783-6-15.
- Weiss, L. W., H. D. Coney, F. C. Clark. 1999. Differential functional adaptations to short-term low-, moderate- and high-repetition weight training. *Journal of Strength and Conditioning Research* 13:236–241.
- Willis, F.B., et al. 2009. Frequency of exercise for body fat loss: a controlled, cohort study. *Journal of Strength and Conditioning Research* 23(8):2377–80.
- Willoughby, D. S. 1993. The effect of meso-cycle-length weight training programs involving periodization and partially equated volumes on upper and lower body strength. *Journal of Strength and Conditioning Research* 7:2–8.
- Witard, O. C., et al. 2011. Effect of increased dietary protein on tolerance to intensified training. *Medicine and Science in Sports and Exercise* 43(4):598–607.
- Wutzke, K.D., and H. Lorenz. 2004. The effect of l-carnitine on fat oxidation, protein turnover, and body composition in slightly overweight subjects. *Metabolism* 53(8):1002–6.
- Xu, Q., et al. 2009. Multivitamin use and telomere length in women. *Am J Clin Nutr*. 89(6):1857–63. doi: 10.3945/ajcn.2008.26986.
- Yarrow, J.F., et al. 2007. Neuroendocrine responses to an acute bout of eccentric-enhanced resistance exercise. *Medicine and Science in Sports and Exercise* 39(6):941–47.
- Yoneshiro, T., et al. 2021. Prolonged treatment with grains of paradise (*Aframomum melegueta*) extract recruits adaptive thermogenesis and reduces body fat in humans with low brown fat activity. *Journal of Nutritional Science and Vitaminology* 67(2):99–104.
- Yoshii, N., et al. 2018. Effect of mixed meal and leucine intake on plasma amino acid concentrations in young men. *Nutrients* 10:1543.
- Yoshioka, M., et al. 1995. Effects of red-pepper diet on the energy metabolism in men. *Journal of Nutritional Science and Vitaminology*. 41(6):647–56.
- Yoshioka, M., et al. 1999. Effects of red pepper on appetite and energy intake. *British Journal of Nutrition* 82(2):115–23.
- Ziemann, E., et al. 2011. Aerobic and anaerobic changes with high-intensity interval training in active college-aged men. *Journal of Strength and Conditioning Research* 25(4):1104–12.