

11. References

- Ahnström G. and Erixon K. Radiation-induced strand breakage in DNA from mammalian cells. Strand separation in alkaline solution. *Int. J. Radiat. Biol.* 23, 285-289 (1973).
- Apelgot S. Importance respective de l'irradiation et de la transmutation dans l'effet letal de la desintegration des radionuclides incorpores. In *Biological implications of radionuclides released from nuclear industries*, Vol.I, pp. 289 (1979).
- Apelgot S. Some considerations of the transmutation effect due to radioactive isotopes incorporated in cells and on the irradiation effect. *Int. J. Radiat. Biol.* 43, 95-101 (1983).
- Aprilletti J.W., David-Inouye Y., Baxter J.D. and Eberhardt N.L. Physico-chemical characterization of the intranuclear thyroid hormone receptor. In *Molecular basis of thyroid hormone action*, pp. 67-96, eds. Oppenheimer J.H. and Samuels H.H., Academic Press, (1983).
- Bedford J.S., Mitchell J.B., Griggs H.G. and Bender M.A. Cell killing by gamma rays and beta particles from tritiated water and incorporated tritiated thymidine. *Radiat. Res.* 63, 531-543 (1975).
- Blöcher D. DNA double-strand breaks in Ehrlich ascites tumour cells at low doses of X-rays. I. Determination of induced breaks by centrifugation at reduced speed. *Int. J. Radiat. Biol.* 42, 317-328 (1982).
- Blöcher D. and Pohlit W. DNA double-strand breaks in Ehrlich ascites tumour cells at low doses of X-rays. II. Can cell death be attributed to double-strand breaks? *Int. J. Radiat. Biol.* 42, 329-338 (1982).
- Bond V.P., Meinhold C.B. and Rossi H.H. Low-dose RBE and Q for X-ray compared to gamma-ray radiations. *Health Physics* Vol. 34, 433-438 (1978).
- Borek C. X-ray induced in vitro neoplastic transformation of human diploid cells. *Nature* 283, 776-778 (1980).
- Bradley M. and Kohn K. X-ray induced DNA double strand break production and repair in mammalian cells as measured by neutral filter elution. *Nuc. Acid. Res.* 7, 793-806 (1979).
- Bryant P.E. and Blöcher D. Measurement of the kinetics of DNA double strand break repair in Ehrlich ascites tumour cells using the unwinding method. *Int. J. Radiat. Biol.* 38, 335-347 (1980).
- Burki H.J., Bunker S., Ritter M. and Cleaver J.E. DNA damage from incorporated radioisotopes. Influence of the ³H location in the cell. *Radiat. Res.* 62, 299-312 (1975).

- Burki H.J. Critical DNA damage and mammalian cell reproduction. *J. Mol. Biol.* 103, 599-610 (1976).
- Burki H.J., Koch C. and Wolff S. Molecular suicide studies of ^{125}I and ^3H disintegration in the DNA of Chinese hamster cells. *Curr. Top. Radiat. Res. Q.* 12, 408-425 (1977).
- Burki H.J., Roots R., Feinendegen L.E. and Bond V.P. Inactivation of mammalian cells after disintegrations of ^3H or ^{125}I in cell DNA at -196°C . *Int. J. Radiat. Biol.* 24, 363-375 (1973).
- Chan P.C., Lisco E., Lisco H. and Adelstein S.J. The radiotoxicity of iodine-125 in mammalian cells. II. A comparative study on cell survival and cytogenetic responses to $^{125}\text{IUdR}$, $^{131}\text{IUdR}$ and $^3\text{H-TdR}$. *Radiat. Res.* 67, 332-343 (1976).
- Charlton D.E., Booz J., Fidorra J., Smit Th. and Feinendegen L.E. Microdosimetry of radioactive nuclei incorporated into the DNA of mammalian cells. In *Proc. Sixth Symposium on Microdosimetry, Brussels, Vol. 1*, pp. 91-110, Euratom Harwood London (1978) 6064 DE-EN-FR.
- Chase E.A. and Shafer R.H. Viscoelastic behaviour of mammalian DNA. *Biophys. J.* 28, 93-106 (1979).
- Chiu S-M. and Oleinick N.L. The sensitivity of active and inactive chromatin to ionizing radiation-induced DNA strand breakage. *Int. J. Radiat. Biol.* 41, 71-77 (1982).
- Cleaver J.E. Induction of thioguanine and ouabain resistant mutants and single-strand breaks in the DNA of Chinese hamster ovary cells by ^3H thymidin. *Genetics* 87, 129-138 (1977).
- Cleaver J.E. Nucleosome structure controls rates of excision repair in DNA of human cells. *Nature* 270, 451-453 (1977).
- Commerford S.L., Bond V.P., Cronkite E.P. and Reincke U. Radiotoxicity of intranuclear ^{125}I atoms not bound to DNA. *Int. J. Radiat. Biol.* 37, 547-554 (1980).
- Conard R.A., Dobyns B.M. and Sutow W.W. Thyroid neoplasia as late effects of exposure to radioactive iodine in fallout. *JAMA* 214, 316-324 (1974).
- Dewey W.C., Humphrey R.M. and Jones B.A. Comparisons of tritiated thymidine, tritiated water and cobalt-60 gamma rays in inducing chromosome aberrations. *Radiat. Res.* 24, 214-238 (1965).
- Elkind M.M., Sutton-Gilbert H., Moses W.B. and Kamper C. Sublethal and lethal radiation damage. *Nature* 214, 1088-1092 (1967).
- Fairchild R.G., Brill A.B. and Ettinger K.V. Radiation enhancement with iodinated deoxyuridine. *Invest. Radiol.* 17, 407-416 (1982).

- Feinendegen L.E. Biological effects of hot atom reactions. In Hot atom chemistry. Status report, p. 285, IAEA-Vienna (1975).
- Geard C.R. Chromosomal aberrations in three successive cellcycles of *Wallabia bicolor* leukocytes after tritiated thymidine incorporation. *Radiat. Res.* 61, 118-127 (1975).
- Halpern A. and Stöcklin G. Chemical and biological consequences of beta-decay. Part I. *Radiat. Environ. Biophys.* 14, 167-183 (1977).
- Hofer K.G., Harris C.R. and Smith J.M. Radiotoxicity of intracellular ^{67}Ga , ^{125}I and ^3H . Nuclear versus cytoplasmic radiation effects in murine L1210 leukaemia. *Int. J. Radiat. Biol.* 28, 225-241 (1975).
- Hofer K.G., Keough G. and Smith J.M. Biological toxicity of Auger emitters: Molecular fragmentation versus electron irradiation. *Curr. Top. Radiat. Res. Q.* 12, 335-354 (1977).
- Hori T-A. and Nakai S. Unusual dose-response of chromosome aberrations induced in human lymphocytes by very low dose exposures to tritium. *Mut. Res.* 50, 101-110 (1978).
- Igo-Kemenes J., Hörz W. and Zachau H.G. Chromatin. *Ann. Rev. Biochem.* 51, 89-121 (1982).
- Johanson K.J., Sundell-Bergman S., Szumiel I. and Wlodek D. Effects of irradiation and inhibition of adenosinediphosphate ribosyl transferase in L5178Y-R and L5178Y-S cells. Submitted to *Int. J. Radiat. Biol.* (1984).
- Johanson K.J., Wlodek D. and Szumiel I. DNA repair and replication in radiation-sensitive and -resistant mouse lymphoma cells gamma-irradiated under aerobic and hypoxic conditions. *Int. J. Radiat. Biol.* 41, 261-270 (1982).
- Kassis A.I., Adelstein S.J., Haydock C. and Sastry K.S.R. Thallium-201: An experimental and a theoretical radiobiological approach to dosimetry. *J. Nucl. Med.* 24, 1164-1175 (1983).
- Kohn K.W. and Ewig R.A.G. Alkaline elution analysis. A new approach to the study of DNA single-strand interceptions in cells. *Cancer Res.* 33, 1849-1853 (1973).
- Krisch R.E. and Zelle M.R. Biological effects of radioactive decay: The role of the transmutation effect. *Adv. Radiat. Biol.* 3, 177-211 (1969).
- La Verne J.A. and Mozumder A. Penetration of low-energy electrons in water. *Radiat. Res.* 96, 219-234 (1983).

- Lehmann A.R. and Ormerod M.G. Double-strand breaks in the DNA of a mammalian cell after X-irradiation. *Biochim. Biophys. Acta* 217, 268-277 (1970).
- Lett J.T., Caldwell I., Dean C.J. and Alexander P. Rejoining of X-ray induced breaks in the DNA of leukemia cells. *Nature* 214, 790-792 (1967).
- Martin R.F. and Haseltine W.A. Range of radiochemical damage to DNA with decay of iodine-125. *Science* 213, 896-898 (1981).
- Obe G., Natarajan A.T. and Palitti F. Role of DNA double strand breaks in the formation of radiation-induced chromosomal aberrations. In *Prog. Mut. Res.* eds. A.T. Natarajan, G. Obe and H. Altman, Amsterdam, Elsevier, Vol. 4, pp. 1-9 (1982).
- Oppenheimer J.H. Thyroid hormone action at the cellular level. *Science* 203, 971-979 (1979).
- Pohlit W. Lethal, sublethal and potentially lethal radiation damage. In *Proc. 7th International Congress of Radiat. Res.*, Martinus Nijhoff publishers, Amsterdam, B5-R, 263-269 (1983).
- Ritter M.A. The radiotoxicity of iodine-125 in Ataxia Telangiectasia fibroblasts. *Biochim. Biophys. Acta* 652, 151-159 (1981).
- Roots R., Feinendegen L.E. and Bond V.P. Comparative radiotoxicity of ³H-IUdR and ¹²⁵IUdR after incorporation into DNA of cultured mammalian cells. In *Proc. Third Symposium on Microdosimetry*, Report No. EUR-4810, p.371, ed. Ebert H.G. (Commission of the European Communities, Luxembourg).
- Roots R., Yang T.C., Craise L., Blakely E.A. and Tobias C.A. Impaired repair capacity of DNA breaks induced in mammalian cellular DNA by accelerated heavy ions. *Radiat. Res.* 78, 38-49 (1979).
- Rydberg B. Detection of induced DNA strand breaks with improved sensitivity in human cells. *Radiat. Res.* 81, 492-495 (1981).
- Rydberg B. The rate of strand separation in alkali of DNA of irradiated mammalian cells. *Radiat. Res.* 61, 274-287 (1975).
- Samuels H.H. Identification and characterization of thyroid hormone receptors and action using cell culture techniques. In *Molecular basis of thyroid hormone action*, pp. 36-63, eds. J.H. Oppenheimer and H.H. Samuels, Academic Press (1983).
- Sastry K.S.R., Rao V.P. and Rao D.V. High-LET-type radiotoxicity of the decay of DNA-incorporated ¹²⁵I. In *Physics in Nuclear Medicine*, American Inst. of Physics. In Press.

- Spinks J.W.T. and Woods R.J. An introduction to radiation chemistry. Second Ed., New York, Wiley-Interscience (1976).
- Tisljar-Lentulis G., Henneberg P., Feinendegen L.E. and Commerford S.L. The oxygen enhancement ratio for single- and double-strand breaks induced by tritium incorporated in DNA of cultured human T1 cells. Impact of the transmutation effect. Radiat. Res. 94, 41-50 (1983).
- Tisljar-Lentulis G., Henneberg P., Mielke Th. and Feinendegen L.E. DNA strand breaks induced by ¹²⁵I in cultured human kidney cells and their repair. In Proc. Sixth Symposium on Microdosimetry, Brussels, Vol. 1, pp. 111-120, Euratom, Harwood London (1978) 6064 DE-EN-FR.
- Ueno A.M., Furuno-Fukushi I. and Matsudaira H. Induction of cell killing micronuclei and mutation to 6-thioguanine resistance after exposure to low-dose-rate gamma-rays and tritiated water in cultured mammalian cells (L5178Y). Radiat. Res. 91, 447-456 (1982).
- UNSCEAR: Ionizing radiation: Sources and biological effects. UNSCEAR 1982 report. United Nations, New York, 1982.
- Ward J.F. Some biochemical consequences of the spatial distribution of ionizing radiation-produced free radicals. Rad. Res. 86, 185-195 (1981).
- Warters R.L., Hofer K.G., Harris C.R. and Smith J.M. Radionuclide toxicity in cultured mammalian cells: Elucidation of the primary site of radiation damage. Curr. Top. Radiat. Res. Q. 12, 389-407 (1977).
- Yew F. and Johnson R. Ultraviolet-induced DNA excision repair in human B and T lymphocytes. Biochim. Biophys. Acta 562, 240-251 (1979).

