

## 2.10 Literatura

1. Adams MA, Freeman BJC, Morrison HP, Nelson IW, Dolan P. Mechanical initiation of intervertebral disc degeneration. *Spine* 2000; 25: 1625–1636.
2. Adams MA, Hutton WC. Gradual disc prolapse. *Spine* 1985; 10: 524–531.
3. Adams MA, Hutton WC, Stott JRR. The resistance to flexion of the lumbar intervertebral joint. *Spine* 1980; 5: 245–253.
4. Albert TJ, Kim DH. Timing of surgical stabilization after cervical and thoracic trauma. *J Neurosurg Spine* 2005; 3: 182–190.
5. Alenay A, Acaroglu E, Yazici M, Oznur A, Surat A. Short-segment pedicle instrumentation of thoracolumbar burst fractures. Does transpedicular intracorporeal grafting prevent early failure? *Spine* 2001; 26: 213–217.
6. Alenay A, Yazici M, Acaroglu E, Torhan E, Cila A, Surat A. Course of nonsurgical management of burst fractures with intact posterior ligamentous complex: An MRI study. *Spine* 2004; 29: 2425–2431.
7. Alvine GF, Swain JM, Asher MA. The safety and efficacy of variable screw placement (VSP) and Isola spinal implant systems for the surgical treatment of thoracolumbar burst fractures. *J Bone Joint Surg (Br)* 1997; 79 (suppl): 306.
8. American Spinal Injury Association. Standards for neurological and functional classification of spinal cord injury. American Spinal Injury Association. Chicago 1992.
9. An HS, Andreshak TG, Nguyen C, Williams A, Daniels D. Can we distinguish between benign versus malignant compressive fractures of the spine by magnetic resonance imaging? *Spine* 1995; 20: 1776–1782.
10. An HS, Lim TH, You JW, Hong JH, Eck J, McGrady L. Biomechanical evaluation of anterior thoracolumbar spinal instrumentation. *Spine* 1995; 20: 1979–1983.
11. Anderson P, Rivara FP, Maier RV, Drake C. The epidemiology of seatbelt-associated injuries. *J Trauma* 1991; 31: 60–67.
12. Bassett G, Johnson C, Stanley P. Comparison of preoperative selective spinal angiography and somatosensory-evoked potential monitoring with temporary occlusion of segmental vessels during anterior spinal surgery. *Spine* 1996; 21: 1996–1999.
13. Bensch FV, Koivikko MP, Kiuru MJ, Koskinen SK. The incidence and distribution of burst fractures. *Emerg Radiol* 2006; 12(3): 124–129.
14. Blauth M, Bastian L, Knop C, Lange U, Tusch G. Interobserverreliabilität bei der Klassifikation von der thoracolumbalen Wirbelsäulenverletzungen. *Orthopade* 1999; 28: 662–681.
15. Blumenkopf B, Juneau PA 3rd. Magnetic resonance imaging (MRI) of thoracolumbar fractures. *J Spinal Disord* 1988; 1: 144–150.
16. Böhler L. Die Technik der Knochenbruchbehandlung. 9.–11. Auflage. Wien, Verlag von Wilhelm Maudrich 1943.

17. Böhler L. The Treatment of Fracture. 5th edition. New York, Grune and Stratton 1956: 323–340.
18. Burnham RS, Warren SA, Saboe LA. Factors predicting employment 1 year after traumatic spine fracture. *Spine* 1996; 21: 1066–1071.
19. Cantor JB, Lebowitz NH, Garvey T, Eismont FJ. Nonoperative management of stable thoracolumbar burst fractures with early ambulation and bracing. *Spine* 1993; 18: 971–976.
20. Carl AL, Tromanhauser SG, Roger DL. Pedicle screw instrumentation for thoracolumbar burst fractures and fracture-dislocation. *Spine* 1992; 17: S317–S324.
21. Carlsson AM. Assessment of chronic pain: I. Aspects of the reliability and validity of the visual analogue scale. *Pain* 1983; 16: 87–101.
22. Cinotti G, Rocca CD, Romeo S, Vittur F, Toffanin R, Trasimeni G. Degenerative changes of porcine intervertebral disc induced by vertebral endplate injuries. *Spine* 2005; 30: 174–180.
23. Clohisey JC, Akbarnia BA, Buchholz RD, Burkus JK, Backer RJ. Neurologic recovery associated with anterior decompression of spine fractures at the thoracolumbar junction (T12–L1). *Spine (Suppl 8)* 1992; 17: S325–S330.
24. Cockett FB, Thomas ML. The iliac compression syndrome. *Br j Surg* 1965; 52: 816–821.
25. Cripton PA, Jain GM, Wittenberg RH, Nolte LP. Load-sharing characteristics of stabilized lumbar spine segments. *Spine* 2000; 25: 170–179.
26. Culham EG, Jimenez HAI, King CE. Thoracic kyphosis, rib mobility, and lung volumes in normal women and women with osteoporosis. *Spine* 1994; 19: 1250–1255.
27. Dai LY, Jiang SD, Wang XY, Jiang LS. A review of the management of thoracolumbar burst fractures. *Surgical Neurology* 2007; 67: 221–231.
28. Dai LY, Jiang SD, Wang XY, Jiang LS. Neurologic recovery from thoracolumbar burst fractures: is it predicted by the amount of initial canal encroachment and kyphotic deformity?. *Surgical Neurology* 2007; 67: 232–238.
29. Daniaux H. Technik und erste Ergebnisse der transpedikulären Spongiosaplastik bei Kompressionsbrüche im Lendenwirbelsaulenbereich. *Acta Chir. Austriaca (suppl.)* 1982; 43: 70.
30. Daniaux H. Transpedikuläre Reposition und Spongioplastik bei Wirbelbrüchen der unteren Brust- und Lendenwirbelsäule. *Unfallchirurg* 1986; 89:197–213.
31. Daniaux H, Seykora P, Genelin A. Application of posterior plating and modifications in thoracolumbar spine injuries. *Spine (Suppl 3)* 1991; 16: S125–S133.
32. Dearborn JT, Hu SS, Tribus CB, Bradford DS. Tromboembolic complications after major thoracolumbar spine surgery. *Spine* 1999; 24: 1471–1476.
33. Denis F. The three column spine and its significance in the classification of acute thoracolumbar spinal injuries. *Spine* 1983; 8: 817–831.

34. Denis F, Armstrong GWD, Searls K, Matta L. Acute thoracolumbar burst fractures in the absence of neurological deficit: A comparison between operative and nonoperative treatment. *Clin Orthop* 1984; 189: 142.
35. Dick W, Kluger P, Magerl F, Worsdorfer O, Zach G. A new devise for internal fixation of the thoracolumbar and lumbar spine fractures, the „Fixateur interne“. *Paraplegia* 1985; 23: 225–232.
36. Dvorak MF, Kwon BK, Fischer ChG, Eiserloh HL III, Boyd M, Wing PC. Effectiveness of titanium mesh cylindrical cages in anterior column reconstruction after thoracic and lumbar vertebral body resection. *Spine* 2003; 28: 902–908.
37. Emery SE, Pathria MN, Wilber RG, Massaryk T, Bohlman HH. Magnetic resonance imaging of posttraumatic spinal ligament injury. *J Spinal Disord* 1989; 2: 229–233.
38. Fang A, Hu SS, Endres N, Bradford DS. Risk factors for infection after spinal surgery. *Spine* 2005; 30: 1460–1465.
39. Farcy JPC, Weindenbaum M, Glassmann SD. Sagittal index in management of thoracolumbar spine fractures. *Spine* 1990; 9: 958–965.
40. Fergusson RL, Allen BL. A mechanistic classification of thoracolumbar spine fractures. *Clin Orthop* 1984; 189: 77–88.
41. Ferree BA, Wright AM. Deep venous thrombosis following posterior lumbar spine surgery. *Spine* 1993; 18: 1079–1082.
42. Frankel HL, Mancock DO, Hyslop G, Melzak J, Michaelis LS, Ungar GH et al. The value of postural reduction in the initial management of closed injuries of the spine with paraplegia and tetraplegia. *Paraplegia* 1969; 7: 179–192.
43. Fujiwara A, Tamai K, An HS, Shimizu K, Yoshida H, Saotome K. The interspinous ligament of the lumbar spine. *Spine* 2000; 25: 358–363.
44. Gaebler C, Maier R, Kutscha-Lissberg F, Mrkonjic L, Vecsei V. Results of spinal cord decompression and thoracolumbar pedicle stabilisation in relation to the time of operation. *Spinal Cord* 1999; 37: 33–39.
45. Gertzbein SD. Scoliosis research society. Multicenter spine fracture study. *Spine* 1992; 17: 528–540.
46. Gotzen L, Puplat D, Junge A. Indications, technique and results of monosegmental dorsal spondylodesis in wedge compression fractures (grade II) of the thoracolumbar spine. *Unfallchirurg* 1992; 95: 445–454.
47. Gurman AW, Seimon LP. Iliofemoral thrombosis following Harrington spinal instrumentation. *J Bone Joint Surg (Am)* 1985; 67: 1273–1274.
48. Guttmann L. Surgical aspects of the treatment of traumatic paraplegia. *J Bone Joint Surg* 1949; 31-B: 399–403.
49. Haba H, Taneichi H, Kotani Y, Terae S, Abe S, Yoshikawa H, et al. Diagnostic accuracy of magnetic resonance imaging for detecting posterior ligamentous complex injury associated with thoracic and lumbar fractures. *J Neurosurg (Spine 1)* 2003; 99: 20–26.

50. Haher TR, Felmy W, Baruch H. The contribution of the three columns of the spine to rotational stability. *Spine* 1989; 14: 663–669.
51. Harstall R, Heini PF, Mini RL, Orler R. Radiation exposure to the surgeon during fluoroscopically assisted percutaneous vertebroplasty. *Spine* 2005; 30: 1893–1898.
52. Harrington PR. Instrumentation in spine instability other than scoliosis. *So. Afr. J. Surg.* 1967; 5: 7–12.
53. Hashimoto T, Kaneda K, Abumi K. Relationship between traumatic spinal canal stenosis and neurologic deficits in thoracolumbar burst fractures. *Spine* 1988; 13: 1268–1272.
54. Hitchon PW, Torner J, Eichholz KM, Beeler SN. Comparison of anterolateral and posterior approaches in the management of thoracolumbar burst fractures. *J Neurosurg (Spine)* 2006, 5: 117–125.
55. Hitchon PW, Torner JC, Haddad SF, Follet KA. Management options in thoracolumbar burst fractures. *Surg Neurol* 1998; 49: 619–627.
56. Holdsworth FW. Fractures, dislocations and fracture dislocations of the spine. *J Bone Joint Surg* 1963; 45-B: 6–20.
57. Holdsworth FW. Fractures, dislocations and fracture dislocations of the spine. *J Bone Joint Surg* 1970; 52-A: 1534–1551.
58. Horn EM, Feiz-Erfan I, Bambakidis NC, Papadopoulos SM, Sonntag VKH, Theodore N. Analysis of conservative management and comparison of neurological outcomes between anterior and posterior approaches for thoracolumbar burst fractures. *Barrow Quarterly* 2007; 23 (4): 4–11.
59. Horn EM, Lekovic GP, Feiz-Erfan I, Sonntag VKH, Theodore N. Cervical magnetic resonance imaging abnormalities not predictive of cervical spine instability in traumatically injured patients. *J Neurosurg (Spine 1)* 2004; 1: 39–42.
60. Horton WC, Kraiwattanapong Ch, Akamaru T, Minamide A, Park JS, Park MS, et al. The role of the sternum, costosternal articulations, intervertebral disc, and facets in thoracic sagittal plane biomechanics. *Spine* 2005; 30: 2014–2023.
61. Hrabálek L, Bučil J, Vaverka M, Houdek M, Krahulík D, Kalita O. Úskalí diagnostiky a léčby flekčně-distrakčních poranění hrudní a bederní páteře: prospektivní studie. *Cesk Slov Neurol N* 2008; 71/104 (2): 163–172.
62. Hrabálek L, Bučil J, Vaverka M, Houdek M, Krahulík D, Kalita O. Indikace přední náhrady meziobratlové ploténky u zlomenin hrudní a bederní páteře s využitím magnetické rezonance – prospektivní studie. *Cesk Slov Neurol N* 2009; 72/105 (2): 132–140.
63. Hrabálek L, Bučil J, Vaverka M, Houdek M. Poraněný thorakolumbální disk – indikace k náhradě předním přístupem podle magnetické rezonance. *Cesk Slov Neurol N* 2010; 73/106: 73/106 (3): 238–244.
64. Hrabálek L, Houdek M, Vaverka M. Přínos magnetické rezonance pro diagnostiku a léčbu poranění torakolumbální páteře. *Rozhl Chir* 2009; 88 (8): 461–465.

65. Hrabálek L, Rešková I, Bučil J, Vaverka M, Houdek M. Použití titanových a PE-EKových implantátů při ALIF stand-alone u degenerativního onemocnění lumbosakrální páteře – prospektivní studie. *Cesk Slov Neurol N* 2009; 72/105 (1): 38–44.
66. Hu R, Mustard CA, Burns C. Epidemiology of incident spinal fracture in a complete population. *Spine* 1996; 21: 492–499.
67. Chance CQ. Note on a type of flexion fracture of the spine. *Br J Radiol* 1948; 21: 452.
68. Chapman JR, Agel J, Jurkovich GJ, Bellabarba C. Thoracolumbar flexion-distraction injuries. *Spine* 2008; 33: 648–657.
69. Chow GH, Nelson BJ, Gebhard JS, Brugman JL, Brown CW, Donaldson DH. Functional outcome of thoracolumbar burst fractures managed with hyperextension casting or bracing and early mobilisation. *Spine* 1996; 21: 2170–2175.
70. Jackson AB, Dijkers M, Devivo MJ, Poczatek RB. A demographic profile of new traumatic spinal cord injuries: change and stability over 30 years. *Arch Phys Med Rehabil* 2004; 85(11): 1740–1748.
71. Johansson C, Mellstrom D, Rosengren K, Rundgren A. Prevalence of vertebral fractures in 85 year-olds. *Acta Orthop Scand* 1993; 64: 25–27.
72. Jones DPG, Robertson PA, Lunt B, Jackson SA. Radiation exposure during fluoroscopically assisted pedicle screw insertion in the lumbar spine. *Spine* 2000; 25: 1538–1541.
73. Katonis PG, Kontakis GM, Loupasis GA, Aligizakis AC, Christoforakis JI, Velivassakis EG. Treatment of unstable thoracolumbar and lumbar spine injuries using Cotrel-Dubouset instrumentation. *Spine* 1999; 24: 2352–2357.
74. Keller T, Holland MC. Some notable American spine surgeons of the 19th century. *Spine* 1997; 22: 1413–1417.
75. Kelly RP, Whitesides TE Jr. Treatment of lumbodorsal fracture-dislocations. *Ann Surg* 1968; 167: 705–717.
76. Kerttula LI, Serlo WS, Tervonen OA, Pääkkö EL, Vanharanta HV. Post-traumatic findings of the spine after earlier vertebral fracture in young patients: clinical and MRI study. *Spine* 2000; 25: 1104–1108.
77. Kilcyone RF, Mack LA, King HA, Ratcliffe SS, Loop JW. Thoracolumbar spinal injuries associated with vertebral plunges: Reappraisal with computed tomography. *Radiology* 1983; 146: 137–140.
78. Kim NH, Lee HM, Chun IM. Neurologic injury and recovery in patients with burst fracture of the thoracolumbar spine. *Spine* 1999; 24: 290–294.
79. Klein GR, Vaccaro AR, Albert TJ, Schweitzer M, Deely D, Karasick D, et al. Efficacy of magnetic resonance imaging in the evaluation of posterior cervical spine fractures. *Spine* 1999; 24: 771–774.
80. Knop C, Kranabetter T, Reinhold M, Blauth M. Combined posterior-anterior stabilisation of thoracolumbar injuries utilising a vertebral body replacing implant. *Eur Spine J* 2009; 18(7): 949–963.

81. Knop C, Blauth M, Bastian L. Fracturen der thoracolumbalen Wirbelsaule: Spatenergebnisse nach dorsaler Instrumentierung und ihre Konsequenzen. Unfallchirurg 1997; 100: 630–639.
82. Knop C, Blauth M, Buhren V, Hax PM, Kinzl L, Mutschler W, et al. Operative Behandlung von Verletzungen des thoracolumbalen Übergangs. Teil 2: Operation und röntgenologische Befunde. Unfallchirurg 2000; 103(12): 1032–1047.
83. Kočiš J, Wendsche P, Višňa P, Mužík V. Méně invazivní retropleurální – retroperitoneální přístup k torakolumbální páteři. Acta Chir. orthop. Traum. čech. 2002; 69: 285–287.
84. Korovessis P, Baikousis A, Stamatakis M. Use of the Texas Scottish Rite Hospital Instrumentation in the treatment of thoracolumbar injuries. Spine 1997; 22: 882–888.
85. Korovessis P, Baikousis A, Zacharatos S, Petsinis G, Koureas G, Iliopoulos P. Combined anterior plus posterior stabilization versus posterior short-segment instrumentation and fusion for mid-lumbar (L2-L4) burst fractures. Spine 2006; 31: 859–868.
86. Kotani Y, Cunningham BW, Parker LM, Kanayama M, McAfee PC. Static and fatigue biomechanical properties of anterior thoracolumbar instrumentation systems. Spine 1999; 24: 1406–1413.
87. Kraemer WJ, Schemitsch EH, Lever JI. Functional outcome of thoracolumbar burst fractures without neurologic deficit. J Orthop Trauma 1996; 10: 541–544.
88. Kramer DI, Rodgers WB, Mansfield FL. Transpedicular instrumentation and short-segment fusion of thoracolumbar fractures: a prospective study using a single instrumentation system. J Orthop Trauma 1995; 9: 499–506.
89. Krbec M, Štulík J. Ošetření zlomenin Th-L páteře vnitřním fixátorem (zhodnocení 120 operovaných případů). Acta Chir. orthop. Traum. čech. 2001; 68: 77–84.
90. Krengel WF III, Anderson PA, Henley MB. Early stabilization and decompression for incomplete paraplegia due to a thoracic-level spinal cord injury. Spine 1993; 18: 2080–2087.
91. Lecouvet FE, Vande Berg BC, Maldague BE, Michaux L, Laterre E, Machaux JL, et al. Vertebral compression fractures in multiple myeloma. Part I. Distribution and appearance at MR imaging. Radiology 1997; 204: 195–199.
92. Lee HM, Kim HS, Kim DJ, Suk KS, Park JO, Kim NH. Reliability of magnetic resonance imaging in detecting posterior ligament complex injury in thoracolumbar spinal fractures. Spine 2000; 25: 2079–2084.
93. Lee HM, Suk KS, Moon SH, Kim DJ, Wang JM, Kim NH. Deep vein thrombosis after major spinal surgery. Spine 2000; 25: 1827–1830.
94. Leferink VJM, Veldhuis EFM, Zimmermann KW, Vergert KW, Duis HJ. Classificational problems in ligamentary distraction type vertebral fractures: 30% of all B-type fractures are initially unrecognised. Eur Spine J 2002; 11: 246–250.