

POUŽITÁ A DOPORUČENÁ LITERATURA

- › Abraham E, Pankovich AM. Neglected rupture of the Achilles tendon. Treatment by V-Y tendinous flap. *J Bone Joint Surg Am.* 1975; 57(2): 253-255.
- › Adams JC. Arthrodesis of the ankle joint; experiences with the transfibular approach. *J Bone Joint Surg Br.* 1948; 30B(3): 506-511.
- › Addante JB, Ioli JP, Chin, MV. Silastic sphere arthroereisis for surgical treatment of flexible flatfoot: a preliminary report. *J Foot Surg.* 1982; 21(2): 91-95.
- › Aitken GK, Bourne RB, Finlay JB, et al. Indentation stiffness of the cancellous bone in the distal human tibia. *Clin Orthop Relat Res.* 1985; (201): 264-270.
- › Albee FH. The bone graft wedge in the treatment of habitual dislocation of the patella. *Med Rec.* 1915; 88(7): 257-259.
- › Alfredson H, Cook J. A treatment algorithm for managing Achilles tendinopathy: new treatment options. *Br J Sports Med.* 2007; 41(4): 211-216.
- › Altenhuber H, Grill F. Treatment of pes cavus with the V osteotomy according to Japas. *Chir Piede.* 1984; 8(5): 341-344.
- › Alvine FG. The Agility ankle replacement: the good and the bad. *Foot Ankle Clin.* 2002; 7(4): 737-753.
- › Alvine FG, Conti SF. Die AGILITY-sprunggelenkprothese: mittel- und langfristige erfahrungen. *Orthopäde.* 2006; 35(5): 521-526.
- › Anderson HG. *The Medical and Surgical Aspects of Aviation.* London: Henry Frowde, Oxford University Press, 1919.
- › Andrew K, Sands AK, Rammelt S, Manoli A. Foot compartment syndrome: a clinical review. *Fuss Sprungg.* 2015; 13(1): 11-21.
- › Armstrong GD, Frykberg RG. Classifying diabetic foot surgery: toward a rational definition. *Diabet Med.* 2003; 20(4): 329-331.
- › Armstrong GD, Lavery LA, Diabetic Foot Study Consortium. Negative pressure wound therapy after diabetic foot amputation; a multicentre, randomised controlled trial. *Lancet.* 2005; 366(9498): 1704-1710.
- › Aronow MS. Tendon transfer options in managing the adult flexible flatfoot. *Foot Ankle Clin.* 2012; 17(2): 205-226.
- › Aseyo D, Nathan H. Hallux sesamoid bones. Anatomical observations with special reference to osteoarthritis and hallux valgus. *Int Orthop.* 1984; 8(1): 67-73.
- › Austin DW, Leventon EO. A new osteotomy for hallux valgus: a horizontally directed „V“ displacement osteotomy of the metatarsal head for hallux valgus and primus varus. *Clin Orthop Rel Res.* 1981; 157: 25-30.
- › Axt M, Wildner M, Reichelt A. Late results of the Keller-Brandes operation for hallux valgus. *Arch Orthop Trauma Surg.* 1993; 112(6): 266-269.
- › Azar FM, Canale ST, Beaty JH. *Campbell's Operative Orthopaedics.* 13th ed. Elsevier, 2017.
- › Bagheri K, Krez A, Anastasio AT, Adams SB. The use of platelet-rich plasma in pathologies of the foot and ankle: A comprehensive review of the recent literature. *Foot Ankle Surg.* 2023; 29(8): 551-559.
- › Bähler A. Einlagenversorgung des kindlichen Knick-Senkfusses. *Orthopäde.* 1986; 15(3): 205-211.
- › Barg A, Elsner A, Anderson AE, Hintermann B. The effect of three-component total ankle replacement malalignment on clinical outcome: pain relief and functional outcome in 317 consecutive patients. *J Bone Joint Surg Am.* 2011; 93(21): 1969-1978.
- › Bargon G. Röntgenmorphologische Gradeinteilung der posttraumatischen Arthrose im oberen Sprunggelenk. *Hefte Unfallheilkd.* 1978; 133: 28-34.
- › Bariteau JT, Tenenbaum S, Rabinovich A, Brodsky JW. Charcot arthropathy of the foot and ankle in patients with idiopathic neuropathy. *Foot Ankle Int.* 2014; 35(10): 996-1001.
- › Bartoníček J. Anatomy of the tibiofibular syndesmosis and its clinical relevance. *Surg Radiol Anat.* 2003; 25(5-6): 379-386.
- › Bartoníček J. Classification of fracture-dislocations of the ankle. *Rozhl Chir.* 2012; 91(9): 494-499.
- › Bartoníček J, Heřt, J. *Základy klinické anatomie pohybového aparátu.* Praha: Maxdorf, 2004.

- > Bartoníček, J, Mittlemeier T, Rammelt S. Anatomie, Biomechanik und Pathomechanik des Pilon tibiale. *Fuss Sprungg.* 2012; 10(1): 3-11.
- > Bartoníček J, Rammelt S, Kostlivý K, et al. Anatomy and classification of the posterior tibial fragment in ankle fractures. *Arch Orthop Trauma Surg.* 2015; 135(4): 505-516.
- > Bartoníček J, Rammelt S, Tuček M, Naňka O. Posterior malleolar fractures of the ankle. *Eur J Trauma Emerg Surg.* 2015; 41(6): 587-600.
- > Bartoníček J, Rammelt S, Naňka O. Anatomy of the Subtalar Joint. *Foot Ankle Clin.* 2018; 23(3): 315-340.
- > Basmajian JV, Stecko GV. The role of muscles in arch support of the foot. *J Bone Joint Surg Am.* 1963; 45: 1184-1190.
- > Bateman JE. The adult heel. In: Jahss MH. *Disorders of the Foot.* Philadelphia: W. B. Saunders, 1982; 764-775.
- > Baumann JU. Behandlung kindlicher spastischer Fussdeformitäten. *Orthopäde.* 1986; 15(3): 191-198.
- > Baumfeld D, Baumfeld T, Rezende RF, et al. Corin ankle arthroplasty: Case-series. *Foot Ankle Surg.* 2022; 28(6): 745-749.
- > Baxter DE, Pfeiffer GB. Treatment of chronic heel pain by surgical release of the first branch of the lateral plantar nerve. *Clin Orthop Relat Res.* 1992; 279: 229-236.
- > Belatti DA, Phisitkul P. Declines in lower extremity amputation in the US medicare population, 2000-2010. *Foot Ankle Int.* 2013; 34(7): 923-931.
- > Bennett GL, Graham CE, Mauldin DM. Triple arthrodesis in adults. *Foot Ankle.* 1991; 12(3): 138-143.
- > Berndt AL, Harty M. Transchondral fractures (osteochondritis dissecans) of the talus. *J Bone Joint Surg Am.* 1959; 41-A: 988-1020.
- > Besse J-L. Osteolytic cysts with total ankle replacement: Frequency and causes? *Foot Ankle Surg.* 2015; 21(2): 75-76.
- > Bibbo C, Anderson RB, Davis WH. Complications of midfoot and hindfoot arthrodesis. *Clin Orthop Relat Res.* 2001; (391): 45-48.
- > Blechs Schmidt E. The structure of the calcaneal padding. *Foot Ankle.* 1982; 2(5): 260-283.
- > Boffeli TJ, Peterson MC. The Keck and Kelly wedge calcaneal osteotomy for Haglund's deformity: a technique for reproducible results. *J Foot Ankle Surg.* 2012; 51(3): 398-401.
- > Bojsen-Møller F. Anatomy of the forefoot, normal and pathologic. *Clin Orthop Relat Res.* 1979; (142): 10-18.
- > Bojsen-Møller F. Normale und pathologische Anatomie des Vorfusses. *Orthopäde.* 1982; 11(4): 148-153.
- > Bolton-Maggs BG, Sudlow RA, Freeman MA. Total ankle arthroplasty. A long-term review of the London Hospital experience. *J Bone Joint Surg Br.* 1985; 67(5): 785-790.
- > Bonney G, Macnab I. Hallux valgus and hallux rigidus; a critical survey of operative results. *J Bone Joint Surg Br.* 1952; 34B(3): 366-385.
- > Bosworth DM. Repair of defects in the tendo achillis. *J Bone Joint Surg Am.* 1956; 38-A(1): 111-114.
- > Bouillet R. Signe clinique de l'entorse grave de la cheville: l'hématome immédiat. *Acta Orthop Belg.* 1972; 38(6): 621-629.
- > Boulton AJM. The diabetic foot - an update. *Foot Ankle Surg.* 2008; 14(3): 120-124.
- > Brand RA. Arthrodesing Operations on the Feet: Edwin W. Ryerson MD (1872-1961). The 1st President of the AAOS 1932. *Clin Orthop Rel Res.* 2008; 466(1): 5-14.
- > Brandes M. Zur operativen Therapie des Hallux valgus. *Zentralbl Chir.* 1929; 39: 1434-1440.
- > Brodsky AR, O'Maley MJ, Bohne WH, et al. An analysis of outcome measures following the Broström-Gould procedure for chronic lateral ankle instability. *Foot Ankle Int.* 2005; 26(10): 816-819.
- > Broström L. Sprained ankles. V. Treatment and prognosis in recent ligament ruptures. *Acta Chir Scand.* 1966; 132(5): 537-550.
- > Buechel FF, Pappas MJ, Iorio LJ. New Jersey contact stress total ankle replacement: biomechanical rationale and review of 23 cementless cases. *Foot Ankle Surg.* 1988; 8(6): 279-290.

- > Buechel FF sr, Buechel FF jr, Pappas MJ. Eighteen-year evaluation of cementless meniscal bearing total ankle replacements. *Instr Course Lect.* 2002; 51: 143-151.
- > Buechel FF sr, Buechel FF jr, Pappas MJ. Twenty-year evaluation of cementless mobile - bearing total ankle replacements. *Clin Orthop Relat Res.* 2004; 424: 19-26.
- > Burdeaux BD. Reduction of calcaneal fractures by the McReynolds medial approach technique and its experimental basis. *Clin Orthop Relat Res.* 1983; 177: 87-103.
- > Cadden AR, Daniels T, Quinn A. Varus deformity and total ankle arthroplasty: classification and treatment algorithm. Poster No 17. Vancouver: 25th Annual Summer Meeting, 2009.
- > Campbell's Operative Orthopedics. 13th ed. Azar FM, Beaty JH, Canale ST, eds. Elsevier, 2017.
- > Canale ST, Kelly FB jr. Fractures of the neck of the talus. Long-term evaluation of seventy-one cases. *J Bone Joint Surg Am.* 1978; 60(2): 143-156.
- > Carlsson A. Einfach- und doppeltbeschichtete STAR-sprunggelenkprothesen: eine klinische und radiologische verlaufsstudie von 109 fällen. *Orthopäde.* 2006; 35(5): 527-532.
- > Carlsson A, Markusson P, Sundberg M. Radiostereometric analysis of the double-coated STAR total ankle prosthesis A 3-5-year follow-up of 5 cases with rheumatoid arthritis and 5 cases with osteoarthritis. *Acta Orthop.* 2005; 76(4): 573-579.
- > Castaing J, Delplace J. Entorses de la cheville. Intérêt de l'étude de la stabilité dans le plan sagittal pour le diagnostic de gravité. Recherche radiographique du tiroir astragalien antérieur. *Rev Chir Orthop Reparatrice Appar Mot.* 1972; 58(1): 51-63.
- > Castaing J, Delplace J, Dien F. Instabilités chroniques externe de la cheville. *Rev Chir Orthop.* 1975; 61(Suppl 2): 167-174.
- > Cetti R, Christensen SE. Surgical treatment under local anesthesia of Achilles tendon rupture. *Clin Orthop.* 1983; 173: 204-208.
- > Clanton TO, Campbell KJ, Wilson KJ, et al. Qualitative and quantitative anatomic investigation of the lateral ankle ligaments for surgical reconstruction procedures. *J Bone Joint Surg Am.* 2014; 96(12): e98.
- > Clement DB, Taunton JE, Smart GW. Achilles tendinitis and peritendinitis: etiology and treatment. *Am J Sports Med.* 1984; 12(3): 179-184.
- > Cole WH. The Treatment of Clawfoot. *J Bone Joint Surg.* 1940; 22(4): 895-908.
- > Coleman SS. Congenital Dysplasia and Dislocation of the Hip. St. Louis: Mosby, 1978: 72-154.
- > Coleman SS. Complex Foot Deformities in Children. Philadelphia: Lea & Febiger, 1983.
- > Colemann SS, Chestnut WJ. A simple test for hindfoot flexibility in the cavovarus foot. *Clin Orthop Relat Res.* 1977; 123: 60-62.
- > Coltart WD. Aviator's astragalus. *J Bone Joint Surg Br.* 1952; 34-B(4): 545-566.
- > Correa CAS, Vargas-Hernández JS, García LF, et al. Risk factors for reamputation in patients with diabetic foot: A case-control study. *Foot Ankle Surg.* 2023; 29(5): 412-418.
- > Cotta H, Puhl W. Patophysiologie des Knorpelschadens. *Hefte Unfallheilkunde.* 1975; 127: 1-22.
- > Court-Brown CM, Caesar B. Epidemiology of adult fractures: A review. *Injury.* 2006; 37(8): 691-697.
- > Cracchiolo A 3rd, Swanson A, Swanson GD. The arthritic great toe metatarsophalangeal joint: a review of flexible silicone implant arthroplasty from two medical centers. *Clin Orthop Relat Res.* 1981; 157: 64-69.
- > Crego CH, Ford LT. An end-result of various operative procedures for correcting flat feet in children. *J Bone Joint Surg Am.* 1952; 34-A(1): 183-195.
- > Curlewis K, Leung B, Sinclair L, et al. Systemic medical complications following total ankle arthroplasty: A review of the evidence. *Foot Ankle Surg.* 2022; 28(7): 804-808.
- > D'Ambrosi R, Banfi G, Usulli FG. Total ankle arthroplasty and national registers: What is the impact on scientific production? *Foot Ankle Surg.* 2019; 25(4): 418-424.
- > D'Errico M, Morelli I, Castellini G, et al. Is debridement really the best we can do for periprosthetic joint infections following total ankle replacements? A systematic review and meta-analysis. *Foot Ankle Surg.* 2022; 28(6): 697-708.
- > de Groot IB, Reijman M, Luning HAF, et al. Long term results after a triple arthrodesis of the hindfoot: function and satisfaction in 36 patients. *Int Orthop.* 2008; 32(2): 237-241.
- > Debrunner HU. Biomechanik des Fusses. Stuttgart: Enke, 1985. Bücherei des Orthopäden, Bd. 49.

- > Denis A, Huber-Levernieux C. Tendinopathies mécaniques du tendon d'Achille. In: Claustre J, Simon L, eds. *Pathologie du Talon*. Paris: Masson, 1986.
- > Dennysson WG, Fulford GE. Subtalar arthrodesis by cancellous graft and metallic internal fixation. *J Bone Joint Surg Br*. 1976; 58-B(4): 507-510.
- > Devas M. *Stress Fractures*. Edinburgh: Churchill Livingstone, 1975.
- > Devas M, Sweetnam DR. Stress fractures of the fibula; a review of fifty cases in athletes. *J Bone Joint Surg Br*. 1956; 38-B(4): 818-829.
- > Diebschlag W. Die Druckverteilung an der Fusssohle des Menschen im Stehen und Gehen, barfuss und im Schuh. *Z Orthop Ihre Grenzgeb*. 1982; 120(6): 814-820.
- > Dieppe P. Osteoarthritis: time to shift the paradigm. This includes distinguishing between severe disease and common minor disability. *Br Med J*. 1999; 318(7194): 1299-1300.
- > Rheumatoid Foot Reconstruction. In: Saxena, A. (eds) *Special Procedures in Foot and Ankle Surgery*. London: Springer, 2013: 233-248.
- > DiGiovanni BF, Nawoczenski DA, Lintal ME, et al. Tissue-specific plantar fascia-stretching exercise enhances outcomes in patients with chronic heel pain. A prospective, randomized study. *J Bone Joint Surg Am*. 2003; 85(7): 1270-1277.
- > Dingemans SA, Rammelt S, White TO, et al. Should syndesmotic screws be removed after surgical fixation of unstable ankle fractures? A systematic review. *Bone Joint J*. 2016; 98B(11): 1497-1504.
- > Dodd A, Daniels TR. Charcot neuroarthropathy of the foot and ankle. *J Bone Joint Surg Am*. 2018; 100(8): 696-711.
- > Döderlein L, Wenz W, Schneider U. *Der Knickplattfuss*. Berlin, Heidelberg: Springer, 2002.
- > Dohle J, Rammelt S, Hrsg. *Expertise Orthopädie und Unfallchirurgie Fuß und Sprunggelenk*. Stuttgart, New York: Thieme, 2021.
- > Dungal P. *Ortopedie a traumatologie nohy*. Praha: Avicenum, 1989.
- > Dungal P. *Ortopedie. 2. přeprac. a dopln. vyd.* Praha: Grada, 2014.
- > Dungal P, ed. *Traumatologie končetin a páteře ve středním a vyšším věku*. Praha: We Make Media, 2021. Albertova sbírka, sv. 3.
- > DuVries, HL. *Surgery of the Foot*. 2nd ed. St. Louis: C. V. Mosby Company, 1965.
- > Dwyer FC. Osteotomy of the calcaneum for pes cavus. *J Bone Joint Surg Br*. 1959; 41-B(1): 80-86.
- > Dwyer FC. The present status of the problem of pes cavus. *Clin Orthop Relat Res*. 1975; 106: 254-257.
- > Edwards ME. The relation of the peroneal tendons to the fibula, calcaneus and cuboideum. *Am J Anat*. 1928; 42(1): 213-253.
- > Eiselt B. Naše zkušenosti s operačním léčením achillodyníí. Symposium Poranění Achillovy šlachy u sportovců. Praha: 1966.
- > Erard MUE, Sheehan MAJ, Sangeorzan BJ. Triple Arthrodesis for adult - acquired flatfoot deformity. *Foot Ankle Orthop*. 2019; 4(3): 247-301.
- > Essex-Lopresti P. The mechanism, reduction technique and results in fractures of the os calcis. *Br J Surg*. 1952; 39(157): 395-419.
- > Evans S. Calcaneo-valgus deformity. *J Bone Joint Surg Br*. 1975; 57(3): 270-278.
- > Felson DT. Epidemiology of hip and knee osteoarthritis. *Epidemiol Rev*. 1988; 10: 1-28.
- > Fowler A, Phillip JF. Abnormality of the calcaneus as a cause of painful heel its diagnosis and operative treatment. *Br J Surg*. 1945; 32(128): 494-498.
- > Frejka, B. *Základy ortopedické chirurgie*. Praha: Státní zdravotnické nakladatelství, 1964.
- > Frost L. Root resection for incurvated nail. *J Nat Assoc of Chir*. 1950; 40(3): 19-27.
- > Fuhrmann RA. Komplikationsmanagement bei Großzehengrundgelenksendoprothesen. In: Neumann HW, ed. *AE-Manual der Endoprothetik. Sprunggelenk und Fuss*. Berlin, Heidelberg: Springer 2012: 305-312.
- > Gantsoudes GD, Roocroft JH, Mubarak SJ. Treatment of talocalcaneal coalitions. *J Pediatr Orthop*. 2012; 32(3): 301-307.
- > Gauthier G. Thomas Morton's disease, a nerve entrapment syndrome. A new surgical technique. *Clin Orthop Relat Res*. 1979; 142: 90-92.
- > Gauthier G, Elbaz R. Freiberg's infraction: a subchondral bone fatigue fracture. A new surgical treatment. *Clin Orthop Relat Res*. 1979; 142: 93-95.

-
- > Geipel U, Herrmann M. Das infizierte Implantat: Bakteriologie. Unfallchirurg. 2005; 108(11): 961-978.
 - > Giannini S, Faldini C, Cadossi M, Luciani D. Surgical treatment of flexible flatfoot in adolescents with bioabsorbable implant. In: Saxena A, ed. International Advance in Foot and ankle Surgery. London: Springer, 2012: 367-376.
 - > Giannini S, Romagnoli M, Barbadoro P, et al. Results at a minimum follow-up of 5 years of a ligaments-compatible total ankle replacement design. Foot Ankle Surg. 2017; 23(2): 116-121.
 - > Gibson JN, Thomson CE. Arthrodesis or total replacement arthroplasty for hallux rigidus: a randomized controlled trial. Foot Ankle Int. 2005; 26(9): 680-690.
 - > Goodfellow J. Aetiology of hallux rigidus. Proc R Soc Med. 1966; 59(9): 821-824.
 - > Grass R, Zwipp H. Die Arthrodesse des oberen Sprunggelenkes in der Vier-Schrauben-Technik. Oper Orthop Traumatol. 1998; 10(2): 134-142.
 - > Green NE, Griffin PP, Shiavi R. Split posterior tibial-tendon transfer in spastic cerebral palsy. J Bone Joint Surg Am. 1983; 65(6): 748-754.
 - > Grice DS. An extra-articular arthrodesis of the subastragalar joint for correction of paralytic flat feet in children. J Bone Joint Surg Am. 1952; 34-A(4): 927-940.
 - > Grice DS. Further experience with extraarticular arthrodesis of the subtalar joint. J Bone Joint Surg Am. 1955; 37-A(2): 246-259.
 - > Grifka J, Kuster M, Hrsg. Orthopädie und Unfallchirurgie für Praxis, Klinik und Facharztprüfung. Springer, 2011.
 - > Grill F, Franke J. The Ilizarov distractor for the correction of relapsed or neglected clubfoot. J Bone Joint Surg Br. 1987; 69(4): 593-597.
 - > Günther U, Zacher J. Die Pseudoarthrose nach Arthrodesse - Eine Analyse der Indikationen und Methoden bei Sprunggelenken. Orthop Praxis. 2000; 36(8): 490-496.
 - > Guyton GP. Bilateral Total Ankle Replacement Findings with Insights into Early Weight-Bearing: Commentary on an article by Amanda N. Fletcher, MSc, MD, et al.: Comparison of the Clinical Outcomes and Complications of Simultaneous or Sequential Bilateral Total Ankle Arthroplasty. A Single-Center Comparative Cohort Study. J Bone Joint Surg Am. 2022; 104(19): 1773.
 - > Haddad SL, Coetzee JC, Estok R, et al. Intermediate and long-term outcomes of total ankle arthroplasty and ankle arthrodesis. A systematic review of the literature. J Bone Joint Surg Am. 2007; 89(9): 1899-1905.
 - > Halai MM, Richards M, Daniels TR. What's new in foot and ankle surgery. S J Bone Joint Surg Am. 2021; 103(10): 850-859.
 - > Hangody L, Kish G, Kárpáti Z, et al. Treatment of osteochondritis dissecans of the talus: the use of mosaicplasty technique - a preliminary report. Foot Ankle Int. 1997; 18(10): 628-634.
 - > Hardy RH, Clapham JCR. Observations on hallux valgus; based on a controlled series. J Bone Joint Surg Br. 1951; 33B(3): 376-391.
 - > Harris RI, Beath T. Etiology of peroneal spastic flat foot. J Bone Joint Surg Br. 1948; 30B(4): 624-634.
 - > Harris RI, Beath T. Hypermobility flat-foot with short tendo achillis. J Bone Joint Surg Am. 1948; 30A(1): 116-140.
 - > Hawkins FB, Mitchell CL, Hedrick DW. Correction of hallux valgus by metatarsal osteotomy. J Bone Joint Surg. 1945; 27(3): 387-394.
 - > Hefti F. Die Stellung des Fusses bei Arthrodesen des oberen Sprunggelenkes. Stuttgart: Enke, 1981.
 - > Heim U. Die Pilon-tibial-Fraktur. Klassifikation, Operationstechnik, Ergebnisse. Berlin, Heidelberg: Springer, 1991.
 - > Helal B. Metatarsal osteotomy for metatarsalgia. J Bone Joint Surg Br. 1975; 57(2): 187-192.
 - > Hembree WC, Gallagher BW, Guyton GP. What's new in foot and ankle surgery. J Bone Joint Surg Am. 2022; 104(10): 857-863.
 - > Henricson A, Skoog A, Carlsson A. The Swedish Ankle Arthroplasty Register. An analysis of 531 arthroplasties between 1993 and 2005. Acta Orthop. 2007; 78(5): 569-574.
 - > Henricson A, Popelka S, Rydholm U. Six year result of the Rebalance mobile bearing total ankle replacement. Foot Ankle Surg. 2021; 27(1): 66-69.

- > Hermus JP, Voeselek JA, van Gansewinkel EHE, et al. Complications following total ankle arthroplasty: A systematic literature review and meta-analysis. *Foot Ankle Surg.* 2022; 28(8): 1183-1193.
- > Hermus JPS, van Kuijk, Spekenbrink-Spooren A, et al. Risk factors for total ankle arthroplasty failure: A Dutch Arthroplasty Register study. *Foot Ankle Surg.* 2022; 28(7): 883-886.
- > Herring JA. Tachdjian's Pediatric Orthopaedics. From the Texas Scottish Rite Hospital for Children. 5th ed. Vol 2. Philadelphia: Elsevier Saunders, 2013.
- > Hetherington VJ, ed. Hallux Valgus and Forefoot Surgery. New York: Churchill Livingstone, 1994.
- > Hetherington VJ, Kavros SJ, Conway F, et al. Pyrolytic carbon as a joint replacement in the foot: a preliminary report. *J Foot Surg.* 1982; 21(3): 160-165.
- > Hetherington VJ, Steinbock G, LaPorta D, Gardner C. The Austin bunionectomy: a follow-up study. *J Foot Ankle Surg* 1993; 32(2): 162-166.
- > Hicks JH. The mechanics of the foot. I. The joints. *J Anat.* 1953; 87(4): 345-357.
- > Hicks JH. The mechanics of the foot. II. The plantar aponeurosis and arch. *J Anat.* 1954; 88(1): 25-30.
- > Hill NA, Wilson HJ, Chevres F, Sweterlitsch PR. Triple arthrodesis in the young child. *Clin Orthop Relat Res.* 1970; 70: 187-190.
- > Hintermann B. Endoprothetik des Sprunggelenks. Historischer Überblick, aktuelle Therapiekonzepte und Entwicklungen. Wien, New York: Springer, 2005.
- > Hintermann B. Total Ankle Arthroplasty. Historical Overview, Current Concepts and Future Perspectives. Wien, New York: Springer, 2005.
- > Hintermann B, Valderrabano V, Dereymaeker G, Dick W. The HINTEGRA ankle: rationale and short-term results of 121 consecutive ankles. *Clin Orthop Relat Res.* 2004; 424: 57-68.
- > Hintermann B, Valderrabano V, Knupp M, Horisberger M. Die HINTEGRA-Sprunggelenkprothese: kurz- und mittelfristige Erfahrungen. *Orthopäde.* 2006; 35(3): 533-545.
- > Hoffmann AH, Fink B. Moderne 3-Komponenten-Sprunggelenkprothesen. Häufigkeit und Ursachen von Luxation und vorzeitigem Verschleiss des Polyethylengleitkerns. *Orthopäde.* 2007; 36(10): 908-912, 914-916.
- > Hoffmann P. Conclusions drawn from a comparative study of the feet of barefooted and shoe-wearing peoples. *J Bone Joint Surg Am.* 1905; 3(2): 105-136.
- > Hohmann G. Fuss und Bein - ihre Erkrankungen und Behandlung. 5. Aufl. München: Bergmann, 1951.
- > Hohmann G, Hackenbroch M, Lindemann K, Hrsg. Handbuch der Orthopädie. Band IV, Teil I und II: Spezielle Orthopädie, untere Extremität. Stuttgart: Georg Thieme Verlag, 1961.
- > Hoke M. An operation for stabilizing paralytic feet. *J Bone Joint Surg.* 1921; 3(10): 494-507.
- > Hoke M. An operation for the correction of extremely relaxed flat feet. *J Bone Joint Surg.* 1931; 13(4): 773-783.
- > Hooker CH. Rupture of the tendo calcaneus. *J Bone Joint Surg.* 1963; 45(2): 360-363.
- > Hsu JD, Hoffer MM. Posterior tibial tendon transfer anteriorly through the interosseous membrane: a modification of the technique. *Clin Orthop Relat Res.* 1978; 131: 202-204.
- > Hvid I, Rasmussen O, Jensen NC, Nielsen S. Trabecular bone strength profiles at the ankle joint. *Clin Orthop Relat Res.* 1985; 199: 306-312.
- > Charnley J. Compression arthrodesis of the ankle and shoulder. *J Bone Joint Surg Br.* 1951; 33B(2): 180-191.
- > Chrisman OD, Snook GA: Reconstruction of lateral ligament tears of the ankle. An experimental study and clinical evaluation of seven patients treated by a new modification of the Elmslie procedure. *J Bone Jt Surg Am.* 1969; 51(5): 904-912.
- > Christ RM, Hagena FW. Komplikationen und Revisionseingriffe nach OSG-Totalendoprothesen. *Fuss Sprungg.* 2005; 3(2): 112-121.
- > Chuckpaiwong B, Berkson EM, Theodore GH. Extracorporeal shock wave for chronic proximal plantar fasciitis: 225 patients with results and outcome predictors. *J Foot Ankle Surg.* 2009; 48(2): 148-155.
- > Chuinard EG, Peterson RE. Distraction-compression bone graft arthrodesis of the ankle. A method especially applicable in children. *J Bone Joint Surg Am.* 1963; 45A: 481-490.

- > Ingram AJ. Cerebral palsy. In: Edmonson AS, Crenshaw AH, eds. *Campbell's Operative Orthopaedics*. 6th Ed. St. Louis, C.V. Mosby, 1980.
- > Inman VT. Hallux valgus: a review of etiologic factors. *Orthop Clin North Am*. 1974; 5(1): 59-66.
- > Inman VT. *The Joints of the Ankle*. Baltimore: Williams & Wilkins, 1976.
- > Inman VT, Ralson HJ, Todd F. *Human Walking*. Baltimore: Williams & Wilkins, 1981.
- > Insall JN, Thompson FM, Brause BD. Two-stage reimplantation for the salvage of infected total knee arthroplasty. *J Bone Joint Surg Am*. 1983; 65(8): 1087-1098.
- > Isman RE, Inman VT, Poor, PM. Anthropometric studies of the human foot and ankle. *Bull Prosthet Res*. 1969; 11(10): 97-129.
- > IWGDF Editorial Board. IWGDF Definitions and Criteria. 2019. Dostupné na: <https://iwgdfguidelines.org/definitions-criteria/>.
- > Jack EA. Bone anomalies of the tarsus in relation to peroneal spastic flat foot. *J Bone Joint Surg Br*. 1954; 36B(4): 530-542.
- > Jaffe WL, Laitman JT. The evolution and anatomy of the human foot. In: Jahss MH, ed. *Disorders of the Foot*. Philadelphia: Saunders, 1982:1-9.
- > Jahss MH. Tarsometatarsal truncated-wedge arthrodesis for pes cavus and equinovarus deformity of the fore part of the foot. *J Bone Joint Surg Am*. 1980; 62(5): 713-722.
- > Jahss MH. The sesamoids of the hallux. *Clin Orthop Relat Res*. 1981; 157: 88-97.
- > Jahss MH. *Disorders of the Foot*. Philadelphia: Saunders, 1982.
- > Jamjoom BA, Siddiqui BM, Salem H, et al. Clinical and radiographic outcomes of revision total ankle arthroplasty using the INBONE II prosthesis. *J Bone Joint Surg Am*. 2022; 104(17): 1554-1562.
- > Jani L. Der kindliche Knick-Senk-Fuss. *Orthopäde*. 1986; 15: 199-204.
- > Japas LM. Surgical treatment of pes cavus by tarsal V-osteotomy. Preliminary report. *J Bone Joint Surg Am*. 1968; 50(5): 927-944.
- > John M, Schenk K. Protheseinfektionen des oberen Sprunggelenks. In: Neumann HW, Hrsg. *AE-Manual der Endoprothetik. Sprunggelenk und Fuß*. Berlin Heidelberg: Springer, 2012: 201-218.
- > Johnson JE, Cohen BE, Di Giovanni BF, Landman R. Subtalar arthrodesis with flexor digitorum longus transfer and spring ligament repair for treatment of posterior tibial tendon insufficiency. *Foot Ankle Int*. 2000; 21(9): 722-729.
- > Johnson KA. Tibialis posterior tendon rupture. *Clin Orthop Relat Res*. 1983; 177: 140-147.
- > Johnson KA, Strom DE. Tibialis posterior tendon dysfunction. *Clin Orthop Relat Res*. 1989; 239: 196-206.
- > Johnson KA, Cofield RH, Morrey BF. Chevron osteotomy for hallux valgus. *Clin Orthop Relat Res*. 1979; 142: 44-47.
- > Jones CK, Nunley JA. Osteonecrosis of the lateral aspect of the talar dome after triple arthrodesis. A report of three cases. *J Bone Jt Surg Am*. 1999; 81(8): 1165-1169.
- > Jones R. Operative treatment of chronic dislocation of personal tendons. *J Bone Joint Surg*. 1932; 14(3): 574-576.
- > Kelikian H. *Hallux Valgus, Allied Deformities of the Forefoot and Metatarsalgia*. Philadelphia, London: W. B. Saunders, 1965.
- > Kelikian H. The hallux. In: Jahss MH, ed. *Disorders of the Foot, Volume 1*. Philadelphia: W. B. Saunders Company, 1982: 539-621.
- > Keller WJ. Surgical treatment of bunions and hallux valgus. In: Levy LA, Hetherington VJ. *Principles and Practice of Podiatric Medicine*. Churchill Livingstone, 1990.
- > Keller WL. The surgical treatment of bunions and hallux valgus. *J Med*. 1904; 80: 741-742.
- > Kellgren JH, ed. *Atlas of Standard Radiographs of Arthritis*. Philadelphia: FA Davis, 1963.
- > Kellgren JH, Lawrence JS. Radiological assessment of osteo-arthritis. *Ann Rheum Dis*. 1957; 16(4): 494-502.
- > Kellgren JH, Lawrence JS. The Epidemiology of Chronic Rheumatism, In: Kellgren JH, ed. *Atlas of Standard Radiographs of Arthritis*. Philadelphia: FA Davis, 1963; 10-11.
- > Kellgren JH, Moore R. Generalized osteoarthritis and Heberden's nodes. *Br Med J*. 1952; 1(4751): 181-187.
- > Kelly RE. An operation for chronic dislocation of peroneal tendons. *Brit J Surg*. 1920; 7(28): 502-504.

- › Kessel L, Boney G. Hallux rigidus in the adolescent. *J Bone Jt Surg Br.* 1958; 40B(4): 669-673.
- › Kessler S, Delhey P, Volkering C. Behandlungsprinzipien bei tiefen Infektionen beim Diabetischen Fuss. *Orthopäde.* 2009; 38(12): 1215-1221.
- › Kidon A, Sanders E, Mendeszoon M. Single lateral incision for a triple a arthrodesis. *Foot Ankle Online J.* 2018; 11(2): 4.
- › Kim J, Rajan L, Fuller R, et al. Mid-term functional outcomes following reoperation after total ankle arthroplasty: A retrospective cohort study. *Foot Ankle Surg.* 2022; 28(8): 1463-1467.
- › Klauke K. Anatomische Studie der Fusskompartimente. *Fuss Sprunggelenk;* 2015; 13(1): 5-10.
- › Kleiger B, Mankin HJ. Fracture of the lateral portion of the distal tibial epiphysis. *J Bone Joint Surg Am.* 1964; 46: 25-32.
- › Knupp M, Valderrabano V, Hintermann B. Anatomische und biomechanische Überlegungen zur sprunggelenkprothetik. *Orthopäde.* 2006; 35(5): 489-494.
- › Kofoed H. Ankle arthroplasty: indications, alignment, stability and gain in mobility. In: Kofoed H, ed. *Current Status of Ankle Arthroplasty.* Springer, Berlin, Heidelberg: Springer, 1998: 16-21.
- › Kofoed H, ed. *Current Status of Ankle Arthroplasty,* Berlin, Heidelberg: Springer, 1998.
- › Kofoed H. The evolution of ankle arthroplasty. *Orthopäde.* 1999; 28: 804-811.
- › Kofoed H. Ankle replacement revision. *Foot Ankle Surg.* 2013; 19(2): 69.
- › Kofoed H. Is ankle arthrodesis or total ankle replacement the better treatment for end stage arthrosis? *Foot Ankle Surg.* 2014; 20(1): 1.
- › Kofoed H, Sørensen TS. Ankle arthroplasty for rheumatoid arthritis and osteoarthritis: prospective long-term study of cemented replacements. *J Bone Joint Surg Br.* 1998; 80(2): 328-332.
- › Kofoed H, Kostuj T, Goldberg A. European registers for total ankle replacement. *Foot Ankle Surg.* 2013; 19(1): 1.
- › Köhler A. Eine typische Erkrankung des 2. metatarsophalangeal Gelenkes. *Münch Med Wschr.* 1920; 45: 1289-1290.
- › Koivu H, Kohonen I, Sipola E, et al. Severe periprosthetic osteolytic lesions after AES total ankle replacement. *J Bone Joint Surg Br.* 2009; 91(7): 907-914.
- › Koivu H, Kohonen I, Mattila K, et al. Medium to long-term results of 130 Ankle Evolutive System total ankle replacements-Inferior survival due to peri-implant osteolysis. *Foot Ankle Surg.* 2017; 23(2): 108-115.
- › Koivu H, Kormi S, Kohonen I, Tiusanen H. The motion between components in a mobile-bearing total ankle replacement measured by cone-beam CT scanning. *Foot Ankle Surg.* 2022; 28(3): 324-330.
- › Koller A, Hafkemeyer U, Fiedler R, Wetz HH. Rekonstruktive Fusschirurgie bei diabetisch-neuropathischer Osteoarthropathie. *Orthopäde.* 2004; 33(9): 983-991.
- › König F. Ueber freie Körper in den Gelenken. *Dtsch Z Chir.* 1888; 27: 90-109.
- › Koo K, Liddle AD, Pastides PS, Rosenfeld PF. The Salto total ankle arthroplasty - Clinical and radiological outcomes at five years. *Foot Ankle Surg.* 2019; 25(4): 523-528.
- › Kotnis R, Pasapula C, Anwar F, et al. The management of failed ankle replacement. *J Bone Joint Surg Br.* 2006; 88(8):1039-1047.
- › Kotter A, Rüter A. Fractures of the tibial plateau. *Unfallchirurg.* 1997; 100(9): 742-749.
- › Krause F, Herrera M, Walcher M, et al. Quo vadis, foot & ankle research? A review. *Foot Ankle Surg.* 2023; 29(7): 502-505.
- › Kubik J, Rollick NC, Bear J, et al. Assessment of malreduction standards for the syndesmosis in bilateral CT scans of uninjured ankles. *Bone Joint J.* 2021; 103B(1): 178-183.
- › Kvist H, Kvist M. The operative treatment of chronic calcaneal paratenonitis. *J Bone Joint Surg Br.* 1980; 62(3): 353-357.
- › Kyung MG, Lee DO, Easley ME, et al. Preoperative incongruent subtalar joint predicts less favorable clinical outcome in total ankle arthroplasty. *Foot Ankle Surg.* 2023; 29(5): 436-440.
- › Labek G, Thaler M, Janda W, et al. Revision rates after total joint replacement: cumulative results from worldwide joint register datasets. *J Bone Jt Surg Br.* 2011; 93(3): 293-297.
- › Lachman JR, Adams SB. Tibiotalocalcaneal arthrodesis for severe talar avascular necrosis. *Foot Ankle Clin.* 2019; 24(1): 143-161.
- › Lambrinudi C. New operation on drop-foot. *Br J Surg.* 1927; 15(58): 193-200.
- › Lang T, Wachsmuth W. *Praktische Anatomie: Bein und Statik.* Berlin, Heidelberg, New York: Springer Verlag, 1972.

- > Lang J, Wachsmuth LW. Praktische Anatomie. Ein Lehr- und Hilfsbuch der anatomischen Grundlagen ärztlichen Handels. Bein und Statistik. 2. beubereit. Aufl. Berlin, Heidelberg, New York: Springer Verlag, 2004.
- > Lange M. Orthopädisch-Chirurgische Operationlehre. 2. Aufl. München: J. F. Bergmann, 1962.
- > Lapidus PH. Operative correction of the metatarsus varus primus in hallux valgus. Surg Gynecol Obst. 1934; 58: 183.
- > Lapidus PW. Indirect subcutaneous rupture of anterior tibial tendon: report of two cases. Bull Hosp Joint Dis. 1941; 2: 119-127.
- > Lauge N. Fractures of the ankle; analytic historic survey as the basis of new experimental, roentgenologic and clinical investigations. Arch Surg. 1948; 56(3): 259-317.
- > Lauge-Hansen N. Fractures of the ankle II: combined experimental/surgical and experimental roentgenologic investigation. Arch Surg (1920). 1950; 60(5): 957-985.
- > Lawrence JS. Rheumatism in Populations. London: William Heinemann Medical Books, 1977.
- > Lawrence JS, Bremner JM, Bier F. Osteo-arthrosis. Prevalence in the population and relationship between symptoms and x-ray changes. Ann Rheum Dis. 1966; 25(1): 1-24.
- > Leabhart JW. Stress fractures of the calcaneus. J Bone Joint Surg. 1959; 41A: 1285-1290.
- > Lelièvre J. Pathologie du pied. Physiologie - clinique. Traitement médical, orthopédique et chirurgical. Paris: Masson, 1952.
- > Levy LA, Hetherington VJ. Principles and Practice of Podiatric Medicine. Churchill Livingstone, 1990.
- > Lewin P. The Foot and the Ankle: Their Injuries, Diseases, Deformities and Disabilities. Philadelphia: Lea & Febiger, 1941.
- > Lewis RJ, Feffer HL. Modified chevron osteotomy of the first metatarsal. Clin Orthop Relat Res. 1981; 157: 105-109.
- > Lexer E. Die Verwendung der freien Knochenplastik nebst Versuchen über Gelenkversteifung und Gelenktransplanten. Langenbecks Arch Klin Chir. 1906; 86: 939.
- > Lieske S, Schenk K. Indikation/Differentialindikation der Sprunggelenkendoprothetik. In: Neumann HW, Hrsg. AE-Manual der Endoprothetik, Band: Sprunggelenk und Fuß. Springer Berlin, Heidelberg: Springer, 2012: 47-55.
- > Lindholm A. A new method of operation in subcutaneous rupture of the Achilles tendon. Acta Chir Scand. 1959; 117: 261-270.
- > Linch AO. Treatment of ingrowing nail. South Surg. 1939; 8: 173-174.
- > Lipsky BA, Berendt AR, Cornia PB, et al. 2012 Infectious Diseases Society of America clinical practice guideline for the diagnosis and treatment of diabetic foot infections. Clin Infect Dis. 2012; 54(12): e132-173.
- > Lohmann CH, Fürst M, Niggemeyer O, Rüdiger W. Die Behandlung von periprotetischen Infektionen. Z Rheumatol. 2007; 66(1): 28-33.
- > Lord G, Marotte JH. L'arthroplastie totale de cheville. Expérience sur 10 ans, à propos de 25 observations personnelles. Rev Chir Orthop Reparatrice Appar Mot. 1980; 66(8): 527-530.
- > Lowery NJ, Woods JB, Armstrong DG, Wukich DK. Surgical management of Charcot neuroarthropathy of the foot and ankle: a systematic review. Foot Ankle Int. 2012; 33(2): 113-121.
- > Lundberg A. Kinematics of the normal ankle joint. In: Kofoed H, ed. Current status of Ankle Arthroplasty. Berlin, Heidelberg: Springer, 1998: 3-7.
- > Ma GW, Griffith TG. Percutaneous repair of acute closed ruptured achilles tendon: a new technique. Clin Orthop Relat Res. 1977; 128: 247-255.
- > Machner A, Pap T, Schwarsberg H, et al. Gelenkbelastung als eine mögliche Ursache der Arthroseentstehung. Ergebnisse tierexperimenteller Untersuchungen am Rattenmodell. Zentralbl Chir. 2000; 125(6): 536-542.
- > Mann RA, ed. Surgery of the Foot. 5th ed. St Louis: C. V. Mosby, 1986.
- > Mann R, Inman VT. Phasic activity of intrinsic muscles of the foot. J Bone Joint Surg Am. 1964; 46: 469-481.
- > Mann RA, Coughlin MJ, DuVries HL. Hallux rigidus: A review of the literature and a method of treatment. Clin Orthop Relat Res. 1979; 142: 57-63.
- > Matějovský Z, Slavík M, Zídková H. Zlomeniny z přetížení. Čas Lék Čes. 1986; 124(15): 444-445.
- > Mau C, Lauber HJ. Die operative Behandlung des Hallux valgus (Nachuntersuchungen). Dtsch Z Chir. 1926; 197: 361-377.

- > Mayo CH. XVIII. The surgical treatment of bunions. *Ann Surg.* 1908; 48(2): 300-302.
- > Mazur JM, Schwartz E, Simon SR. Ankle arthrodesis. Long-term follow-up with gait analysis. *J Bone Joint Surg Am.* 1979; 61(7): 964-975.
- > McBride ED. Hallux valgus, bunion deformity; its treatment in mild, moderate and severe stages. *J Int Coll Surg.* 1954; 21(11): 99-105.
- > McGarvey WC, Palumbo RC, Baxter DE, Leibman BD. Insertional Achilles tendinosis: surgical treatment through a central tendon splitting approach. *Foot Ankle Int.* 2002; 23(1): 19-25.
- > McKay DW. New concept of and approach to clubfoot treatment: section II - correction of the clubfoot. *J Pediatr Orthop.* 1983; 3(1): 10-21.
- > McReynolds IS. Fractures of the os calcis involving the subastralgar joint: treatment by open reduction and internal fixation with staples, using a medial approach [abstract]. *J Bone Joint Surg.* 1976; 58(5): 733.
- > McReynolds IS. The case for operative treatment of fractures of the os calcis. In: Leach RE, Hoaglund FT, Riseborough EJ, eds. *Controversies in Orthopaedic Surgery.* Philadelphia: Saunders, 1982.
- > Meary R. On the measurement of the angle between the talus and the first metatarsal. Symposium: le pied creux essential. *Rev Chir Orthop.* 1967; 53: 389-419.
- > Mertz DP, Mertz A. Zwischen Hallux-rigidus-Arthrose und Gicht besteht kein Kausalzusammenhang. *Med Klin.* 1981;76(26): 743-745.
- > Meyer MS, Alvarez BE, Njus GO, Bennett GL. Triple arthrodesis: a biomechanical evaluation of screw versus staple fixation. *Foot Ankle Int.* 1996; 17(12): 764-747.
- > Miller AE, Vogel TA. Haglund's deformity and the Keck and Kelly osteotomy: a retrospective analysis. *J Foot Surg.* 1989; 28(1): 23-29.
- > Miller OL. A plastic flat foot operation. *J Bone Joint Surg.* 1927; 9(1): 84-91.
- > Mittlmeier T. Akutes Kompartmentsyndrom und Komplextrauma des Fußes. *Unfallchirurg.* 2011; 114(10): 893-900.
- > Mittlmeier T. Arthrodesis versus Totalendoprothese des oberen Sprunggelenks. *Unfallchirurg.* 2013; 116(6): 537-550.
- > Mittlmeier T. Charcot-Osteoarthropatie. In: Dohle J, Rammelt S. *Fuss und Sprunggelenk.* Stuttgart, New York: Thieme, 2021: 495-504.
- > Mittelmeier T, Eschler A. Korrekturarthrodesis bei Charcot-Neuroosteoarthropathie im Fusswurzelbereich mit internen Implantaten. *Oper Orthop Traumatol.* 2015; 27(2): 139-153.
- > Mittlmeier T, Klaue K, Haar P, Beck M. Charcot-Fuss. Eine Standortbestimmung und Perspektiven. *Unfallchirurg.* 2008; 111(4): 218-231.
- > Morton DJ. Evolution of the longitudinal arch of the human foot. *J. Bone Joint Surg.* 1924; 6(1): 56-90.
- > Morton DJ. Metatarsus atavicus: the identification of a distinctive type of foot disorder. *J Bone Joint Surg.* 1927; 9(3): 531-544.
- > Morton TG. The Classic. A peculiar and painful affection of the fourth metatarsophalangeal articulation. *Clin Orthop Relat Res.* 1979; (142): 4-9.
- > Mosca VS, Bevan WP. Talocalcaneal tarsal coalitions and the calcaneal lengthening osteotomy: the role of deformity correction. *J Bone Jt Surg Am.* 2012; 94(17): 1584-1594.
- > Most RS, Sinnock P. The epidemiology of lower extremity amputations in diabetic individuals. *Diabetes Care.* 1983; 6(1): 87-91.
- > Mubarak SJ, Patel PN, Upasani VV, et al. Calcaneonavicular coalition: treatment by excision and fat graft. *J Pediatr Orthop.* 2009; 29(5): 418-426.
- > Mulfinger GL, Trueta J. The blood supply of the talus. *J. Bone Joint Surg Br.* 1970; 52(1): 160-167.
- > Müller ME, Allgöwer M, Willenegger H. *Manual der Osteosynthese.* AO-Technik. Berlin: Springer, 1969.
- > Myerson MS. Adult acquired flatfoot deformity: treatment of dysfunction of posterior tibial tendon. *Instr Course Lect.* 1997; 45: 393-405.
- > Myerson MS. Management of crush injuries and compartment syndromes of the foot. In: Myerson MS, ed. *Foot and Ankle Disorders.* Philadelphia: W. B. Saunders, 2000: 1223-1244.
- > Nakasa T, Ikuta Y, Kanemitsu M, Adachi N. Arthroscopic triple arthrodesis for the patient with rheumatoid arthritis; a case report. *Mod Rheumatol Case Rep.* 2021; 5(1): 29-35.

- > Neumann HW, Hrsg. AE-Manual der Endoprothetik. Sprunggelenk und Fuss. Heidelberg, Dordrecht, London, New York: Springer, 2012.
- > Neumann HW, Lieske S, Schenk K. Die supramalleoläre, subtraktive, valgusierende Tibiaosteotomie bei Varusarthrose des Sprunggelenks. *Oper Orthop Traumatol.* 2007; 19: 511-526.
- > Niederecker K. Der Plattfuß. Stuttgart: Enke, 1959.
- > Niemeyer P, Saltzman G, Schmal H, et al. Autologous chondrocyte implantation for the treatment of chondral and osteochondral defects of the talus: a meta-analysis of available evidence. *Knee Surg Sports Traumatol Arthrosc.* 2012; 20(9): 1696-1703.
- > Niethard FU, Pfeil J, Biberthaler P. Duale Reihe Orthopädie und Unfallchirurgie. 6. Aufl. Stuttgart: Hippokrates Verlag, 2009.
- > Nilsson H. Hallux rigidus and its treatment. *Acta Orthop Scand.* 1930; 1: 295-303.
- > O'Neil JT, Abbasi P, Parks BG, Miller S. Staple-plate plus screw vs screw alone in talonavicular arthrodesis: a cadaveric biomechanical study. *Foot Ankle Int.* 2020; 41(11): 1427-1431.
- > Oloff, JM, Naylor, BL, Jacobs AM. Complications of subtalar arthroereisis. *J. Foot Surg.* 1987; 26(2): 136-140.
- > Omoto H, Sakurada K, Sugi M, Nakamura K. A new method of manual reduction for intraarticular fracture of calcaneus. *Clin Orthop Rel Res.* 1983; 177: 104-111.
- > Otte P. Ätiologische und pathogenetische Vorstellungen bei der Arthrose. *Z Rheumatol.* 1983; 42(4): 242-248.
- > Paley D. Principles of Deformity Correction. Berlin, Heidelberg: Springer, 2014.
- > Pappas M, Buechel FF, DePalma AF. Cylindrical total ankle joint replacement: surgical and biomechanical rationale. *Clin Orthop Relat Res.* 1976; 118: 28-92.
- > Patel AT, Gaines K, Malamut R, et al. Usefulness of electrodiagnostic techniques in the evaluation of suspected tarsal tunnel syndrome: an evidence-based review. *Muscle Nerve.* 2005; 32(2): 236-240.
- > Pavlov H, Henegan MA, Hersch A, et al. The Haglund syndrome: initial and differential diagnosis. *Radiology.* 1982; 144(1): 83-88.
- > Pearsall Ch, Arciero E, Czerwonka N, et al. A systematic review of the patient reported outcome measures utilized in level 1 randomized controlled trials involving Achilles tendon ruptures. *Foot Ankle Surg.* 2023; 29(43): 317-323.
- > Pell RF 4th, Myerson MS, Schon LC. Clinical outcome after primary triple arthrodesis. *J Bone Joint Surg Am.* 2000; 82(1): 47-57.
- > Pennal GF. Fractures of the talus. *Clin Orthop Relat Res.* 1963; 30: 53-63.
- > Pförringer W, Segesser B. Der Sportshuh. *Orthopäde.* 1986; 15(3): 260-263.
- > Pförringer W, Stolz P. Die Behandlung der frischen fibularen Kapselbandläsion. *Sportverletz Sportschaden.* 1991; 5(3): 142-148.
- > Phisitkul P, Haugsdal J, Vaseenon T, Pizzimenti MA. Vascular disruption of the talus: comparison of two approaches for triple arthrodesis. *Foot Ankle Int.* 2013; 34(4): 568-574.
- > Popelka S jr, Barták V, Mazura M, et al. Totální náhrada prvního metatarzofalangeálního skloubení Medin PH-Flex a její vliv na biomechaniku přednoží v propulzní fázi krokového cyklu. *Acta Chir Orthop Traumatol Cech.* 2023; 90(4): 251-258.
- > Popelka V. Zlomeniny pätovej kosti. Učebnica pre študentov lekárskejších fakúlt a lekárov postgraduálneho štúdia. Bratislava: Herba, 2016.
- > Popelka V, Šimko P. Opepravná liečba inztaartikulárnych zlomenín pätovej kosti. *Acta Chir Orthop Traumatol Cech.* 2011; 78(2): 106-113.
- > Poutoglidou F, Drummond I, Patel A, et al. Clinical outcomes and complications of the Zadek calcaneal osteotomy in insertional achilles tendinopathy: A systematic review and meta-analysis. *Foot Ankle Surg.* 2023; 29(4): 298-305.
- > Prasarn ML, Miller AN, Dyke JP, et al. Arterial anatomy of the talus: a cadaver and gadolinium-enhanced MRI study. *Foot Ankle Int.* 2010; 31(11): 987-993.
- > Quill GE jr. Fractures of the proximal fifth metatarsal. *Orthop Clin North Am.* 1995; 26(2): 353-361.
- > Raikin SM, Myerson MS. Avoiding and managing complication of the agility total ankle replacement system. *Orthopedics.* 2006; 29(10): 930-938.
- > Rammelt S. Management of ankle fractures in the elderly. *EFORT Open Rev.* 2016; 1(5): 239-246.

- > Rammelt S, Obruha P. An update on the evaluation and treatment of syndesmotic injuries. *Eur J Trauma Emerg Surg.* 2015; 41(6): 601-614.
- > Rammelt S, Barthel S, Biewener A, et al. Kalkaneusfrakturen - offene Reposition und interne Stabilisierung. *Zentralbl Chir.* 2003; 128(6): 517-528.
- > Rammelt S, Endres T, Grass R, Zwipp H. The role of external fixation in acute ankle trauma. *Foot Ankle Clin.* 2004; 9(3): 455-574.
- > Rammelt S, Zwipp H, Grass R. Injuries to the distal tibiofibular syndesmosis: an evidence-based approach to acute and chronic lesions. *Foot Ankle Clin.* 2008; 13(4): 611-633.
- > Rammelt S, Amlang M, Barthel S, et al. Percutaneous treatment of less severe intraarticular calcaneal fractures. *Clin Orthop Relat Res.* 2010; 468(4): 983-990.
- > Rammelt S, Schneiders W, Grass R, et al. Bandverletzungen am oberen Sprunggelenk. *Z Orthop Unfall.* 2011; 149(5): e45-67.
- > Rang M. *The Story of Orthopaedics.* Philadelphia: W. B. Saunders Company, 2000.
- > Ratliff AH. Compression arthrodesis of the ankle. *J Bone Joint Surg Br.* 1959; 41B: 524-534.
- > Rehart S, Henniger M, Effenberger H. Das perioperative Management bei Patienten mit rheumatoider Arthritis. *Aktuel Rheumatol.* 2005; 30(5): 284-289.
- > Reichel H. Arthrose. In: Kohn D, Hrsg. *Das Knie.* Stuttgart, New York: Thieme, 2000: 221-277.
- > Reverdin J. Anatomic et operation de l'hallux valgus. *Int Med Congr.* 1881; 2: 408.
- > Riede D. Ätiologie, Diagnose und Therapie der subkutanen Achillessehnerupturen und der Peritendinitis Achillea. *Med Sport.* 1972; 12: 321-333.
- > Roaas A, Andresson GBJ. Normal range of motion of the hip, knee and ankle joints in male subjects, 30-40 years of age. *Acta Orthop Scand.* 1982; 53(2): 205-208.
- > Robertsson O, Knutson K, Lewold S, Lidgren L. The Swedish Knee Arthroplasty Register 1975-1997: an update with special emphasis on 41,223 knees operated on in 1988-1997. *Acta Orthop Scand.* 2001; 72(5): 503-513.
- > Rogers LC, Frykberg RG, Armstrong DG, et al. The Charcot foot in diabetes. *Diabetes Care.* 2011; 34(9): 2123-2129.
- > Rose GK. Pes planus. In: Jahss MH. *Disorders on the Foot and Ankle.* Philadelphia: W. B. Saunders Company 1982: 892-920.
- > Rose GK, Welton EA, Marshall T. The diagnosis of flat foot in the child. *J Bone Joint Surg Br.* 1985; 67(1): 71-78.
- > Rott Z, Přívara M. Hallux valgus - operace podle Lapiduse. *Acta Chir Orthop Traumatol Cech.* 1979; 46: 491-496.
- > Rüedi TP, Allgöwer M. Fractures of the lower end of the tibia into the ankle-joint. *Injury.* 1969; 1(2): 92-99.
- > Ryerson EW. Arthrodesing operations on the feet. *J Bone Joint Surg.* 1923; 5(3): 453-471.
- > Saltzman CL, Amendola A, Anderson R, et al. Surgeon training and complications in total ankle arthroplasty. *Foot Ankle Int.* 2003; 24(6): 514-518.
- > Saltzman CL, Salamon ML, Blanchard GM, et al. Epidemiology of ankle arthritis: report of a consecutive series of 639 patients from a tertiary orthopaedic center. *Iowa Orthop J.* 2005; 25: 44-46.
- > Saltzman CL, Mann RA, Ahrens JE, et al. Prospective controlled trial of STAR total ankle replacement versus ankle fusion: initial results. *Foot Ankle Int.* 2009; 30(7): 579-596.
- > Sammarco GJ, Makwana NK. Treatment of talar osteochondral lesions using local osteochondral graft. *Foot Ankle Int.* 2002; 23(8): 693-698.
- > Sammarco GJ, Burstein AH, Frankel VH. Biomechanics of the ankle: a kinematic study. *Orthop Clin North Am.* 1973; 4(1): 75-96.
- > San Giovanni TP, Keblish DJ, Thomas WH, Wilson MG. Eight-year results of a minimally constrained total ankle arthroplasty. *Foot Ankle Int.* 2006; 27(6): 418-426.
- > Sanders LJ, Frykberg RG. Diabetic neuropathic osteoarthropathy: the Charcot foot. In: Frykberg RG, ed. *The High Risk Foot in Diabetes Mellitus.* New York: Churchill Livingstone, 1991; 297-338.
- > Sanders R. Intra-articular fractures of the calcaneus: present state of art. *J Orthop Trauma.* 1992; 6(2): 252-265.
- > Sanders R, Fortin P, DiPasquale T, Walling A. Operative treatment in 120 displaced intraarticular calcaneal fractures. Results using a prognostic computed tomography scan classification. *Clin Orthop Relat Res.* 1993; 290: 87-95.

- > Saunders WB, et al. Movement of center of body mass viewed on the sagittal and transverse planes. *J Bone Surg.* 1953; 35: 552.
- > Saxena A, ed. *International Advances in Foot and Ankle Surgery.* London: Springer, 2011.
- > Saxena A, Eakin C. Articular talar injuries in athletes: results of mikrofracture and autogenous bone graft. *Am J Sports Med.* 2007; 35(10): 1680-1687.
- > Saxena A, Fullem B. Plantar fascia ruptures in athletes. *Am J Sports Med.* 2004; 32 (3): 662-665.
- > Shaffer N. Non-deforming club-foot with remarks on its pathology. *Clin Orthop Relat Res.* 1977; 125: 2-16.
- > Schepers T, van der Linden H, van Lieshout EMM, et al. Technical aspects of the syndesmotic screw and their effect on functional outcome following acute distal tibiofibular syndesmosis injury. *Injury.* 2014; 45(4): 775-779.
- > Sharrard JW. Paralytic deformity in the lower limb. *J. Bone Joint Surg Br.* 1967; 49(4): 731-747.
- > Schneekloth BJ, Lowery NJ, Wukich DG. Charcot neuropathy in patients with diabetes: an updated systematic review of surgical management. *J Foot Ankle Surg.* 2016; 55(3): 586-590.
- > Schuberth JM, Reilly CH, Gudas CJ. The closing wedge osteotomy. A critical analysis of first metatarsal elevation. *J Am Podiatry Assoc.* 1984; 74(1): 13-24.
- > Siffert RS, Foster RI, Nachamie B. „Beak“ triple arthrodesis for correction of severe cavus deformity. *Clin Orthop.* 1966; 45: 101-106.
- > Silfverskiöld N. Reduction of the uncrossed two-joints muscles of the leg to one-joint muscles in spastic conditions. *Acta Chir Scandinav.* 1924; 56: 315-330.
- > Silver D. The operative treatment of hallux valgus. *J Bone Jt Surg.* 1923; 5(2): 225-232.
- > Sim-Fook L, Hodgson AR. A comparison of foot forms among the non-shoe and shoe-wearing Chinese population. *J Bone Joint Surg.* 1958; 40A(5): 1058-1062.
- > Singh G, Kumar VP. Neuroanatomical basis for the tarsal tunnel syndrome. *Foot Ankle Int.* 2012; 33(6): 513-518.
- > Slavík M. Důležitost rekonstrukce ligamentózního aparátu při úrazech hlezenního kloubu. *Acta Chir Orthop Traumatol Cech.* 1974; 47: 526-539.
- > Smetana M, Vencálková S. Patnáct let používání silikonové endoprotézy I. metatarzofalangeálního skloubení při diagnóze hallux rigidus. *Acta Chir Orthop Traumatol Cech.* 2003; 70(3): 177-181.
- > Smith SD, Millar EA. Arthrorisis by means of a subtalar polyethylene peg implant for correction of hindfoot pronation in children. *Clin Orthop Relat Res.* 1983; 181: 15-23.
- > Sneppen O, Christensen SB, Krogsoe O, Lorentzen J. Fracture of the body of the talus. *Acta Orthop Scand.* 1977; 48(3): 317-324.
- > Sobel M, Pavlov H, Geppert MJ, et al. Painfull os peroneum syndrome: a spectrum of conditions responsible for plantar lateral foot pain. *Foot Ankle Int.* 1994; 15(3): 112-124.
- > Sokoloff L. The pathology of osteoarthritis and the role of aging. In: Nuki G, ed. *The etiopathogenesis of osteoarthritis.* Kent: Pittman Medical, 1980; 1-15.
- > Sosna A, Čech O. Anatomické podklady rekonstrukce zlomení a poranění vazivového aparátu v oblasti hlezenního kloubu. *Acta Chir Orthop Traumatol Cech.* 1977; 44(4): 288-303.
- > Stainsby GD. Pathological anatomy and dynamic effect of the displaced plantar plate and the importance of the integrity of the plantar plate-deep transverse metatarsal ligament tie-bar. *Ann R Coll Surg Engl.* 1997; 79(1): 58-68.
- > Stamatis ED, Cooper PS, Myerson M. Supramaleolar osteotomy for the treatment of distal tibial angular deformities and arthritis of the ankle joint. *Foot Ankle Int.* 2003; 24(1): 754-764.
- > Stauffer RN, Chao EY, Brewster RC. Force and motion analysis of the normal, diseased, and prosthetic ankle joint. *Clin Orthop Relat Res.* 1977; 127: 189-196.
- > Stehlík J, Štulík J. *Zlomeniny patní kosti.* Praha: Galén, 2005.
- > Steinböck G, Moser M. Die Cerclage fibreuse als zusätzliche Massnahme bei der Operation des Hallux valgus. *Orthop Praxis.* 1981; 10: 840-842.
- > Steindler A. Operative treatment of pes cavus. *Surg Gynecol Obstet.* 1917; 24: 612-615.
- > Steindler A. *Reconstructive Surgery of the Upper Extremity.* New York, London: Appleton, 1923.
- > Stengel D, Bauwens K, Ekkernkamp A, Cramer J. Efficacy of total ankle replacement with meniscal-bearing devices: a systematic review and meta-analysis. *Arch Orthop Trauma Surg.* 2005; 125(2): 109-119.

- > Stess, RM, Waller, MJ. Rationale for prophylactic surgery in the diabetic foot. In: Hetherington V. Hallux Valgus and Forefoot Surgery. Churchill Livingstone, 1994: 519.
- > Stott JRR, Hutton WC, Stokes A. Forces under the foot. J Bone Joint Surg Br. 1973; 55(2): 335-344.
- > Strayer LM jr. Recession of the gastrocnemius; an operation to relieve spastic contracture of the calf muscles. J Bone Joint Surg Am. 1950; 32-A(3): 671-676.
- > Stryhal F, Svoboda J, Bielický T. Ošetřování nohou. Praha: Státní zdravotnické nakladatelství, 1959.
- > Stukenborg-Colsman C, Daniilidis K, Lerch M. Diagnostik und Therapie der Peronealsehnenerkrankung. Orthopädie Rheuma. 2014; 17(1): 29-35.
- > Svensson OK, Lundberg A, Walheirn G, Selvik G. In vivo fibular motion during various movements of the ankle. Clin Biomech (Bristol, Avon). 1989; 4(3): 155-160.
- > Swanson AB. Implant arthroplasty for the great toe. Clin Orthop Relat Res. 1972; 85: 75-81.
- > Swanson AB, Lumsden RM, Swanson GD. Silicone implant arthroplasty of the great toe. A review of single stem and flexible hinge implants. Clin Orthop Relat Res. 1979; 142: 30-43.
- > Tachdjian MO. The Child's Foot. Saint Louis: W. B. Saunders, 1985.
- > Takakura Y, Takaoka Y, Kumai T, Tamai S. Low tibial osteotomy for osteoarthritis of the ankle. Results of a new operation in 18 patients. J Bone Joint Surg Br. 1995; 77(1): 50-54.
- > Tanz SS. Heel pain. Clin Orthop Relat Res. 1963; 28: 169-178.
- > Tarr RR, Resnick CT, Wagner KS, Sarmiento A. Changes in tibiotalar joint contact areas following experimentally induced tibial angular deformities. Clin Orthop Relat Res. 1985; 199: 72-80.
- > Tenebaum S, Bariteau J, Coleman S, Brodsky J. Functional and clinical outcomes of total ankle arthroplasty in elderly compared to younger patients. Foot Ankle Surg. 2017; 23(2): 102-107.
- > Thermann H, Saltzman CL. Endoprothetischer Ersatz des oberen Sprunggelenks. Unfallchirurg. 2002; 105(6): 496-510.
- > Thermann H, Becher C. Die Technik der Mikrofrakturierung zur Behandlung von osteochondralen und degenerativen chondralen Läsionen am Talus. 2-Jahres-Ergebnisse einer prospektiven Studie. Unfallchirurg. 2004; 107(1): 27-32.
- > Thompson TC, Doherty JH. Spontaneous rupture of tendon of Achilles: a new clinical diagnostic test. J Trauma. 1962; 2: 126-129.
- > Tobiášek S. Apofysitis calcanei. Slovanský sborník ortopedický. 1931; 6(4): 273-285.
- > Torg JS, Pavlov H, Cooley LH, et al. Stress fractures of the tarsal navicular. A retrospective review of twenty - one cases. J Bone Joint Surg Am. 1982; 64(5): 700-712.
- > Torre M, Romanini E, Zanolli G, et al. Monitoring outcome of joint arthroplasty in Italy: implementation of the National Registry. Joints. 2017; 5(2): 70-78.
- > Trampuz A, Zimmerli W. Prosthetic joint infections: update in diagnosis and treatment. Swiss Med Wkly. 2005; 135(17-18): 243-251.
- > Trkal B, Slavík M. Modifikace Bunellovy operace při rupturách Achillovy šlachy. Acta Chir Orthop Traumatol Cech. 1975; 42(2): 175-179.
- > Trott AW. Children's foot problems. Orthop Clin North Amer. 1982; 13(3): 641-654.
- > Tsukayama DT, Estrada R, Gustilo RB. Infection after total hip arthroplasty. J Bone Joint Surg Am. 1996; 78(4): 512-523.
- > Tsukayama DT, Goldberg VM, Kyle R. Diagnosis and management of infection after total knee arthroplasty. J Bone Joint Surg Am. 2003; 85-A(Suppl. 1): S75-80.
- > Usulli FG, Indino C, Leardini A, et al. Range of motion of foot joints following total ankle replacement and subtalar fusion. Foot Ankle Surg. 2021; 27(2): 150-155.
- > Vainio J. Morton's metatarsalgia in rheumatoid arthritis. Clin Orthop Relat Res. 1979; 142: 85-89.
- > Valderrabano V, Hintermann, Dick W. Scandinavian total ankle arthroplasty. A 3.7-year average follow-up of 65 patients. Clin Orthop. 2004; 424: 47-56.
- > Valderrabano V, Horisberger M, Russell I, et al. Etiology of ankle osteoarthritis. Clin Orthop Rel Res. 2009; 467(7): 1800-1806.
- > Valderrabano V, Pagenstert G, Horisberger M, et al. Sports and recreation activity of ankle arthritis patients before and after total ankle replacement. Am J Sports Med. 2006; 34(6): 993-999.
- > Valderrabano V, Leumann A, Rasch H, et al. Knee-to-ankle mosaicplasty for the treatment of osteochondral lesions of the ankle joint. Am J Sports Med. 2009; 37(Suppl. 1): 105S-111S.

- > Vale C, Almeida JF, Pereira B, et al. Complications after total ankle arthroplasty - A systematic review. *Foot Ankle Surg.* 2023; 29(1): 32-38.
- > van der Plaat LW, Hoornenborg D, Inger N Sierevelt IN, et al. Ten-year revision rates of contemporary total ankle arthroplasties equal 22%. A meta-analysis. *Foot Ankle Surg.* 2022; 28(5): 543-549.
- > Van Haecke A, Semay B, Fessy MH, et al. 97 HINTEGRA ankle prostheses: Results and survival at more than 5 years' follow-up. *Foot Ankle Surg.* 2022; 28(8): 1241-1247.
- > van Wijngaarden R, van der Plaat L, Nieuwe Weme RA, et al. Etiopathogenesis of osteolytic cysts associated with total ankle arthroplasty, a histological study. *Foot Ankle Surg.* 2015; 21(2): 132-136.
- > Verheyden P, Josten C. Supramalleoläre Korrekturosteotomien. *Chirurg.* 1998; 69(11): 1178-1187.
- > Viladot A. The metatarsals. In: Jahss MH. *Disorders of the Foot.* Philadelphia: Saunders, 1982; 673-686.
- > Viste A, Al Zahrani N, Brito N, et al. Periprosthetic osteolysis after AES total ankle replacement: Conventional radiography versus CT-scan. *Foot Ankle Surg.* 2015; 21(3): 164-170.
- > Vitek M, Steinböck G. Value of cerclage fibreuxs for the Keller-Brandes procedure. *Arch Orthop Trauma Surg.* 1989; 108(2): 104-106.
- > Vulpius O, Stöffel A. *Orthopädische Operationslehre.* Stuttgart: Ferdinand Enke, 1913.
- > Wagner FW. Transcutaneous Doppler ultrasound in the prediction of healing and the selection of surgical level for dysvascular lesions of the toes and forefoot. *Clin Orthop Rel Res.* 1979; 142: 110-114.
- > Wagner FW jr. The dysvascular foot: a system for diagnosis and treatment. *Foot Ankle.* 1981; 2(2): 64-122.
- > Waizy H, Weber C. Osteochondrale Läsionen des oberen Sprunggelenkes. In: Dohle J, Rammelt S. *Fuss und Sprunggelenk.* Stuttgart, New York: Thieme Verlag, 2021; 64-77.
- > Waizy H, Czardybon MA, Stukenborg-Colsman C, et al. Mid- and long-term results of the joint preserving therapy of hallux rigidus. *Arch Orthop Trauma Surg.* 2010; 130(2): 165-170.
- > Wanivenhaus A. Erworbenes Plattfuß. In: Wirth CJ, Mutschler W, Kohn D, et al., Hrsg. *Praxis der Orthopädie und Unfallchirurgie.* 3. Aufl. Stuttgart: Thieme, 2014; 883-885.
- > Wanivenhaus A, Lintner F, Wurnig C, Missaghi_Schinzl M. Long-term reactions of the osseous bed around silicone implants. *Arch Orthop Trauma Surg.* 1991; 110(3): 146-150.
- > Wapner KL. Triple arthrodesis in adults. *J Am Acad Orthop Surg.* 1998; 6(3): 188-196.
- > Warnock KM, Johnson BD, Wright JB, et al. Calculation of the opening wedge for a low tibial osteotomy. *Foot Ankle Int.* 2004; 25(11): 778-782.
- > Watson-Jones R. Recurrent forward dislocation in the ankle joint. *J Bone Joint Surg Br.* 1952; 34B: 519-521.
- > Watson-Jones R. *Fractures and Joint Injuries.* Vol. II. 4th ed. Baltimore: Williams and Wilkins, 1955.
- > Weber BG. *Verletzung des Oberen Sprungelekes.* Bern: Hans Huber Verlag, 1966.
- > Wetmore RS, Drennan JC. Long-term results of triple arthrodesis in Charcot-Marie-Tooth disease. *J Bone Joint Surg Am.* 1989; 71(3): 417-422.
- > Whitman R. Observations of forty-five cases of flat-foot with particular reference to etiology and treatment. *Boston Med J.* 1888; 118(25): 616-620.
- > [Whitman R.] III. Whitman on Radical Cure of Confirmed Flatfoot. *Ann Surg.* 1892; 15(6): 462-466.
- > Whitman R. A review of inception and development of a type of reparative surgery adapted to bodily mechanics. *J Bone Joint Surg Am.* 1946; 28: 374-377.
- > Wijngaarden R, van der Plaat L, Nieuwe Weme RA, et al. Etiopathogenesis of osteolytic cysts associated with total ankle arthroplasty, a histological study. *Foot Ankle Surg.* 2015; 21(2): 132-136.
- > Willert HG. Pathogenese und Klinik der spontanen Knochennekrosen. *Orthopäde.* 1981; 10(1): 19-39.
- > Wills CA, Washburn S, Caiozzo V, Prietto CA. Achilles tendon rupture. A review of the literature comparing surgical versus nonsurgical treatment. *Clin Orthop Relat Res.* 1986; 207: 156-163.
- > Wirth CJ. Fussarthrosen. Oberes Sprunggelenk. In: Wirth CJ, Hrsg. *Orthopädie und orthopädische Chirurgie.* Stuttgart: Thieme, 2002; 621-635.

- > Wirth CJ, Mutschler W, Hrsg. Praxis der Orthopädie und Unfallchirurgie. 2. Aufl. Stuttgart: Georg Thieme Verlag, 2009.
- > Wolf MD. Metatarsal osteotomy for the relief of painful metatarsal callosities. *J Bone Joint Surg Am.* 1973; 55(8): 1760-1762.
- > Wondrák E. Zlomeniny patní kosti. Praha: Státní zdravotnické nakladatelství, 1964.
- > Wood PLR, Deakin S. Total ankle replacement. The results in 200 ankles. *J Bone Joint Surg Br.* 2003; 85(3): 334-341.
- > Wood PLR, Sutton C, Mishra V, Suneja R. A randomised, controlled trial of two mobile-bearing total ankle replacements. *J Bone Joint Surg Br.* 2009; 91(1): 69-74.
- > Wülker N. Hallux Valgus. Hallux Rigidus. Stuttgart: Thieme, 1997.
- > Wynne-Davies R. Acetabular dysplasia and familial joint laxity: two etiological factors in congenital dislocation of the hip. A review of 589 patients and their families. *J Bone Joint Surg.* 1970; 52(4): 704-716.
- > Yoon YK, Park KH, Park JH, et al. Long-term clinical outcomes and implant survivorship of 151 total ankle arthroplasties using the Hintegra prosthesis: a minimum 10-year follow-up. *J Bone Joint Surg Am.* 2022; 104(16): 1483-1491.
- > Zhao D, Huang D, Thang G, et al. Positive and negative factors for the treatment outcomes following total ankle arthroplasty? A systematic review. *Foot Ankle Surg.* 2020; 26(1): 1-13.
- > Zollinger H, Wiasmitinow NP. 9. Ergebnisse nach 10 und mehr Jahren bei kindlichen Fussdeformitäten. a). Langzeitverläufe beim konservativ behandelten lockeren kindlichen Knick-Plattfuss. *Orthopäde.* 1979; 8(2): 141-144.
- > Zwipp H. Arthrodesis of the Ankle. *Acta Chir Orthop Traumatol Cech.* 2017; 84(1): 13-23.
- > Zwipp H, Grass R. Ankle arthrodesis after failed joint replacement. *Oper Orthop Traumatol.* 2005; 17(4-5): 518-533.
- > Zwipp H, Rammelt S. Diabetisch-neurogene Osteoarthropatie (DNOAP). In: Zwipp H, Rammelt S. *Tscherne Unfallchirurgie: Fuss.* Berlin-Heidelberg: Springer, 2014: 707-725.
- > Zwipp H, Rammelt S. *Tscherne Unfallchirurgie: Fuss.* Berlin, Heidelberg: Springer, 2014.
- > Zwipp H, Tscherne H, Wülker N, Grote R. Der intraartikuläre Fersebeinbruch. Klassifikation, Bewertung und Operationstaktik. *Unfallchirurg.* 1989; 92(3): 117-129.
- > Zwipp H, Tscherne H, Thermann H, Weber T. Osteosynthesis of displaced intraarticular fractures of the calcaneus. Results in 123 cases. *Clin Orthop Relat Res.* 1993; 290: 76-86.
- > Zwipp H, Rammelt S, Grass R. Ligamentous injuries about the ankle and subtalar joints. *Clin Podiatr Med Surg.* 2002; 19(2): 195-229.
- > Zwipp H, Baumgart F, Cronier P, et al. Integral classification of injuries (ICI) to the bones, joints, and ligaments - application to injuries of the foot. *Injury.* 2004; 35 Suppl 2: SB3-9.
- > Zwipp H, Rammelt S, Barthel S. Calcaneal fractures - open reduction and internal fixation (ORIF). *Injury.* 2004; 35(Suppl 2): SB46-54.