

## References

- Adam, C., Klissouras, V., Ravazollo, M., Renson, R., & Tuxworth, W. (1988). *Eurofit. Handbook for the European test of physical fitness*. Rome: Council of Europe, Committee for Development of Sport.
- Ahrens, W., Pigeot, I., Pohlmann, H., Henauw, S. De., Lissner, L., Molnár, D., ...Siani, A. (2014). Prevalence of overweight and obesity in European children below the age of 10. *International Journal of Obesity*, 38, Supl. 2, S99-S107.
- Alter, M. J. (1999). *Strečink*. [Stretching]. Praha: Grada Publishing.
- Armstrong, N. (1995). The assessment of health-related fitness in schools. In M. Darmody & G. O'Donovan (Eds.) *Physical Education at the Crossroads* (pp. 44-48). Limerick: PEAI.
- Armstrong, N., & Van Mechelen, W. (2008). *Paediatric exercise science and medicine*. Oxford, New York: Oxford University Press.
- Armstrong, S., Lazorick, S., Hampl, S., Skelton, J. A., Wood, C., Collier, D., & Perrin, E. M. (2016). Physical examination findings among children and adolescents with obesity: An evidence-based review. *Pediatrics*, 137(2): e20151766. doi: 10.1542/peds.2015-1766
- Artero, E. G, España-Romero, V., Castro-Piñero, J., Ortega, F. B., Suni, J., Castillo-Garzon, M. J., & Ruiz, J. R. (2011). Reliability of field-based fitness tests in youth. *International Journal of Sports Medicine*, 32(3), 159-169. doi: 10.1055/s-0030-1268488
- Barnett, L. M., van Beurden, E, Morgan, P. J., Brooks, L. O., & Beard, J. R. (2009). Childhood motor skill proficiency as a predictor of adolescent physical activity. *Journal of Adolescent Health*, 44(3), 252-259.
- Barnett, L. M., Lai, S. K., Veldman, S. L. C., Hardy, L. L., Cliff, D. P., Morgan, P. J., ... Okely, A. D. (2016). Correlates of gross motor competence in children and adolescent: A systematic review and meta-analysis. *Sports Medicine*, 46(11), 1663-1688.
- Belej, M. (1994). *Motorické učenie*. [Motor learning]. Bratislava: PVT a. s., divízia Prešov.
- Bernasovský, I., & Bernasovská, J. (1996). *Somatický vývin rómskych detí školského veku*. [Physical development of Roma school-age children]. Prešov: Metodické centrum. ISBN 80-8045-017-X.
- Best, J. R. (2010). Effects of physical activity on children's executive functions: Contributions of experimental research on aerobic exercises. *Developmental Review*, 30(4), 331-551.

## References

- Blair, S. N., Cheng, Y., & Holder, J. S. (2001). Is physical activity or physical fitness more important in defining health benefits? *Medicine & Science in Sports & Exercise, Proceedings for the symposium*. Ontario, Canada. pp. 379-399. Retrieved from <http://www.acsm-msse.org>
- Boržíková, I. (2008). *Identifikácia a rozvoj motorickej docility detí a mládeže*. [Identification and development of motor docility]. [Doctoral dissertation]. Prešov: Prešovská univerzita, Fakulta športu.
- Bouffard, M., Watkinson, E. J., Thompson, L. P., Dunn, J. L. C., & Romanow, S. K. E. (1996). A test of the activity deficit hypothesis with children with movement difficulties. *Adapted Physical Activity Quarterly, 13*(1), 61-73.
- Bouchard, C., Blair, S. N., & Haskell, W. L. (2007). *Physical activity and health*. Champaign, IL: Human Kinetics.
- Bös, K. (1987). *Handbuch sportmotorischer Tests*. Göttingen: Hogrefe.
- Brisswalter, J., Collardeau, M., & Rene, A. (2002). Effects of acute physical exercise characteristics on cognitive performance. *Sports Medicine, 32*(9), 555-566.
- Bunc, V. (1995). Pojetí tělesné zdatnosti a jejích složek. [The concept of physical fitness and its components]. *Tělesná výchova a sport mládeže, 61*(5), 6-9.
- Bursová, M., & Rubáš, K. (2001). *Základy teorie tělesných cvičení*. [Fundamentals in theory of physical exercises]. Plzeň: Západočeská univerzita.
- Burton, A. W., & Miller, D. E. (1998). *Movement skill assessment*. Champaign IL: Human Kinetics.
- Cale, L., & Harris, J. (2002). National testing for children: Issues, concerns, and alternatives. *British Journal of Teaching Physical Education, 33*(1), 32-34.
- Castelli, D. M., & Valley, J. A. (2007). Motor competence, physical fitness, and participation in physical activity. *Journal of Teaching in Physical Education, 26*(4), 358-374.
- Castro-Piñero, J., González-Montesinos, J. L., Mora, J., Keating, X. D., Girela-Rejón, M. J., Sjöström, M., & Ruiz, J. R. (2009). Percentile values for muscular strength field tests in children aged 6 to 17 years: influence of weigh status. *Journal of Teaching in Physical Education, 23*(8), 2295-2310.

## References

- Cattuzzo, M. T., dos Santos Henrique, R., Ré, A. H., de Oliveira, I. S., Melo, B. M., de Sousa Moura, M., de Araújo, R. C., & Stodden, D. (2016). Motor competence and health related physical fitness in youth: A systematic review. *Journal of Science and Medicine in Sport, 19*(2), 123-129.
- Chráska, M. (2007). *Metody pedagogického výzkumu. Základy kvantitativního výzkumu* [Methods in Educational research. Foundations of quantitative research]. Praha: Grada.
- Clancy, M. E. (2006). *Active Bodies, Active Brains. Building thinking skills through physical activities*. Champaign, IL: Human Kinetics.
- Cohen, J. (1988). *Statistical power analysis for the behavioural science*. (2nd ed.) Hillsdale NJ: Erlbaum.
- Cohen, J. (1992). Quantitative methods in psychology. *Psychological Bulletin, 112*(1), 155-159.
- Cole, T. J., Bellizzi, M. C., Flegal, K. M., & Dietz, W. H. (2000). Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ British Medical Journal, 6*(320), 7244, 1240-1243. doi.org/10.1136/bmj.320.7244.1240
- Cole, T. J., & Lobstein, T. (2012). Extended international (IOTF) body mass index cut-offs for thinness, overweight and obesity. *Pediatric Obesity, 7*(4), 284-94. doi: 10.1111/j.2047-6310.2012.00064.x
- Colley, R. C., Clarke, J., Doyon, C. Y., Janssen, I., Lang, J. J., Timmons, B. W., & Tremblay, M. S. (2019). Trends in physical fitness among Canadian children and youth. *Health Reports, 30*(10), 3-13. doi.org/10.25318/82-003-x201901000001-eng
- Corbin, C. B., & Pangrazi, R. P. (1998). *Physical activity for children: A statement of guidelines*. Reston, VA: NASPE Publications.
- Corbin, C. B., & Pangrazi, R. P. (2002). Physical activity for children: How much is enough. In: G. J. Welk et al. *Fitnessgram reference guide*. Dallas, TX: The Cooper Institute. 37-44.
- Cortina, J. M., & Nouri, H. (2000). *Effect size for ANOVA design*. Thousand Oaks, CA: Sage.
- Costa, A. M., Costa, M. J., Reis, A. A., Ferreira, S., Martins, J., & Pereira, A. (2017). Secular trends in anthropometrics and physical fitness of young Portuguese school-age children. *Acta Médica Portuguesa, 30*(2), 108-114.

## References

- Čelikovský, S. (1990). *Antropomotorika: pro studující tělesnou výchovu*. [Anthropomotorics for students of Physical Education]. Praha: SPN.
- Čelikovský, S. et al. (1973). *Testování tělesné výkonnosti členů ČTO 1972*. [Testing of physical fitness among the Czech Sport Organization members in 1972]. Metodický dopis. Praha: Sportpropag.
- Čerešníková, M. (2006). *Rómske dieťa zo sociálne málopodnetného prostredia v školskej triede*. [Roma child from a socially low-stimulating environment in a school classroom]. Nitra: Univerzita Konštantína Filozofa, Fakulta sociálnych vied a zdravotníctva.
- D'Hondt, E., Deforche, B., De Bourdeaudhuij, I., & Lenoir, M. (2009). Relationship between motor skill and body mass index in 5- to 10-year-old children. *Adapted Physical Activity Quarterly*, 26(1), 21-37.
- D'Hondt, E., Deforche, B., Vaeyens, R., Vandorpe, B., Vandendriessche, J., Pion, J., Bourdeaudhuij, I. D., & Lenoir, M. (2011). Gross motor coordination in relation to weight status and age in 5- to 12-year-old boys and girls: A cross-sectional study. *International Journal of Pediatric Obesity*, 6(2-2), e556-e564.
- Dietz, W. H., & Belizzi, M. C. (1999). Introduction: the use of body mass index to assess obesity in children. *The American Journal of Clinical Nutrition*, 70(1), 123S-5S.
- Donnelly, F. C., Mueller, S. S., & Gallahue, D. L. (2007). *Developmental Physical Education for all children: Theory into practice*. Champaign, IL: Human Kinetics.
- Dos Santos, F. K., Maia, J. A. R., Gomes, T. N. Q. F., Daca, T., Madeira, A., Katzmarzyk, P., ...Prista, A. (2014). Secular trends in growth and nutritional status of Mozambican school-age children and adolescents. *PLoS ONE*, 9(12), e114068. doi.org/10.1371/journal.pone.0114068
- Dos Santos, F. K., Prista, A., Gomes, T. N. Q. F., Daca, T., Madeira, A., Katzmarzyk, P.T., & Maia, J. A. R. (2015). Secular trends in physical fitness of Mozambican school-aged children and adolescents. *American Journal of Human Biology*, 27(2), 201-206. doi.org/10.1002/ajhb.22638
- Dovalil, J. (1986). *Pohybové schopnosti a jejich rozvoj ve sportovním tréninku*. [Motor abilities and their development in sports training]. Praha: VMO ÚV ČSTV.
- Dumith, S. et al. (2010). Overweight/Obesity and physical fitness among children and adolescents. *Journal of Physical Activity and Health*, 7(5), 1446-1451.

## References

- Eberhardt, T., Niessner, C., Oriwol, D., Buchal, L., Worth, A., & Bös, K. (2020). Secular trends in physical fitness of children and adolescents: A review of large-scale epidemiological studies published after 2006. *International Journal of Environmental Research and Public Health*, *17*(16), 5671. doi: 10.3390/ijerph17165671
- Etnier, J. L., Salazar, W., Landers, D. M., Petruzzello, S. J., Han, M., & Nowell, P. (1997). The influence of physical fitness and exercise upon cognitive functioning: A meta-analysis. *Journal of Sport and Exercise Psychology*, *19*(3), 249-277.
- Fiørtoft, I. (2000). Motor fitness in pre-primary school children: the Eurofit motor fitness test explored on 5-7years old children. *Pediatric Exercise Science*, *12*(4), 424-436.
- Fiørtoft, I., Pedersen, A. V., Sigmundsson, H., & Vereijken, B. (2011). Measuring physical fitness in children who are 5 to 12 years old with a test battery that is functional and easy to administer. *Physical Therapy. Journal of the American Physical Therapy Association*, *91*(7), 1087-1095. doi: 10.2522/ptj.20090350
- Freedman, D. S., Khan, L. K., Dietz, W. H., Srinivasan, S. R., & Berenson, G. S. (2001). Relationship of childhood obesity to coronary heart disease risk factors in adulthood: the Bogalusa Heart Study. *Pediatrics*, *108*(3), 712-718.
- Gajda, V. (2004). *Antropomotorika pro rekreology*. [Anthropomotorics for students of recreology]. Ostrava: Ostravská univerzita.
- Gallahue, D. L., & Donnelly, F. C. (2003). *Developmental Physical Education for all children*. Champaign, IL: Human Kinetics.
- Ganley, K. J., Paterno, M. V., Miles, C., Stout, J., Brawner, L., Girolami, G., & Warren, M. (2011). Health-related fitness in children and adolescents. (Special communication). *Pediatric Physical Therapy*, *23*(3), 208-220.
- Gentier, I., D'Hondt, E., Shultz, S., Deforche, B., Augustijn, M., Hoorne, S., ...Lenoire, M. (2013). Fine and gross motor skills differ between healthy-weight and obese children. *Research in Developmental Disabilities*, *34*(11), 4043-4051.
- Graf, C., Koch, B., Kretschmann-Kandel, E., Falkowski, G., Christ, H., Coburger, S., ...Dordel, S. (2004). Correlation between BMI, leisure habits and motor abilities in childhood (CHILT-project). *International Journal of Obesity*, *28*(1), 22-26. doi: 10.1038/sj.ijo.0802428