

Použitá literatura

- Aksglaede L, Juul A, Olsen LW, Sørensen TI. Age at puberty and the emerging obesity epidemic. *PLoS One* 2009; 4(12): e8450.
- Allcock DM, Gardner MJ, Sowers JR. Relation between Childhood Obesity and Adult Cardiovascular Risk. *Int J Pediatr Endocrinol.* 2009; 2009: 180–187.
- American Academy of Pediatrics: The use and misuse of fruit juice in pediatrics. *Pediatrics* 2001; 107(5): 1210–1213.
- American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*, 4th ed. Washington, DC: APA; 1995.
- Apovian CM. Overweight in older children and adolescents: treatment or prevention? *Arch Dis Child* 2010; 95(1): 1–2.
- Arslanian SA, Lewy V, Danadian K et al. Metformin Therapy in Obese Adolescents with Polycystic Ovary Syndrome and Impaired Glucose Tolerance: Amelioration of Exaggerated Adrenal Response to Adrenocorticotropin with Reduction of Insulinemia/ Insulin Resistance. *JCEM* 2002; 87(4): 1555–1559.
- Aston LM, Stokes CS, Jebb SA. No effect of a diet with a reduced glycaemic index on satiety, energy intake and body weight in overweight and obese women. *Int J Obes (Lond)* 2008; 32(1): 160–165.
- Avenell A, Broom J, Brown TJ et al. Systematic review of the long-term effects and economic consequences of treatments for obesity and implications for health improvement. *Health Technol Assess* 2004; 8(21): iii–iv, 1–182.
- Baker JL, Farpour-Lambert NJ, Nowicka P, et al. Evaluation of the overweight/obese child-practical tips for the primary health care provider: recommendations from the Childhood Obesity Task Force of the European Association for the Study of Obesity. *Obes Facts* 2010; 3(2): 131–137.
- Baker JL, Olsen LW, Sørensen TI. Childhood body-mass index and the risk of coronary heart disease in adulthood. *N Engl J Med* 2007; 357(23): 2329–2337.
- Barlow SE, Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. *Pediatrics* 2007; 120 Suppl 4: S164–192.
- Bennett B, Sothorn MS. Diet, exercise, behavior: the promise and limits of lifestyle change. *Semin Pediatr Surg* 2009; 18(3): 152–158.
- Benson LJ, Baer HJ, Kaelber DC. Screening for obesity – related complications among obese children and adolescents: 1999–2008. *Obesity (Silver Spring)* 2011; 19(5): 1077–1082.

- Berger M., Kemmer, FW. Discussion: Exercise, fitness, and diabetes. In Bouchard C., Shepard R. J., Stephens T., Sutton J. R., & B. D. McPherson (Eds.), Exercise, fitness, and health. A consensus of current knowledge (pp. 491–495). Toronto, Human Kinetics Publishers 1998.
- Birch LL, Ventura AK. Preventing childhood obesity: what works? *Int J Obes (Lond)* 2009; 33(Suppl 1): S74–81.
- Blum M, Dolnikowski G, Seyoum E, Harris SS, et al. Vitamin D(3) in fat tissue. *Endocrine* 2008; 33(1): 90–94.
- Boney CM, Verma A, Tucker R, Vohr BR. Metabolic syndrome in childhood: association with birth weight, maternal obesity, and gestational diabetes mellitus. *Pediatrics* 2005; 115(3): e290–296.
- Boon N, Koppes LL, Saris WH, Van Mechelen W. The relation between calcium intake and body composition in a Dutch population: The Amsterdam Growth and Health Longitudinal Study. *Am J Epidemiol* 2005; 162(1): 27–32.
- Boso M, Comelli M, Emanuele E, et al. Seasonal fluctuations in problem behaviors among young adults with autism and intellectual disability. *Med Sci Monit* 2010; 16(5): CR213–216.
- Bouchard C, Shepard R J. Physical activity, fitness and health: The model and key concepts. In Bouchard C., Shepard RJ, Stephenes T. (Eds.). Physical activity, fitness and health. Champaign, IL: Human Kinetice 1994: 77–88.
- Braet C, Mervielde I, Vandereycken W. Psychological aspects of childhood obesity: a controlled study in a clinical and nonclinical sample. *J Pediatr Psychol* 1997; 22(1): 59–71.
- Brambilla P, Pietrobelli A. Behind and beyond the pediatric metabolic syndrome. *Ital J Pediatr* 2009; 35: 41.
- Braunerová R, Hainer V, Kunešová M. Jaká je role vápníku a vitamínu A při regulaci tělesné hmotnosti? *ZDN, Lékařské listy* 22/2004.
- Braunerová R, Kunešová M, Procházka M, et al. Současný stav stravování a pohybové aktivity ve vztahu k obezitě u sedmiletých dětí–studie WHO. *Čas Lék čes* 2010; 149: 533–536.
- Bray GA. Soft drink consumption and obesity: it is all about fructose. *Curr Opin Lipidol* 2010; 21(1): 51–57.
- Bronstein A M, Btandt T, Woollacott M. Clinical disorders of balance, posture and gait. London: Arnold 1996; 350 s.
- Brown NIL, Denis NIL, Elston NIL, et al. Multivariate Analyses of Anthropometric and Psychometric Variables in Probandes with Affective Disorders and Their Families. *Neuropsychobiology* 1975; 1: 87–105.
- Brug J, Lien N, Klepp KI, van Lenthe FJ. Exploring overweight, obesity and their behavioural correlates among children and adolescents: results from the Health-

- promotion through Obesity Prevention across Europe project. *Public Health Nutr* 2010; 13(10A): 1676–1679.
- Bukara-Radujković G, Zdravković D. Physical activity as an important determinant in developing childhood obesity. *Medicinskij Preglad* 2009; 62 (3–4): 107–113.
- Cali AM, Caprio S. Obesity in children and adolescents. *J Clin Endocrinol Metab* 2008; 93(11 Suppl 1): S31–36.
- Calle EE, Rodriguez C, Walker-Thurmond K, Thun MJ. Overweight, obesity, and mortality from cancer in a prospectively studied cohort of U.S. adults. *N Engl J Med* 2003; 348(17): 1625–1638.
- Carruth BR, Skinner JD. The role of dietary calcium and other nutrients in moderating body fat in preschool children. *Int J Obes Relat Metab Disord* 2001; 25(4): 559–566.
- Cederlund M, Gillberg C. One hundred males with Asperger syndrome: a clinical study of background and associated factors. *Dev Med Child Neurol* 2004; 46(10): 652–660.
- Cirmanová V, Kančeva R, Vondra K, Bayer M. Renaissance vitamínu D. *DMEV* 2010; 13(3): 139–145.
- Cleland VJ, Ball K, Magnussen C, et al. Socioeconomic position and the tracking of physical activity and cardiorespiratory fitness from childhood to adulthood. *Am J Epidemiol* 2009; 170(9): 1069–1077.
- Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ* 2000; 320: 1240.
- Cook S, Weitzman M, Auinger P, et al. Prevalence of a Metabolic Syndrome Phenotype in Adolescents: Findings From the Third National Health and Nutrition Examination Survey, 1988–1994. *Arch Pediatr Adolesc Med* 2003; 157: 821–827.
- Carruth BR, Skinner JD. The role of dietary calcium and other nutrients in moderating body fat in preschool children. *International Journal of Obesity ROK*; 25: 559–566.
- Dabelea D, Crume T. Maternal environment and the transgenerational cycle of obesity and diabetes. *Diabetes* 2011; 60(7): 1849–1855.
- van Dam RM, Willett WC, Manson JE, Hu FB. The relationship between overweight in adolescence and premature death in women. *Ann Intern Med* 2006; 145(2): 91–97.
- Daniels SR, Arnett DK, Eckel RH, et al. Overweight in Children and Adolescents: Pathophysiology, Consequences, Prevention, and Treatment. *Circulation* 2005; 111: 1999–2012.
- Davis MM, Gance-Cleveland B, Hassink S, et al. Recommendations for prevention of childhood obesity. *Pediatrics* 2007; 120(Suppl 4): S229–253.
- Dehghan M, Akhtar-Danesh N, Merchant AT. Childhood obesity, prevalence and prevention. *Nutrition Journal* 2005; 4: 24.
- Després JP, Arsenault BJ, Côté M, et al. Abdominal obesity: the cholesterol of the 21st century? *Can J Cardiol* 2008; 24(Suppl D): 7D–12D.

- Deurenberg P, Yap M, Van Staveren VA. Body mass index and percent body fat: a meta analysis among different ethnic groups. *International Journal of Obesity* 1998; 22: 1164–1171.
- Dietz WH. Critical periods in childhood for the development of obesity. *Am J Clin Nutr* 1994; 59: 955–959.
- Dietz WH. Health Consequences of Obesity in Youth: Childhood Predictors of Adult Disease. *Pediatrics* 1998; 101: 518–525.
- Dishman RK, Motl RW, Sallis JF, et al. Self management strategies mediate self-efficacy and physical activity. *American Journal of Preventive Medicine* 2005; 29(1): 10–18.
- DiBaise JK, Zhang H, Crowell MD, et al. Gut microbiota and its possible relationship with obesity. *Mayo Clin Proc* 2008; 83(4): 460–469.
- Dixon LB, Pellizzon MA, Jawad A, Tershakovec FM. Calcium and Dairy Intake and Measures of Obesity in Hyper- and Normocholesterolemic Children. *Obesity Research* 2005; 13: 1727–1738.
- Dhuper S, Cohen HW, Daniel J, et al. Utility of the modified ATP III defined metabolic syndrome and severe obesity as predictors of inzulin resistance in overweight children and adolescents: a cross-sectional study. *Cardiovascular Diabetology* 2007, 6: 4.
- Doležalová R, Haluzík M. Metabolický syndrom a fyzická aktivita. *DMEV* 2006; 2: 69–74.
- Dovalil P. Význam pohybu při léčbě obezity. In: Jílek, M. *Výchova ke zdraví a zdravému životnímu stylu*. 1. vyd. Hradec Králové: Gaudeamus 2002; 220–227.
- Dušková M, Hruškovičová H, Pařízek A, Králíková E. Časně a pozdní vlivy kouření matky na endokrinní funkce plodu. *DMEV* 2010; 13(3): 129–134.
- Dwyer T, Magnussen CG, Schmidt MD, et al. Decline in physical fitness from childhood to adulthood associated with increased obesity and insulin resistance in adults. *Diabetes Care* 2009; 32(4): 683–687.
- Engeland A, Bjorge T, Sogaard AJ, et al. Body Mass Index in Adolescence in Relation to Total Mortality: 32-Year Follow-up of 227,000 Norwegian Boys and Girls. *Am J Epidemiol* 2003; 157(6): 517–523.
- Epstein LH, Paluch RA, Roemmich JN, Beecher MD. Family-based obesity treatment, then and now: twenty-five years of pediatric obesity treatment. *Health Psychol* 2007; 26(4): 381–391.
- Epstein LH, Roemmich JN, Robinson JL, et al. A randomized trial of the effects of reducing television viewing and computer use on body mass index in young children. *Arch Pediatr Adolesc Med* 2008; 162(3): 239–245.
- Epstein LH, Temple JL, Roemmich JN, Bouton ME. Habituation as a determinant of human food intake. *Psychol Rev* 2009; 116(2): 384–407.
- Epstein LH, Wrotniak BH. Future directions for pediatric obesity treatment. *Obesity (Silver Spring)* 2010; 18(Suppl 1): S8–12.

- Ekelund U, Brage S, Froberg K, et al. TV viewing and physical activity are independently associated with metabolic risk in children: the European Youth Heart Study. *PLoS Med* 2006; 3(12): e488.
- Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults. Executive Summary of The Third Report of The National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, And Treatment of High Blood Cholesterol In Adults (Adult Treatment Panel III). *JAMA* 2001; 285(19): 248624–97.
- Faith MS, Berkowitz RI, Stallings VA, et al. Parental feeding attitudes and styles and child body mass index: prospective analysis of a gene-environment interaction. *Pediatrics* 2004; 114(4): e429–436.
- Faith MS, Berman N, Heo M, et al. Effects of contingent television on physical activity and television viewing in obese children. *Pediatrics* 2001; 107(5): 1043–1048.
- Ferranti S D, Gauvreau K, Ludwig DS, et al. Prevalence of the Metabolic Syndrome in American Adolescents: Findings From the Third National Health and Nutrition Examination Survey. *Circulation* 2004; 110: 2494–2497.
- Fialová D, Pražanová Z. Intenzivní pohybová terapie při léčbě zvýšené tělesné hmotnosti. Optimální působení tělesné zátěže a výživy. Hradec Králové: Gaudeamus 2003; 118–122.
- Figuroa-Colon R, Franklin FA, Lee JY, et al. Prevalence of obesity with increased blood pressure in elementary school-aged children. *South Med J* 1997; 90(8): 806–813.
- Finkelstein EA, Fiebelkorn IC, Wang G. National medical spending attributable to overweight and obesity: how much, and who's paying. *Health Aff (Millwood)* 2003; Suppl Web Exclusives: W3–219–226.
- Flegal KM, Ogden CL, Yanovski JA, et al. High adiposity and high body mass index-for-age in US children and adolescents overall and by race-ethnic group. *Am J Clin Nutr* 2010; 91: 1020–1026.
- Fontaine KR, Redden DT, Wang C, et al. Years of life lost due to obesity. *JAMA* 2003; 289(2): 187–193.
- Ford AL, Bergh C, Södersten P, et al. Treatment of childhood obesity by retraining eating behaviour: randomised controlled trial. *BMJ* 2009; 340: b5388. doi: 10.1136/bmj.b5388.
- Foster GD. Principles and practices in the management of obesity. *Am J Respir Crit Care Med* 2003; 168(3): 274–280.
- Foster GD, Sherman S, Borradaile KE, et al. A policy-based school intervention to prevent overweight and obesity. *Pediatrics* 2008; 121(4): e794–802.
- Franks PW, Hanson RL, Knowler WC, et al. Childhood predictors of young-onset type 2 diabetes. *Diabetes* 2007; 56(12): 2964–2972.
- Franks PW, Hanson RL, Knowler WC, et al. Childhood obesity, other cardiovascular risk factors, and premature death. *N Engl J Med* 2010; 362(6): 485–493.

- Franks PW, Ling C. Epigenetics and obesity: the devil is in the details. *BMC Med* 2010; 8: 88.
- Freedman DS, Dietz WH, Srinivasan SR, Berenson GS. Risk factors and adult body mass index among overweight children: the Bogalusa Heart Study. *Pediatrics* 2009; 123(3): 750–757.
- Freemark M, Bursey D. The Effects of Metformin on Body Mass Index and Glucose Tolerance in Obese Adolescents With Fasting Hyperinsulinemia and a Family History of Type 2 Diabetes. *Pediatrics* 2001; 107: e55.
- Fried M. Laparoskopické bariatrické operace. *Endoskopie* 2009; 18(1): 19–21.
- Frömel K, Novosad J, Svozil Z. Pohybová aktivita a sportovní zájmy mládeže. 1. vyd. Olomouc: Univerzita Palackého 1999.
- Gibson LJ, Peto J, Warren JM, dos Santos Silva I. Lack of evidence on diets for obesity for children. *Epidemiol* 2006; 35(6): 1544–1552.
- Goldmund K. Obezita a metabolický syndrom. *Pediatric pro praxi* 2003; 1: 9–13
- Goldstein BI, Birmaher B, Axelson DA, et al. Preliminary findings regarding overweight and obesity in pediatric bipolar disorder. *J Clin Psychiatry* 2008; 69(12): 1953–1959.
- Golley RK, Magarey AM, Baur LA, et al. Twelve-month effectiveness of a parent-led, family-focused weight-management program for prepubertal children: a randomized, controlled trial. *Pediatrics* 2007; 119(3): 517–525.
- González D, Nazmi A, Victora CG. Childhood poverty and abdominal obesity in adulthood: a systematic review. *Cad Saude Publica* 2009; 25(Suppl 3): S427–440.
- Goodman E, Daniels SR, Meigs JB, Dolan LM. Instability in the diagnosis of metabolic syndrome in adolescents. *Circulation* 2007; 115(17): 2316–2322.
- Gracia-Marco L, Vicente-Rodríguez G, Borys JM, et al. Contribution of social marketing strategies to community – based prevention programmes in children. *Int J Obes (Lond)* 2010; 34: 1–8.
- Guerrero-Romero F, Rodriguez-Moran M. Concordance between the 2005 International Diabetes Federation definition for diagnosing metabolic syndrome with the National Cholesterol Education Program Adult Treatment Panel III and the World Health Organization definitions. *Diabetes Care* 2005; 28(10): 2588–2589.
- Gunnell D, Harrison G, Whitley E, et al. The association of fetal and childhood growth with risk of schizophrenia. Cohort study of 720,000 Swedish men and women. *Schizophr Res* 2005; 79(2–3): 315–322.
- Guo SS, Chumlea WC. Tracking of body mass index in children in relation to overweight in adulthood. *Am J Clinical Nutrition* 1999; 70: 145–148.
- Guo SS, Roche AF, Chumlea WC, et al. The predictive value of childhood body mass index values for overweight at age 35 y. *Am J Clin Nutr* 1994; 59(4): 810–819.
- Gustafson JK, Yanoff LB, Easter BD, et al. The stability of metabolic syndrome in children and adolescents. *J Clin Endocrinol Metab* 2009; 94(12): 4828–4834.

- Gustavson S L, Rhodes RE. Parental Correlates of Physical Activity in Children and Early Adolescents. *Sports Medicine* 2006; 36 (1): 79–97.
- Gwozdziwiczova S, Lichnovska R, Ben Yahia R, Chlup R, Hrebicek J. TNF- α in the development of insulin resistance and other disorders in metabolic syndrome. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 2005; 149: 109–117.
- Hainer V. Farmakoterapie a zdravotní rizika obezity. *Klin Farmakol Farm* 2006; 20: 103–107.
- Hainer V, Zamrazilová H, Spálová J, et al. Role of hereditary factors in weight loss and its maintenance. *Physiol Res* 2008; 57(Suppl 1): S1–15.
- Halpern A, Mancini MC, Magalhães ME, et al. Metabolic syndrome, dyslipidemia, hypertension and type 2 diabetes in youth: from diagnosis to treatment. *Diabetol Metab Syndr* 2010; 2: 55.
- Hanley AJ, Harris SB, Gittelsohn J, et al. Overweight among children and adolescents in a Native Canadian community: prevalence and associated factors. *American Journal of Clinical Nutrition* 2000; 71(3), 693–700.
- Hanušová V, Haluzík M. Inzulínová rezistence a oxid dusnatý. *DMEV* 2010; 13(3): 111–116.
- Heaney RP, Davies KM, Barger-Lux MJ. Calcium and Weight: Clinical Studies. *J Am Coll Nutr* 2002; 21: 152S–155S.
- Hildrum B, Mykletun A, Hole T, Midthjell K, Dahl AA. Age-specific prevalence of the metabolic syndrome defined by the International Diabetes Federation and the National Cholesterol Education Program: the Norwegian HUNT 2 study. *BMC Public Health* 2007; 7: 220.
- Hillier TA, Pedula KL, Schmidt MM, et al. Childhood obesity and metabolic imprinting: the ongoing effects of maternal hyperglycemia. *Diabetes Care* 2007; 30(9): 2287–2292.
- Himes JH, Dietz WH. Guidelines for overweight in adolescent preventive services: recommendations from an expert committee. The Expert Committee on Clinical Guidelines for Overweight in Adolescent Preventive Services. *American Journal of Clinical Nutrition* 1994; 59: 307–316.
- Hlavatý P, Zamrazilová H, Dušátková L, et al. Projekt COPAT – současné možnosti léčby obezity v ambulanci praktického lékaře pro děti a dorost. *Prakt Lék* 2010; 90(2): 86–89.
- Hongo M, Hidaka H, Sakaguchi S, et al. Association between serum uric Acid levels and cardiometabolic risk factors among Japanese junior high school students. *Circ J* 2010; 74(8): 1570–1577.
- Horakova D, Stejskal D, Pastucha D, et al. Potential markers of insuline resistance in healthy vs obese and overweight subjects. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 2010; 154(3): 245–250.

- Hřebíček J, Janout V, Malinčíková J, et al. Detection of insulin resistance by simple quantitative insulin sensitivity check index QUICKI for epidemiological assessment and prevention. *J Clin Endocrinol Metab* 2002; 87(1): 144–147.
- Hughes AR, Farewell K, Harris D, Reilly JJ. Quality of life in a clinical sample of obese children. *Int J Obes* 2007; 31(1): 39–44.
- Hyjánek J, Pastucha D. Srovnání farmakologických, dietních a režimových opatření při léčbě hyperlipidemií jako prevence aterosklerózy v dětském věku. *Pediatric pro praxi* 2010; 11(2): 121–124.
- Hyjánek J, Freiburger T, Pastucha D. Výsledky molekulárně genetického vyšetření pacientů Dětské lipidové poradny Fakultní nemocnice Olomouc v rámci projektu MedPed. *Česko-Slovenská pediatrie* 2010; 7–8(65): 441–445.
- Chamberlin LA, Sherman SN, Jain A, et al. The challenge of preventing and treating obesity in low-income, preschool children: perceptions of WIC health care professionals. *Arch Pediatr Adolesc Med* 2002; 156(7): 662–668.
- Chan DF, Li AM, Chu WC, et al. Hepatic steatosis in obese Chinese children. *Int J Obes Relat Metab Disord* 2004; 28(10): 1257–1263.
- Christakis NA, Fowler JH. The spread of obesity in a large social network over 32 years. *N Engl J Med* 2007; 357(4): 370–379.
- Chrousos GP. The role of stress and the hypothalamic-pituitary – adrenal axis in the pathogenesis of the metabolic syndrome: neuro-endocrine and target tissue-related causes. *Int J Obes Relat Metab Disord* 2000; 24(Suppl 2): S50–55.
- Inge TH, Xanthakos SA, Zeller MH. Bariatric surgery for pediatric extreme obesity: now or later? *Int J Obes (Lond)* 2007; 31(1): 1–14.
- Jain A, Sherman SN, Chamberlin LA, et al. Why don't low-income mothers worry about their preschoolers being overweight? *Pediatrics* 2001; 107(5): 1138–1146.
- Jakicic JM. The effect of physical activity on body weight. *Obesity (Silver Spring)* 2009; 17(Suppl 3): S34–38.
- Janiszewski PM, Ross R. The utility of physical activity in the management of global cardiometabolic risk. *Obesity (Silver Spring)* 2009; 17(Suppl 3): S3–S14.
- Jermendy A, Korner A, Kovacs M, et al. Association between toll-like receptor polymorphisms and serum levels of tumor necrosis factor-alpha and its soluble receptors in obese children. *Med Sci Monit* 2010; 16(4): CR180–185.
- Jones RA, Okely AD, Collins CE, et al. The HIKCUPS trial: a multi-site randomized controlled trial of a combined physical activity skill-development and dietary modification program in overweight and obese children. *BMC Public Health* 2007; 7: 15.
- Johnson WD, Kroon JJ, Greenway FL, et al. Prevalence of risk factors for metabolic syndrome in adolescents: National Health and Nutrition Examination Survey (NHANES), 2001–2006. *Arch Pediatr Adolesc Med* 2009; 163(4): 371–377.

- Kalliomäki M, Carmen Collado M, et al. Early differences in fecal microbiota composition in children may predict overweight. *Am J Clin Nutr* 2008; 87(3): 534–538.
- Kalvachová B. Nové pohledy na vitamin D a jeho význam pro organismus. In: Stárka L. *Pokroky v endokrinologii*. Praha: Maxdorf Jessenius 2007; 113–128.
- Katan MB. Weight-loss diets for the prevention and treatment of obesity. *N Engl J Med* 2009; 360(9): 923–925.
- Katz A, Nambi SS, Mather K, et al. Quantitative insulin sensitivity check index: a simple, accurate method for assessing insulin sensitivity in humans. *J Clin Endocrinol Metab* 2000; 85(7): 2402–2410.
- Kaválková P, Haluzíková D, Haluzík M. Endokrinní funkce tukové tkáně: Co je nového? *DMEV* 2010; 4: 197–204.
- Kemper HC, Stasse-Wolthuis M, Bosman W. The prevention and treatment of overweight and obesity. Summary of the advisory report by the Health Council of The Netherlands. *Neth J Med* 2004; 62(1): 10–17.
- Kendrick T. Cardiovascular and respiratory risk factors and symptoms among general practice patients with long-term mental illness. *Br J Psychiatry* 1996; 169: 733–739.
- Kimm SY, Obarzanek E. Childhood obesity: a new pandemic of the new millennium. *Pediatrics* 2002; 110(5): 1003–1007.
- Kobzová J, Vignerová J, Bláha P, et al. The 6th nationwide anthropological survey of children and adolescents in the Czech Republic in 2001. *Cent Eur J Public Health* 2004; 12(3): 126–130.
- Kolář P. Systematizace svalových dysbalancí z pohledu vývojové kineziologie. *Rehabilitace a fyzikální lékařství* 2001; 4: 152–164.
- Kohler MJ, Thormaehlen S, Kennedy JD, et al. Differences in the association between obesity and obstructive sleep apnea among children and adolescents. *J Clin Sleep Med* 2009; 5(6): 506–511.
- Kones R. Is prevention a fantasy, or the future of medicine? A panoramic view of recent data, status, and direction in cardiovascular prevention. *Ther Adv Cardiovasc Dis* 2011; 5(1): 61–81.
- Koskinen J, Kähönen M, Viikari JS, et al. Conventional cardiovascular risk factors and metabolic syndrome in predicting carotid intima–media thickness progression in young adults: the cardiovascular risk in young Finns study. *Circulation* 2009; 120(3): 229–236.
- Krásničanová H. Vztahy mezi tělesnou hmotností a skeletální a sexuální maturací. Stav výživy a biologický věk – vybrané auxologické aspekty. *Postgraduální medicína* 2010; příloha 2: 52–60.
- Kushner RF, Foster GD. Obesity and quality of life. *Nutrition* 2000; 16(10): 947–952.