

16. LITERATURA

- Abdel-Aziz, Y. I., & Karara, H. M. (1971). Direct linear transformation from comparator coordinates into object space coordinates in close range photogrammetry. In *Proceedings of the ASP Symposium in close-range photogrammetry* (pp. 1-18). Urbana, IL: American Society of Photogrammetry.
- Abraham, L., & Kalakanis, D. (1993). Synchronization of video kinematic and analog biomechanical data using the motion analysis system. In J. Hamill, T. R. Derrick, & E. H. Elliott (Eds.), *Proceedings of the 11th Symposium of the International Society of Biomechanics in Sports* (pp. 257-261). Amherst: University of Massachusetts.
- Abramowitz, M., & Stegun, I. A. (1964). *Handbook of Mathematical Functions*. Washington, D.C: U.S. Government Printing Office.
- Ae, M., Shibukawa, K., Tada, S., & Hashihara, Y. (1983). A biomechanical analysis of the segmental contribution to the take-off of the one-leg running jump for height. In H. Matusui & K. Kobayashi (Eds.), *Biomechanics VIII-B* (pp. 737-745). Champaign, IL: Human Kinetics Publishers.
- Allard, P., Cappozzo, A., Lundberg, A., & Vaughan, Ch. L. (Eds.). (1997). *Three-dimensional Analysis of Human Locomotion* (1st ed.). Chichester: John Wiley & Sons.
- Allard, P., Stokes, A. F., & Blanche, J. P. (1995). *Three-dimensional Analysis of Human Movement* (1st ed). Champaign, IL: Human Kinetics.
- Angulo, R. M., & Dapena, J. (1992). Comparison of film and video techniques for estimating three-dimensional coordinates within a large field. *International Journal of Sport Biomechanics*, 8, 145-159.
- Ariel, G. B. et al. (1993). Error reduction in kinematic data through segment length normalization. In *Proceedings of the 14th Congress of the International Society of Biomechanics* (pp. 112-113). Paris.
- Ariel, G. B., Buijs, R. J. C., & Chung, S. G. (2000). Visualizing orientation using quaternions. In Y. Hong & D. P. Johns (Eds.), *Proceedings of XVIII International Symposium on Biomechanics in Sports* (pp. 794-795). Hong Kong: The Chinese University of Hong Kong.
- Ariel, G. B., Buijs, R. J. C., Penny, A., & Chung, S. G. (2000). Visualizing orientation using quaternions. In *Proceedings of the 6th International Symposium of the 3-D Analysis of Human Movement* (pp. 21-24). Cape Town.
- Arndt, A., Brüggemann, G. P., Virmavirta, M., & Komi, P. (1995). Techniques used by olympic ski jumpers in the transition from takeoff to early flight. *Journal of Applied Biomechanics*, 11, 224-237.
- Baker, J., Rath, D., Sanders, R., & Kelly, B. (1999). A three-dimensional analysis of male and female elite sprint kayak paddlers. In R. H. Sanders & B. J. Gibson (Eds.), *Scientific Proceedings of the 17th International Symposium on Biomechanics in Sports* (pp. 53-56). Perth: Edith Cowan University.
- Ball, K. R., & Pierrynowski, M. R. (1988). A modified direct linear transformation (DLT) calibration procedure to improve the accuracy of 3D reconstruction for large volumes. In G. de Groot et al. (Eds.), *Biomechanics XI-B* (pp. 1045-1050). Amsterdam: Free University Press.
- Ball, K. R., & Pierrynowski, M. R. (1996). Classification of errors in locating a rigid body. *Journal of Biomechanics*, 29(9), 1213-1217.

- Barros, R. M. L., & Brenzikofer, R. (1993). Synchronization of registers for 3D description of human movement. In *Proceedings of the 14th Congress of the International Society of Biomechanics* (pp. 150-151). Paris.
- Barton, J., & Barton, G. (1992). 3D video digitizing and motion analysis. In R. Rodano, G. Ferrigno, G. Santambrogio (Eds.), *Proceedings of the 10th International Symposium on Biomechanics in Sports* (pp. 112-115). Milano.
- Bate, P., & Hoffmann, E. (1993). Accuracy of the peak motion measurement system. In *Proceedings of the 14th Congress of the International Society of Biomechanics* (pp. 156-157). Paris.
- Bauer, T. C., & Zerpa, C. (1993). A method for kinetic power measurement for jumping using video analysis techniques. In J. Hamill, T. R. Derrick, & E. H. Elliott (Eds.), *Proceedings of the 11th Symposium of the International Society of Biomechanics in Sports* (pp. 266-269). Amherst: University of Massachusetts.
- Bauman, M. D., Plamondon, A., & Gagnon, D. (1995). Comparison of 3D joint marker sets for the study of human motion. In P. V. Komi & A. Mero (Eds.), *15th Congress of the International Society of Biomechanics: Book of abstracts* (pp. 96-97). Jyväskylä: Gummerus Printing.
- Baumann, W. (1979). The biomechanical study of ski-jumping. In *Proceedings of the International Symposium on Science on Skiing* (pp. 70-95). Japan.
- Baumann, W. (1983). Application of biomechanics research to sport. In H. Matsui & K. Kobayashi (Eds.), *Biomechanics VIII-B* (pp. 722-734). Champaign, IL: Human Kinetics Publishers.
- Baumann, W., & Galbierz, P. (1978). A cine camera operating system with high space resolution. In E. Asmussen & K. Jorgensen (Eds.), *Biomechanics VI-A* (pp. 338-342). Baltimore: University Park Press.
- Besser, M., Anton, N., Denny, M., & Quaile, S. (1996). Criterion validity of the Ariel Performance Analysis System (APAS) for the calculation of joint angles using APAS and Gaitlab software. In *Abstracts of the 20th Annual Meeting of the American Society of Biomechanics*. Atlanta. <http://asb-biomech.org/abstracts/besser.html>.
- Blahuš, P. (1976a). *K teorii testování pohybových schopností* (1st ed.). Praha: Univerzita Karlova.
- Blahuš, P. (1976b). Spolehlivost motorických testů a přesnost měření. *Teor. Praxe těl. Vých.*, 24, 212-214.
- Bogdanov, O. B., Jakovlevová, N. M., Smetankin, A. A., & Chimič, O. K. (1982). Elektromiografičeskij risunok aktivnosti myšc pri ottalkivanii i puti ego napravlennoj korrekcii u junnych prigunov na lyžach s trampolina. *Teoria i Praktika fizičeskoj kultury*, 1, 35-38.
- Borghese, N.A. (1992). Smart 3D: Tracking of movements surveyed by a multiple set of TV-cameras. In R. Rodano, G. Ferrigno, & G. Santambrogio (Eds.), *Proceedings of the 10th International Society of Biomechanics in Sports* (pp. 108-111). Milano.
- Böswart, J., Nováková, H., Sukop, J., Fidelius, K., Morawski, J., & Wiklik, K. (1981). Comparison of cinematographic and dynamographic methods of body motion analysis. In A. Morecki, K. Fidelius, K. Kedziok, & A. Wit (Eds.), *Biomechanics VII-A* (pp. 194-199). Warszawa: Polish Scientific Publishers.
- Bothner, K. E. (1992). *The Development of a Video-based Motion Analysis System*. Master thesis, Purdue University.
- Bradley, D. (1996). Úvod do FFT analýzy. *Technická diagnostika*, 1-2, 7-11.

- Brönd, J. C., & Ariel, G. B. (1996). Calculating Euler angles in 3D lower extremity kinematics and kinetics. In *Ariel Dynamics Worldwide – 3D Kin Module*. <http://sports-science.org/APAShelp/3Dkin/doc5.html>.
- Brož, J. a kol. (1983). *Základy fyzikálních měření* (1st ed.). Praha: SPN.
- Brügger, A. (1983). Kineziologické aspekty omezení funkce při pohybu a držení těla. *Rehabilitácia*, 26(3), 136-144.
- Buckner, B. (1997a). The nature of measurement: Part II, mistakes and errors. *Professional Surveyor*, 17(3). http://www.profsurv.com/ps_scripts/article.idc?id=139.
- Buckner, B. (1997b). The nature of measurement: Part IV, precision and accuracy. *Professional Surveyor*, 17(5). http://www.profsurv.com/ps_scripts/article.idc?id=168.
- Bunnel, W. P. (1984). An objective criterion for scoliosis screening. *Journal of Bone and Joint Surgery*, 66A(9), 1381-1387.
- Burkholder, T. J., & Lieber, R. L. (1996). Stepwise regression is an alternative to splines for fitting noisy data. *Journal of Biomechanics*, 29(2), 235-238.
- Cappozzo, A., Catani, F., & Leardini, A. (1993). Skin movement artefacts in human movement photogrammetry. In *Proceedings of the 14th Congress of the International Society of Biomechanics* (pp. 238-239). Paris.
- Cappozzo, A., Leo, T., & Macellari, V. (1983). The COSTEL kinematics monitoring system: Performance and use in human movement measurements. In H. Matusui & K. Kobayashi (Eds.), *Biomechanics VIII-B* (pp. 1067-1074). Champaign, IL: Human Kinetics Publishers.
- Cappozzo, A., Marchetti, M., & Tosi, V. (Eds.) (1992). *Biocomotion: A Century of Research Using Moving Pictures*. Roma: Promograph.
- Carman, A. B., & Milburn, P. D. (1995). An investigation into conjugate imaging techniques for the automated reproduction of three dimensional coordinates. In P. V. Komi & A. Mero (Eds.), *15th Congress of the International Society of Biomechanics: Book of abstracts* (pp. 154-155). Jyväskylä: Gummerus Printing.
- Cerveri, P., Borghese, N. A., & Pedotti, A. (1998). Complete calibration of a stereo photogrammetric system through control points of unknown coordinates. *Journal of Biomechanics*, 31, 935-940.
- Colpus, M. (1998). The identification of impulses in 3-D reconstructed data using recursive filters on the originally digitized 2-D image data. In H. J. Riehle & M. M. Vieten (Eds.), *Proceedings of the 16th International Symposium on Biomechanics in Sports* (pp. 440-443). Konstanz: Universitätsverlag Konstanz.
- Dainis, A., & Juberts, M. (1985). Accurate remote measurement of robot trajectory motion In *Proceedings of Int. Conf. On Robotics and Automation* (pp. 92-99).
- Dainty, D. A., & Norman, R. W. (1987). *Standardizing Biomechanical Testing in Sport* (1st ed.). Champaign, IL: Human Kinetics Publishers.
- Daley, C. (1999). *Measurement: Precision, Bias, Accuracy, Calibration*. <http://www.engr.mun.ca/~cdaley/1000/measur.htm>.
- Davis, R. B., Ounpuu, S., Tyburski, D., & Gage, J. R. (1991). A gait analysis data collection and reduction technique. *Human Movement Science*, 10(5), 575-587.
- De Leva, P. (1993). Validity and accuracy of four methods for locating the center of mass of young male and female athletes. In *Proceedings of the 14th Congress of the International Society of Biomechanics* (pp. 318-319). Paris.
- Dlabolová, I., Vařeka, I., Janura, M., & Elfmark, M. (1998). Využití videozáznamu pro analýzu stoje člověka. *Rehabilitace a fyzikální lékařství*, 5(1), 25-28.
- Drenk, V. (1994). Photogrammetric evaluation procedures for pannable and tiltable cameras of variable focal length. In A. Barabás & Gy. Fábíán (Eds.), *Proceedings of the 12th*

- International Symposium on Biomechanics in Sports* (pp. 27-30). Budapest: Hungarian University of Physical Education.
- Drenk, V., Hildebrand, F., Kindler, M., & Kliche, D. (1999). A 3D video technique for analysis of swimming in a flume. In R. H. Sanders & B. J. Gibson (Eds.), *Scientific Proceedings of the 17th International Symposium on Biomechanics in Sports* (pp. 361-364). Perth: Edith Cowan University.
- Dworak, B. L. (1991). Niektóre metody badawcze biomechaniki i ich zastosowania w sporcie, medycynie i ergonomii. In *Skrypty Nr. 91* (pp. 55-75). Poznań: Akademia Wychowania Fizycznego.
- Ehara, Y., Fujimoto, H., Miyzaki, S., Tanaka, S., & Yamamoto, S. (1995). Comparison of the performance of 3D camera systems. *Gait & Posture*, 3, 166-169.
- Enoka, R. M. (1994). *Neuromechanical Basis of Kinesiology* (2nd ed.). Champaign, IL: Human Kinetics.
- Erdemir, A., & Piazza, S. J. (1999). Simulation-based design of a pointer for accurate determination of anatomical landmarks. In *Abstracts of the 23rd Annual Meeting of the American Society of Biomechanics*. Pittsburgh.
<http://asb-biomech.org/abstracts99/113/index.html>.
- Fábián, G., & Barabás, A. (1992). Computer aided biomechanical film analysis program. In R. Rodano, G. Ferrigno, & G. Santambrogio (Eds.), *Proceedings of the 10th Symposium of the International Society of Biomechanics in Sports* (pp. 105-107). Milano.
- Ferrigno, G., & D'Amico, M. (1989). The assessment of first and second derivatives from noisy kinematic data. In R. J. Gregor et al. (Eds.), *Proceedings of the 12th Congress of the International Society of Biomechanics* (A 75). Los Angeles: University of California.
- French, E. K. (1981). *Validity and Reliability of Kinematic Data from Two Dimensional Cinematography*. Unpublished doctoral dissertation, Indiana University.
- Frish, H. (1993). *Programmierte Untersuchung des Bewegungsapparates*. Berlin: Springer Verlag.
- Frossard, L., & Dillon, M. (2000). The impact of the camera positioning on the reconstruction and tracking of 3-D kinematics data during walking with arm-swing. In *Proceedings of the 6th International Symposium of the 3-D Analysis of Human Movement* (pp. 87-90). Cape Town.
- Fuka, J., & Havelka, B. (1961). *Optika a atomová fyzika I* (1st ed.). Praha: SPN.
- Gage, J. R. (1991). *Gait Analysis in Cerebral Palsy*. New York: MacKeith Press.
- Gallagher, J., & Cooke, C. B. (1998). A comparison of the mechanical properties of five rugby balls with specific reference to place kicking. *Journal of Sport Sciences*, 1, 7.
- Gheluwe, B. (1978). Computerized three-dimensional cinematography for any arbitrary camera setup. In E. Asmussen & K. Jorgensen (Eds.), *Biomechanics VI-A* (pp. 338-342). Baltimore: University Park Press.
- Giakas, G., Stergioulas, L., & Vourdas, A. (1999). Filtering of non stationary kinematic signals. In W. Herzog & A. Jinha (Eds.), *International Society of Biomechanics 17th Congress: Book of Abstracts* (p. 463). Calgary: University of Calgary.
- Giakas, G., Tsirakos, D., Morris, C., & Baltzopoulos, V. (1998). Smoothing kinematic data of rapid action movements: An application to javelin throwing. *Journal of Sport Sciences*, 1, 8-9.
- Gítánanda Swámí, G. (1995). *Jóga – krok za krokem* (M. Mrnuščíková, Trans.). Brno: Translator (Originál vydán 1966).
- Graham-Smith, P., & Lees, A. (1997). A comparison of the information quality between cinematography and videography for long jump technique analysis. *Biology of Sport*, 14(3), 213-225.

- Grainger, J., Norman, R., Winter, D., & Bobet, J. (1983). Day-to-day reproducibility of selected biomechanical variables calculated from film data. In H. Matusui & K. Kobayashi (Eds.), *Biomechanics VIII-B* (pp. 1239-1247). Champaign, IL: Human Kinetics Publishers.
- Harrison, A. J., & Littler, D. A. (1991). The accuracy of co-ordinate data derived from video tape. In R. N. Marshall et al. (Eds.), *Proceedings of the 13th International Congress on Biomechanics* (pp. 350-351). Perth: The University of Western Australia.
- Hatze, H. (1988). High precision three-dimensional photogrammetric calibration and object space reconstruction using a modified DLT. *Journal of Biomechanics*, 21, 533-538.
- Häusler, G., Schönfeld, H., & Stockinger, F. (1996). Kalibrierung von optischen 3D-Sensoren. *Optik*, 102(3), 93-100.
- Havlíček, I. (1971). Korelačný koeficient a chyba merania ako hodnota spoľahlivosti testu. *Acta Facult. Educat. Phys. Univ. Comen.*, 11, 285-291.
- Hebák, P., & Hustopecký, J. (1987). *Vícerozměrné statistické metody s aplikacemi* (1st ed). Praha: SNTL/ALFA.
- Hildebrand, F., Drenk, V., & Kindler, M. (1998). 3-D video technique for analysis of rowing in a natural environment. In H. J. Riehle & M. M., Vieten (Eds.), *Proceedings of the 16th International Symposium on Biomechanics in Sports* (pp. 477-480). Konstanz: Universitätsverlag Konstanz.
- Hinrichs, R. N. (1985). A three-D analysis of the net moments at the shoulder and elbow joints in running and their relationship to upper-extremity EMG activity. In D. A. Winter, R. W. Norman, R. P. Wells, K. C. Hayes, & A. E. Patla (Eds.), *Biomechanics IX-B* (pp. 337-342). Champaign, IL: Human Kinetics Publishers.
- Hinrichs, R. N., & McLean, S. (1995). NLT and extrapolated DLT: 3-D cinematography alternatives for enlarging the volume of calibration. *Journal of Biomechanics*, 28(10), 1219-1233.
- Hochmuth, G., & Marhold, G. (1978). The further development of biomechanical principles. In E. Asmussen & K. Jorgensen (Eds.), *Biomechanics VI-B* (pp. 93-108). Baltimore: University Park Press.
- Horák, Z., & Krupka, F. (1981). *Fyzika - příručka pro VŠ technického směru*. Praha: SNTL/ALFA.
- Hubbard, M., Hibbard, R. L., Yeadon, M. R., & Komor, A. (1989). A multi-link model of a ski jumper. *International Journal of Sport Biomechanics*, 5, 258-274.
- Hübner, G. (2000). *Numerically stable rotational kinematics using quaternions*. http://www.lrt.mw.tum.de/personen/ghuebner/quatern_en.html
- Hustopecký, J. (1976). *Základy matematické statistiky*. Praha: SPN.
- Challis, J. H. (1995). A multiphase calibration procedure for the direct linear transformation. *Journal of Applied Biomechanics*, 11, 351-358.
- Challis, J. H. (1998). A procedure for the automatic determination of filter cut-off frequency for the processing of biomechanical data. In *North American Congress on Biomechanics*. University of Waterloo, Kanada. <http://asb-biomech.org/NACOB98/230/index.html>.
- Challis, J. H. (1999). A procedure for the automatic determination of filter cutoff frequency for the processing of biomechanical data. *Journal of Applied Biomechanics*, 15, 303-317.
- Challis, J. H., Harwood, H. J., & Kerwin, D. G. (1994). A multi-phase DLT-based solution to calibrating a large volume. *Journal of Sport Sciences*, 12(2), 169.
- Challis, J. H., & Kerwin, D. G. (1994). The influence of errors in kinematic quantities when computing resultant joint moments. *Journal of Sport Sciences*, 12(2), 168.
- Chen, S. M. (1994). *A kinematic Analysis of the V-style Ski Jump*. Master thesis, Lakehead University, Thunder Bay.