

ZDROJE

1. Havrdová E. Roztroušená Skleróza v Praxi. 2. Galén; 2010.
2. Bednařík J, Ambler Z, Růžička E. Klinická Neurologie: Část Speciální I. Triton;2010.
3. Handel A E, Williamson AJ, Disanto G et al. Smoking and Multiple Sclerosis: An Updated Meta-Analysis. 2011;6(1). doi:10.1371/journal.pone.0016149
4. Státní zdravotní ústav. Co znamená nadváha a obezita = meta-zánět. Státní zdravotní ústav. Published 2022. <http://www.szu.cz/tema/bezpecnost-potravin/co-znamená-nadvaha-a-obezita-meta-zanet>.
5. Scholz E, Müller C. Multiple Sclerosis: Causes, Diagnosis and Management. Nova Science Publishers; 2012.
6. Vachová M, Dušánková J, Zámečník L. Symptomatická léčba roztroušené sklerózy. Neurol pro praxi. 2008;9(4):226-231.
7. Henze T. What is New in Symptom Management? Int MSJ. 2007;2007(14):22-27.
8. Birnbaum G L. Multiple Sclerosis: Clinicians Guide to Diagnosis and Treatment. 2. Oxford university press; 2013.
9. Kurtzke J F. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). Neurology. 1983;33(11):1444-1452. doi:10.1212/wnl.33.11.1444
10. Manjaly Z M, Harrison N, Critchley H et al. Pathophysiological and cognitive mechanisms of fatigue in multiple sclerosis. J Neurol Neurosurg Psychiatry. 2019;90(6):642-651.
11. Sutliff M H, Bennett S E, Patricia Bobryk P et al. Rehabilitation in multiple sclerosis. Neurol Clin Pract. 2016;6(6):475-479. doi:10.1212/CPJ.0000000000000318
12. Steinerová A, Kövari M. Komplexní Fyzioterapeutický Pohled pro pacienty s Roztroušenou Sklerózou. Grifart; 2014.

13. Lehnert M, Novosad J, Neuls F, Langer F, Botek M. Trénink Kondice ve Sportu. 1.vydání. Univerzita Palackého v Olomouci.
14. Měkota K, Novosad J. Motorické Schopnosti. Univerzita Palackého v Olomouci; 2005.
15. Masarykova univerzita. Proces sportovního tréninku. Presented at: <https://www.fsps.muni.cz/emuni/data/reader/book-5/03.html>
16. Pedersen B K, Åkerström T C A, Nielsen A R. Role of myokines in exercise and metabolism. *Journal Of Applied Physiology*. 2007;103(3):1093-1098.
17. Motl R W, Pilluti L A. Physical activity and health-related quality of life over time in adults with multiple sclerosis. 2014;59(4):415-421.
18. Cvičení a hormony. meliora. Published 2019. <https://www.meliora.cz/blog/cviceni-a-hormony>.
19. Vrtílek L. Adaptace a superkompenzace organismu. Nutrition-shop. Published 2019. <https://www.nutrition-shop.cz/trenink/adaptace-a-superkompenzace-organismu/>.
20. Motorické učení a osvojování sportovních dovedností. Presented at: 2022; Brno.
21. Wyszynska E, Sienkiewicz D, Kułak, W. The physical and occupational activity of patients with multiple sclerosis depending on the form of clinical disease. 2019;9(1):126-131. doi:10.5604/01.3001.0013.3701
22. Learmonth Y C, Motl R W. Physical activity and exercise training in multiple sclerosis: a review and content analysis of qualitative research identifying perceived determinants and consequence. *Disability & Rehabilitation*. 2016;38(13):1227-1242. doi:10.3109/09638288.2015.1077397
23. Motl R W, Sandroff B M, Kwakkel G et al. Exercise in patients with multiple sclerosis. *Lancet Neurol*. 2017;16(10):848-856. doi:10.1016/S1474-4422(17)30281-8
24. Rampello A, Franceschini M, Piepoli M et al. Effect of Aerobic Training on Walking Capacity and Maximal Exercise Tolerance in Patients With Multiple Sclerosis: A Randomized Crossover Controlled Stud. *Physical Therapy*. 2007;87(5):545-555.

25. Dalgas U, Stenager E, Jakobsen J, Petersen T, Hansen H, Kmudsen C. Resistance training improves muscle strength and functional capacity in multiple sclerosis. *Neurology*. Published online 2009:1478-1484.
26. Bahari F, Naghdi N, Sheikh M, Shaw B S. Effect of physical exercise on muscle strength, static and dynamic balance and resiliency in women with multiple sclerosis. *South African Journal for Research in Sport*. 2022;43(1):1-11.
27. Formánková S, Buben J, Míčková J. Využití Kruhového Provozu v Základní Gymnastice.
28. Jarkovská H. Posilování - Kondiční Kruhový Trénink. První. Grada; 2009.
29. Abasiyanik Z, Kahraman T. Effect of dual-task training on cognitive functions in persons with multiple sclerosis: A systematic review and meta-analysis. *Mult Scler Relat Disord*. 2022;62(103801). doi:10.1016/j.msard.2022.103801
30. Oschman J, Chevalier G, Brown R. The effects of grounding (earthing) on inflammation, the immune response, wound healing, and prevention and treatment of chronic inflammatory and autoimmune diseases. 2014;2015(8):83-96. doi:https://doi.org/10.2147/JIR.S69656
31. Menigoz W, Latz T, Ely R A, Kamei C, Melvin G, Sinafra D. Integrative and lifestyle medicine strategies should include Earthing (grounding): Review of research evidence and clinical observations. 2020;16(3):152-160. doi:https://doi.org/10.1016/j.explore.2019.10.005
32. Rázl V. SÍLA STABILITA MOBILITA: U všech Pohybů, v každém cviku.
33. Sýkora J. Ideomotorika. PhDr. Josef Sýkora. <http://www.psycholog-sykora.cz/clanky/ideomotorika>
34. Moeller B, Pfister R. Ideomotor learning: Time to generalize a longstanding principle. 2022;140(104782). doi:https://doi.org/10.1016/j.neubiorev.2022.104782
35. Kapandji L A. The Physiology of the Joints. Churchill livingstone.
36. Pytlová L. Barefoot: Žij Naboso. Alferia.

37. Earls J. Born to walk: Myofascial Efficiency and the Body in Movement. second. Lotus publishing; 2020.
38. Earls J. Understanding the Human Foot. Lotus publishing.
39. Nedeljković U, Raspopović E D, Ilić N, Dačković J, Dujmović I. Endurance and resistance training in rehabilitation of patients with multiple sclerosis. *Vojnosanit Pregl.* 2014;71(10):963-968.
40. Liebman H L. Posilování pro 50+ Anatomie. 1. CPress; 2014.
41. Forsberg A, Koch L, Nilsagard Y. Effects on Balance and Walking with the CoDuSe Balance Exercise Program in People with Multiple Sclerosis: A Multicenter Randomized Controlled Trial. *Multiple Sclerosis International.* 2016:10.
42. Gál O. Poruchy rovnováhy a chůze. Presented at: September 5, 2022; Praha. <https://adoc.pub/poruchy-rovnovahy-a-chze.html>
43. Liesner F. Pánevní Dno. 1. Václav Lukeš - Poznání; 2020.
44. Havlíčková M. Dysfunkce pánevního dna u pacientů s roztroušenou sklerózou mozkomíšní. *Rehabilitace Při Léčbě Roztroušené Sklerózy.* Solen; 60.
45. Hudák R, Kachlík D. Memorix Anatomie. 5. Triton. rok
46. Nestor J. Dech: nové poznatky o ztraceném umění. Host. rok
47. Gregová D. Strečink a válcování. <https://www.fyziosvet.cz/clanky/strecink-a-valcovani-otazky-a-odpovedi/>.
48. Compston A, Colese A. Multiple sclerosis. 2002; 9313:1221-1231.
49. Krejsek J, Kopecký, Taláb R. Imunopatogeneze roztroušené sklerózy. *Neurol pro praxi.* 2002;2002(5): 236-243.

50. Aloisi F, Cross A H. Mini-review of Epstein-Barr virus involvement in multiple sclerosis etiology and pathogenesis. *Neuroimmunology*. 2022;371. doi:DOI:https://doi.org/10.1016/j.jneuroim.2022.577935
51. Motl R W, McAuley E, Sandroff B M, Hubbard E A. Descriptive epidemiology of physical activity rates in multiple sclerosis. *Acta Neurol Scand*. 2015;131(6):422-425. doi:10.1111/ane.12352.
52. Lublin F D, Reingold S C. Defining the clinical course of multiple sclerosis: results of an international survey. *Neurology*. 1996;4(46):907-911.
53. Wagner J M, Kremer T R, Van Dillen L R, Naismith R H. Plantarflexor weakness negatively impacts walking in persons with multiple sclerosis more than plantarflexor spasticity. 2014;(95):1358-1365.
54. Van Asch P. Impact of mobility impairment in multiple sclerosis - patients perspectives. 2011;6(2):115-120.
55. Benedetti MG, Piperno R, Simoncini L, Bonato P, Tonini A, Giannini S. Gait abnormalities in minimally impaired multiple sclerosis patients. *Multiple sclerosis*. 1999;5(5):363-368. doi:10.1177/135245859900500510
56. Lenský P. Roztroušená skleróza mozkomíšni – nemoc, nemocný a jeho problémy. Unie ROSKA; 1996.
57. Thoumie P, Mevellec E. Relation between walking speed and muscle strength is affected by somatosensory loss in multiple sclerosis. *J Neurol Neurosurg Psychiatry*. 2002;(73):313-315.
58. Öckinger J, Hagemann-Jensen M, Kullberg S, et al. T-cell activation and HLA-regulated response to smoking in the deep airways of patients with multiple sclerosis. *Clinical immunology*. 2016;(169):114-120. doi:10.1016/j.clim.2016.06.006
59. Miller A, Bourdette D. Multiple Sclerosis. *Continuum*. 1999;1999(5):7-185.
60. Jørgensen M, Dalgas U, Wens I. Muscle strength and power in persons with multiple

- sclerosis: a systematic review and meta-analysis. *J Neurol*. 2017;2017(376):225-241.
61. Araki I, Matsui M, Ozawa K, Nishimura M, Kuno S, Saida T. Relationship between urinary symptoms and disease-related parameters in multiple sclerosis. *J Neurol*. 2014;8(249):1010-1015. doi:10.1007/s00415-002-0775-4
62. Feinstein A, Connor P O, Gray T, Feinstein K. The effects of anxiety on psychiatric morbidity in patients with multiple sclerosis. *Mult Scler*. 1999;5(5):3223-3326. doi:10.1177/135245859900500504
63. Winter C, Kern F, Gall D, Latoschik ME, Pauli P, Käthner I. Immersive virtual reality during gait rehabilitation increases walking speed and motivation: a usability evaluation with healthy participants and patients with multiple sclerosis and stroke. *Journal of NeuroEngineering and Rehabilitation*. 2021;18(68):1-14. doi:10.1186/s12984-021-00848-w
64. Gold S M, Schulz K H, Hartmann S, et al. Basal serum levels and reactivity of nerve growth factor and brain-derived neurotrophic factor to standardized acute exercise in multiple sclerosis and controls. *Journal of neuroimmunology*. 2003;138. doi:10.1016/s0165-5728(03)00121-8
65. Straudi S, De Marco G, Martinuzzi C, Di Marco Pizzongolo L. Combining a supervised and home-based task-oriented circuit training improves walking endurance in patients with multiple sclerosis. The MS_TOCT randomized-controlled trial. *Multiple Sclerosis and Related Disorders*. 2022;60(103721). doi:DOI:https://doi.org/10.1016/j.msard.2022.103721
66. Janoušek, J. (2007). *Verbální komunikace a lidská psychika*. Grada.
67. Moran, A. P. (2016). *The Psychology of Concentration in Sport Performers: A Cognitive Analysis* (1. vyd.). Psychology Press. <https://doi.org/10.4324/9781315784946>
68. Hardy, J. (2006). Speaking clearly: A critical review of the self-talk literature. *Psychology of Sport and Exercise*, 7(1), 81-97. <https://doi.org/10.1016/j.psychsport.2005.04.002>
69. Jelínek, M. (2019) *Vnitřní Svět Vítězů*. Grada.
70. Burton, D., & Raedeke, T. (2008). *Sport psychology for coaches*. Champaign, IL: Human Kinetics.

71. Hardy, L., Jones, J. G., & Gould, D. (2003). *Understanding psychological preparation for sport: theory and practice of elite performers*. Chichester, NY: John Wiley and Sons.
72. Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: Freeman.
73. Kratochvíl, S. (1998). *Základy psychoterapie*. Praha: Portál.
74. Garfinkel, S. N., Seth, A. K., Barrett, A. B., Suzuki, K., & Critchley, H. D. (2015). Knowing your own heart: Distinguishing interoceptive accuracy from interoceptive awareness. *Biological Psychology*, 104, 65–74. Staženo z: <https://doi.org/10.1016/J.BIOPSYCHO.2014.11.004>
75. García-Cordero, I., Esteves, S., Mikulan, E. P., Hesse, E., Baglivo, F. H., Silva, W., ... Sedeño, L. (2017). Attention, in and out: Scalp-level and intracranial EEG correlates of interoception and exteroception. *Frontiers in Neuroscience*, 11. Dostupné na: <https://doi.org/10.3389/fnins.2017.00411>
76. Interoception: The „Hidden Sense“. 2017. onlien. Dostupné na www: https://www.spdstar.org/sites/default/files/file-attachments/Interoception_Info_Sheet_7_17_0.pdf
77. Schmitt, C. M., Schoen, S. Interoception: A Multi-Sensory Foundation of Participation in Daily Life. In *Frontiers in Neuroscience*, vol. 16. 2022
78. Bohannon R W. Normative reference values for the two-minute walk test derived by meta-analysis. *J Phys Ther Sci*. 2017;29(12):224-2227. doi:10.1589/jpts.29.2224
79. Sebastião E. et al. Validity of the Timed Up and Go Test as a Measure of Functional Mobility in Persons With Multiple Sclerosis. *Archives of Physical Medicine and Rehabilitation* [online]. 2016;97(7):1072-1077. doi:10.1016/j.apmr.2015.12.031. ISSN 00039993
80. Araújo de Mello T, Magalhães Duarte A C, Bezerra T S, França F, Soares N S, Brito D. The Five Times Sit-to-Stand Test: safety and reliability with older intensive care unit patients at discharge. *Rev Bras Ter Intensiva*. 2019;31(1):27-33. doi:10.5935/0103-507X.20190006
81. Goldberg A, Chavis M, Watkins J, Wilson T. The five-times-sit-to-stand test: validity, reliability and detectable change in older females. *Aging Clin Exp Res*. 2012;24(4):339-344. doi:10.1007/BF03325265

82. De Garceau D, Dean D, Requejo SM, Thordarson DB. The association between diagnosis of plantar fasciitis and Windlass test results. *Foot Ankle Int.* 2003;24:251-255.
83. Amendola A. Physical Examination of the Foot and Ankle. *Musculoskeletal Physical Examination E-Book: An Evidence-Based Approach.* 2016 Jul 27:199.
84. Lever, C. J., & Hennessy, M. S. (2016). Foot and ankle: Adult flat foot deformity. *Orthopaedics and trauma*, 30, 41-50.
85. Poděbradský, J., Poděbradská, R. (2009), *Fyzikální terapie: manuál a algoritmy.* Grada: Praha. ISBN 978-80-247-2899-5
86. Hošková, B., Majorová, S., Nováková, P. *Masáž a regenerace ve sportu.* Praha: Karolinum, 2010
87. Positive interfering dual-tasking ve fyzioterapii roztroušené sklerózy mozkomíšní. Praha, 2017. Bakalářská práce. Univerzita Karlova, 3. Lékařská fakulta. Vedoucí práce PhDr. Alena Herbenová.
88. Correale L, Buzzachera C F, Liberali G, et al. Effects of Combined Endurance and Resistance Training in Women With Multiple Sclerosis: A Randomized Controlled Study. *Front Neurol.* Published online August 5, 2021. doi:<https://doi.org/10.3389/fneur.2021.698460>
89. Bahari F, Naghdi N, Sheikh M, Shaw B S. Effect of physical exercise on muscle strength, static and dynamic balance and resiliency in women with multiple sclerosis. *South African Journal for Research in Sport.* 2022;43(1):1-11.
90. Ghasemi, Mazaheri, Rajabian T, Sahrajan, Fard. Effect of endurance training on cardiopulmonary fitness in people with multiple sclerosis. 2022;64(103911).
91. Keclíková L, Hoskovcová M, Gál O, Havrdová E, Novotná K. (2014). Možnosti pohybových aktivit u pacientů s roztroušenou sklerózou mozkomíšní. *Česká a slovenská neurologie a neurochirurgie*, (1), 23-28. <https://www.fsps.muni.cz/emuni/data/reader/book-3/06.html>
92. Dodd K J, Taylor N F, Shields N, Prasad D, McDonald E, Gillon A. Progressive resistance training did not improve walking but can improve muscle performance, quality of life and fatigue in adults with multiple sclerosis: a randomized controlled trial. *Mult*

- Scler. (2011) 17:1362-74. 10.1177/1352458511409084
93. Cavanca A, Campo R, Chung R A. Dosage and Effectiveness of Aerobic Training on Cardiorespiratory Fitness, Functional Capacity, Balance, and Fatigue in People With Multiple Sclerosis: A Systematic Review and Meta-Analysis. 2021;9(102):1826-1839.
94. DeBolt L S, McCubbin J. The effects of home-based resistance exercise on balance, power, and mobility in adults with multiple sclerosis. 2004;85(2):290-297. doi:https://doi.org/10.1016/j.apmr.2003.06.003
95. Cruickshank T M, Reyes A R, Ziman M R. A systematic review and meta-analysis of strength training in individuals with multiple sclerosis or Parkinson disease. *Medicine (Baltimore)*. 2015 Jan;94(4):e411. doi: 10.1097/MD.0000000000000411. PMID: 25634170; PMCID: PMC4602948
96. Paltamaa, Sjögren, Peurala, Heinonen. Effects of physiotherapy interventions on balance in multiple sclerosis: a systematic review and meta-analysis of randomized controlled trials. *J. Rehabil. Med.* 2012; 44: 811-823
97. Motl R W, McAuley E, Sandroff B M, Hubbard E A. Descriptive epidemiology of physical activity rates in multiple sclerosis. *Acta Neurol Scand.* 2015;131(6):422-425. doi:10.1111/ane.12352
98. Ryšánková, M., Šfinkterové poruchy u pacientů s roztroušenou sklerózou. Mezioborové přehledy, převzato z: *Neurol. pro praxi.* 2016. 50-55.
99. Burešová, E., Vidlář, A. Močové dysfunkce u pacientů s roztroušenou sklerózou. *Urol. Praxi,* 2014; 15(5): 241-243.
100. Theiner, P. Sexuální potíže mužů s roztroušenou sklerózou. *Psychiat. pro Praxi,* 2008; 9(2): 77-79
101. Pöttgen J., Rose A., van de Vis W. et al.; RiMS Special Interest Group Psychology and Neuropsychology. Sexual dysfunctions in MS in relation to neuropsychiatric aspects and its psychological treatment: a scoping review. *PLoS One* 2018 Feb 27; 13 (2): e0193381, doi: 10.1371/journal.pone.0193381.