

9 REFERENČNÍ SEZNAM

- Aigner, B. (2008) *Bewegung & Osteoporose*. Retrieved 25. 2. 2009 from the World WideWeb: <http://www.wecarelife.at/fitness-sport/bewegung-osteoporose/bewegungknochenmasse/>.
- Allen, K. E., & Marotz, L. R. (2002). Přehled vývoje dítěte od prenatálního období do 8 let. Praha: Portál.
- Avgerinos, A., Kioumourtzoglou, E., Stathi, A., & Almond, L. (2004). Leisure and physical activity characteristics of 12 to 17 years old greek students. *HBII – Βεογραδ*, IX(2, 3), pp. 235–258.
- Adams, S., & Bagby, K. (2005). *In plant bodily activity in schools: Mother's school through eighth step*. IA City (IA): University IA attendance Intervention Research Centre.
- Addy, C. L., Wilson, D. K., Kirtland, K. A., Ainsworth, B. E., Sharpe, P., & Kimsey, D. (2004). Associations of perceived social and physical environmental supports with physical activity and walking behavior. *Am. J. Public Health*, 94(3), pp. 440–443.
- Armstrong, C. A., Sallis, J. F., Alcaraz, J. E., Kolody, B., McKenzie, T. L., & Howell, M. F. (1998). Children's television viewing, body fat, and physical fitness. *American Journal of Health Promotion*, 12, pp. 363–368.
- Al-Hazza, H. M., & Al-Rasheedi, A. A. (2007). Adiposity and physical activity levels among preschool children in Jeddah, Saudi Arabia. *Saudi Med. J.*, 28(5), pp. 766–773.
- Alan, J. (1989). *Etapy života očima sociologie*. Praha: Panorama.
- Alexandris, K., & Kouthouris, Ch. (2005). Personal incentives for participation in summer children's camps: Investigating their relationships with satisfaction and loyalty. *Managing Leisure*, 10(1), pp. 39–53.
- Andersen, R. E., Crespo, C. J., Bartlett, S. J., Cheskin, L. J., & Pratt, M. (1998). Relationship of physical activity and television watching with body weight and level of fatness among children: Results from the Third National Health and Nutrition Examination Survey. *Journal of American Medical Association*, 279, pp. 938–942.
- Allison, K. R., Dwyer, J. J. M., & Markin, S. (1999). Perceived barriers to physical activity among high school students. *Preventive Medicine*, 28, pp. 608–614.
- Armstrong, C. A., Sallis, J. F., Alcaraz, J. E., Kolody, B., McKenzie, T. L., & Howell, M. F. (1998). Children's television viewing, body fat and physical fitness. *American Journal of Health Promotion*, 12, pp. 363–368.
- Atoum, M. F., & Al-Hourani, H. M. (2004). Lifestyle related risk factors for breast cancer in Jordanian females. *Saudi Med. J.*, 25(9), pp. 1245–1248.
- Australian Government Initiative: Department of Health and Ageing (2004). *Population Health and Safety*. Retrieved from World Wide Web 7. 3. 2007: [http://www.health.gov.au/internet/main/publishing.nsf/Content/health-budget2004-pdf-out1-cnt.htm/\\$FILE/out1.pdf](http://www.health.gov.au/internet/main/publishing.nsf/Content/health-budget2004-pdf-out1-cnt.htm/$FILE/out1.pdf)
- Australian Institute of Family Studies (2008). *The Longitudinal Study of Australian Children: Growing Up In Australia. 2007–08 Annual Report*. Retrieved 7. 3. 2007 from World Wide Web: <http://www.aifs.gov.au/growingup/pubs/ar/annualreport2007-08.html>
- Australian Government Initiative: Department of Health and Ageing (2005). *Growing up in Australia: The longitudinal study of Australian Children 2004 – annual report - an* Retrieved 22. 4. 2005 from World Wide Web: <http://www.aifs.gov.au/growingup/pubs/ar/annualreport2004.html>
- Aytur, S. A., Rodriguez, D. A., Evenson, K. R., Catellier, D. J., & Rosamond, W. D. (2008). The sociodemographics of land use planning: Relationships to physical activity, accessibility, and equity. *Health & Place*, 14(3), pp. 367–385.

- Azevedo, M. R., Araújo, C. L., Reichert, F. F., Siqueira, F. V., da Silva, M. C., & Hallal, P. C. (2007). Gender differences in leisure time physical activity. *Int. J. Public Health*, 52(1), pp. 8–15.
- Baker, E. A., Brennan, L. K., Brownson, R. C., & Housemann, R. A. (2000). Measuring the determinants of physical activity in the community: Current and future directions. *Res. Q. Exerc. Sport*, 71, pp. 146–158.
- Ball, K., Timperio, A. F., & Crawford, D. A. (2006). Understanding environmental influences on nutrition and physical activity behaviors: Where should we look and what should we count? *Int. J. Nebav. Nutr. Phys. Act.*, pp. 3–33.
- Baldini, G. (1982). Lo sport neleeta pdiatrica. *Med. Dello Sport*, 35(6), pp. 425–429.
- Balding, J. (2001). *Young people in 2000*. Exeter: Schools Health Education Unit.
- Balz, E., & Neumann, P. (2002). Schulsportprogramme zwischen Anspruch und Wirklichkeit: Projektskizze. In G. Friedrich (Ed.), *Sportpädagogische Forschung. Konzepte – Ergebnisse – Perspektiven (Schriften der Deutschen Vereinigung für Sportwissenschaft, 126)* (pp. 211–214). Hamburg: Czwalina.
- Ball, K., Timperio, A., Salmon, J., Giles-Corti, B., Robert, R., & Crawford, D. (2007). Personal, social and environmental determinants of educational inequalities in walking: A multilevel study. *Journal of Epidemiology and Community Health*, 61, pp.108–114.
- Bartík, P. (1995). Wspólpraca rodziny i szkoły w wychowaniu fizycznym dzieci z klas I–IV szkoły podstawowej. *Zbornik z międzynarodowej vedeckej konferencie Rodzina jako srodowisko wychowawcze w czasach nowozytnych* (pp. 296–301). Bydgoszcz.
- Bartík, P. (2005). *Zdravotná telesná výchova*. Banská Bystrica: UMB.
- Bar-Or, O. (2000). Juvenile obesity, physical activity, and lifestyle changes. *The Physician and Sportsmedicine*, 28(11), pp. 51–58.
- Barnett, T. A., O'Loughlin, J., Gauvin, L., Paradis, G., & Hanley, J. (2006). Opportunities for student physical activity in elementary schools: A cross sectional survey of frequency and correlates. *Health education & behavior*, 33(2), pp. 215–232.
- Bassett, D. R. (2000). Validity and reliability issues in objective monitoring of physical activity. *Research Quarterly for Exercise and Sport*, 71(2 Suppl.), pp. 30–36.
- Bassett, D. R., Ainsworth, B. E., & Leggett, S. R., et al. (1996). Accuracy of live electronic pedometers for measuring distance walked. *Med. Sci. Exerc.*, 28(8), pp. 1071–1077.
- Bates, H. (2006). *Daily physical activity for children and youth*. Canada: Alberta Education.
- Baxter, J., Gray, M., Alexander, M., Strazdins, L., & Bittman, M. (2007). *Mothers and fathers with young children: Paid employment, caring and wellbeing* (Social Policy Research Paper 30). Canberra, ACT: Department of Families, Community Services and Indigenous Affairs. Retrieved 5.9.2008 from World Wide Web: <http://www.fahcsia.gov.au/about/publicationsarticles/research/socialpolicy/Documents/prp30/index.htm>
- Bayer, O., Bolte, G., Morlock, G., Rückinger, S., & von Kries, R. (2008). A simple assessment of physical activity is associated with obesity and motor fitness in preschool children. *Public Health Nutr.*, 30, pp. 1–6.
- Belej, M. (2001). *Motorické učenie*. Prešov: Prešovská Univezita.
- Belej, M., Junger, J., & Feč, K. (1998). Indikative aerobics zones for 5–6 year old children. *SportKinetics 97: Theories of Human Motor Performance and their Reflections in Praktice* (pp. 139–142). Magdeburg.
- Berdychová, J. a kol.(1980). *Výchova dítěte předškolního věku*. Praha: SPN.
- Berdychová, J. (1989). *Tělesná výchova pro SPŠ*. Praha: SPN.
- Berdychová, J., Bělinová, L., & Brtníková, J. (1980). *Výchova dítěte předškolního věku*. Praha: SPN.
- Berger, B. G. (1996a). Psychological benefits of an active lifestyle: What we know and what we need to know. *Quest*, 48, pp. 330–353.

- Bierley, J.: 7 prvních let života rozhoduje. Praha :Portál 1996
- Bouchard, C., Shephard, R. J., & Stephens, T. (1994). *Physical activity, fitness and health: International proceeding and consensus tatement*. Champaign, IL: Human Kinetics Publishers.
- Beveridge, S. K., & Scruggs, P. W. (2000). TLC for better PE: Girls and elementary physical education. *Journal of Physical Education, Recreation, and Dance*, 71(8), pp. 22–27.
- Biddle, J. F., Sallis, J. F., & Cavill, N. (2004). *Young and active?* London: Health Education Authority.
- Bitar, A., Vermorel, M., Fellmann, N., Bedu, M., Chamoux, A., & Coudert, J. (1996). Heart rate recording method validated by whole body indirect calorimetry in 10 year old children. *J. Appl. Physiol.*, 81(3), pp. 1169–1173.
- Black, A. Collins and M. Snell, Encouraging walking: the case of journey-to-school trips in compact urban areas, *Urban Studies* 38(7) (2001), pp. 1121–1141.
- Blahutková, M., Řehulka, E., & Dvořáková, Š. (2005). *Pohyb a duševní zdraví*. Brno: Paido.
- Blahuš, P., & Kovář, R. (1989). *Aplikace vybraných statistických metod v antropomotorice*. Praha: SPN.
- Blair, S. N., Booth, M., Gyarfás, I., Iwane, H., Marti, B., Matsudo, V., Morrow, M. S., Noakes, T., & Shephard, R. J. (1995). Development of public policy and physical activity initiatives internationally. *Sports Medicine*, 21, pp. 157–163.
- Bláha, P., et al. (1990). *Antropometrie českých předškolních dětí ve věku od 3 do 7 let*. Praha: Ústav sportovní medicíny.
- Bláha, P., Vignerová, J., Kobzová, J., Krejčovský, L., Riedlová, J., Brabec, M., & Hrušková, M. (2006). VI. celostátní antropologický výzkum dětí a mládeže České republiky 2001 (souhrnné výsledky). Praha: PřF UK a SZÚ Retrieved 7. leden 2008 from World Wide Web: <http://www.szu.cz/publikace/data/6-celostatni-antropologicky-vyzkum>
- Blair, S. N., Cheng, Y., & Holder, J. S. (2001). Is physical activity or physical fitness more important in defining health benefits? *Medicine & Science in Sports & Exercise*, 33, pp. 379–399.
- Bláfl, C., Collins, A., & Snell, M. (2001). Encouraging walking: The case of journey to school trips in compact urban areas. *Urban Stud.*, 38, pp. 1121–1141.
- Blomquist, H. K., & Bergstrom, E. (2007). Obesity in 4 years old children more prevalent in girls and in municipalities with a low socioeconomic level. *Acta Paed.*, 96, pp. 113–116.
- Boarnet, M., Anderson, C., Day, K., McMillan, T., & Alfonzo, M. (2005). Evaluation of the California safe routes to school legislation urban form changes and children's active transportation to school. *American Journal of Preventive Medicine*, 28(2), pp. 134–140.
- Bouchalová, M. (1987). *Vývoj během dětství a jeho ovlivnění*. Praha: Avicenum.
- Bocarro, J., Kanters, K., & Casper, J. (2006). Leisure for life: The role of schools should be to promote lifelong recreational sport and physical activity participation. *Parks and Recreation*, pp. 22–27
- Boreham, C., & Riddoch, C. (2001). The physical activity, fitness and health of children. *J. Sports Sci.*, 19(12), pp. 915–929.
- Bouchard, C., & Shephard, R. (1994) Physical activity, fitness and health: the model and key concepts. In: Bouchard C, Shephard R, Stephens T (eds) *Physical activity, fitness and health. International proceedings and consensus statement*. Human Kinetics, Champaign, IL, pp. 77–88.
- Bortin, K. I., Dollman, J., & Klanarong, S., et al. (2001). Kids sport: Who's playing what? *Sport Health*, 19, pp. 12–14.
- Bray, M. S., Morrow, J. R. Jr., Pivarnik, J. M., & Bricker, J. T. (1992). Caltrac validity for estimating caloric expenditure with children. *Pediatric Exercise Science*, 4, pp. 166–179.
- Brierley, J. (1996). *7 prvních let života rozhoduje*. Praha: Portál.

- Bredemeier, B. J., Weiss, M. R., Shields, D. L., & Shewchuk, R. M. (1986). Promoting moral growth in a summer sport camp: The implementation of theoretically grounded instructional strategies. *Journal of Moral Education*, 15(3), pp. 212–220.
- Broyles, S. L., Sallis, J. F., Zive, M. M., Doder, J. P., Berry, C. C., McKenzie, T. L., Hoy, P. L., & Nader, P. R. (1999). Correlations among physical activity and eating behaviors in 4 to 7 year old Anglo and Mexican-American children. *J. Dev. Nevav. Pediatr.*, 20(6), pp. 405–410.
- Brooks-Gunn, J., Duncan, G. J., & Aber, J. L. (1997). *Neighbourly poverty*. New York: Russell Sage Foundation.
- Brown, R., Lewis, F., & Murtagh, M., et al. (1999). *100 Minutes project researching physical education and sport in DETE schools*. Adelaide: Departement of Education Training and Employment.
- Brown, W. H., Pfeiffer, K. A., McIver, K. L., Dowda, M., Almeida, M. J. C. A., & Pate, R. R. (2006). Assesing preschool children's physical activity: The observational system for recording physical activity in children preschool version. *Res. Q. Exerc. Sports*, 77, pp. 167–176.
- Brownson, R. C., Baker, E. A., Robyn, A., Housemann, R. A., Brennan, L. K., Stephen J., & Bacak, S. (2001). Environmental and policy determinants of physical activity in the United States. *American Journal of Public Health*, 91(12), pp. 1995–2003.
- Bunc, V. (1999). Energy cost of basic human activities. In H. Válková & Z. Hanelová (Eds.), *Sborník mezinárodní konference Pohyb a zdraví* (pp. 130–133). Olomouc: Univerzita Palackého.
- Bunc, V., Horčic, J., Cingálek, R., & Moravcová, J. (2001). Tělesná zdatnost českých dětí a mládeže. In P. Tilinger, A. Rychtecký, & T. Perič (Eds.), *Sborník příspěvků národní konference Sport v České republice na začátku nového tisíciletí, díl 2* (pp. 101–105). Praha: Univerzita Karlova.
- Bunc, V. (2008). Příčiny a detekce nadváhy a obezity dětí. In V. Mužík, L. Dobrý & V. Süs (Eds.), *Tělesná výchova a sport mládeže v biologickém, psychologickém, sociálním a didaktickém kontextu* (pp. 45–53). Brno: Pedagogická fakulta Masarykovy Univerzity, Katedra tělesné výchovy.
- Burdette, H. L., & Whitaker, R. C. (2005). A national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children. *Pediatrics Vol. 116, Iss. 3*, pp. 657–662.
- Cabrnochová, H. (2006). *Výskyt nadváhy a obezity u dětí v České republice*. Retrieved 30. 7. 2008 in World Wide Web http://www.hravezijzdrave.cz/index.php?option=com_content&task=view&id=44&Itemid=73 =73d=73
- Canadian Association for Health, Physical Education, Recreation and Dance (CAHPERD). (2006). *Quality daily physical education*. Retrieved from World Wid Web: 2. 5., 2006: http://cahperd.ca/eng/physicaleducation/about_qdpe.cfm.
- Cameron, C., Craig, C. L., Coles, C., & Cragg, S. (2003). *Increasing physical activity: Encouraging physical activity through school*. Retrieved 29. 7. 2004 from the World Wide Web: <http://www.cflri.ca/pdf/e/2001capacity.pdf>
- Cale, L., & Harris, J. (2001). Exercise recommendations for young people: An update. *Health Education*, 101(3), pp. 126–138.
- Campbell, P. G., MacAuley, D., McCrum, E., & Evans, A. (2001). Age differences in the motivating factors for exercise. *Journal of Sport & Exercise Psychology*, 23, 191–199.
- Cardon, G., de Bourdeaudhuij, I. (2007). Comparison of pedometer and accelerometer measures of physical activity in preschool children. *Pediatr. Exerc. Sci.*, 19(2), pp. 205–214.

- Cardon, G., van Cauwenberghe, E., Labarque, V., Haerens, L., & de Bourdeaudhuij, I. (2008). The contribution of preschool playground factors in explaining children's physical activity during recess. *Int. J. Nebav. Nutr. Phys. Act.*, 26(5), p. 11.
- Carnall, D. J. (2004). Promoting walking and cycling as an alternative to using cars: Vested interests doom puny healthcare interventions. *BMJ*, 329, p. 1237.
- Carrel, A. L., Clark, R. R., Peterson, S., Eickhoff, J., & Allen, D. B. (2007). School based fitness changes are lost during the summer vacation. *Arch. Pediatr. Adolesc. Med.*, 161(6), pp. 561–564.
- Caspersen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical activity, exercise, and physical fitness: Definitions and distinctions for health related research. *Public Health Reports*, 100, pp. 126–131.
- Caspersen, C. J., Pereira, M. A., & Curran, K. M. (2000). Changes in physical activity patterns in the United States, by sex and cross sectional age. *Medicine & Science in Sports & Exercise*, 32, pp. 1601–1609.
- Cavill, N., Biddle, S., & Sallis, J. F. (2001). Health enhancing physical activity for young people: Statement of the United Kingdom expert consensus conference. *Pediatric Exercise Science*, 13, pp. 12–25.
- Canadian. Council of University Physical Education and. Kinesiology Administrators [CCUPEKA] & Canadian Association for Health, Physical Education, Recreation and Dance [CAHPERD] (2006). *Childhood obesity. Speaking Notes*. For Andrea Grantham Executive Director Canadian Association for Health, Physical Education, Recreation and Dance (CAHPERD). Retrieved 18.12. 2007 from World Wide Web: <http://www.cahperd.ca/.../SpeakingNotes-StandingCommitteeonHealth-Feb1407.pdf> –
- Centers for Disease Control and Prevention. National Center for Health, Statistics, Health-E-Stats.(2002). *Prevalence of Overweight Among Children and Adolescents: United States, 1999-2002*. Retrieved from World Wide Web 19.4.2008:<http://www.cdc.gov/nchs/products/pubs/pubd/hestats/overwght99.htm>
- Centers for Disease Control and Prevention. National Center for Health, Statistics, Health-E-Stats.(2002).*Body Mass Index..* Retrieved from World Wide Web 19.4.2008 http://www.cdc.gov/healthyweight/assessing/bmi/childrens_bmi/about_childrens_bmi.html#How%20is%20BMI%20used%20with%20children%20and%20teens
- Ciliska, D., Miles, E., O'Brien, M. A., Turl, C., Tomasik, H. H., Donova, U., & Beyers, J. (2000). Effectiveness of community based interventions to increase fruit and vegetable consumption. *J. Nutr. Educ.*, 32, pp. 341–352.
- Coakley, J. (1987). Children and the sport socialization process. In D. Gould & M. R Weiss (Eds), *Advances in paediatric sport science*. Champaign, IL: Human Kinetic.
- Coakley, J. (2001). *Sport in society: Issues and controversies* (7th ed.). New York: McGraw-Hill.
- Cohen, D. A., Ashwood, J. S., & Scoty, M. (2006). Public parks and physical activity among adolescent girls. *Pediatrics*, 118, pp. 1381–1389.
- Cohen, D. A., Ashwood, S., Scoty, M., Overton, A., Evenson, K. R., Voorhees, C. C., Bedimo-Rung, A., & McKenzie, T. L. (2006). Proximity to School and Physical Activity Among Middle School Girls: The Trial of Activity for Adolescent Girls Study. *Journal of Physical Activity & Health*. 3(1), pp. 129–138.
- Colditz, G. A. (1999). Economic costs of obesity and inactivity. *Med. Sci. Sports Exerc.*, 31(11 Suppl), pp. 663–667.
- Collins, J. (1999). *Parents, get your children noviny*. Retrieved 12. 12. 1999 from the World Wide Web: <http://www.cdc.gov/search.do?sort=date%3AD%3AL%3Ad1&ie=cp1252&q=Parents+and+children&ud=1&oe=utf8&start=10>

- Contento, I. R., Balch, G. I., Bronner, Y. L., Pakte, D. M., Gross, S. M., & Bisignani, L., et al. (1995). The effectiveness of nutrition education and implications for nutrition education policy, programs and research: A review of research. *J. Nutr. Educ.*, 27, pp. 279–419.
- Cooper, K. H. (1991). *Kid fitness*. New York: Bantam Books.
- Corbin, C. B., Pangrazi, R. P., & Welk, G. J. (1994). Toward an understanding of appropriate physical activity levels for youth. *Physical Activity and Fitness Research Digest*, 1(8), pp. 1–8.
- Corbin, C. B., & Pangrazi, R. P. (1998). *Physical activity for children: A statement of guidelines (AAHPERD National Guidelines)*. In V. A. Reston (Ed.), *National Association for Sport and Physical Education (NASPE)* (pp. 128–134).
- Corbin, C. B., Pangrazi, R. P., & Le Masurier, G. (2002). Physical activity for children: Current patterns and guidelines. *President's Council on Physical Fitness and Sports Research Digest*, 5(2), pp. 1–8.
- Corbin, C. B., Le Masurier, G., & Franks, B. D. (2002). Making sense of multiple physical activity recommendations. *President's Council on Physical Fitness and Sports Research Digest*, 3(19), pp. 1–8.
- Cordon, G. M., & deBordeaudhuij, I. M. M. (2002). Physical education and physical activity in elementary schools in Flanders. *European Journal of Physical Education*, 7, pp. 5–18.
- Cote, J. (1999). The influence of the family in the development of talent in sport. *The Sport Psychologist*, 13(4), pp. 395–417.
- Cottrel, L., Spangler-Murphy, E., Minor, V., Downes, A., Nicholson, P., & William, A. N. (2005). A kindergarten cardiovascular risk surveillance study: CARDIAC-Kinder. *Am. J. Health Beh.*, 6, pp. 595–606.
- Cox, M., Schofield, G., Greasley, N., & Kolt, G. S. (2006). Pedometer steps in primary school aged children: A comparison of school based and out of school activity. *J. Sci. Med. Sport.*, 9(1, 2), pp. 91–97.
- Cradock, A. L., Melly, S. J., Allen, J. G., Morris, J. S., & Gortmaker, S. L. (2007). Characteristics of school campuses and physical activity among youth. *Am. J. Prev. Med.*, 33(2), pp. 106–113.
- Craig, C. L., Marshall, A. L., Sjöström, M., Bauman, A. E., Booth, M. L., Ainsworth, B. E., Pratt, M., Ekelund, U., Yngve, A., Sallis, J. F., & Oja, P. (2003). International physical activity questionnaire: 12 country reliability and validity. *Med. Sci. Sports Exerc.*, 35(8), pp. 1381–1395.
- Crespo, C. J., Smidt, E., Troiano, R. P., Bartlett, S. J., Macera, C. A., & Andersen, R. E. (2001). Television watching, energy intake, and obesity in US children. *Archives of Pediatrics & Adolescent Medicine*, 155, pp. 360–365.
- Crespo, C. J., Ainsworth, B. E. Jr., Keteyian, S. J., Heath, G. W., & Smidt, E. (1999). Prevalence of physical activity and its relation to social class in U. S. adults: Results from the third national health and nutrition examination survey 1988–1994. *Med. Sc. Sport Exerc.*, 31, pp. 1821–1827.
- Crawford, D., Timperio, A., Giles-Corti, B., Ball, K., Hume, C., Roberts, R., Andrianopoulos, N., & Salmon, J. (2008). Do features of public open spaces vary according to neighbourhood socio-economic status? *Health & Place*, 14(4), pp. 889–893.
- Crouter, S. E., Schneider, P. L., & Karabulut, M., et al. (2003). Validity of 10 electronic pedometers for measuring steps, distance and energy cost. *Med. Sci. Sports. Exerc.*, 35(8), pp. 1455–1460.
- Cullen, K. W., Baranowski, T., Rittenberry, L., & Olvera, N. (2000). Social-environmental influences on children's diets: Results from focus groups with African, Euro and Mexican-American children and their parents. *Health Educ. Res.*, 15, pp. 581–590.