

7. REFERENČNÍ SEZNAM

- Acheson, K. J., Campbell, I. T., Edholm, O. G., Miller, D. S., & Stock, M. J. (1980). The measurement of daily energy expenditure – an evaluation of some techniques. *American Journal of Clinical Nutrition*, 33(5), 1155–1164.
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J., O'Brien, W. L., Bassett, D. R. Jr., Schmitz, K. H., Emplaincourt, P. O., Jacobs, D. R. Jr., & Leon, A. S. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise*, 32(9 Suppl.), S498–S516.
- Ainsworth, B. E., Macera, C. A., Jones, D. A., Reis, J. P., Addy, C. L., Bowles, H. R., & Kohl, H. W. (2006). Comparison of the 2001 BRFSS and the IPAQ physical activity questionnaire. *Medicine and Science in Sports and Exercise*, 38(9), 1584–1592.
- Alexander, A., Bergman, P., Hangströmer, M., & Sjöström, M. (2006). IPAQ environmental module; reliability testing. *Journal of Public Health*, 14(2), 76–80.
- Allor, K. M., & Pivarnik, J. M. (2001). Stability and convergent validity of free physical activity assessments. *Medicine and Science in Sports and Exercise*, 33(4), 671–676.
- Almeida, M. J. C. A., Mciver, K. L., Pfeiffer, K. A., Dowda, M., & Pate, R. R. (2006). Validation and calibration of the actical accelerometer in preschool children. *Medicine and Science in Sports and Exercise*, 38(1), 152–157.
- American Psychological Association. (2002). *Publication manual of the American Psychological Association* (5th ed.). Washington, DC: Author.
- American Psychological Association. (2010). *Publication manual of the American Psychological Association* (6th ed.). Washington, DC: Author.
- Ames, C. (1992a). Classrooms: Goals, structures, and student motivation. *Journal of Educational Psychology*, 84(3), 261–271.
- Ames, C. (1992b). Achievement goals, motivational climate, and motivational processes. In G. C. Roberts (Ed.), *Motivation in sport and exercise* (pp. 161–176). Champaign, IL: Human Kinetics.
- Andersen, N., & Wold, B. (1992). Parental and peer influences on leisure-time physical activity in young adolescent. *Research Quarterly for Exercise and Sport*, 63(4), 341–348.
- Anderson, P., & Butcher, K. F. (2006). Childhood obesity: Trends and potential causes. *The Future of Children* 16(1), 19–45.
- Andre, D., & Wolf, D. L. (2007). Recent advances in free-living physical activity monitoring: A review. *Journal of Diabetes Science and Technology*, 1(5), 760–767.

- Andreacci, J. L., Dixon, C. B., Dube, J. J., & McConnell, T. R. (2007). Validation of Sensewear Pro₂ armband to assess energy expenditure during treadmill exercise in children 7–10 years of age. *Journal of Exercise Physiology*, *10*(4), 35–42.
- Andresová, M., & Novák, I. (2004). Měření energetické spotřeby organismu metodou nepřímé kalorimetrie a její užití v praxi. *Pediatric po promoci*, *1*(1), 56–60.
- Armstrong, N. (1998). Young people's physical activity patterns as assessed by heart rate monitoring. *Journal of Sport Sciences*, *16*(1 Suppl.), S9–S16.
- Armstrong, N., & Welsman, J. R. (2006). The physical activity patterns of european youth with reference to methods of assessment. *Sports Medicine*, *36*(12), 1067–1086.
- Ballor, D. L., Burke, L. M., Knudson, D. V., Olson, J. R., & Montoye, H. J. (1989). Comparison of free methods of estimating energy expenditure: Caltrac, heart rate, and video analysis. *Research Quarterly for Exercise and Sport*, *60*(4), 362–368.
- Baranowski, T., & de Moor, C. (2000). How many days was that? Intra-individual variability and physical activity assessment. *Research Quarterly for Exercise and Sport*, *71*(2 Suppl.), S74–S78.
- Barnekow-Bergkvist, M., Hedberg, G., Janlert, U., & Jansson, E. (1996). Physical activity patterns in men and women at the ages 16 and 34 and development of physical activity from adolescence to adulthood. *Scandinavian Journal of Medicine and Science in Sports*, *6*(6), 359–370.
- Basset, D. R. Jr. (2000). Validity and reliability issues in objective monitoring of physical activity. *Research Quarterly for Exercise and Sport*, *71*(2 Suppl.), S30–S36.
- Bassett, D. R. Jr., Ainsworth, B. E., Jr., Leggett, S. R., Mathien, C. A., Main, J. A., Hunter, D. C., & Duncan, G. E. (1996). Accuracy of five electronic pedometers for measuring distance walked. *Medicine and Science in Sports and Exercise*, *28*(8), 1071–1077.
- Bassett, D. R. Jr., & Fitzhugh, E. C. (2009). Establishing validity and reliability of physical activity assessment instruments. In I.-Min. Lee & R. S. Jr. Paffenbarger (Eds.), *Epidemiologic methods in physical activity studies* (pp. 34–55). NY: Oxford University Press.
- Bauman, A. E., Bull, F., Chey, T., Craig, C. L., Ainsworth, B. E., Sallis, J. F., Bowles, H. R., Hagstromer, M., Sjostrom, M., Pratt, M., & The IPS Group. (2009). The international prevalence study on physical activity: Results from 20 countries. *International Journal of Behavioral Nutrition and Physical Activity*, *6*, doi:10.1186/1479-5868-6-21
- Bauman, A. E., Sallis, J. F., Dzewaltowski, D. A., & Owen, N. (2002). Toward a better understanding of the influences on physical activity: The role of determinants, correlates,

- causal variables, mediators, moderators, and confounders. *American Journal of Preventive Medicine*, 23(2 Suppl.), S5–S14.
- Beets, M. W., Bornstein, D., Beighle, A., Cardinal, B. J., & Morgan, C. F. (2010). Pedometer-measured physical activity patterns of youth: A 13-country review. *American Journal of Preventive Medicine*, 38(2), 208–216.
- Beghin, L., Michaud, L., Guimber, D., Vaksmann, G., Turck, D., & Gottrand, F. (2002). Assessing sleeping energy expenditure in children using heart-rate monitoring calibrated against open-circuit indirect calorimetry: A pilot study. *British Journal of Nutrition*, 88(5), 533–543.
- Beighle, A., Alderman, B., Morgan, C. F., & Le Masurier, G. (2008). Seasonality in children's pedometer-measured physical activity levels. *Research Quarterly for Exercise and Sport*, 79(2), 256–260.
- Beighle, A., & Pangrazi, R. P. (2006). Measuring children's activity levels: The association between step-counts and activity time. *Journal of Physical Activity and Health*, 3(2), 221–229.
- Bělohlávek, R. (2002). *Fuzzy Relational Systems: Foundations and Principles*. NY: Kluwer Academic/Plenum Publisher.
- Bělohlávek, R., Sklenář, V., & Zaczal, J. (2005). Crisply Generated Fuzzy Concepts. In: B. Ganter & R. Godin (Eds.), *ICFCA 2005, Lecture Notes in Artificial Intelligence 3403* (pp. 268–283). Berlín: Springer-Verlag.
- Biddle, S. J. H., Gorely, T., & Stensel, D. J. (2004). Health-enhancing physical activity and sedentary behaviour in children and adolescent. *Journal of Sports Sciences*, 22(8), 679–701.
- Bitar, A., Vermorel, M., Fellmann, N., Bedu, M., Chamoux, A., & Coudert, J. (1996). Heart rate recording method validated by whole body indirect calorimetry in 10-yr-old children. *Journal of Applied Physiology*, 81(3), 1169–1173.
- Blahuš, P. (1996). *K systémovému pojetí statistických metod v metodologii empirického výzkumu chování*. Praha: Karolinum.
- Blahuš, P. (2000). Statistická významnost proti vědecké průkaznosti výsledků výzkumu. *Česká kinantropologie*, 4(2), 53–72.
- Blomquist, H. K., & Bergström, E. (2007). Obesity in 4-year-old children more prevalent in girls and in municipalities with a low socioeconomic level. *Acta Paediatrica*, 96(1), 113–116.
- Bois, J. E., Sarrazin, P. G., Brustad, R. J., Trouilloud, D. O., & Cury, F. (2005). Elementary schoolchildren's perceived competence and physical activity involvement: The influence of

- parents' role modelling behaviours and perceptions of their child's competence. *Psychology of Sport and Exercise*, 6(4), 381–397.
- Boldemann, C., Blennow, M., Dal, H., Martensson, F., Raustorp, A., Yuen, K., & Wester, U. (2006). Impact of preschool environment upon children's physical activity and sun exposure. *Preventive Medicine*, 42(4), 301–308.
- Boreham, C., & Riddoch, C. (2001). The physical activity, fitness and health of children. *Journal of Sport Sciences*, 19(12), 915–929.
- Bouchard, C., Blair, S. N., & Haskell, W. L. (2007). Why study physical activity and health. In C. Bouchard, S. N. Blair, & W. L. Haskell (Eds.), *Physical activity and health* (pp. 3–19). Champaign, IL: Human Kinetics.
- Bouchard, C., Shephard, R. J., & Stephens, T. (1994). The consensus statement. In C. Bouchard, R. J. Shephard, & T. Stephens (Eds.), *Physical activity, fitness, and health: International proceedings and consensus statement* (pp. 9–76). Champaign, IL: Human Kinetics.
- Bradley, C. B., McMurray, R. G., Harrell, J. S., & Deng, S. (2000). Changes in common activities of 3rd through 10th grades: the CHIC Study. *Medicine and Science in Sports and Exercise*, 32(12), 2071–2078.
- Brage, S., Brage, N., Franks, P. W., Ekelund, U., & Wareham, N. J. (2005). Reliability and validity of the combined heart rate and movement sensor Actiheart. *European Journal of Clinical Nutrition*, 59(4), 561–570.
- Brage, S., Brage, N., Franks, P. W., Ekelund, U., Wong, M. Y., Andersen, L. B., Froberg, K., & Wareham, N. J. (2004). Branched equation modeling of simultaneous accelerometry and heart rate monitoring improves estimate of directly measured physical activity energy expenditure. *Journal of Applied Physiology*, 96(1), 343–351.
- Branca, F., Nikogosian, H., & Lobstein, T. (Eds.). (2007). *The challenge of obesity in the WHO European region and the strategies for response: Summary*. Copenhagen: WHO Regional Office for Europe.
- Bray, M. S., Morrow, J. R. Jr., Pivarnik, J. M., & Bricker, J. T. (1992). Caltrac validity for estimating caloric expenditure with children. *Pediatric Exercise Science*, 4(2), 166–179.
- Bray, M. S., Wong, W. W., Morrow, J. R., Jr., Butte, N. F., & Pivarnik, J. M. (1994). Caltrac versus calorimeter determination of 24-h energy expenditure in female children and adolescents. *Medicine and Science in Sports and Exercise*, 26(12), 1524–1530.
- Brockman, R., Jago, R., & Fox, K. R. (2010). The contribution of active play to the physical activity of primary school children. *Preventive Medicine*, 51(2), 144–147.

- Brownson, R. C., Chang, J. J., Eyster, A. A., Ainsworth, B. E., Kirtland, K. A., Saelens, B. E., & Sallis, J. F. (2004). Measuring the environment for friendliness toward physical activity: A comparison of the reliability of 3 questionnaires. *American Journal of Public Health, 94*(3), 473–483.
- Bub, K. L., McCartney, K., & Willett, J. B. (2007). Behavior problem trajectories and first-grade cognitive ability and achievement skills: A latent growth curve analysis. *Journal of Educational Psychology, 99*(3), 653–670.
- Bull, F. C., Maslin, T. S., & Armstrong, T. (2009). Global physical activity questionnaire (GPAQ): Nine country reliability and validity study. *Journal of Physical Activity and Health, 6*(6), 790–804.
- Burdette, H. L., & Whitaker, R. C. (2005). A national study of neighborhood safety, outdoor play, television viewing, and obesity in preschool children. *Pediatrics, 116*(3), 657–662.
- Burkam, D. T., Michaels, D. L., & Lee, V. E. (2007). School grade span and kindergartens learning. *Elementary School Journal, 107*(3), 287–303.
- Campbell, K. L., Crocker, P. R. E., & McKenzie, D. C. (2002). Field evaluation of energy expenditure in women using Tritrac accelerometers. *Medicine and Science in Sports and Exercise, 34*(10), 1667–1674.
- Cardon, G., & De Bourdeaudhuij, I. (2007). Comparison of pedometer and accelerometer measures of physical activity in preschool children. *Pediatric Exercise Science, 19*(2), 205–214.
- Carpensen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical activity, exercise, and physical fitness: Definition and distinctions for health-related research. *Public Health Reports, 100*(2), 126–131.
- Cavill, N., Biddle, S., & Sallis, J. F. (2001). Health enhancing physical activity for young people: Statement of the United Kingdom Expert Consensus Conference. *Pediatric Exercise Science, 13*(1), 12–25.
- Cavill, N., Kahlmeier, S., & Racioppi, F. (Eds.). (2006). *Physical activity and health in Europe: Evidence for action*. Copenhagen: WHO Regional Office for Europe.
- Cerin, E., Saelens, B. E., Sallis, J. F., & Frank, L. D. (2006). Neighborhood environment walkability scale: Validity and development of a short form. *Medicine and Science in Sports and Exercise, 38*(9), 1682–1691.
- Clemes, S. A., Matchett, N., & Wane, S. L. (2008). Reactivity: An issue for short-term pedometer studies? *British Journal of Sports Medicine, 42*(1), 68–70.

- Cohen, J. (1988). *Statistical power analysis for the behavioral science* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Cooper, A. R., Wedderkopp, N., Wang, H., Andersen, L. B., Froberg, K., & Page, A. S. (2006). Active travel to school and cardiovascular fitness in danish children and adolescent. *Medicine and Science in Sports and Exercise, 38*(10), 1724–1731.
- Corbin, C. B. (2002). Physical activity for everyone: What every physical educator should know about promoting lifelong physical activity. *Journal of Teaching in Physical Education, 21*(2), 128–144.
- Corder, K., Brage, S., Mattocks, C., Ness, A., Riddoch, C., Wareham, N. J., & Ekelund, U. (2007). Comparison of two methods to assess PAEE during six activities in children. *Medicine and Science in Sports and Exercise, 39*(12), 2180–2188.
- Corder, K., Ekelund, U., Steele, R. M., Wareham, N. J., & Brage, S. (2008). Assessment of physical activity in youth. *Journal of Applied Physiology, 105*(3), 977–987.
- Cortina, M. A., Kahn, K., Fazel, M., Hlungwani, T., Tollman, S., Bhana, A., Prothrow-Stith, D., & Stein, A. (2008). School-based interventions can play a critical role in enhancing children's development and health in the developing world. *Child: Care, Health and Development, 34*(1), 1–3.
- Cortina, J. M., & Nouri, H. (2000). *Effect size for ANOVA design*. Thousand Oaks, CA: Sage.
- Cothran, D., Kulinna, P. H., & Ward, E. (2000). Students' experiences with and perceptions of teaching styles. *Journal of Research and Development in Education, 34*(1), 93–103.
- Cottrell, L., Spangler-Murphy, E., Minor, V., Downes, A., Nicholson, P., & William, A. N. (2005). A kindergarten cardiovascular risk surveillance study: CARDIAC-Kinder. *American Journal of Health Behavior, 29*(6), 595–606.
- Cradock, A. L., Wiecha, J. L., Peterson, K. E., Sobol, A. M., Colditz, G. A., & Gortmaker, S. L. (2004). Youth recall and Tritrac accelerometer estimates of physical activity levels. *Medicine and Science in Sports and Exercise, 36*(3), 525–532.
- Craig, C. L., Marshall, A. L., Sjöström, M., Bauman, A. E., Booth, M. L., Ainsworth, B. E., Pratt, U., Ekelund, U., Yngve, A., Sallis, J. F., & Oja, P. (2003). International physical activity questionnaire: 12-country reliability and validity. *Medicine and Science in Sports and Exercise, 35*(8), 1381–1395.
- Craig, S. B., Bandini, L. G., Lichtenstein, A. H., Schaefer, E. J., & Dietz, W. H. (1996). The impact of physical activity on lipids, lipoproteins, and blood pressure in preadolescent girls. *Pediatrics, 98*(3), 389–395.

- Crocker, P. R. E., Eklund, R. C., & Kowalski, K. C. (2000). Children's physical activity and physical self-perceptions. *Journal of Sport Sciences, 18*(6), 383–394.
- Crocker, P. R. E., Holowachuk, D. R., & Kowalski, K. C. (2001). Feasibility of using the Tritrac motion sensor over a 7-day trial with older children. *Pediatric Exercise Science, 13*(1), 70–81.
- Crouter, S. E., Schneider, P. L., Karabulut, M., & Bassett, D. R. Jr. (2003). Validity of 10 electronic pedometers for measuring steps, distance, and energy cost. *Medicine and Science in Sports and Exercise, 35*(8), 1455–1460.
- Čáp, J., & Mareš, J. (2001). *Psychologie pro učitele* (2nd ed). Praha: Portál.
- Daley, J. A. (2002). School based physical activity in the United Kingdom: Can it create physically active adults? *Quest, 54*(1), 21–33.
- Damsgaard, R., Bencke, J., Matthiesen, G., Petersen, J. H., & Müller, J. (2000). Is prepubertal growth adversely affected by sport? *Medicine and Science in Sports and Exercise, 32*(10), 1698–1703.
- Danner, N. M., DeWalt, K., McFadden, M., & Kotchen, J. M. (1990). The measurement of physical activity in young children. *Research Quarterly for Exercise and Sport, 61*(2), 146–153.
- Datar, A., & Sturm, R. (2004). Physical education in elementary school and body mass index: Evidence from the Early Childhood Longitudinal Study. *American Journal of Public Health, 94*(9), 1501–1506.
- De Bourdeaudhuij, I., Sallis, J. F., & Saelens, B. E. (2003). Environmental correlates of physical activity in a sample of Belgian adults. *American Journal of Health Promotion, 18*(1), 83–92.
- De Vries, S. I., Bakker, I., Hopman-Rock, M., Hirasing, R. A., & Van Mechelen, W. (2006). Clinimetric review of motion sensors in children and adolescents. *Journal of Clinical Epidemiology, 59*(7), 670–680.
- De Vries, S. I., Van Hirtum, H. W. J. E. M., Bakker, I., Hopman-Rock, M., Hirasing, R. A., & Van Mechelen, W. (2009). Validity and reproducibility of motion sensors in youth: A systematic update. *Medicine and Science in Sports and Exercise, 41*(4), 818–827.
- Dencker, M., Thorsson, O., Karlsson, M. K., Lindén, C., Svensson, J., Wollmer P., & Andersen, L. B. (2006). Daily physical activity and its relation to aerobic fitness in children aged 8-11 years. *European Journal of Applied Physiology, 96*(5), 587–592.

- Deng, H. B., Macfarlane, D. J., Thomas, G. N., Lao, X. Q., Jiang, C. Q., Cheng, K. K., & Lam, T. H. (2008). Reliability and validity of the IPAQ-Chinese: The Guangzhou Biobank Cohort Study. *Medicine and Science in Sports and Exercise*, *40*(2), 303–307.
- Dennison, B. A., Erb, T. A., & Jenkins, P. L. (2002). Television viewing and television in bedroom associated with overweight risk among low-income preschool children. *Pediatrics*, *109*(6), 1028–1035.
- DeVoe, D., & Dalleck, L. (2001). Validity of the Tritrac-R3D accelerometer during backpacking: A case study. *Perceptual and Motor Skills*, *93*(1), 37–46.
- DiPietro, L. (2007). Physical activity, fitness, and aging. In C. Bouchard, S. N. Blair, & W. L. Haskell (Eds.), *Physical activity and health* (pp. 271–285). Champaign, IL: Human Kinetics.
- Dishman, R. K., & Buckworth, J. (1996). Increasing physical activity: A quantitative synthesis. *Medicine and Science in Sports and Exercise*, *28*(6), 706–719.
- Dobry, L. (2007). Změna činnosti učitele je hlavní podmínkou úspěchu naší školské reformy. *Tělesná Výchova a Sport Mládeže*, *73*(3), 8–15.
- Donnelly, J. E., Blair, S. N., Jakicic, J. M., Manore, M. M., Rankin, J. W., & Smith, B. K. (2009). Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Medicine and Science in Sports and Exercise*, *41*(2), 459–471.
- Dowda, M., Pate, R. R., Trost, S. G., Almeida, M. J. C. A., & Sirard, J. R. (2004). Influences of preschool policies and practices on children's physical activity. *Journal of Community Health*, *29*(3), 183–196.
- Duffková, J., Urban, L., & Dubský, J. (2008). *Sociologie životního stylu*. Plzeň: Aleš Čeněk.
- Dwyer, T. J., Alison, A. J., McKeough, Z. J., Elkins, M. R., & Bye, P. T. P. (2009). Evaluation of the SenseWear activity monitor during exercise in cystic fibrosis and in health. *Respiratory Medicine*, *103*(10), 1511–1517.
- Eisenmann, J. C., Strath, S. J., Shadrick, D., Rigsby, P., Hirsch, N., & Jacobson, L. (2004). Validity of uniaxial accelerometer during activities of daily living in children. *European Journal of Applied Physiology*, *91*(2-3), 259–263.
- Ekelund, U., Sepp, H., Brage, S., Becker, W., Jakes, R., Hennings, M., & Wareham, N. J. (2006). Criterion-related validity of the 7-day, short form of the international physical activity questionnaire in Swedish adults. *Public Health Nutrition*, *9*(2), 258–265.
- Emons, H. J. G., Groenenboom, D. C., Westerterp, K. R., & Saris, W. H. M. (1992). Comparison of heart rate monitoring combined with indirect calorimetry and the doubly

- labelled water ($^2\text{H}_2^{18}\text{O}$) method for the measurement of energy expenditure in children. *European Journal of Applied Physiology and Occupational Physiology*, 65(2), 99–103.
- Eston, R. G., Rowlands, A. V., & Ingledew, D. K. (1998). Validity of heart rate, pedometry, and accelerometry for predicting the energy cost of children's activities. *Journal of Applied Physiology*, 84(1), 362–371.
- European Commission Sport (2008). *EU physical activity guidelines. Recommended policy actions in support of health-enhancing physical activity*. Brussels: European Commission Sport.
- Eyler, A. A., Brownson, R. C., Bacak, S. J., & Housemann, R. A. (2003). The epidemiology of walking for physical activity in the United States. *Medicine and Science in Sports and Exercise*, 35(9), 1529–1536.
- Fairclough, S. J., Butcher, Z. H., & Stratton, G. (2007). Whole-day and segmented-day physical activity variability of northwest england school children. *Preventive Medicine*, 44(5), 421–425.
- Faulkner, G. E. J., Buliung, R. N., Flora, P. K., Fusco, C. (2009). Active school transport, physical activity levels and body weight of children and youth: A systematic review. *Preventive Medicine*, 48(1), 3–8.
- Ferjenčík, J. (2000). *Úvod do metodologie psychologického výzkumu: Jak zkoumat lidskou duši* (P. Bakalář, Trans.). Praha: Portál.
- Fernandes, M., & Sturm, R. (2010). Facility provision in elementary schools: Correlates with physical education, recess, and obesity. *Preventive Medicine*, 50(1 Suppl.), S30–S35.
- Ferrer-Caja, E., & Weiss, M. R. (2000). Predictors of intrinsic motivation among adolescent students in physical education. *Research Quarterly for Exercise and Sport*, 71(3), 267–279.
- Finn, K., Johannsen, N., & Specker, B. (2002). Factors associated with physical activity in preschool children. *Journal of Pediatrics*, 140(1), 81–85.
- Fisher, A., Reilly, J. J., Montgomery, C., Kelly, L., Williamson, A., Jackson, D. M., Paton, J. Y., & Grant, S. (2005). Seasonality in physical activity and sedentary behaviour in young children. *Pediatric Exercise Science*, 17(1), 31–40.
- Fogelholm, M., Malmberg, J., Suni, J., Santtila, M., Kyröläinen, H., Mäntysaari, M., & Pekka, O. (2006). International physical activity questionnaire: Validity against fitness. *Medicine and Science in Sports and Exercise*, 38(4), 753–760.
- Fogelholm, M., Rankinen, T., Isokääntä, M., Kujala, U., & Uusitupa, M. (2000). Growth, dietary intake, and trace element status in pubescent athletes and schoolchildren. *Medicine and Science in Sports and Exercise*, 32(4), 738–746.