

9. REFERENČNÍ SEZNAM

- Achten, J., & Jeukendrup, A. (2003). Heart rate monitoring. *Sports Medicine*, 33(7), 517-538. doi: 10.2165/00007256-200333070-00004
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J., O'Brien, W. L., Bassett, D. R., Jr., Schmitz, K. H., Emplaincourt, P. O., Jacobs, D. R. J., & Leon, A. S. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise*, 32(9 Supplement), S498-S516. doi: 10.1097/00005768-200009001-00009
- Ainsworth, B. E., Macera, C. A., Jones, D. A., Reis, J. P., Addy, C. L., Bowles, H. R., & Kohl, H. W., III. (2006). Comparison of the 2001 BRFSS and the IPAQ Physical Activity Questionnaires. *Medicine and Science in Sports and Exercise*, 38(9), 1584-1592. doi: 10.1249/01.mss.0000229457.73333.9a
- Aljadhey, H. (2012). Physical inactivity as a predictor of high prevalence of hypertension and health expenditures in the United States: A cross-sectional study. *Tropical Journal of Pharmaceutical Research*, 11(6), 983-990. doi: 10.4314/tjpr.v11i6.16
- Allison, K. R., Adlaf, E. M., Dwyer, J. J. M., Lysy, D. C., & Irving, H. M. (2007). The decline in physical activity among adolescent students. *Canadian Journal of Public Health*, 98(2), 97-100.
- American College of Sports Medicine. (1975). *Guidelines for graded exercise testing and exercise prescription*. Philadelphia, PA: Lea & Febiger.
- American College of Sports Medicine. (1978). Position statement on the recommended quantity and quality of exercise for developing and maintaining fitness in healthy adults. *Medicine and Science in Sports*, 10(3), vii-x.
- American College of Sports Medicine. (1988). American college of sports medicine opinion statement on physical fitness in children and youth. *Medicine and Science in Sports and Exercise*, 20(4), 422-423.
- Anderson, D. R., Burnham, K. P., & Thompson, W. L. (2000). Null hypothesis testing: Problems, prevalence, and an alternative. *The Journal of Wildlife Management*, 64(4), 912-923. doi: 10.2307/3803199
- Anderson, S. B. (2004). *Serving older teens*. Westport: Libraries Unlimited.
- Angelopoulos, P. D., Millionis, H. J., Grammatikaki, E., Moschonis, G., & Manios, Y. (2009). Changes in BMI and blood pressure after a school based intervention: The

- CHILDREN study. *European Journal of Public Health*, 19(3), 319-325. doi: 10.1093/eurpub/ckp004
- Aoyagi, Y., & Shephard, R. J. (2009). How many days of pedometer monitoring are needed? [Special communication]. *Medicine and Science in Sports and Exercise*, 41(3), 734. doi: 10.1249/MSS.0b013e181914ab5
- Araujo, T. L., Matsudo, S. M. M., & Matsudo, V. K. (2005). Comparison of physical activity level using two international physical activity questionnaires: GPAQ and IPAQ [Abstract]. *Medicine and Science in Sports and Exercise*, 37(5 Supplement), S111. doi: 10.1097/00005768-200505001-00577
- Armstrong, N., & Welsman, J. R. (2006). The physical activity patterns of European youth with reference to methods of assessment. *Sports Medicine*, 36(12), 1067-1086. doi: 10.2165/00007256-200636120-00005
- Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). *Journal of Public Health*, 14(2), 66-70. doi: 10.1007/s10389-006-0024-x
- Atkinson, G., & Nevill, A. M. (1998). Statistical methods for assessing measurement error (reliability) in variables relevant to sports medicine. *Sports Medicine*, 26(4), 217-238. doi: 10.2165/00007256-199826040-00002
- Azevedo, M. R., Araújo, C. L., Da Silva, M. C., & Hallal, P. C. (2007). Tracking of physical activity from adolescence to adulthood: A population-based study. *Revista de Saude Publica*, 41(1), 69-75. doi: 10.1590/S0034-89102007000100010
- Babey, S. H., Hastert, T. A., & Wolstein, J. (2013). Adolescent sedentary behaviors: correlates differ for television viewing and computer use. *Journal of Adolescent Health*, 52(1), 70-76. doi: 10.1016/j.jadohealth.2012.05.001
- Baceviciene, M., Luksiene, D. I., Cesnaitiene, V. J., Raubaite, S., Peasey, A., & Tamosiunas, A. (2013). Dose-response association between physical activity and metabolic syndrome. *Central European Journal of Medicine*, 8(2), 273-282. doi: 10.2478/s11536-012-0123-8
- Bailey, D. P., Fairclough, S. J., Savory, L. A., Denton, S. J., Pang, D., Deane, C. S., & Kerr, C. J. (2012). Accelerometry-assessed sedentary behaviour and physical activity levels during the segmented school day in 10–14-year-old children: The HAPPY study. *European Journal of Pediatrics*, 171(12), 1805-1813. doi: 10.1007/s00431-012-1827-0

- Baranowski, T. O. M., Masse, L. C., Ragan, B., & Welk, G. (2008). How many days was that? We're still not sure, but we're asking the question better! *Medicine and Science in Sports and Exercise*, 40(7 Supplement 4), S544-S549. doi: 10.1249/MSS.0b013e31817c6651
- Bassett, D. R., Jr, & John, D. (2010). Use of pedometers and accelerometers in clinical populations: Validity and reliability issues. *Physical Therapy Reviews*, 15(3), 135-142.
- Bassett, D. R., Jr. (2000). Validity and reliability issues in objective monitoring of physical activity. *Research Quarterly for Exercise and Sport*, 71(2), 30-36.
- Bassett, D. R., Jr., Ainsworth, B. E., Leggett, S. R., Mathien, C. A., Main, J. A., Hunter, D. C., & Duncan, G. E. (1996). Accuracy of five electronic pedometers for measuring distance walked. *Medicine and Science in Sports and Exercise*, 28(8), 1071-1077. doi: 10.1097/00005768-199608000-00019
- Basterfield, L., Adamson, A. J., Frary, J. K., Parkinson, K. N., Pearce, M. S., & Reilly, J. J. (2011). Longitudinal study of physical activity and sedentary behavior in children. *Pediatrics*, 127(1), e24-e30. doi: 10.1542/peds.2010-1935
- Basterfield, L., Adamson, A. J., Parkinson, K. N., Maute, U., Li, P. X., Reilly, J. J., & Team, t. G. M. S. C. (2008). Surveillance of physical activity in the uk is flawed: Validation of the Health survey for England physical activity questionnaire. *Archives of Disease in Childhood*, 93(12), 1054-1058. doi: 10.1136/adc.2007.135905
- Bauman, A., Ainsworth, B. E., Sallis, J. F., Hagströmer, M., Craig, C. L., Bull, F. C., Pratt, M., Venugopal, K., Chau, J., & Sjöström, M. (2011). The descriptive epidemiology of sitting: A 20-country comparison using the International Physical Activity Questionnaire (IPAQ). *American Journal of Preventive Medicine*, 41(2), 228-235. doi: 10.1016/j.amepre.2011.05.003
- Bauman, A., Phongsavan, P., Schoeppe, S., & Owen, N. (2006). Physical activity measurement - a primer for health promotion. *Promotion and Education*, 13(2), 92-103. doi: 10.1177/10253823060130020103
- Bauman, A. E., Sallis, J. F., Dzewaltowski, D. A., & Owen, N. (2002). Toward a better understanding of the influences on physical activity: The role of determinants, correlates, causal variables, mediators, moderators, and confounders. *American Journal of Preventive Medicine*, 23(2), 5-14. doi: 10.1016/S0749-3797(02)00469-5

- Becker, W., Lyhne, N., Pedersen, A. N., Aro, A., Fogelholm, M., Phósdottir, I., Alexander, J., Anderssen, S. A., Meltzer, H. M., & Pedersen, J. I. (2004). Nordic nutrition recommendations 2004 - integrating nutrition and physical activity. *Scandinavian Journal of Nutrition, 48*(4), 178-187.
- Beets, M. W., Bornstein, D., Beighle, A., Cardinal, B. J., & Morgan, C. F. (2010). Pedometer-measured physical activity patterns of youth: A 13-country review. *American Journal of Preventive Medicine, 38*(2), 208-216. doi: 10.1016/j.amepre.2009.09.045
- Beighle, A., Alderman, B., Morgan, C., F., & LeMasurier, G. (2008). Seasonality in children's pedometer-measured physical activity levels. *Research Quarterly for Exercise and Sport, 79*(2), 256-260. doi: 10.1080/02701367.2008.10599488
- Bélanger, M., Gray-Donald, K., O'Loughlin, J., Paradis, G., & Hanley, J. (2009a). Influence of weather conditions and season on physical activity in adolescents. *Annals of Epidemiology, 19*(3), 180-186. doi: 10.1016/j.annepidem.2008.12.008
- Bélanger, M., Gray-Donald, K., O'Loughlin, J., Paradis, G., & Hanley, J. (2009b). When adolescents drop the ball: Sustainability of physical activity in youth. *American Journal of Preventive Medicine, 37*(1), 41-49. doi: 10.1016/j.amepre.2009.04.002
- Bell, R. Q. (1953). Convergence: An accelerated longitudinal approach. *Child Development, 24*(2), 145-152.
- Bělohlávek, R., Sigmund, E., & Zaczal, J. (2011). Evaluation of IPAQ questionnaires supported by formal concept analysis. *Information Sciences, 181*(3), 1774-1786. doi: 10.1016/j.ins.2010.04.011
- Berghofer, A., Pischon, T., Reinhold, T., Apovian, C., Sharma, A., & Willich, S. (2008). Obesity prevalence from a European perspective: A systematic review. *BMC Public Health, 8*(1), 200. doi: 10.1186/1471-2458-8-200
- Bertrais, S., Preziosi, P., Mennen, L., Galan, P., Hercberg, S., & Oppert, J. M. (2004). Sociodemographic and geographic correlates of meeting current recommendations for physical activity in middle-aged French adults: The supplementation en vitamines et minéraux antioxydants (SUVIMAX) study. *American Journal of Public Health, 94*(9), 1560-1566. doi: 10.2105/ajph.94.9.1560
- Bethel, J., Green, J. L., Nord, C., Kalton, G., & West, J. (2005). *Early childhood longitudinal study, birth cohort (ECLS-B): Methodology report for the 9-month data collection (2001-02)*. Washington, DC: National Center for Education Statistics.

- Biddle, S., Sallis, J. F., & Cavill, N. A. (Eds.). (1998). *Young and active? Young people and health enhancing physical activity: Evidence and implications*. London: Health Education Authority.
- Biddle, S. J. H., & Asare, M. (2011). Physical activity and mental health in children and adolescents: A review of reviews. *British Journal of Sports Medicine, 45*(11), 886-895. doi: 10.1136/bjsports-2011-090185
- Biddle, S. J. H., Brehm, W., Verheijden, M., & Hopman-Rock, M. (2012). Population physical activity behaviour change: A review for the European College of Sport Science. *European Journal of Sport Science, 12*(4), 367-383. doi: 10.1080/17461391.2011.635700
- Biddle, S. J. H., & Mutrie, N. (2008). *Psychology of physical activity: Determinants, well-being and interventions* (2nd ed.). New York, NY: Routledge.
- Biddle, S. J. H., & Nigg, C. R. (2000). Theories of exercise behavior. *International Journal of Sport Psychology, 31*(2), 290-304.
- Blahuš, P. (2000). Statistická významnost proti vědecké průkaznosti výsledků výzkumů. *Česká kinantropologie, 4*(2), 53-71.
- Boreham, C., & Riddoch, C. (2001). The physical activity, fitness and health of children. *Journal of Sports Sciences, 19*(12), 915-929. doi: 10.1080/026404101317108426
- Borenstein, M. (1997). Hypothesis testing and effect size estimation in clinical trials. *Annals of Allergy, Asthma and Immunology, 78*(1), 5-16.
- Bouchard, C., Shephard, R., & Stephens, T. (1994). *Physical activity, fitness, and health: International proceedings and consensus statement*. Champaign, IL: Human Kinetics.
- Bouchard, C., Shephard, R., Stephens, T., Sutton, J., & McPherson, B. (1990). *Exercise, fitness and health: The consensus of current knowledge*. Champaign, IL: Human Kinetics.
- Boyd, A., Golding, J., Macleod, J., Lawlor, D. A., Fraser, A., Henderson, J., Molloy, L., Ness, A., Ring, S., & Davey Smith, G. (2013). Cohort profile: The 'children of the 90s'—the index offspring of the Avon longitudinal study of parents and children. *International Journal of Epidemiology, 42*(1), 111-127. doi: 10.1093/ije/dys064
- Brace, I. (2004). *Questionnaire design*. London: Kogan Page.

- Branca, F., Nikogosian, H., & Lobstein, T. (Eds.). (2007). *The challenge of obesity in the WHO European Region and the strategies for response: Summary*. Copenhagen: WHO Regional Office for Europe.
- Brooke, H. L., Corder, K., Griffin, S. J., & van Sluijs, E. M. F. (2014). Physical activity maintenance in the transition to adolescence: A longitudinal study of the roles of sport and lifestyle activities in British youth. *PLoS ONE*, *9*(2), e89028. doi: 10.1371/journal.pone.0089028
- Brug, J., te Velde, S. J., Chinapaw, M. J., Bere, E., De Bourdeaudhuij, I., Moore, H., Maes, L., Jensen, J., Manios, Y., & Lien, N. (2010). Evidence-based development of school-based and family-involved prevention of overweight across Europe: The ENERGY-project's design and conceptual framework. *BMC Public Health*, *10*(1), 276. doi: 10.1186/1471-2458-10-276
- Brug, J., van Stralen, M. M., te Velde, S. J., Chinapaw, M. J. M., De Bourdeaudhuij, I., Lien, N., Bere, E., Maskini, V., Singh, A. S., Maes, L., Moreno, L., Jan, N., Kovacs, E., Lobstein, T., & Manios, Y. (2012). Differences in weight status and energy-balance related behaviors among schoolchildren across Europe: The ENERGY-Project. *PLoS ONE*, *7*(4), e34742. doi: 10.1371/journal.pone.0034742
- Brusseau, T. A., Tudor-Locke, C., & Kulinna, P. H. (2013). Are children meeting any of the suggested daily step recommendations? *Biomedical Human Kinetics*, *5*(1), 11-16.
- Bucksch, J., Inchley, J., Hamrik, Z., Finne, E., & Kolip, P. (2014). Trends in television time, non-gaming PC use and moderate-to-vigorous physical activity among German adolescents 2002-2010. *BMC Public Health*, *14*(1), 351. doi: 10.1186/1471-2458-14-351
- Bucksch, J., Sigmundová, D., Kalman, M., Hamrik, Z., & Inchley, J. (submitted). International temporal trends in screen time from 2002 to 2010 among adolescents – findings from the cross-national HBSC study. *International Journal of Behavioral Nutrition and Physical Activity*.
- Bucksch, J., Sigmundová, D., Kalman, M., Hamrik, Z., & Inchley, J. (2014, 21-24 May). *International temporal trends in screen time from 2002 to 2010 among adolescents - findings from the cross-national HBSC study*. Paper presented at the International Society of Behavioral Nutrition and Physical Activity: Advancing behavior change science, San Diego, California.