

### 13 REFERENČNÍ SEZNAM

- ActiGraph. (2016). What are counts? Retrieved September 24, 2017, from [https://actigraph.desk.com/customer/en/portal/articles/2515580-what-are-counts-](https://actigraph.desk.com/customer/en/portal/articles/2515580-what-are-counts)
- Adamo, K. B., Prince, S. A., Tricco, A. C., Connor-Gorber, S., & Tremblay, M. S. (2009). A comparison of indirect versus direct measures for assessing physical activity in the pediatric population: A systematic review. *International Journal of Pediatric Obesity*, 4(1), 2–27. <https://doi.org/10.1080/17477160802315010>
- Adams, M. A., Caparosa, S., Thompson, S., & Norman, G. J. (2009). Translating physical activity recommendations for overweight adolescents to steps per day. *American Journal of Preventive Medicine*, 37(2), 137–140. <https://doi.org/doi:10.1016/j.amepre.2009.03.016>
- Acharya, U. R., Joseph, K. P., Kannathal, N., Lim, C. M., & Suri, J. S. (2006). Heart rate variability: A review. *Medical and Biological Engineering and Computing*, 44(12), 1031–1051. <https://doi.org/10.1007/s11517-006-0119-0>
- Ainsworth, B. E., Cahalin, L., Buman, M., & Ross, R. (2015). The current state of physical activity assessment tools. *Progress in Cardiovascular Diseases*, 57(4), 387–395. <https://doi.org/10.1016/j.pcad.2014.10.005>
- Ainsworth, B. E., Haskell, W. L., Herrmann, S. D., Meckes, N., Bassett, D. R., Tudor-Locke, C. E., ... Leon, A. S. (2011). 2011 Compendium of physical activities: A second update of codes and MET values. *Medicine and Science in Sports and Exercise*, 43(8), 1575–1581. <https://doi.org/10.1249/MSS.0b013e31821ece12>
- Aittasalo, M., Vähä-Ypyä, H., Vasankari, T., Husu, P., Jussila, A. M., & Sievänen, H. (2015). Mean amplitude deviation calculated from raw acceleration data: A novel method for classifying the intensity of adolescents' physical activity irrespective of accelerometer brand. *BMC Sports Science, Medicine and Rehabilitation*, 7(1), 18. <https://doi.org/10.1186/s13102-015-0010-0>
- American College of Cardiology. (2017). Wrist-worn heart rate monitors less accurate than standard chest strap: Accuracy varies by device, activity type, exercise activity. ScienceDaily. Retrieved September 8, 2017, from <http://www.sciencedaily.com/releases/2017/03/170308145327.htm>
- Audrey, S., Procter, S., & Cooper, A. R. (2014). The contribution of walking to work to adult physical activity levels: a cross sectional study. *International Journal of*

*Behavioral Nutrition and Physical Activity*, 11, 37. <https://doi.org/10.1186/1479-5868-11-37>

Aughey, R. J. (2011). Applications of GPS technologies to field sports. *International Journal of Sports Physiology and Performance*, 6(3), 295–310.

<https://doi.org/10.1123/ijsp.6.3.295>

Bai, J., Di, C., Xiao, L., Evenson, K. R., LaCroix, A. Z., Crainiceanu, C. M., & Buchner, D. M. (2016). An activity index for raw accelerometry data and its comparison with other activity metrics. *PLOS ONE*, 11(8), e0160644.

<https://doi.org/10.1371/journal.pone.0160644>

Bai, J., He, B., Shou, H., Zipunnikov, V., Glass, T. A., & Crainiceanu, C. M. (2014). Normalization and extraction of interpretable metrics from raw accelerometry data. *Biostatistics*, 15(1), 102–116. <https://doi.org/10.1093/biostatistics/kxt029>

Bai, Y., Welk, G. J., Nam, Y. H., Lee, J. A., Lee, J. M., Kim, Y., ... Dixon, P. M. (2016). Comparison of consumer and research monitors under semistructured settings. *Medicine & Science in Sports & Exercise*, 48(1), 151–158.

<https://doi.org/10.1249/MSS.0000000000000727>

Bakrania, K., Yates, T., Rowlands, A. V., Esliger, D. W., Bunnewell, S., Sanders, J., ... Edwardson, C. L. (2016). Intensity thresholds on raw acceleration data: Euclidean Norm Minus One (ENMO) and Mean Amplitude Deviation (MAD) approaches.

*PLOS ONE*, 11(10), e0164045. <https://doi.org/10.1371/journal.pone.0164045>

Barreira, T. V., Brouillette, R. M., Foil, H. C., Keller, J. N., & Tudor-Locke, C. E. (2013). Comparison of older adults' steps per day using an NL-1000 pedometer and two GT3X+ accelerometer filters. *Journal of Aging and Physical Activity*,

21(4), 402–416. <https://doi.org/10.1016/j.jsams.2012.11.713>

Barreira, T. V., Tudor-Locke, C. E., Champagne, C. M., Broyles, S. T., Johnson, W. D., & Katzmarzyk, P. T. (2013). Comparison of GT3X accelerometer and YAMAX pedometer steps/day in a free-living sample of overweight and obese adults.

*Journal of Physical Activity and Health*, 10(2), 263–270.

<https://doi.org/10.1123/jpah.10.2.263>

Beckers, F., Ramaekers, D., & Aubert, A. E. (2002). Gender-related differences in nonlinear indices of heart rate variability. *Ingenieria Electronica, Automatica Y Comunicaciones*, 23(1), 45–49.

Bonomi, A. G., Goris, A. H. C., Yin, B., & Westerterp, K. R. (2009). Detection of type, duration, and intensity of physical activity using an accelerometer. *Medicine &*

- Science in Sports & Exercise*, 41(9), 1770–1777.  
<https://doi.org/10.1249/MSS.0b013e3181a24536>
- Brage, S., Brage, N., Franks, P. W., Ekelund, U., Wong, M. Y., Andersen, L. B., ... Wareham, N. J. (2004). Branched equation modeling of simultaneous accelerometry and heart rate monitoring improves estimate of directly measured physical activity energy expenditure. *Journal of Applied Physiology*, 96(1), 343–351. <https://doi.org/10.1152/jappphysiol.00703.2003>
- Brønd, J. C., & Arvidsson, D. (2016). Sampling frequency affects the processing of Actigraph raw acceleration data to activity counts. *Journal of Applied Physiology*, 120(3), 362–369. <https://doi.org/10.1152/jappphysiol.00628.2015>
- Buchowski, M. S. (2014). Doubly labeled water is a validated and verified reference standard in nutrition research. *The Journal of Nutrition*, 144(5), 573–574. <https://doi.org/10.3945/jn.114.191361>
- Bussmann, J. B. J., & van den Berg-Emons, R. J. G. (2013). To total amount of activity..... and beyond: Perspectives on measuring physical behavior. *Frontiers in Psychology*, 4(6), 1–6. <https://doi.org/10.3389/fpsyg.2013.00463>
- Butte, N. F., Ekelund, U., & Westerterp, K. R. (2012). Assessing physical activity using wearable monitors: Measures of physical activity. *Medicine & Science in Sports & Exercise*, 44(Suppl 1), S5–S12. <https://doi.org/10.1249/MSS.0b013e3182399c0e>
- Butte, N. F., Watson, K. B., Ridley, K., Zakeri, I. F., McMurray, R. G., Pfeiffer, K. A., ... Fulton, J. E. (2017). A youth compendium of physical activities: Activity codes and metabolic intensities. *Medicine & Science in Sports & Exercise*, 1. <https://doi.org/10.1249/MSS.0000000000001430>
- Cain, K. L., Sallis, J. F., Conway, T. L., Van Dyck, D., & Calhoun, L. (2013). Using accelerometers in youth physical activity studies: A review of methods. *Journal of Physical Activity and Health*, 10(3), 437–450. <https://doi.org/10.1123/jpah.10.3.437>
- Carson, V., Tremblay, M. S., Chaput, J. P., & Chastin, S. F. M. (2016). Associations between sleep duration, sedentary time, physical activity, and health indicators among Canadian children and youth using compositional analyses. *Applied Physiology, Nutrition, and Metabolism*, 41(6 (Suppl. 3)), S294–S302. <https://doi.org/10.1139/apnm-2016-0026>
- Caspersen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical activity, exercise, and physical fitness: Definitions and distinctions for health-related

- research. *Public Health Reports*, 100(2), 126–131.
- Clemes, S. A., & Parker, R. A. A. (2009). Increasing our understanding of reactivity to pedometers in adults. *Medicine & Science in Sports & Exercise*, 41(3), 674–680. <https://doi.org/10.1249/MSS.0b013e31818cae32>
- Commissaris, D. A., Huysmans, M. A., Mathiassen, S. E., Srinivasan, D., Koppes, L. L., & Hendriksen, I. J. (2016). Interventions to reduce sedentary behavior and increase physical activity during productive work: A systematic review. *Scandinavian Journal of Work, Environment & Health*, 42(3), 181–191. <https://doi.org/10.5271/sjweh.3544>
- Corder, K., van Sluijs, E. M. F., Wright, A., Whincup, P., Wareham, N. J., & Ekelund, U. (2009). Is it possible to assess free-living physical activity and energy expenditure in young people by self-report? *The American Journal of Clinical Nutrition*, 89(3), 862–870. <https://doi.org/10.3945/ajcn.2008.26739>
- Coutts, A. J., & Duffield, R. (2010). Validity and reliability of GPS devices for measuring movement demands of team sports. *Journal of Science and Medicine in Sport*, 13(1), 133–135. <https://doi.org/10.1016/j.jsams.2008.09.015>
- Craig, C. L., Cameron, C., & Tudor-Locke, C. E. (2013). Relationship between parent and child pedometer-determined physical activity: A sub-study of the CANPLAY surveillance study. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1), 8. <https://doi.org/10.1186/1479-5868-10-8>
- Crouter, S. E., Clowers, K. G., & Bassett, D. R. (2006). A novel method for using accelerometer data to predict energy expenditure. *Journal of Applied Physiology*, 100(4), 1324–1331. <https://doi.org/10.1152/jappphysiol.00818.2005>
- Crouter, S. E., Schneider, P. L., Karabulut, M., & Bassett, D. R. (2003). Validity of 10 electronic pedometers for measuring steps, distance, and energy cost. *Medicine & Science in Sports & Exercise*, 35(8), 1455–1460. <https://doi.org/10.1249/01.MSS.0000078932.61440.A2>
- Cuberek, R., El Ansari, W., Frömel, K., Skalík, K., Sigmund, E., El Ansari, W., ... Sigmund, E. (2010). A comparison of two motion sensors for the assessment of free-living physical activity of adolescents. *International Journal of Environmental Research and Public Health*, 7(4), 1558–1576. <https://doi.org/10.3390/ijerph7041558>
- Cuberek, R., & Frömel, K. (2011). Problems of research sample and testing the null hypothesis. *Ceskoslovenska Psychologie*, 55(5), 468–477.

- Cuberek, R., Frömel, K., Groffik, D., & Jakubec, L. (2017). Differences between an accelerometer and a heart rate monitor in monitoring non-training-related load in adolescents: An opportunity to distinguish between the physical and mental load. *Journal of Physical Education and Sport*, 17(175), 1139–1146. <https://doi.org/10.7752/jpes.2017.03175>
- Cuberek, R., Gába, A., Frömel, K., Svoboda, Z., Chmelík, F., Lehnert, M., ... Pelclová, J. (2014). Walking into work in a prevention of the risk of falling in older sedentary female employees: Study rationale and design. In *5th International Congress on Physical Activity and Public Health* (p. 362). Rio de Janeiro, Brazil.
- Cuberek, R., Gába, A., Svoboda, Z., Pelclová, J., Chmelík, F., Lehnert, M., ... Frömel, K. (2014a). *Chůze v životě starších žen se sedavým zaměstnáním*. Olomouc: Univerzita Palackého v Olomouci.
- Cuberek, R., Gába, A., Svoboda, Z., Pelclová, J., Chmelík, F., Lehnert, M., ... Frömel, K. (2014b). *Walking in the lifestyle of elderly women with a sedentary occupation*. Olomouc: Univerzita Palackého v Olomouci. <https://doi.org/10.5507/ftk.14.24443775>
- Cuberek, R., Chmelík, F., Frömel, K., Mitáš, J., Vašíčková, J., & Svozil, Z. (2013). The concept of the implementation of present evidence-based knowledge and technology into the preparation of sport professionals. *Procedia - Social and Behavioral Sciences*, 83, 383–387. <https://doi.org/10.1016/j.sbspro.2013.06.075>
- Cuberek, R., Jakubec, A., Hulka, K., & Botek, M. (2012). A new view on the quality of Jacik's test. *Acta Gymnica*, 42(2), 33–40. <https://doi.org/10.5507/ag.2012.010>
- Cuberek, R., Skalík, K., & Frömel, K. (2009). Komparace individuální kategorizace úrovně pohybové aktivity monitorované akcelerometrem a krokoměrem. *Česká Kinantropologie*, 13(4), 9–15.
- Český statistický úřad. (2015). Sčítání lidu, domů a bytů 2011. Sčítací list osoby. Retrieved January 1, 2017, from [https://www.czso.cz/documents/11308/23214722/lo\\_vzor.pdf/c19a0022-277d-4151-9c72-aed3048c1152](https://www.czso.cz/documents/11308/23214722/lo_vzor.pdf/c19a0022-277d-4151-9c72-aed3048c1152)
- De Bruin, E. D., Hartmann, A., Uebelhart, D., Murer, K., & Zijlstra, W. (2008). Wearable systems for monitoring mobility-related activities in older people: A systematic review. *Clinical Rehabilitation*, 22(10–11), 878–895. <https://doi.org/10.1177/0269215508090675>
- De Craemer, M., De Decker, E., Santos-Lozano, A., Verloigne, M., De Bourdeaudhuij,

- I., Deforche, B., & Cardon, G. (2015). Validity of the Omron pedometer and the actigraph step count function in preschoolers. *Journal of Science and Medicine in Sport*, 18(3), 289–293. <https://doi.org/10.1016/j.jsams.2014.06.001>
- del Pozo-Cruz, B., Gant, N., del Pozo-Cruz, J., & Maddison, R. (2017). Relationships between sleep duration, physical activity and body mass index in young New Zealanders: An isotemporal substitution analysis. *PLOS ONE*, 12(9), e0184472. <https://doi.org/10.1371/journal.pone.0184472>
- Duffield, R., Reid, M., Baker, J., & Spratford, W. A. (2010). Accuracy and reliability of GPS devices for measurement of movement patterns in confined spaces for court-based sports. *Journal of Science and Medicine in Sport*, 13(5), 523–525. <https://doi.org/10.1016/j.jsams.2009.07.003>
- Dugas, L. R., Noakes, T. D., Lambert, E. V., Van Der Merwe, L., & Odendaal, H. (2005). A novel energy expenditure prediction equation for intermittent physical activity. *Medicine & Science in Sports & Exercise*, 37(12), 2154–2161. <https://doi.org/10.1249/01.mss.0000177742.12931.50>
- Dumuid, D., Stanford, T. E., Martin-Fernández, J. A., Pedišić, Ž., Maher, C. A., Lewis, L. K., ... Olds, T. (2017). Compositional data analysis for physical activity, sedentary time and sleep research. *Statistical Methods in Medical Research*, 96228021771083. <https://doi.org/10.1177/0962280217710835>
- Duncan, S., White, K., Sa'ulilo, L., & Schofield, G. (2011). Convergent validity of a piezoelectric pedometer and an omnidirectional accelerometer for measuring children's physical activity. *Pediatric Exercise Science*, 23(3), 399–410. <https://doi.org/10.1123/pes.23.3.399>
- Ellery, C. V. L., Weiler, H. A., & Hazell, T. J. (2014). Physical activity assessment tools for use in overweight and obese children. *International Journal of Obesity*, 38(1), 1–10. <https://doi.org/10.1038/ijo.2013.125>
- Evenson, K. R., Goto, M. M., & Furberg, R. D. (2015). Systematic review of the validity and reliability of consumer-wearable activity trackers. *International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 159. <https://doi.org/10.1186/s12966-015-0314-1>
- Food and Agriculture Organization of the United Nations, World Health Organization, & United Nations University. (2001). *Human energy requirements: Report of a Joint FAO/WHO/UNU Expert Consultation*. Rome. Retrieved from <ftp://ftp.fao.org/docrep/fao/007/y5686e/y5686e00.pdf>